BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED

(A GOVT. OF INDIA UNDERTAKING)

NAMRUP



Please reply to:

DGM (M.M)

BVFCL, Namrup

P.O. Parbatpur – 786 623

Dist. Dibrugarh (Assam),India.

CIN U24123AS2002GOI006786

GST No

18AABCB9399R1ZK

FAX: +91 [374] 2500204 / 2500317; e-mail: matmgt@bvfcl.co.in, web site: www.bvfcl.com

To,

M/s. _____

ONLINE NOTICE INVITING TENDER

1. NIT NO : AN/2021/65CPP-230/601/JS/Eng:081

2. DATE OF ISSUE : 14 .03.2022

 3. TYPE OF BID
 : Two Stage (Open Tender)

 4. BID OPENING
 : 11.04.2022 at 03:30 PM

EARNEST MONEY DEPOSIT : Rs. 500.00

| BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED, NAMRUP INVITES ONLINE BIDS FOR SUPPLY OF THE FOLLOWING ITEMS AS PER ANNEXURE-"A". | | |
|--|--|----------|
| SL | DESCRIPTION | QUANTITY |
| 1 | Microprocessor based 6 point Chartless Decorder in CDD & Utility III | As ner |

Microprocessor based 6 point Chartless Recorder in CPP & Utility –III
 As per Annexure-A
 Specification as per Annexure-A.

SPECIAL TERMS & CONDITIONS.

- 1. The above bid will include / indicate the following.
 - a) The complete scope of supply conforming to the specifications stipulated above and in Annexure A.
 - b) Basic Price, Packing & Forwarding charges, The applicable taxes and duties and any other applicable charges
 - c) The mode of transportation and charges thereon for delivery of the materials at Namrup, Assam.
 - d) Acceptance of "Payment within 30 days of receipt and acceptance of material at our site"
 - e) Confirmation that the firm prices have been quoted.
 - f) Confirmation of the bid validity for 90 days from the bid opening date.
 - g) "The tenderers are required to upload scanned copy of Demand Draft / Bank pay challan (available on our website) or NSIC/MSME Certificate under "Single Point" registration scheme in lieu of EMD online as a proof that tenderer has submitted the Earnest money of Rs. 500.00 (Rs. Five hundred only)."
 - If the EMD is submitted in the form of DD that may please be drawn on any schedule bank in favour of Brahmaputra Valley Fertilizer Corporation Limited payable at Namrup.
 - "The EMD must reach the office of the Dy. General Manager (MM), BVFCL Namrup within 10 Days of online opening date of the Bids
 - h) Acceptance of all the terms and conditions of Annexure A.
 - i) Please clearly indicate PAN/ GST no. in your quotation.
 - Minimum delivery period may please be quoted.
- 2. Tender documents, along with Annexure –A duly signed and stamped with office Seal in each page by the tenderers or his legal representative as a token of acceptance of the Terms and Conditions mentioned therein has to be submitted online.
- 3. New tenderers are requested to furnish self-certified documentary evidence in support of qualifying requirements of their tenders as stipulated below: a) Experience & Past Performance of similar contract for last 2 years.
 - b) Capability with respect to Personnel, equipment and manufacturing facilities.
 - c) Financial standing through Annual Report (Balance sheet and profit & loss account) of last 3 years.
 - d) Statutory requirement such as GST, PAN, ESI, Labour Licence no. EPF registration no. etc wherever pplicable
- 4. The Bids will be opened online on stipulated date and time. The Bids will be scrutinized in details in respect of NIT requirements.
- 5. "The Goods bearing the ISI Mark will be given preference."
- 6. In order to comply with newly introduced rule under Section 206AB provision w.e.f. 01.07.2021, In order to assess the Income-tax return filing status and to ensure that TDS is deducted at appropriate rate, the successful bidders have to submit us a declaration in the prescribed format along with the tax Invoice at the time of supply only.

7. BVFCL is committed to a corruption free work environment. "All the above purchases, services and commitments of BVFCL will be honoured without the citizen having to pay any bribe'. In case any person demands any bribe, it is the duty of the responsible to inform the matter to vigilance office, BVFCL, Namrup, P. O. Parbatpur, Dist. Dibrugarh, Assam PIN; 786623. (Tel no: 0374-2507092 / 0374-2507167).

Enclosures:

1. Annexure – A

Yours faithfully, for and on behalf of Brahmaputra Valley Fertilizer Corporation Ltd.

> (J. Saikia) Materials Officer (MM)

SPECIFICATION FOR SIX POINT CHARTLESS RECORDER

General

1. Type

2. Casing 3. Mounting

4. Front Panel

5. Panel Cutout

6. Input signal

7. Power supply

Configuration

9. Ambient temperature 10. Relative humidity

11. Accuracy

12. Display resolution

13. Display size & Type

14. Graphic

15. Display colour for Trend

16. Dual display

17. Display data

18. Historical display function

19. Language

20. Time

21. Internal Memory storage

22. Data storage

23. Internal Memory capacity

24. External storage medium

25. Configuration/ Programming

26. No. of Alarm

27. Relay output contact for use of External Annunciator.

28. Mounting accessories

29. Quantity

30. Spare Compact disk

: Six Point Microprocessor based, paperless, programmable, recorder with memory storage facility for the measured value fully configurable

: Drawn Steel/ Cast Aluminium

: Flush Panel mounting on vertical plane.

: Water and Dust proof.

: 144 mm x 144 mm (W x H).

: 1-10V DC, 4-20MA DC, RTD, T.C. Programmable.

: 115 + 10V AC, 50 Hz.

: From the front Panel Push button

: 10 ~ 50°C

: 50 ~ 95%

: 0.1 % of span.

: 0.1 °c.

: 5.5" VGA TFT Colour LCD (640X480 Pixels).

: Trend graph, Bar graph in horizontal and vertical direction (Selectable), Unit - Standard engineering unit for pressure, Temperature, Flow, Level,

Conductivity, PH etc

: Selectable

: Post measured and current trend graph to be display when required for

: Measured value, Channel No, Tag No (Alphanumeric), Engineering Unit,

Alarm status, Programming data, Date and Clock

: Display retrieved data (display data or event data, from memory)

: English

: Real time display with Year-month-day-hours -minutes-seconds

: The measured data and data programming shall be stored in the memory

: Event History and Alarm History

: 80MB

: 3 5" floppy disk/Compact disc

: From front key-board

: 4 Levels for each channel - Low, Very-low, High, and Very-high

: SPDT potential free contact 4 channels in a group (selectable/programmable)

Contact rating: 1 Amp, 230 V A.C.

: To be provided

TWO TOD



NOTE:

- 1. Party should confirm in their quotation that they will continue to supply spares of offered model for ten years.
- 2 Party should supply technical literature with quotation.
- 3 Party should respond to all points of this specification clearly and separately with deviations, if any.