



WIX1002 Interactive Quiz

Topic: Flow of Control Statements

Quiz Complete!

Your Score: 20 / 20 (100%)

Review Your Answers

1. What is the fundamental difference between an 'if-else' statement and a 'switch' statement?

Your answer: C (Correct)
2. In a 'do-while' loop, when is the loop's condition checked?

Your answer: B (Correct)
3. What is the primary purpose of the 'continue' keyword within a loop?

Your answer: B (Correct)
4. Which of the following 'for' loop headers is syntactically correct for iterating 10 times?

Your answer: B (Correct)
5. Which of the following data types is NOT allowed for use in a 'switch' statement's expression?

Your answer: D (Correct)
6. Which of the following correctly tests if a 'String' variable 's1' is alphabetically greater than 'String' variable 's2'?

Your answer: B (Correct)
7. Identify the error in the following code snippet:

```
int x = 5; if (x = 10) { System.out.println("x is 10"); }
```

Your answer: C (Correct)
8. What is the problem with the following loop?

```
for (int i = 10; i > 0; i++) { System.out.println(i); }
```

Your answer: C (Correct)
9. Why will the following code not print "Grade: A" when 'score' is 95?

```
int score = 95; switch (score) { case (score >= 90): System.out.println("Grade: A"); break; case (score >= 80): System.out.println("Grade: B"); break; default: System.out.println("Other"); }
```

Your answer: B (Correct)
10. Complete the following code to print all factors of an integer 'num'.

```
int num = 28; System.out.print("The factors are: "); for (int i = 1; ____; i++) { if (num % i == 0) { System.out.print(i + " "); } }
```

Your answer: B (Correct)
11. Fill in the blank to create a 'do-while' loop that asks the user to enter a number until they enter a negative number.

```
Scanner k = new Scanner(System.in); int num; do { System.out.print("Enter a number: "); num = k.nextInt(); } ____ (num >= 0);
```

Your answer: A (Correct)
12. Fill in the blank to correctly print "Odd" or "Even" using the ternary operator.

```
int number = 7; String result = (number % 2 == 0) ____ "Even" : "Odd"; System.out.println(result);
```

Your answer: C (Correct)
13. What is the output of the following code snippet?

```
int x = 9; int y = 10; if (x < 10) { if (y > 10) { System.out.println("*****"); } else { System.out.println("####"); } } System.out.println("$$$$$");
```

Your answer: B (Correct)
14. What is the output of the following code snippet?

```
int sum = 0; for (int i = 1; i <= 5; i++) { if (i == 3) { continue; } if (i == 5) { break; } sum += i; } System.out.println(sum);
```

Your answer: C (Correct)
15. What will the following code print?

```
int i = 0; while (i++ < 10) { if (i == 10) { System.out.println("Program End"); } }
```

Your answer: C (Correct)
16. What is the output of the following nested loop?

```
for (int i = 1; i <= 3; i++) { for (int j = 1; j <= 2; j++) { System.out.print(i + " * " + j + " "); System.out.println(); } }
```

Your answer: A (Correct)
17. You need to write a program for a simple calculator that accepts two numbers and an operator (+, -, *, /). Which control statement is most suitable for deciding which operation to perform based on the operator character?

Your answer: E (Correct)
18. You are writing a dice game where a player rolls a die. If they roll a 6, they score 6 points AND get to roll again. They keep rolling as long as they get a 6. Which loop structure best models the "roll again" mechanic?

Your answer: B (Correct)
19. A program needs to read student scores from the user and calculate the average. The program should stop asking for scores when the user enters a negative number. Which loop is the most appropriate for this task?

Your answer: E (Correct)
20. You need to display the calendar for a specific month (e.g., May). You know the month has 31 days and you know which day of the week the 1st of May falls on (e.g., Tuesday, index 2). Which loop is best suited for printing the 31 days?

Your answer: C (Correct)

Take Quiz Again