

# **DEFAULT OS X KEYMAP**

## Editing

^ Space	Basic code completion (the name of any
0,000	class, method or variable)
^∵Space	Class name completion (the name of any
	projectclass independently
	of current imports)
#û <b>~</b>	Complete statement
₩P	Parameter info (within method call arguments)
^J. Middle button click	Quick documentation lookup
û <b>F</b> 1	External Doc
₩ + mouse over code	Brief Info
₩ F1	Show descriptions of error or warning at caret
^+,^N,\N	Generate code
<b>#0</b>	Override methods
#\T	Surround with
<b></b> #/	Comment/uncomment with line comment
<b>光</b>	Comment/uncomment with block comment
<u>\\</u>	Select successively increasing code blocks
Z1	Decrease current selection to previous state
【第4]	Select till code block end
]第位了	Select till code block start
7.	Show intention actions and quick-fixes
₩∖L	Reformat code
07#	Optimize imports
17#	Auto-indent line(s)
<b>→</b> I	Indent selected lines
<b>û</b> →ı	Unindent selected lines
₩X	Cut current line or selected block to clipboard
<b>#C</b>	Copy current line or selected block
	to clipboard
₩V	Paste from clipboard
<b>₩ûV</b>	Paste from recent buffers
₩D	Duplicate current line or selected block
#⊗	Delete line at caret
^ûJ	Smart line join
#+	Smart line split
<u>⊕</u>	Start new line
₩ûU	Toggle case for word at caret or selected
	block
<u>√</u> ⊗	Delete to word end
	Delete to word start
#+/#-	Expand/collapse code block
<b>光</b>	Expand all
<b>光</b> ① -	Collapse all
₩W	Close active editor tab

#### Running

^\ <b>R</b>	Select configuration and run
^ \tag{D}	Select configuration and debug
^R/^D	Run/Debug
^☆R,^☆D	Run context configuration from editor
∵ R	Run manage.py task

### Debugging

F8/F7	Step over / step into
<b> F8</b>	Step out
∵ <b>F9</b>	Run to cursor
∵ <b>F8</b>	Evaluate expression
<b>87∵F8</b>	Quick evaluate expression
F9	Resume program
₩ F8	Toggle breakpoint
<b>ж</b> û <b>F8</b>	View breakpoints

Navigation	
#O	Go to class
<b>光企O</b>	Go to file
#7O	Go to symbol
^-	Go to next editor tab
^-	Go to previous editor tab
F12	Go back to previous tool window
0	Go to editor (from tool window)
合め	Hide active or last active window
<b>ж</b>	Close active run/messages/find/ tab
₩L	Go to line
ЖE	Recent files popup
<b>₩</b> 7.₩	Navigate back
# \ →	Navigate forward
#û⊠	Navigate to last edit location
∵ <b>F1</b>	Select current file or symbol in any view
₩B, ₩Click	Go to declaration
₩∖B	Go to implementation(s)
∵Space, #Y	Open quick definition lookup
^☆B	Go to type declaration
₩U	Go to super-method/super-class
^†/^↓	Go to previous/next method
<b>#</b> ]	Move to code block end
₩[	Move to code block start
₩ F12	File structure popup
^H	Type hierarchy
жû H	Method hierarchy
^ \ H \ Z ^	Call hierarchy
F2 / ☆ F2	Next/previous highlighted error
F4	Edit source
無↑	View source
∵Home	Show navigation bar
F3	Toggle bookmark
₹ <b>F3</b>	Toggle bookmark with mnemonic
^0^9	Go to numbered bookmark
₩ F3	Show bookmarks

## Search/Replace

#F/#R	Find / Replace
#G/#ûG	Find next/previous
ЖûF	Find in path
# û R	Replace in path

#### **Usage Search**

∵ F7/#F7	Find usages / Find usages in file
<b>ж</b>	Highlight usages in file
<b>ж</b> ∖ <b>F7</b>	Show usages

#### Refactoring

F5 / F6	Copy / Move
₩ Delete	Safe Delete
<b>☆ F6</b>	Rename
₩ F6	Change Signature
N✓Ж	Inline
M✓Ж	Extract Method
V√Ж	Extract Variable
₩∖F	Extract Field
ж∕C	Extract Constant
#7P	Extract Parameter

## VCS/Local History

<b></b> KK	Commit project to VCS
жT	Update project from VCS
℃企C	View recent changes
^ V	'VCS' quick popup

#### **Live Templates**

u ∠ x	Surround with Live Template
жJ	Insert Live Template

#### General

<b>#0#9</b>	Open corresponding tool window
₩S	Save all
¥7X	Synchronize
₩ û F12	Toggle maximizing editor
℃☆F	Add to Favorites
T企I	Inspect current file with current profile
^ §, ^ `	Quick switch current scheme
₩,	Open Settings dialog
<b>☆</b> ₩ <b>A</b>	Find Action
^ <b>→</b> I	Switch between tabs and tool window

To find any action inside the IDE use Find Action (  $\mathring{\Omega}$  % A )





