PERSONAL REFERENCE

CLI CHEAT SHEET

COMPLETE A-Z GUIDE

NixOS · Bash · Hyprland · yt-dlp · Partition Tools — March 2026

bash	nix	2026	100%
SHELL	NIXOS	EDITION	OFFICIAL

SHELL CMDS · NIXOS · PARTITIONS · HYPRLAND

TABLE OF CONTENTS

SECTION 1	SHELL COMMANDS — eza, bat, head, tail, cp, mv, rm, sed, awk, fd...	1
SECTION 2	STORAGE & DRIVES — lsblk, udisksctl, mount, chmod, blkid, fsck	2
SECTION 3	BOOTABLE DRIVES & PARTITION MANAGEMENT TOOLKIT	3
SECTION 4	yt-dlp — Video, Playlist, Audio Downloads	4
SECTION 5	STEGHIDE — Hide Secrets in Images & Audio	5
SECTION 6	ARCH LINUX — WiFi, mkinitcpio, Kernel Panic, Fixes	6
SECTION 7	NIXOS + FLAKES + HOME MANAGER — Daily Cheatsheet	7
SECTION 8	HYPRLAND — Keybinds Reference	8
SECTION 9	WORTH LOOKING AT — Official Resources & Links	9

Commands 101

Shell Commands

eza

```
$ eza                          # Basic list
$ eza -la                      # All files, long format
$ eza -lah                     # All files, long, human sizes
$ eza -T                       # Tree view
$ eza -T -L 2                  # Tree view, 2 levels deep
$ eza -lah --sort=modified     # Sort by modification time
$ eza -lah --sort=size         # Sort by size
```

less & more

```
$ less filename                # View with scrolling (q to quit)
$ more filename                # Simple pager
```

bat

```
$ bat filename                 # View with syntax highlighting
$ bat -p filename              # Plain output (no decorations)
$ bat -A filename              # Show all characters (spaces, tabs)
```

head & tail

First/last lines

```
$ head filename                # First 10 lines
$ head -n 20 filename          # First 20 lines
$ tail filename                # Last 10 lines
$ tail -n 20 filename          # Last 20 lines
```

file stuff

```
$ file filename                # Determine file type
$ stat filename                # Detailed file stats
$ du -h filename               # File/directory size human-readable
$ du -sh directory             # Total size of directory
```

touch, seq and echo

```
$ touch file1 file2 file3          Create multiple files
$ seq 7 | xargs -I {} touch {}.txt  Create multiple files at once
```

```
$ echo "content" > newfile          Create file with content
$ echo "more" >> existingfile       Append to file
```

mkdir

```
$ mkdir -p path/to/nested/dir       Create nested directories
$ mkdir dir1 dir2 dir3              Create multiple directories
$ mkdir -p project/{src,docs,tests}   Create multiple subdirs
```

cp

```
Copy files
$ cp source.txt dest.txt            Copy file
$ cp file1 file2 /dest/dir/         Copy multiple files to directory
$ cp -i source dest                 Interactive (ask before overwrite)
$ cp -v source dest                 Verbose (show what's being copied)
$ cp -p source dest                 Preserve attributes (timestamp, permissions)

$ cp -r sourcedir/ destdir/         Copy directory recursively
$ cp -rv sourcedir/ destdir/        Copy directory with verbose output
$ cp -rp sourcedir/ destdir/        Copy preserving attributes
$ cp -ru sourcedir/ destdir/        Copy only newer files (update)


$ cp *.txt /dest/                   Copy all .txt files
$ cp file{1,2,3}.txt /dest/         Copy specific files
$ cp -r dir/{subdir1,subdir2} /dest/   Copy specific subdirectories
```

mv

```
Move/rename files
$ mv oldname newname                Rename file
$ mv source.txt /dest/dir/          Move file to directory
$ mv file1 file2 /dest/             Move multiple files
$ mv -i source dest                 Interactive (ask before overwrite)
$ mv -v source dest                 Verbose output


$ mv olddir newdir                  Rename directory
$ mv sourcedir /dest/path/          Move directory
```

rm

```
$ rm file1 file2 file3              Delete multiple files
$ rm -i filename                    Interactive (ask for each file)
$ rm -v filename                    Verbose output
```

```
$ rm -f filename                    Force delete (no confirmation)


$ rm -r dirname                     Remove directory recursively
$ rm -rf dirname                    Force remove directory (DANGEROUS)
$ rm -riv dirname                   Interactive verbose recursive removal
```

stdin, stdout & pipes

```
Redirection
command > file                   Redirect stdout to file (overwrite)
command >> file                  Redirect stdout to file (append)
command 2> file                  Redirect stderr to file
command &> file                  Redirect both stdout and stderr
command 2>&1                     Redirect stderr to stdout
```

pipes

```
command1 | command2              Pipe output to another command
cat file | sort | uniq           Chain multiple commands
```

...

```
find . -type f | wc -l           Count all files
du -h | sort -h | tail -n 10     10 largest items
pgrep firefox | xargs kill                Kill all firefox
```

sed

```
In-place text replacement (sed)
sed -i 's/old/new/g' file.txt            Replace all occurrences
sed -i 's/old/new/' file.txt             Replace first occurrence per line
sed -i '10d' file.txt                    Delete line 10
sed -i '1,5d' file.txt                   Delete lines 1-5
sed -i '/pattern/d' file.txt             Delete lines matching pattern
sed -i 's/^/prefix/' file.txt            Add prefix to each line
sed -i 's/$/suffix/' file.txt            Add suffix to each line

Multiple files
sed -i 's/old/new/g' *.txt

With backup
sed -i.bak 's/old/new/g' file.txt        Creates file.txt.bak
```

awk

```
awk '{print $1}' file.txt                Print first column
awk '{print $1, $3}' file.txt            Print columns 1 and 3
awk -F':' '{print $1}' /etc/passwd       Custom delimiter
awk 'NR==10' file.txt                    Print line 10
awk 'NR>=10 && NR<=20' file.txt          Print lines 10-20
awk '/pattern/' file.txt                 Print lines matching pattern
awk '{sum+=$1} END {print sum}' file     Sum first column
```

sort

```
sort file.txt                            Alphabetical sort
sort -r file.txt                         Reverse sort
sort -n file.txt                         Numerical sort
sort -h file.txt                         Human-readable numbers (1K, 1M)
sort -u file.txt                         Sort and remove duplicates
sort -k2 file.txt                        Sort by second column
sort -t':' -k3 -n /etc/passwd            Sort by 3rd field numerically
```

uniq

```
uniq file.txt                            Remove adjacent duplicate lines (sort first!)
uniq -c file.txt                         Count occurrences
uniq -d file.txt                         Show only adjacent duplicates
uniq -u file.txt                         Show only unique lines
```

wc

```
wc file.txt                              Lines, words, bytes
wc -l file.txt                           Count lines only
wc -w file.txt                           Count words only
wc -c file.txt                           Count bytes
wc -m file.txt                           Count characters
```

fd, find

```
fd (modern find replacement) - you NEED this
fd pattern                       Simple search
fd pattern /path                 Search in specific path
fd -H pattern                    Include hidden files
fd -I pattern                    Include ignored files (.gitignore)
fd -e txt                        Find by extension
fd -e txt -e md                  Multiple extensions
fd -t f pattern                  Files only
fd -t d pattern                  Directories only
fd -t l pattern                  Symlinks only
fd -s pattern                    Case-sensitive
fd -S +100M                      Files larger than 100MB
fd -S -100M                      Files smaller than 100MB
```

```
fd pattern -x rm                Execute command on results (pattern required!)
fd pattern -x bat               View all matching files

Find and execute with confirmation
fd pattern -x sh -c 'echo "Process $1?" && read -r && command "$1"' sh

Find modified in last N days
fd --changed-within 7d          Last 7 days
fd --changed-before 30d         More than 30 days ago

Find by user
find . -user $USER              Files owned by you
find . -type f -user $USER -exec ls -lh {} \;
```

split & csplit

```
Split large files
split -b 100M largefile.zip part_        Split into 100MB chunks
split -l 1000 largefile.txt part_        Split by 1000 lines per file
split -n 5 largefile.dat part_           Split into 5 equal parts

Merge split files back
cat part_* > original_file

Split with better naming
split -b 100M -d --additional-suffix=.zip largefile.zip part_

csplit - split by pattern
csplit file.txt '/pattern/' '{*}'        Split at each pattern occurrence
```

column, paste & join +++

```
column - columnate lists
column -t file.txt                       Auto-format into columns
mount | column -t                        Pretty-print mount info
cat /etc/passwd | column -t -s ':'       Format with custom separator

paste - merge lines
paste file1.txt file2.txt                Merge files side by side
paste -d ',' file1.txt file2.txt         Merge with comma delimiter
paste -s file.txt                        Merge all lines into one

join - merge files on common field (BOTH files MUST be sorted on join field first!)
sort file1.txt -o file1.txt && sort file2.txt -o file2.txt
join file1.txt file2.txt                 Join on first field
join -t ':' -1 3 -2 1 file1 file2        Join on specific fields
```

```
tee - write to multiple outputs
command | tee output.txt                Display and save to file
command | tee -a output.txt             Append to file
command | tee file1.txt file2.txt       Save to multiple files

xargs - build commands from input
find . -name "*.tmp" -delete              Delete all .tmp files
fd -e txt -x cp {} backup/              Copy all txt files
echo "file1 file2 file3" | xargs -n 1 echo   Process one argument at a time
cat urls.txt | xargs -n 1 -P 4 wget     Download 4 URLs in parallel
```

shortcuts for bash shell

```
Keyboard shortcuts in bash (already available)
Ctrl+A                          Move to beginning of line
Ctrl+E                          Move to end of line
Ctrl+U                          Delete from cursor to beginning
Ctrl+K                          Delete from cursor to end
Ctrl+W                          Delete word before cursor
Ctrl+Z                          Suspend current process

Brace expansion
mkdir {dir1,dir2,dir3}          Create multiple directories
cp file.txt{,.bak}              Quick backup (copies to file.txt.bak)
mv file.{txt,md}                Rename extension
echo {1..10}                    Generate sequence
echo {a..z}                     Generate alphabet
```

lsblk, udisksctl, mount, unmount

```
lsblk -f                        Show filesystem types
lsblk -o NAME,SIZE,TYPE,MOUNTPOINT   Custom columns

With your udisks2/udiskie setup
udisksctl status                Show device status
udisksctl dump                  Detailed device info

Mount external drive manually (if not auto-mounted)
udisksctl mount -b /dev/sdX1    Mount device (replace sdX1)
udisksctl unmount -b /dev/sdX1  Unmount device

Traditional mount (requires sudo)
sudo mount /dev/sdX1 /mnt/usb   Mount to /mnt/usb
sudo umount /mnt/usb            Unmount
```

```
Check if udiskie auto-mounted
findmnt                          Show all mount points
mount | grep sdX                 Show specific device mounts

Copy to/from external drives
cp -rv /path/to/source /run/media/$USER/DRIVENAME/        Copy to USB
cp -rv /run/media/$USER/DRIVENAME/file ~/                 Copy from USB

Safe eject (before physical removal)
udisksctl unmount -b /dev/sdX1   Unmount first
udisksctl power-off -b /dev/sdX  Power off the device
```

chmod, chown

```
Change permissions
chmod 644 file                   rw-r--r-- (owner read/write, others read)
chmod 755 file                   rwxr-xr-x (owner all, others read/execute)
chmod 600 file                   rw------- (owner only)
chmod +x script.sh               Add execute permission
chmod -x file                    Remove execute permission
chmod u+x file                   Add execute for user/owner
chmod g+w file                   Add write for group
chmod o-r file                   Remove read for others
chmod -R 755 directory/          Recursive permission change

Change ownership (requires sudo)
sudo chown user:group file       Change owner and group
sudo chown user file             Change owner only
sudo chown :group file           Change group only
sudo chown -R user:group dir/    Recursive ownership change
```

find

```
findmnt                                 All mount points
findmnt /dev/sda1                       Specific device
findmnt -t ext4                         By filesystem type
findmnt -S /dev/sda1                    By source
```

blkid

```
sudo blkid                              All block devices
sudo blkid /dev/sda1                    Specific device
sudo blkid -s UUID /dev/sda1            Show only UUID
```

fsck

```
sudo fsck /dev/sdX1                    Check and repair (UNMOUNT FIRST)
sudo fsck -n /dev/sdX1                 Check without changes (safe)
```

badblocks

```
sudo badblocks -v /dev/sdX             Read-only test
sudo badblocks -nvs /dev/sdX           Non-destructive write test
```

Create bootable drive

```
$ lsblk
$ sudo dd if=/path/to/your.iso of=/dev/sdX bs=4M status=progress oflag=sync
$ sync

$ free -h
$ df -h

Remove .Trash-1000 folders from your USB drive
$ ls /run/media/$USER/
$ sudo rm -rf /run/media/$USER/YOUR_USB_NAME/.Trash-1000/*

$ lsblk -o NAME,SIZE,FSTYPE,MOUNTPOINT | grep -v '^loop'

udisks2 + cryptsetup
$ groups
$ sudo usermod -aG storage $USER
$ groups

For unmount
$ udisksctl unmount -b /dev/sda1

Rename (label) an exFAT drive
$ sudo exfatlabel /dev/sdX1 NewName

Rename (label) an NTFS drive
$ sudo ntfslabel /dev/sdX1 NewName

Only LUKS Encryption — DESTROYS ALL DATA on partition
$ sudo cryptsetup luksFormat /dev/sdX1 && sudo cryptsetup open /dev/sdX1 secure_usb

Format as exFAT (no encryption)
$ sudo umount /run/media/$USER/DRIVENAME
$ sudo cryptsetup close secure_usb   # Only if drive was previously LUKS-encrypted —
skip if not
$ sudo udevadm settle
$ sudo partprobe /dev/sda
$ lsblk -fp
```

```
$ sudo mkfs.exfat -n MyB /dev/sda1

Format as NTFS (no encryption)
$ sudo mkfs.ntfs -f -L MyUSB /dev/sdX1

Format USB - exFAT + LUKS
$ sudo cryptsetup luksFormat /dev/sdX1 && sudo cryptsetup open /dev/sdX1 secure_usb &&
sudo mkfs.exfat -n mydrivesam /dev/mapper/secure_usb && sudo cryptsetup close
secure_usb

Format USB - NTFS + LUKS
$ sudo cryptsetup luksFormat /dev/sdX1 && sudo cryptsetup open /dev/sdX1 secure_usb &&
sudo mkfs.ntfs -f -L Mydrivesand /dev/mapper/secure_usb && sudo cryptsetup close
secure_usb

Unlock and mount - exFAT
$ sudo cryptsetup open /dev/sdX1 secure_usb && sudo mkdir -p /mnt/usb && sudo mount -t
exfat /dev/mapper/secure_usb /mnt/usb

Unlock and mount - NTFS
$ sudo cryptsetup open /dev/sdX1 secure_usb && sudo mkdir -p /mnt/usb && sudo mount -t
ntfs3 /dev/mapper/secure_usb /mnt/usb

Lock and unmount - both
$ sudo umount /mnt/usb && sudo cryptsetup close secure_usb
```

PARTITION MANAGEMENT TOOLKIT

```
PART 1 — CREATE NEW PARTITIONS (WIPING OLD TABLE)
$ lsblk -fp
$ sudo wipefs --all /dev/sda

Create new GPT partitions
$ sudo parted /dev/sda --script mklabel gpt \
  mkpart "part1" 0% 28GB \
  mkpart "part2" 28GB 100%

For BIOS/MBR systems
$ sudo parted /dev/sda --script mklabel msdos \
  mkpart primary 0% 28GB \
  mkpart primary 28GB 100%

Verify
$ lsblk -fp

Format - exFAT
$ sudo mkfs.exfat -n Part1 /dev/sda1
$ sudo mkfs.exfat -n Part2 /dev/sda2
```

```
Format - NTFS
$ sudo mkfs.ntfs -f -L Part1 /dev/sda1
$ sudo mkfs.ntfs -f -L Part2 /dev/sda2

PART 2 — CREATE NEW PARTITION WITHOUT LOSING EXISTING NTFS DATA
$ lsblk -fp
$ sudo umount /dev/sda1
$ sudo ntfsfix /dev/sda1
$ sudo ntfsresize --size 100G /dev/sda1          # shrinks NTFS filesystem only
$ sudo parted /dev/sda resizepart 1 100GB         # shrinks actual partition to match
(REQUIRED)
$ sudo parted /dev/sda --script mkpart "NewPart" 100GB 100%
$ sudo mkfs.exfat -n NewPart /dev/sda2
$ lsblk -fp
```

yt-dlp

for the maximum best quality possible

```
$ yt-dlp --no-playlist --no-call-home --no-cache-dir --no-cookies -f
bestvideo+bestaudio/best --merge-output-format mkv --write-description --write-info-
json -P ~/Downloads -o "%(title).100s.%(ext)s" "VIDEO_URL"
```

for specific resolution/quality, say 1080p

```
$ yt-dlp --no-playlist --no-call-home --no-cache-dir --no-cookies -f
"bestvideo[height=1080]+bestaudio/best" --merge-output-format mkv --write-description
--write-info-json -P ~/Downloads -o "%(title).100s.%(ext)s" "VIDEO_URL"
```

download entire playlist, maximum quality

```
$ yt-dlp --no-call-home --no-cache-dir --no-cookies -f bestvideo+bestaudio/best --
merge-output-format mkv --write-description --write-info-json -P ~/Downloads -o
"%(playlist_title)s/%(playlist_index)03d - %(title).100s.%(ext)s" "PLAYLIST_URL"
```

download entire playlist, specific resolution

```
$ yt-dlp --no-call-home --no-cache-dir --no-cookies -f
"bestvideo[height=1080]+bestaudio/best" --merge-output-format mkv --write-description
--write-info-json -P ~/Downloads -o "%(playlist_title)s/%(playlist_index)03d -
%(title).100s.%(ext)s" "PLAYLIST_URL"
```

audio single file (replace flac with mp3/wav as needed)

```
$ yt-dlp --no-playlist --no-call-home --no-cache-dir --no-cookies -f bestaudio --
extract-audio --audio-format flac --audio-quality 0 --write-description --write-info-
json -P ~/Downloads -o "%(title).100s.%(ext)s" "VIDEO_URL"
```

audio playlist

```
$ yt-dlp --no-call-home --no-cache-dir --no-cookies -f bestaudio --extract-audio --
audio-format flac --audio-quality 0 --write-description --write-info-json -P ~/
Downloads -o "%(playlist_title)s/%(playlist_index)03d - %(title).100s.%(ext)s"
"PLAYLIST_URL"
```

Steghide

With Images

```
Embed a secret file in an image
$ steghide embed -cf image.jpg -ef secretfile

Extract the secret file
$ steghide extract -sf image.jpg
```

With Audio

```
Embed a secret file in an audio file
$ steghide embed -cf audio.wav -ef secretfile

Extract the secret file
$ steghide extract -sf audio.wav
```

Arch stuff + Fixes + Tweaking

Connect WiFi

```
$ systemctl start iwd
$ iwctl
[iwd]# station list
[iwd]# station wlan0 scan
[iwd]# station wlan0 get-networks
[iwd]# station wlan0 connect "SSID/Network/WiFi-name"
```

Then put the WiFi password in and done. Run `quit` then `ping google.com` to test.

Fix mkinitcpio syntax error

```
$ sudo nvim /etc/mkinitcpio.conf
# Delete any stray character or unmatched quote at end of file
# Save, exit, then:
$ sudo mkinitcpio -P
$ ls -lh /boot/initramfs-linux.img
```

If already in Kernel Panic — chroot fix

```
# Boot from Arch installation media
$ mount /dev/sdXY /mnt              # root partition
$ mount --mkdir /dev/sdXZ /mnt/boot # EFI partition (MUST do this before chroot)
$ arch-chroot /mnt
$ nano /etc/mkinitcpio.conf
$ mkinitcpio -P
$ ls -l /boot/initramfs-linux.img
$ exit
$ umount -R /mnt
$ reboot
```

Prevent mkinitcpio corruption forever

```
$ sudo chattr +i /etc/mkinitcpio.conf    # lock (immutable)

# To edit in future:
$ sudo chattr -i /etc/mkinitcpio.conf   # unlock
# edit
$ sudo chattr +i /etc/mkinitcpio.conf   # lock again
```

Disable SSH root login

```
$ sudo nvim /etc/ssh/sshd_config
# Find: PermitRootLogin
# Set to: PermitRootLogin no
# Save and exit, then:
$ sudo systemctl restart sshd
```

NixOS + Flakes + Home Manager

Daily Cheatsheet

Edit system packages or config

```
$ sudo nvim /etc/nixos/configuration.nix
$ sudo nixos-rebuild switch --flake /etc/nixos#nixos
```

Edit dotfiles / programs (Home Manager)

```
$ sudo nvim /etc/nixos/home.nix
$ sudo nixos-rebuild switch --flake /etc/nixos#nixos
```

Rollback if something breaks

```
$ sudo nixos-rebuild switch --rollback
```

Search packages

```
$ nix search nixpkgs packagename
```

Check generations (history)

```
$ sudo nix-env --list-generations --profile /nix/var/nix/profiles/system
```

Monthly Maintenance Routine

Full routine — run in this exact order

```
# 1. UPDATE — pull latest packages within current stable branch
$ cd /etc/nixos && sudo nix flake update

# 2. REBUILD — apply everything
$ sudo nixos-rebuild switch --flake /etc/nixos#nixos

# 3. LIST generations
$ sudo nix-env --list-generations --profile /nix/var/nix/profiles/system

# 4. CLEAN — keep last 3, delete rest + garbage collect
$ nh clean all --keep 3
```

```
# 5. BACKUP — push to GitHub
$ cp /etc/nixos/home.nix ~/nixos-config/
$ cp /etc/nixos/configuration.nix ~/nixos-config/
$ cp /etc/nixos/flake.nix ~/nixos-config/
$ cp /etc/nixos/flake.lock ~/nixos-config/
$ cd ~/nixos-config && git add . && git commit -m "updated" && git push
```

UPGRADE — jump to next NixOS release (e.g. 26.05 in May 2026)

```
# Change ONE line in flake.nix:
url = "github:NixOS/nixpkgs/nixos-26.05";

# Then run full monthly routine again (steps 1 → 2 → 3 → 4 → 5)
```

Fresh Machine Restore

Clone and apply entire system from scratch

```
# 1. Install NixOS minimal from ISO
# 2. Generate fresh hardware config
$ sudo nixos-generate-config

# 3. Clone your config repo
$ git clone https://github.com/shaonahmedronok1/nixos-config

# 4. Copy your files (NOT hardware-configuration.nix)
$ sudo cp nixos-config/flake.nix /etc/nixos/
$ sudo cp nixos-config/flake.lock /etc/nixos/
$ sudo cp nixos-config/configuration.nix /etc/nixos/
$ sudo cp nixos-config/home.nix /etc/nixos/

# 5. One command — entire system materializes
$ sudo nixos-rebuild switch --flake /etc/nixos#nixos
```

Key Concepts

File structure

```
/etc/nixos/
├── flake.nix                  # entry point, versions pinned
├── flake.lock                 # exact version snapshot — commit this to git
├── configuration.nix          # system packages, services, hardware
├── home.nix                   # all dotfiles, user programs
└── hardware-configuration.nix # machine-specific — regenerate fresh on new PC
```

Rules — never break these

```
# Never edit ~/.config directly — Home Manager owns it via symlinks
# Never copy hardware-configuration.nix to a new machine — always regenerate
# Always commit flake.lock to GitHub after nix flake update
# home.stateVersion — never change this value ever
```

/.config explained

```
# ~/.config still exists but everything is symlinks pointing to /nix/store/
# Example:
~/.config/waybar/config.jsonc -> /nix/store/abc123.../waybar-config.jsonc
~/.config/hypr/hyprland.conf  -> /nix/store/abc123.../hyprland.conf
~/.bashrc                     -> /nix/store/abc123.../bashrc

# Edit home.nix → rebuild → symlinks update automatically
# Never touch the files directly
```

Hyprland Keybinds

```
Super + Return          Open terminal (alacritty)
Super + grave           Open terminal (alacritty)
Super + Space           App launcher (fuzzel)
Super + B               Chromium
Super + E               Nautilus file manager
Super + C               Kill active window
Super + F               Toggle fullscreen
Super + Shift + Space   Toggle float
Super + V               Clipboard history (cliphist)
Super + period          Emoji picker
Super + Z               Screenshot region
Super + Shift + Z       Screenshot full
Super + Shift + X       Lock screen (swaylock)
Super + Shift + L       Lock screen
Super + N               Dismiss notification
Super + Shift + N       Dismiss all notifications
Super + Shift + E       Exit Hyprland

Super + H/J/K/L         Focus window left/down/up/right
Super + arrows          Focus window (arrow keys)
Super + Shift + H/J/K/L Move window left/down/up/right
Super + 1-9             Switch to workspace 1-9
Super + Shift + 1-9     Move window to workspace 1-9
Super + Shift + period  Move to next monitor
Super + Shift + comma   Move to previous monitor
```

```
Super + mouse drag      Move window
Super + right-click     Resize window

Super + Page_Up         Brightness up (ddcutil)
Super + Page_Down       Brightness down (ddcutil)
Super + F1              Mute audio
Super + F2              Volume down
Super + F3              Volume up
```

Worth looking at

https://linux.die.net
https://fmhy.net
https://www.commandlinefu.com/commands/browse/sort-by-votes
https://www.commandlinefu.com/commands/browse
https://www.gnu.org/software/coreutils/manual
https://wiki.archlinux.org/title/Core_utilities
https://wiki.archlinux.org/title/Bash
https://dotfiles.substack.com
https://github.com/mhoye/moderntools
https://github.com/natpen/awesome-wayland
https://github.com/toolleeo/awesome-cli-apps-in-a-csv
https://github.com/rothgar/awesome-tuis
https://github.com/jlevy/the-art-of-command-line
https://github.com/alebcay/awesome-shell
https://github.com/agarrharr/awesome-cli-apps
https://github.com/Jacksaur/Gorgeous-GRUB
https://github.com/k4m4/terminals-are-sexy
https://igwiki.lyci.de/wiki/GNU/Linux_ricing
https://igwiki.lyci.de/wiki/List_of_recommended_GNU/Linux_software
https://lukesmith.xyz/programs
https://harmful.cat-v.org/software
https://github.com/mayfrost/guides/blob/master/ALTERNATIVES.md
https://comfy.guide/client/luks
https://comfy.guide/client/gpg
https://distro.tube
https://wiki.archlinux.org/title/Main_page
https://stackoverflow.com/questions
https://unix.stackexchange.com

https://github.com/mayfrost/guides/blob/master/CHECKLIST.md
https://www.gnu.org/software/librejs
https://www.gnu.org/prep/ftp.html
https://www.gnu.org/manual/blurbs.html
https://nixos.org/manual/nixos/stable
https://nix-community.github.io/home-manager
https://wiki.nixos.org/wiki/Flakes
https://search.nixos.org/packages