

生态研究前沿速览_2026-03-14

2026 年 03 月 14 日

共收录 300 篇最新研究

目录

【环境与气候】

1. 1. Sleep loss in a warming world...

【生态学核心】

2. 2. Responses of African Savanna Trees to Large Herbivore Extinc...

【土壤与生物地球化学】

3. 3. Detection of dietary stress and geophagic behaviour forced b...

【生态学核心】

4. 4. Global Marine Fishery Stock Productivity Under Climate Chang...

【环境与气候】

5. 5. Changing bird nutrient inputs...

【植物与农业】

6. 6. Amazon rainforests are rejuvenating their canopies by produc...
7. 7. Territorial decision-making on agricultural soil pollution...

【环境与气候】

8. 8. Policy interactions reshape the outcomes of carbon pricing p...

【土壤与生物地球化学】

9. 9. On the role of light and vertical mixing in shaping Southwes...

【生态学核心】

10. 10. Climate Change Can Generate Enemy-Free Space for Crop-Feedin...

【环境与气候】

11. 11. Cross-national comparative assessment of synergies and confl...

12. 12. Climate policy feasibility across Europe relies on the condi...

13. 13. Amplified variability...

【植物与农业】

14. 14. Pangenomics for sorghum improvement...

【保护与生物多样性】

15. 15. Structured machine learning modeling to support conservation...

【植物与农业】

16. 16. Nutrient management modulates acidification-induced risks to...

【生态学核心】

17. 17. Parallel but distinct adaptive routes in the budding and fis...

【环境与气候】

18. 18. Compostable soft robots for plant monitoring...

19. 19. Managing nitrogen for food and environment...

【土壤与生物地球化学】

20. 20. Litter vs. Lens: Evaluating LAI from Litter Traps and Hemisp...

【综合顶刊】

21. 21. No such thing as a shark? Genomes shake up ocean predator's ...

【海洋与水生】

22. 22. Heavy rainfall shifts microbial control from nutrient-temper...

【植物与农业】

23. 23. Plant Community Responses to Long-Term Nutrient Additions In...

【土壤与生物地球化学】

24. 24. Spatial heterogeneity of GHG dynamics across an estuarine ec...

25. 25. Evaluating glycerol dialkyl glycerol tetraether (GDGT)-based...

26. 26. Straw Incorporation Strategies Regulate Detritusphere Organi...

【综合顶刊】

27. 27. Accelerated discovery of cell migration regulators using lab...

28. 28. Briefing chat: 'Can it run Doom?'—why scientists got brain...

29. 29. How the classic computer game Doom became a tool for science...

【植物与农业】

30. 30. Implementation of practices shapes the effectiveness of agri...

【综合顶刊】

31. 31. A hydro-topological strategy enables self-regulating biofilm...

【生态学核心】

32. 32. Genetic ancestry affects cancer immunity...

【综合顶刊】

33. 33. Nine changes needed to deliver a radical transformation in b...

【环境与气候】

34. 34. Iran's policy priorities intensify water crisis...

35. 35. Early action for coastal communities...

36. 36. [ASAP] Brominated Persistent Organic Pollutants in Cloud/Fog...

【海洋与水生】

- 37. 37. Molecular oxygen cascade reduction to $\cdot\text{OH}$ via coplanar dual-...
- 38. 38. Waste per- and polyfluoroalkyl substance-assisted flash fluo...
- 39. 39. Bacterial presence and nutrient dynamics in mangrove crab mo...

【植物与农业】

- 40. 40. Agrifood companies must take responsibility for nitrogen pol...
- 41. 41. Grain zinc, iron and protein concentrations of contemporary ...
- 42. 42. Effects of Ungulate Herbivores on Temperate Forest Understor...

【遥感与模型】

- 43. 43. Groundwater-Derived Carbon Promotes Hypoxia and Acidificatio...

【生态学核心】

- 44. 44. Plasticity in prostate cancer...
- 45. 45. Drift shapes norovirus diversity...
- 46. 46. Aneuploidy affects fitness...
- 47. 47. The Leading Edge Matters Too: Fitness and the Expression of ...
- 48. 48. Biodiversity Trends Show an Excess of Both Near Stasis and o...
- 49. 49. Forest Heterogeneity by Chain Saw: How Between-Patch Variati...

【综合顶刊】

- 50. 50. Stochasticity in mammalian cell growth rates drives cell-to-...

【生态学核心】

- 51. 51. Thermal Limits and Decline of *Synechococcus* Under Accelerate...

【环境与气候】

- 52. 52. Effect of climate-driven childhood sleep erosion on potentia...
- 53. 53. Rewiring energy flow in biohybrids for enhanced solar-driven...
- 54. 54. The critical role of soil moisture in compound hazards...
- 55. 55. [ASAP] Steric Interaction-Engineered Free Volume Network in ...
- 56. 56. Comparative life cycle assessment of dietary supplementation...
- 57. 57. Wildfire impacts on groundwater recharge in mountain catchme...

【保护与生物多样性】

58. 58. Advancing conservation breeding programs for marine inverteb...

【植物与农业】

59. 59. Grass inflorescence morphodynamics guides yield improvement ...

60. 60. Differentiation of the Seed Regeneration Niche Along a Small...

61. 61. Neighbourly Dispute at the Edge of Life: Species Interaction...

【土壤与生物地球化学】

62. 62. Trade-Off Analysis Between Environmental Effects and Profita...

63. 63. The Role of Autonomous Mechanical Weeding Robots in Climate-...

64. 64. Soil Management Effects on Grapevine Water Uptake Depth in a...

【遥感与模型】

65. 65. Capturing Spatial Gradients of Water Color and Clarity in Su...

【环境与气候】

66. 66. Potential One Health risk of downwind exposure to airborne p...

【综合顶刊】

67. 67. A persistent-range hydrogen-bonded gel polymer electrolyte e...

68. 68. Cancer interception with KRAS inhibitors in preclinical mode...

69. 69. Ultrastrong and tough paper structure from densified hybrids...

70. 70. Data-driven intelligent carbonization unifies diverse biomas...

71. 71. The problem with Canada's plan to buy scientific prestige...

72. 72. Youthful antics predict lifespan —at least for these fish...

【生态学核心】

73. 73. Anaemic Streams: Iron and Essential Trace Metals Frequently ...

【综合顶刊】

74. 74. Profile of David Baker, Demis Hassabis, and John Jumper: 202...

75. 75. Persistent adaptation through dual-timescale regulation of i...

【生态学核心】

- 76. 76. Developmental Stage-Specific Responses to Extreme Climatic E...
- 77. 77. Rethinking Model Transferability: Validity Domains as a New ...

【环境与气候】

- 78. 78. Generation of inner core anisotropy by anisotropic thermal c...
- 79. 79. [ASAP] A Novel Biphasic Absorbent for Liquid–Solid Phase Sep...
- 80. 80. [ASAP] Inhibition of Imidacloprid Photolysis by Particulate ...
- 81. 81. [ASAP] Influence of Amphibian Metamorphosis on the Biokineti...
- 82. 82. Toward cleaner poultry manure management in Canada: Life cyc...
- 83. 83. Effects of chronic exposure to environmentally realistic mic...
- 84. 84. A Bayesian inversion of TROPOMI methane observations over So...

【海洋与水生】

- 85. 85. Interfacial interaction-driven rapid capture and on-site ana...
- 86. 86. Steering the nitrate electroreduction pathway via nanoconfin...
- 87. 87. Water scientists must become agenda-setters...
- 88. 88. Global seasonal distribution of low-frequency ocean soundsca...
- 89. 89. Meta analysis of Manning's coefficient for saltmarsh and man...

【保护与生物多样性】

- 90. 90. Guiding stakeholder negotiations in data-poor coastal planni...
- 91. 91. Indigenous governance and the future of conservation...
- 92. 92. Integrating α and β diversity in conservation planning...
- 93. 93. An algorithm underlying directional hearing in fish...
- 94. 94. Anthropogenic soil acidification severely decreases microbia...

【植物与农业】

- 95. 95. Cross-kingdom RNA interference promotes arbuscular mycorrhiz...
- 96. 96. Resurrecting the American chestnut...
- 97. 97. The Apple Does Not Fall Far From the Tree and How This Affec...

【土壤与生物地球化学】

- 98. 98. Subduing the Deluge in Soil Science: What If Each Researcher...

【遥感与模型】

99. 99. Contrasting CO₂ Fluxes Among Arctic Pond Types Are Driven by...
100. 100. Declines in Conifer Forest Recovery and Forest Loss From Fou...

【环境与气候】

101. 101. Mapping the supply of nature's contributions to people on Mo...
102. 102. Tourmaline's attraction...

【海洋与水生】

103. 103. Tracking annual changes in Suaeda salsa distribution in the ...

【保护与生物多样性】

104. 104. Abrogation of presynaptic facilitation at hippocampal mossy ...
105. 105. Heart rate and sleep history encode ultradian REM sleep timi...
106. 106. Totipotency and high plasticity in an embryo with an invaria...

【植物与农业】

107. 107. Activating Africa's microbial inoculant sector through prior...

【遥感与模型】

108. 108. Influence of Biofilms and Extracellular Polymeric Substances...

【植物与农业】

109. 109. Understanding the links between functional performance and e...

【综合顶刊】

110. 110. Assessing rice yield responses to climate change scenarios u...

【海洋与水生】

111. 111. When depth fails to prevent bleaching but limits coral death...
112. 112. Hydroregime-dependent shifts in zooplankton hatching under i...

【保护与生物多样性】

113. 113. Patterns of phylogenetic structure across plant life-forms i...

【预印本】

114. 114. Climatic conditions predict embryonic development in thorn t...

115. 115. Mapping groundwater-dependent vegetation in temperate climat...

【海洋与水生】

116. 116. Evaluating satellite and modeled lake surface water temperat...

【预印本】

117. 117. Chromosome-level Genome Assembly of the South African Lion (...)

【海洋与水生】

118. 118. Outcomes of the fourth global coral bleaching (2023–2024) in...

【保护与生物多样性】

119. 119. Persistence of medium- and large-sized mammals in an oil pal...

【植物与农业】

120. 120. Nitrogen application regulates ecosystem multifunctionality ...

【生态学核心】

121. 121. A Bias-Robust Framework for Quantifying Community Responses ...

【环境与气候】

122. 122. The effects of self-governance arrangements on the climate c...

【海洋与水生】

123. 123. Climate change linked to infertility in well-known shark spe...

124. 124. Flexing machine learning muscle: predicting lake calcium to ...

【生态学核心】

125. 125. Density dependence modulates climate change impacts on easte...

【海洋与水生】

126. 126. Climate Change Alters Post-Surge Recovery of Coastal Aquifer...

【环境与气候】

127. 127. Stakeholder engagement in climate change mitigation: A focus...

【保护与生物多样性】

128. 128. Species-Specific Responses to Multiple Climatic Variables Pr...

【预印本】

129. 129. Gene network centrality affects parallel evolution and local...

【植物与农业】

130. 130. Co-designing a research agenda for UK agroforestry using a m...

【综合顶刊】

131. 131. Whole-genome simple sequence repeat development and genetic ...

【海洋与水生】

132. 132. Main drivers of specific composition and functional trait of...

【植物与农业】

133. 133. Optimizing straw return management to suppress plant disease...

134. 134. Contrasting contributions of plant detritus carbon and micro...

135. 135. Revegetation mechanisms and influence factor in alpine minin...

【土壤与生物地球化学】

136. 136. Nitrate sources and transformation pathways in salt-affected...

【综合顶刊】

137. 137. Socioeconomic, physical and mental health impacts of climate...

【环境与气候】

138. 138. Climate change anxiety in daily life: prevalence and distrib...

【海洋与水生】

139. 139. Quantifying methane emissions from Laurentian Great Lakes es...

140. 140. Insights from multispecies coral seeding deployments on turb...

【保护与生物多样性】

141. 141. The role of an endangered vine parasite in promoting agritou...

【遥感与模型】

142. 142. Integrating eco-biogeographical knowledge into deep learning...

143. 143. A satellite-based approach for estimating runoff and river d...

【预印本】

144. 144. Song as a behavioural pre-mating barrier in early population...

【土壤与生物地球化学】

145. 145. No indications for a priming effect on soil organic carbon m...

【预印本】

146. 146. Sex and breeding stage differences in neurogenomic profiles ...

147. 147. Stochastic Evolutionary Control in Heterogeneous Populations...

【综合顶刊】

148. 148. DNA metabarcoding on roadkill stomach contents reveals the b...

【生态学核心】

149. 149. Assessing the environmental and dispersal-related drivers of...

【海洋与水生】

150. 150. Taxonomy and Functional Traits Modulate the Environmental Ni...

【保护与生物多样性】

151. 151. Patterns in the abundance and biomass of fauna inhabiting rh...

【土壤与生物地球化学】

152. 152. Soil heterotrophic respiration after irrigation retirement i...

153. 153. Precipitation legacy effects on gross N mineralization and n...

【综合顶刊】

154. 154. Population genomics of *Quercus gilva* provides insights into ...

【环境与气候】

155. 155. Longitudinal wastewater metagenomics reveals distinct enviro...

【遥感与模型】

156. 156. Machine learning-based identification of key indicator speci...

【综合顶刊】

157. 157. Expert elicitation on agricultural enhanced weathering revea...

【环境与气候】

158. 158. Sustained weakening in the Atlantic Niño/Niña variability po...

【海洋与水生】

159. 159. The evolution, development, and genetic basis of cichlid hyo...

【预印本】

160. 160. The effect of ULV-based mosquito control on target and non-t...

【海洋与水生】

161. 161. Multibeam seabed bathymetry of the Long-Term Ecological Rese...

【保护与生物多样性】

162. 162. Practical and Ethical Issues in Big Data and Machine Learnin...

【海洋与水生】

163. 163. Flow-aligned frameworks: linking benthic currents to cold-wa...

【土壤与生物地球化学】

164. 164. Cover crops shape soil microbiome and ecological interaction...

165. 165. Mechanisms and sources of organic carbon accrual in deep soi...

【遥感与模型】

166. 166. Pulse fragmentation-induced uncertainty in forest LAI mappin...

【植物与农业】

167. 167. Zinc oxide nano-priming fortifies *Triticum aestivum* L. again...

【综合顶刊】

168. 168. Antimicrobial resistance dissemination via horizontal gene t...

169. 169. Dormant microbes dominate soils across China and are regulat...

170. 170. Tectonic activity and river mouth proximity drive submarine ...

171. 171. Nationwide wastewater sequencing surveillance of SARS-CoV-2 ...

【生态学核心】

172. 172. The epigenetic engine: Transgenerational plasticity as a dri...

【环境与气候】

173. 173. Modulation of carbendazim toxicity by enhanced acanthocephal...

【海洋与水生】

174. 174. Rethinking trophic transfer efficiency in freshwater ecosyst...

【环境与气候】

175. 175. Amplified response of Amazon floodplain flows to rising rive...

【保护与生物多样性】

176. 176. Estimating wolf population size in France using non-invasive...
177. 177. Non-peptide dysbiosis metabolites reprogram a peptide quorum...

【植物与农业】

178. 178. Agricultural intensification impacts native, but not non-nat...
179. 179. Wheat/pea intercropping with reduced nitrogen inputs maintai...
180. 180. Microbial C-P metabolic flexibility and soil carbon accumula...
181. 181. Plant–arthropod–soil interactions in reservoir water-level f...

【预印本】

182. 182. Heat alters fruit morphology and severely limits reproductio...

【环境与气候】

183. 183. Association between long-term air pollutant exposure and blo...
184. 184. A global perspective: quantifying disturbance and reclamatio...

【土壤与生物地球化学】

185. 185. Long-term N fertilization altered viral community compositio...

【遥感与模型】

186. 186. Urban PolSAR decomposition: Challenges and new directions fo...
187. 187. Snow effects on altimeter waveforms over sea ice in the Wedd...

【预印本】

188. 188. ChromSMF: integrated profiling of histone modifications, pro...
189. 189. Low-Cost UWB CPW Microwave Tattoo Sensor for Respiratory Mon...

【综合顶刊】

190. 190. Trophic ecology outweighed intrinsic constraints in shaping ...

【生态学核心】

- 191. 191. Eco-evolutionary dynamics of partially migratory metapopulat...
- 192. 192. Extending plant water-use strategies to flowers: Evidence fr...
- 193. 193. The post-fire recovery of soil seed banks along a fire sever...
- 194. 194. Year-round rhythms: Alpine plant species modulate soil and m...
- 195. 195. A transcontinental experiment elucidates (mal)adaptation of ...
- 196. 196. Does restoring apex predators to food webs restore ecosystem...
- 197. 197. Does restoring apex predators to food webs restore ecosystem...
- 198. 198. Modeling species co-occurrence effects to inform invasive ba...
- 199. 199. Landscape heterogeneity affects developmental and dispersal-...
- 200. 200. Variation in Environmental Conditions and Biodiversity Betwe...
- 201. 201. Automated counting of fish in moving diver-operated videos (...)

【环境与气候】

- 202. 202. Optimizing soil profile nitrogen distribution alleviates nut...
- 203. 203. Prediction skill and potential predictability of subseasonal...

【保护与生物多样性】

- 204. 204. Next-generation agri-environment schemes: Integrating innova...
- 205. 205. Linking disperser traits and habitat quality to seed dispers...
- 206. 206. Restoration of Spring-Run Habitat Improves Abundance and Juv...
- 207. 207. Environmental Gradients Decouple Demographic and Adaptive Co...

【预印本】

- 208. 208. Photosymbiotic algae acquisition and their interactions with...
- 209. 209. Pigments and microstructure of the colour polymorphic shells...

【植物与农业】

- 210. 210. A conceptual framework for simultaneous optimization of inte...

【土壤与生物地球化学】

- 211. 211. Composition, release and controls of sediment phosphorus in ...

【遥感与模型】

- 212. 212. Optimizing satellite-based cropland area estimation through ...
- 213. 213. Regional-scale *Acacia tortilis* crown mapping from UAV remote...

【综合顶刊】

- 214. 214. Cutoffs as a sufficient condition for chaos in kinematic riv...
- 215. 215. Cell type-specific network analysis in Diversity Outbred mic...

【生态学核心】

- 216. 216. Seed dispersal by cockroaches and crickets in a non-photosyn...
- 217. 217. Century-long trends in plant diversity of temperate mountain...
- 218. 218. Does pollen form follow function? Effects of stigma type, po...
- 219. 219. How to eradicate an invasive forest pest without clear-cutti...
- 220. 220. Functional and phylogenetic clustering shape rodent co-occur...
- 221. 221. Environmental drivers of metapopulation dynamics throughout ...
- 222. 222. Nitrogen deposition does not exacerbate phosphorus limitatio...
- 223. 223. An invasive shrub drives carbon uptake in New Zealand montan...
- 224. 224. Trait-based approaches to restoration ecology: Synthesizing ...
- 225. 225. 'ukbioprepr': an R package to support reproducible preparati...
- 226. 226. EcoViz: a tool for visual analysis and photorealistic render...
- 227. 227. Environmental heterogeneity and spatial variation mediates p...
- 228. 228. Acoustic Indices Reveal Fundamental Differences in Daily Phe...
- 229. 229. Ecoacoustics for context-rich direct and indirect trophic in...
- 230. 230. A novel approach for distinguishing noise and information in...
- 231. 231. CheckEM: An open-source toolkit for standardising, cleaning ...

【环境与气候】

- 232. 232. Safe harbours for the intruders of the sea: Greater abundanc...

【海洋与水生】

- 233. 233. Unraveling the effects of wet and dry areas on carbon emissi...
- 234. 234. Fecal pellet packaging enhances marine carbon sequestration...
- 235. 235. Aquatic reflectance derived from Sentinel-2 Multispectral Im...
- 236. 236. Disentangling the Components Shaping Aquatic Richness Over S...
- 237. 237. Apparent Flexibility of Fatty Acid Metabolism in Shredders D...

【环境与气候】

238. 238. Beliefs about EU 2030 climate commitments across public, exp...

【海洋与水生】

239. 239. Unlocking deep sea cold seep biodiversity: Leveraging enviro...

240. 240. Characterization and stabilization pathways of water-extract...

241. 241. Drivers of benthic megafauna community dynamics in the Fram ...

242. 242. Monitoring export fluxes to detect seasonal and interannual ...

243. 243. Light-driven community assembly and functional performance o...

【保护与生物多样性】

244. 244. Factors Influencing Species Distribution Model Performance i...

245. 245. The World Could Reach 30% Protection by 2030, and Still Fail...

246. 246. Unravelling the Roles of Recent Speciation and Trait Evoluti...

247. 247. Modern Pollen–Environment Calibrations in Thailand–Malaysia:...

248. 248. Decades of conservation and monitoring reveal population rec...

249. 249. NATURA 2000: Synergies and trade-offs between process-orient...

【海洋与水生】

250. 250. Diel feeding patterns, prey selectivity, and predatory impac...

【植物与农业】

251. 251. Vast, overlooked peat, and organic soils in Brazil's Cerrado...

252. 252. Impacts of tillage system on soil fungal communities...

253. 253. Crop rotation and nitrogen management achieve a trade-off am...

【土壤与生物地球化学】

254. 254. Rapid assembly and functional differentiation of the soil su...

255. 255. Building soil organic matter differing in physical fractions...

256. 256. Glacial Meltwater Promotes Biological Productivity and Subse...

【保护与生物多样性】

257. 257. Is urban part-time lighting a mitigation measure for a commo...

【土壤与生物地球化学】

258. 258. Synergistic optimization of plastic film mulching and nitrog...

【遥感与模型】

259. 259. Management approaches in decision support systems to mitigat...

260. 260. Assessment of ecosystem contributions to provisioning servic...

261. 261. Geomagnetic night vision: A data-driven approach to study ge...

262. 262. A modeling framework for forest aboveground biomass estimati...

【预印本】

263. 263. Evaluation of Phosphogypsum and Pore Volume Water Rates for ...

264. 264. Prevalence of Mycoplasma agassizii across wild and capti...

265. 265. ABI5-mediated ABA signaling enhances aliphatic glucosinolate...

266. 266. Reduced body size of Varroa destructor associated with varro...

267. 267. Potential acoustic signatures of stress in black soldier fly...

268. 268. Creating complete life histories of individual female tsetse...

【植物与农业】

269. 269. Pragmatic principles for supporting the agroecological trans...

【预印本】

270. 270. Wing pitch timing and wing elevation modulate forces and bod...

【综合顶刊】

271. 271. Arctic sea-ice ridges are biomass hotspots harboring diverse...

272. 272. Best reference genes for unbiased normalized transcript expr...

273. 273. Precision cutaneous stimulation in freely moving mice...

【生态学核心】

274. 274. Species-specific interactions with apex carnivores yield uni...

275. 275. Who needs closure? Estimating abundance with a Markovian ava...

276. 276. The role of the bole: Constraints on the remobilization of s...

277. 277. Effects of habitat quality and fine-scale spatial structure ...

- 278. 278. Think globally, breed locally: Limited genetic impact of man...
- 279. 279. Long-term monitoring reveals how pondscape connectivity shap...
- 280. 280. Mapping the next forest generation reveals multiple regenera...
- 281. 281. Fat chance for a skinny squirrel: Survival consequences of p...
- 282. 282. Metabolic growth mechanisms and theoretical growth potential...
- 283. 283. Consumer resilience suppresses the recovery of overgrazed ec...
- 284. 284. Inequalities in intraspecific plant–lemur interactions drive...
- 285. 285. Light variability typical of deciduous forests enhances the ...
- 286. 286. Spatial heterogeneity modulates dispersal effects on metapop...
- 287. 287. ‘MultiTraits’: an integrated R package for analysis and visu...
- 288. 288. Diversification and Evolutionary Dynamics in Tropical Montan...
- 289. 289. Large-Bodied and Wide-Beaked Avian Frugivores Show Greater S...

【环境与气候】

- 290. 290. Israel-Gaza conflict carbon emissions exceeded 30 million to...
- 291. 291. Concurrent climate extremes and biological carryover effects...
- 292. 292. Global assessment of alien freshwater megafauna reveals comp...
- 293. 293. [ASAP] Nanoenabled Rapid Antigen Test Kits: A Potential Wast...
- 294. 294. [ASAP] Emerging Amines in the Atmosphere: Occurrence and Pot...
- 295. 295. [ASAP] Assessing Pesticide Application Contributions of Per-...

【生态学核心】

- 296. 296. A suitable approach to resource allocation in biosecurity wh...

【环境与气候】

- 297. 297. Assessment of aerosol optical depth using MAIAC and AERONET ...
- 298. 298. Vertical and horizontal distribution of heavy metals in high...
- 299. 299. Large reservoir expansion underlies the near-doubling of res...
- 300. 300. Land use change frequency influences the achievement of land...

【环境与气候】

1. Sleep loss in a warming world

□ Nature Sustainability | 2026-03-13



□ Abstract:

Nature Sustainability, Published online: 13 March 2026; doi:10.1038/s41893-026-01778-y High temperatures disrupt sleep worldwide, with disproportionate impacts on older adults, women and populations in lower-income countries. A study uses climate change simulations to project future global sleep erosion and, in turn, the decline in childhood general cognitive ability and associated socioeconomic costs.

□ <https://doi.org/10.1038/s41893-026-01778-y>

【生态学核心】

2. Responses of African Savanna Trees to Large Herbivore Extinction and Rewilding

☐ Ecology Letters | Thu, 12 Mar 2026 11:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/ele.70360>

【土壤与生物地球化学】

3. Detection of dietary stress and geophagic behaviour forced by dry seasons in Miocene Gomphotherium

☐ Biogeosciences | Tue, 10 Mar 2026 18:

☐ Abstract:

Detection of dietary stress and geophagic behaviour forced by dry seasons in Miocene Gomphotherium Rute Coimbra, Niels de Winter, Maria Ríos, Rui Bernardino, Darío Estraviz-López, Priscila Lohmann, Roberta Martino, Aurora Grandal-d'Anglade, Fernando Rocha, and Philippe Claeys Biogeosciences, 23, 1833 – 1858, <https://doi.org/10.5194/bg-23-1833-2026>, 2026 To understand human impact on climate and biodiversity, we studied fossil teeth of Gomphotherium from Miocene Portugal. Chemical patterns, like those in modern elephants, show seasonal diet changes and geophagy during dry periods. This suggests dry seasons shaped animal behavior and ecosystems, offering insights into how land life responded to past warming—and how it might react to future climate change.

☐ <https://doi.org/10.5194/bg-23-1833-2026>

【生态学核心】

4. Global Marine Fishery Stock Productivity Under Climate Change

☐ Global Change Biology | Mon, 09 Mar 2026 08:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/gcb.70784>

【环境与气候】

5. Changing bird nutrient inputs

☐ Nature Climate Change | 2026-03-10

☐ Abstract:


Nature Climate Change, Published online: 10 March 2026; doi:10.1038/s41558-026-02592-2 Changing bird nutrient inputs

☐ <https://doi.org/10.1038/s41558-026-02592-2>

【植物与农业】

6. Amazon rainforests are rejuvenating their canopies by producing more photosynthetically efficient young leaves under climate change

□ Nature Plants | 2026-03-09




□ Abstract:

Nature Plants, Published online: 09 March 2026; doi:10.1038/s41477-026-02240-9 The authors mapped the continental-scale fraction of age-dependent leaf area index and revealed a widespread increase in the fraction of photosynthetically efficient young leaves across the majority of Amazon rainforests over the past decades.

□ <https://doi.org/10.1038/s41477-026-02240-9>

7. Territorial decision-making on agricultural soil pollution

□ Nature Food | 2026-03-12



☐ Abstract:

Nature Food, Published online: 12 March 2026; doi:10.1038/s43016-026-01323-2 Fertilization sustainability requires balancing organic waste recycling benefits against soil contamination risks. Integrating dynamic risk assessment models into a territorial simulation platform is essential to support decision-making for recycling management.

☐ <https://doi.org/10.1038/s43016-026-01323-2>

【环境与气候】

8. Policy interactions reshape the outcomes of carbon pricing policies

☐ Nature Climate Change | 2026-03-11

☐ Abstract:

Nature Climate Change, Published online: 11 March 2026; doi:10.1038/s41558-026-02578-0 The adoption and effectiveness of carbon pricing are highly reshaped by interactions with other climate mitigation policies. A global comparative assessment of policy synergies and conflicts can guide policymakers in designing policy portfolios that can achieve higher mitigation cost-effectiveness.

☐ <https://doi.org/10.1038/s41558-026-02578-0>

【土壤与生物地球化学】

9. On the role of light and vertical mixing in shaping Southwestern Atlantic shelf blooms

☐ Biogeosciences | Wed, 11 Mar 2026 18:

☐ Abstract:

On the role of light and vertical mixing in shaping Southwestern Atlantic shelf blooms Ana I. Dogliotti, Reinaldo A. Maenza, Moira Luz Clara, Vivian A. Lutz, and Robert Frouin Biogeosciences, 23, 1859 – 1880, <https://doi.org/10.5194/bg-23-1859-2026>, 2026 We analyzed 22 years of satellite and modeled data to study how light and mixing shape phytoplankton blooms on the Argentine Continental Shelf. Blooms start earlier on the central shelf and coast, and later on the deeper, colder Patagonian Shelf. Bloom intensity is highest in nutrient-rich, well-lit waters. Light penetration and mixing are key drivers, but local ocean features also influence bloom patterns. These findings improve our ability to predict ocean productivity and ecosystem behavior.

☐ <https://doi.org/10.5194/bg-23-1859-2026>

【生态学核心】

10. Climate Change Can Generate Enemy-Free Space for Crop-Feeding Herbivores


☐ Global Change Biology | Thu, 12 Mar 2026 09:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/gcb.70775>

【环境与气候】

11. Cross-national comparative assessment of synergies and conflicts in climate policy mixes

□ Nature Climate Change | 2026-03-11




□ Abstract:

Nature Climate Change, Published online: 11 March 2026; doi:10.1038/s41558-026-02574-4 Interactions between climate policy instruments can have synergistic and conflicting effects, but these interactions are not systematically understood. This research provides global evidence on how policy characteristics and interactions in different contexts could lead to different outcomes.

□ <https://doi.org/10.1038/s41558-026-02574-4>

12. Climate policy feasibility across Europe relies on the conditional middle

□ Nature Climate Change | 2026-03-11



☐ Abstract:

Nature Climate Change, Published online: 11 March 2026; doi:10.1038/s41558-026-02562-8 The feasibility of climate policies hinges on public support. A survey of 13 EU countries shows that ‘middle groups’—citizens whose support across mitigation measures varies, rather than being uniformly supportive or opposed—play a pivotal role in shaping overall public policy support and electoral outcomes.

☐ <https://doi.org/10.1038/s41558-026-02562-8>

13. Amplified variability

☐ Nature Climate Change | 2026-03-10



☐ Abstract:


Nature Climate Change, Published online: 10 March 2026; doi:10.1038/s41558-026-02593-1 Amplified variability

☐ <https://doi.org/10.1038/s41558-026-02593-1>

【植物与农业】

14. Pangenomics for sorghum improvement

☐ Nature Plants | 2026-03-13



□ Abstract:

Nature Plants, Published online: 13 March 2026; doi:10.1038/s41477-026-02266-zA multilayered pangenomic resource for *Sorghum bicolor*, integrating an improved reference genome, a representative 33-accession pangenome and a global panel of nearly 2,000 lines, establishes a powerful platform for trait discovery and genetic improvement.

□ <https://doi.org/10.1038/s41477-026-02266-z>

【保护与生物多样性】

15. Structured machine learning modeling to support conservation of deep-sea benthic biodiversity

□ Conservation Biology | Tue, 10 Mar 2026 23:

□ Abstract:


Conservation Biology, EarlyView.

□ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.70255>

【植物与农业】

16. Nutrient management modulates acidification-induced risks to yield and cadmium contents in paddy rice

□ Nature Food | 2026-03-12



□ Abstract:

Nature Food, Published online: 12 March 2026; doi:10.1038/s43016-026-01315-2 Soil acidification in China has reduced crop yields and increased cadmium contamination in rice. This study shows that although enhanced manure use can reduce acidification and rice cadmium in the short term, it increases long-term cadmium accumulation in soils, and meeting food quality standards requires reducing cadmium inputs from both manure and atmospheric deposition.

□ <https://doi.org/10.1038/s43016-026-01315-2>

【生态学核心】

17. Parallel but distinct adaptive routes in the budding and fission yeasts after 10,000 generations of experimental evolution

□ Nature Ecology & Evolution | 2026-03-13



☐ Abstract:

Nature Sustainability, Published online: 05 March 2026; doi:10.1038/s41893-025-01757-9 Soft robots inspired by living organisms hold the promise of gentle, adaptable interactions with the natural world, but leave behind persistent waste. Now scientists show a fully compostable robotic system that addresses this limitation by offering durable performance and decomposing safely into the soil at the end of its life.

☐ <https://doi.org/10.1038/s41893-025-01757-9>

19. Managing nitrogen for food and environment

☐ Nature Geoscience | 2026-03-12



☐ Abstract:

Nature Geoscience, Published online: 12 March 2026; doi:10.1038/s41561-026-01947-w Unsustainable use of nitrogen fertilizers and ineffective control of nitrogen losses have resulted in various environmental issues. A key challenge for nitrogen management is to meet the food demands of a growing global population while reducing nitrogen pollution.

☐ <https://doi.org/10.1038/s41561-026-01947-w>

【土壤与生物地球化学】

20. Litter vs. Lens: Evaluating LAI from Litter Traps and Hemispherical Photos Across View Zenith Angles and Leaf Fall Phases

☐ Biogeosciences | Thu, 12 Mar 2026 18:

☐ Abstract:

Litter vs. Lens: Evaluating LAI from Litter Traps and Hemispherical Photos Across View Zenith Angles and Leaf Fall Phases Simon Lotz, Teja Kattenborn, Julian Frey, Salim Soltani, Anna Göritz, Tom Jaksztat, and Negin Katal Biogeosciences, 23, 1949–1963, <https://doi.org/10.5194/bg-23-1949-2026>, 2026 Digital hemispherical photography(DHP) is a valuable tool for monitoring leaf area index(LAI), a key factor in ecosystem productivity and climate interactions. We compared DHP with litter traps in a temperate forest and found that at a view zenith angle around 20°, both methods aligned best. We applied a calibration model to assess site variability which significantly improved accuracy. Our findings enhance the reliability of ground-based LAI monitoring, supporting better ecosystem assessments.

☐ <https://doi.org/10.5194/bg-23-1949-2026>

【综合顶刊】

21. No such thing as a shark? Genomes shake up ocean predator's family tree

☐ Nature | 2026-03-12



☐ Abstract:

Nature, Published online: 12 March 2026; doi:10.1038/d41586-026-00594-w Sharks might not be a natural biological group, with most species potentially closer kin to rays than to an oddball group of sharks.

☐ <https://doi.org/10.1038/d41586-026-00594-w>

【海洋与水生】

22. Heavy rainfall shifts microbial control from nutrient–temperature to precipitation dependence in subtropical coastal waters

☐ Estuarine Coastal and Shelf Science

☐ Abstract:

Publication date: 1 July 2026
Source: Estuarine, Coastal and Shelf Science, Volume 334
Author(s): Chien-Fu Chao, Madeline Olivia, Clara Natalie Annabel, Patrichka Wei-Yi Chen, Chih-hao Hsieh, Tzong-Yueh Chen, Feng-Hsun Chang, Pei-Chi Ho, Yi-Chun Yeh, Chia-Te Chien, Fuh-Kwo Shiah, Vladimir Mukhanov, Renato Frederick Prasetyo, An-Yi Tsai

☐ <https://www.sciencedirect.com/science/article/pii/S027277142600106X>

【植物与农业】

23. Plant Community Responses to Long-Term Nutrient Additions Interact With Elevation and Vegetation Type in a Subarctic Tundra

☐ Journal of Vegetation Science | Wed, 04 Mar 2026 21:

☐ Abstract:

Journal of Vegetation Science, Volume 37, Issue 2, March/April 2026.

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jvs.70125>

【土壤与生物地球化学】

24. Spatial heterogeneity of GHG dynamics across an estuarine ecosystem

☐ Biogeosciences | Thu, 12 Mar 2026 18:

☐ Abstract:

Spatial heterogeneity of GHG dynamics across an estuarine ecosystem Nicolas-Xavier Geilfus, Bruno Delille, Anna Villnäs, and Alf Norkko Biogeosciences, 23, 1931–1948, <https://doi.org/10.5194/bg-23-1931-2026>, 2026 Coastal ecosystems strongly influence the global carbon cycle but remain poorly quantified. We measured surface pCO₂, CH₄, and N₂O concentrations in southwest Finland across an estuarine ecosystem. Greenhouse gases concentrations varied with salinity and habitat type. Riverine inputs and mixing with seawater, and primary production shaped greenhouse gases dynamics, emphasizing benthic control as a key yet uncertain driver of coastal carbon fluxes.

☐ <https://doi.org/10.5194/bg-23-1931-2026>

25. Evaluating glycerol dialkyl glycerol tetraether (GDGT)-based reconstructions from varved lake sediments during the Holocene

☐ Biogeosciences | Tue, 10 Mar 2026 18:

☐ Abstract:

Evaluating glycerol dialkyl glycerol tetraether (GDGT)-based reconstructions from varved lake sediments during the Holocene Ashley M. Abrook, Gordon N. Inglis, Peter G. Langdon, McKenzie R. Bentley, Achim Brauer, Ian Bull, Daisy Fallows, Paul Lincoln, Antti E. K. Ojala, Helen L. Whelton, and Celia Martin-Puertas Biogeosciences, 23, 1809–1832, <https://doi.org/10.5194/bg-23-1809-2026>, 2026 We present lipid-based environmental and temperature reconstructions spanning the Holocene from three European varved lakes. At each site archaea are impacted by methane which influence lake water temperature reconstructions, and bacteria appear to respond to oxygen conditions and specific lake and environmental processes. Nonetheless, bacterial temperature reconstructions are comparable to regional climate

☐ <https://doi.org/10.5194/bg-23-1809-2026>

26. Straw Incorporation Strategies Regulate Detritosphere Organic Carbon and Nutrient Accumulation

□ European Journal of Soil Science | Fri, 27 Feb 2026 01:

□ Abstract:

European Journal of Soil Science, Volume 77, Issue 2, March–April 2026.

□ <https://bsssjournals.onlinelibrary.wiley.com/doi/10.1111/ejss.70297>

【综合顶刊】

27. Accelerated discovery of cell migration regulators using label-free deep learning – based automated tracking

□ Science Advances | 2026-03-11T07:00:00Z

□ <https://doi.org/10.1126/sciadv.aea1492>

28. Briefing chat: ‘Can it run Doom?’—why scientists got brain cells and a satellite to play the classic game

□ Nature | 2026-03-13



□ Abstract:

Nature, Published online: 13 March 2026; doi:10.1038/d41586-026-00845-wNature staff discuss some of the week's top science news.

□ <https://doi.org/10.1038/d41586-026-00845-w>

29. How the classic computer game Doom became a tool for science

□ Nature | 2026-03-13



□ Abstract:

Nature, Published online: 13 March 2026; doi:10.1038/d41586-026-00813-4 The 1990s game has been run on bacteria and a satellite and played by neurons in a dish.

□ <https://doi.org/10.1038/d41586-026-00813-4>

【植物与农业】

30. Implementation of practices shapes the effectiveness of agricultural diversification for arthropod related ecosystem services: a meta-analysis

□ Agronomy for Sustainable Development | 2026-02-26



☐ Abstract:

Agricultural intensification has increased food production but has also caused significant environmental degradation and biodiversity loss. Diversification practices can mitigate these impacts while sustaining yields. While previous meta-analyses have examined their effects on arthropod populations and associated ecosystem services, focusing on individual practices or treating them as a whole, this is the first study to compare a wide range of diversification strategies across specific arthropod groups and assess how management factors, such as plant diversity, spatial configuration, and sowing time, modulate their outcome. Clarifying these mechanisms is crucial for optimizing diversification practices and enhancing their adoption by farmers. We conducted the most up-to-date and comprehens

☐ <https://link.springer.com/article/10.1007/s13593-025-01082-7>

【综合顶刊】

31. A hydro-topological strategy enables self-regulating biofilms for sustainable wastewater treatment

☐ Nature Communications | 2026-03-13

☐ Abstract:

Nature Communications, Published online: 13 March 2026; doi:10.1038/s41467-026-70682-yThe moving bed biofilm reactor (MBBR) is a cornerstone technology in modern wastewater treatment, yet its performance is often hindered by carrier clogging, which significantly reduces overall treatment efficiency. In this work, the authors present a V carrier hydro topological design strategy that enables biofilm self-regulation, allowing simultaneous control of biofilm thickness and continuous hydraulic shear induced self-cleaning.

☐ <https://doi.org/10.1038/s41467-026-70682-y>

【生态学核心】

32. Genetic ancestry affects cancer immunity

☐ Nature Ecology & Evolution | 2026-03-11

☐ Abstract:

Nature Ecology & Evolution, Published online: 11 March 2026; doi:10.1038/s41559-026-03012-6Genetic ancestry affects cancer immunity

☐ <https://doi.org/10.1038/s41559-026-03012-6>

【综合顶刊】

33. Nine changes needed to deliver a radical transformation in biodiversity measurement

☐ PNAS | 2026-03-04T08:00:00Z

☐ Abstract:

Biodiversity is declining in many parts of the world. Biological diversity measurement and monitoring are fundamental to the assessment of the causes and consequences of environmental changes, identification of key areas for the protection of biodiversity ...

☐ <https://www.pnas.org/doi/abs/10.1073/pnas.2519345123>

【环境与气候】

34. Iran's policy priorities intensify water crisis

☐ Nature Sustainability | 2026-03-13



☐ Abstract:

Nature Sustainability, Published online: 13 March 2026; doi:10.1038/s41893-026-01784-0 The chronic water crisis in Iran stems from decades of water-intensive development, fragmented governance and national priorities that sidelined environmental protection. Without major governance reform and reprioritization, technical solutions alone cannot stop worsening water and environmental degradation.

☐ <https://doi.org/10.1038/s41893-026-01784-0>

35. Early action for coastal communities

☐ Nature Geoscience | 2026-03-12



☐ Abstract:

Nature Geoscience, Published online: 12 March 2026; doi:10.1038/s41561-026-01932-3 Shifts in large-scale climate patterns are reshaping flood risk worldwide. Advances in modelling now offer the potential to provide early warnings and develop effective tools for managing rising coastal hazards.

☐ <https://doi.org/10.1038/s41561-026-01932-3>

36. [ASAP] Brominated Persistent Organic Pollutants in Cloud/Fog Water: First Field Observations of Scavenging Behavior

☐ Environmental Science & Technology | Fri, 13 Mar 2026 02:

☐ Abstract:


Environmental Science & Technology DOI: 10.1021/acs.est.5c14333

☐ <https://doi.org/10.1021/acs.est.5c14333>

【海洋与水生】

37. Molecular oxygen cascade reduction to $\bullet\text{OH}$ via coplanar dual-electrocatalytic zone achieving electrolyte-free water purification

☐ Nature Water | 2026-03-10




□ Abstract:

Nature Water, Published online: 10 March 2026; doi:10.1038/s44221-026-00606-z This study presents an electrolyte-free electrochemical system that leverages dual electrocatalytic zones to effectively remove a wide range of recalcitrant pollutants across various water matrices, including low-conductivity organic wastewater.

□ <https://doi.org/10.1038/s44221-026-00606-z>

38. Waste per- and polyfluoroalkyl substance-assisted flash fluorination for lithium recovery from brine

□ Nature Water | 2026-03-10



☐ Abstract:

Nature Water, Published online: 10 March 2026; doi:10.1038/s44221-026-00593-1 An electrothermal fluorination methodology has been developed to transform granular activated carbon-sorbed aqueous film-forming foam waste into graphene and a fluorinating reagent, subsequently enabling lithium recovery from brine sources.

☐ <https://doi.org/10.1038/s44221-026-00593-1>

39. Bacterial presence and nutrient dynamics in mangrove crab mounds: links to blue carbon revealed by molecular approaches

☐ Estuarine Coastal and Shelf Science

☐ Abstract:

Publication date: 1 July 2026 Source: Estuarine, Coastal and Shelf Science, Volume 334 Author(s): Delianis Pringgenies, Wilis Ari Setyati, Dafit Ariyanto

☐ <https://www.sciencedirect.com/science/article/pii/S0272771426000855>

【植物与农业】

40. Agrifood companies must take responsibility for nitrogen pollution

☐ Nature Food | 2026-03-12

☐ Abstract:

Nature Food, Published online: 12 March 2026; doi:10.1038/s43016-026-01325-0 Efforts to mitigate agricultural nitrogen pollution remain focused on the farm level. As a result, farmers bear the regulatory burden while agrifood companies are left out of mitigation discussions, despite influencing farmers' production decisions and profiting from agricultural intensification. Closing this accountability gap requires a shift from technical reporting metrics to normative governance that holds agrifood companies accountable for nitrogen pollution in their supply chains.

☐ <https://doi.org/10.1038/s43016-026-01325-0>

41. Grain zinc, iron and protein concentrations of contemporary wheat cultivars fall short of targets for human health

☐ Nature Food | 2026-03-09

☐ Abstract:

Nature Food, Published online: 09 March 2026; doi:10.1038/s43016-026-01314-3 A synthesis of 243 field studies shows that grain zinc, iron and protein concentrations in modern wheat cultivars have declined since the 1960s, with most varieties falling short of recommended nutritional targets. While agronomic and genetic biofortification can improve these traits, the likelihood of reaching target nutrient levels remains low, highlighting the need for integrated strategies.

☐ <https://doi.org/10.1038/s43016-026-01314-3>

42. Effects of Ungulate Herbivores on Temperate Forest Understory Vegetation—Implications From a Large-Scale Wildlife Exclosure Experiment in Central Europe

☐ Journal of Vegetation Science | Sun, 08 Mar 2026 21:

☐ Abstract:

Journal of Vegetation Science, Volume 37, Issue 2, March/April 2026.

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jvs.70128>

【遥感与模型】

43. Groundwater-Derived Carbon Promotes Hypoxia and Acidification in a Large Tropical Estuary

☐ Journal of Geophysical Research - Biogeosciences | Tue, 10 Mar 2026 05:

☐ Abstract:

Journal of Geophysical Research: Biogeosciences, Volume 131, Issue 3, March 2026.

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025JG009366>

【生态学核心】

44. Plasticity in prostate cancer

☐ Nature Ecology & Evolution | 2026-03-11

☐ Abstract:

Nature Ecology & Evolution, Published online: 11 March 2026; doi:10.1038/s41559-026-03024-2 Plasticity in prostate cancer

☐ <https://doi.org/10.1038/s41559-026-03024-2>

45. Drift shapes norovirus diversity

☐ Nature Ecology & Evolution | 2026-03-11

☐ Abstract:

Nature Ecology & Evolution, Published online: 11 March 2026; doi:10.1038/s41559-026-03022-4 Drift shapes norovirus diversity

☐ <https://doi.org/10.1038/s41559-026-03022-4>

46. Aneuploidy affects fitness

☐ Nature Ecology & Evolution | 2026-03-11

☐ Abstract:

Nature Ecology & Evolution, Published online: 11 March 2026; doi:10.1038/s41559-026-03016-2 Aneuploidy affects fitness

☐ <https://doi.org/10.1038/s41559-026-03016-2>

47. The Leading Edge Matters Too: Fitness and the Expression of Adaptive Differentiation Are Greatest at the High-Elevation Edge of a Species' Range

☐ Ecology Letters | Thu, 12 Mar 2026 11:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/ele.70329>

48. Biodiversity Trends Show an Excess of Both Near Stasis and of Very Large Change

☐ Ecology Letters | Wed, 11 Mar 2026 17:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/ele.70353>

49. Forest Heterogeneity by Chain Saw: How Between-Patch Variation in Old Growth Attributes Changes the Metacommunities of Beetles

□ Ecology Letters | Thu, 05 Mar 2026 16:

□ <https://onlinelibrary.wiley.com/doi/10.1111/ele.70355>

【综合顶刊】

50. Stochasticity in mammalian cell growth rates drives cell-to-cell variability independently of cell size and divisions

□ PNAS | 2026-03-03T08:00:00Z

□ Abstract:

SignificanceGenetically identical cells can grow at different rates. This cell-to-cell growth variability can influence, for example, tumor biology, drug efficacy, and immune responses. Yet, the origin of this variability among genetically identical cells ...

□ <https://www.pnas.org/doi/abs/10.1073/pnas.2516372123>

【生态学核心】

51. Thermal Limits and Decline of *Synechococcus* Under Accelerated Warming and Marine Heatwaves

□ Global Change Biology | Wed, 11 Mar 2026 02:

□ <https://onlinelibrary.wiley.com/doi/10.1111/gcb.70791>

【环境与气候】

52. Effect of climate-driven childhood sleep erosion on potential regional economic inequality

□ Nature Sustainability | 2026-03-13

□ Abstract:

Nature Sustainability, Published online: 13 March 2026; doi:10.1038/s41893-026-01779-xHot climates erode children's sleep, threatening cognitive development with likely socioeconomic consequences. A global analysis finds potential links between future sleep losses and trillions of dollars in economic costs that disproportionately burden poorer regions.

□ <https://doi.org/10.1038/s41893-026-01779-x>

53. Rewiring energy flow in biohybrids for enhanced solar-driven biosynthesis

□ Nature Sustainability | 2026-03-10

☐ Abstract:

Nature Sustainability, Published online: 10 March 2026; doi:10.1038/s41893-026-01787-x Solar-driven biosynthesis using semiconductor biohybrids has the potential to achieve sustainable chemical production, but often it is hindered by inefficient solar energy conversion. Here the authors develop design strategies to tackle this technical challenge.

☐ <https://doi.org/10.1038/s41893-026-01787-x>

54. The critical role of soil moisture in compound hazards

☐ Nature Geoscience | 2026-03-13

☐ Abstract:

Nature Geoscience, Published online: 13 March 2026; doi:10.1038/s41561-026-01936-z Soil moisture drives critical land–atmosphere interactions and compound hazards. Closing gaps in data and models is key to integrating soil moisture into predictive frameworks for improved hazard forecasting.

☐ <https://doi.org/10.1038/s41561-026-01936-z>

55. [ASAP] Steric Interaction-Engineered Free Volume Network in Polyamide Nanofiltration Membranes for Ultrafast Water Purification

☐ Environmental Science & Technology | Fri, 13 Mar 2026 02:

☐ Abstract:

Environmental Science & Technology DOI: 10.1021/acs.est.5c16846

☐ <https://doi.org/10.1021/acs.est.5c16846>

56. Comparative life cycle assessment of dietary supplementation with protected organic acid and essential oils in swine production

☐ Science of the Total Environment

☐ Abstract:

Publication date: 20 April 2026 Source: Science of The Total Environment, Volume 1026 Author(s): Prince Agyemang, Ebenezer M. Kwofie, Ludovic Lahaye, Melissa Otis, Stephane Benaben, Glenmer Tactacan, Marcia de Souza Vieira, Olufemi Babatunde, Emilie Fontaine

☐ <https://www.sciencedirect.com/science/article/pii/S0048969726002767>

57. Wildfire impacts on groundwater recharge in mountain catchments

☐ Science of the Total Environment

☐ Abstract:

Publication date: 20 April 2026 Source: Science of The Total Environment, Volume 1026 Author(s): Matteo Nigro, Daniele Penna, Marco Doveri, Ilaria Baneschi, Andrea Dani, Matia Menichini, Federico Preti, Roberto Giannecchini

☐ <https://www.sciencedirect.com/science/article/pii/S0048969726003281>

【保护与生物多样性】

58. Advancing conservation breeding programs for marine invertebrates

☐ Conservation Biology | Wed, 11 Mar 2026 22:

☐ Abstract:

Conservation Biology, EarlyView.

☐ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.70253>

【植物与农业】

59. Grass inflorescence morphodynamics guides yield improvement in wheat

☐ Nature Plants | 2026-03-11

☐ Abstract:

Nature Plants, Published online: 11 March 2026; doi:10.1038/s41477-026-02246-3 Morphodynamic modelling reveals how timing and fate shape diverse grass inflorescences, including wheat supernumerary spikelets. Using this model, the authors identify an early-heading paired-spikelet mutant, which exhibits robust yield gains.

☐ <https://doi.org/10.1038/s41477-026-02246-3>

60. Differentiation of the Seed Regeneration Niche Along a Small-Scale Plant Zonation in Mediterranean Temporary Ponds

☐ Journal of Vegetation Science | Tue, 03 Mar 2026 05:

☐ Abstract:

Journal of Vegetation Science, Volume 37, Issue 2, March/April 2026.

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jvs.70122>

61. Neighbourly Dispute at the Edge of Life: Species Interactions Among Antarctic Mosses

☐ Journal of Vegetation Science | Fri, 27 Feb 2026 06:

☐ Abstract:

Journal of Vegetation Science, Volume 37, Issue 2, March/April 2026.

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jvs.70123>

【土壤与生物地球化学】

62. Trade-Off Analysis Between Environmental Effects and Profitability in Agriculture: A Finnish Case-Study

☐ European Journal of Soil Science | Wed, 11 Mar 2026 16:

☐ Abstract:

European Journal of Soil Science, Volume 77, Issue 2, March–April 2026.

☐ <https://bsssjournals.onlinelibrary.wiley.com/doi/10.1111/ejss.70300>

63. The Role of Autonomous Mechanical Weeding Robots in Climate-Smart Soil Management: A Scoping Review

☐ European Journal of Soil Science | Wed, 11 Mar 2026 04:

☐ Abstract:

European Journal of Soil Science, Volume 77, Issue 2, March–April 2026.

☐ <https://bsssjournals.onlinelibrary.wiley.com/doi/10.1111/ejss.70302>

64. Soil Management Effects on Grapevine Water Uptake Depth in a Mediterranean Vineyard

☐ European Journal of Soil Science | Mon, 09 Mar 2026 00:

☐ Abstract:

European Journal of Soil Science, Volume 77, Issue 2, March–April 2026.

☐ <https://bsssjournals.onlinelibrary.wiley.com/doi/10.1111/ejss.70301>

【遥感与模型】

65. Capturing Spatial Gradients of Water Color and Clarity in Subtropical Reservoirs During Drought

☐ Journal of Geophysical Research - Biogeosciences | Wed, 11 Mar 2026 04:

☐ Abstract:

Journal of Geophysical Research: Biogeosciences, Volume 131, Issue 3, March 2026.

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025JG009401>

【环境与气候】

66. Potential One Health risk of downwind exposure to airborne pathogens from thawing Siberian permafrost

☐ Environmental Research Letters | 2026-03-10T00:00:00Z

☐ Abstract:

Permafrost degradation in Arctic and Subarctic regions, accelerating due to rapid climate change, exposes vast extents of ice- and organic matter-rich soils directly to the atmosphere. This ancient permafrost is known to harbor metabolically active microbes, including potentially harmful pathogens that have survived for thousands of years under extreme environmental conditions. The release and subsequent long-range dispersal of these organisms via atmospheric transport presents a significant, yet often neglected, pathway for novel disease emergence. Here, we develop a quantitative risk framework to geographically identify downwind areas in the Palearctic region potentially reached by air-transported pathogens emerging from Siberian retrogressive thaw slumps. We simulate air-mass trajectory

☐ <https://iopscience.iop.org/article/10.1088/1748-9326/ae4819>

【综合顶刊】

67. A persistent-range hydrogen-bonded gel polymer electrolyte enabling wide-temperature and recyclable lithium metal batteries

☐ Science Advances | 2026-03-11T07:00:00Z

☐ <https://doi.org/10.1126/sciadv.adz1014>

68. Cancer interception with KRAS inhibitors in preclinical models of pancreatic ductal adenocarcinoma

☐ Science | 2026-03-12T06:00:03Z

☐ Abstract:

Science, Volume 391, Issue 6790, Page 1161-1166, March 2026.

☐ <https://doi.org/10.1126/science.aec7929>

69. Ultrastrong and tough paper structure from densified hybrids of multiscale cellulose fibers

☐ Nature Communications | 2026-03-13

☐ Abstract:

Nature Communications, Published online: 13 March 2026; doi:10.1038/s41467-026-70357-8 Many sustainable alternatives to petrochemical plastics have unfavorable mechanical properties. Here the authors design a bacterial cellulose microgel for enhanced mechanical properties for sustainable packaging.

☐ <https://doi.org/10.1038/s41467-026-70357-8>

70. Data-driven intelligent carbonization unifies diverse biomass into high-performance hard carbon negative electrodes

☐ Nature Communications | 2026-03-13

☐ Abstract:

Nature Communications, Published online: 13 March 2026; doi:10.1038/s41467-026-70411-5 Biomass-derived hard carbon negative electrodes can cut cost, but properties vary by feedstock. Here, authors use data-driven intelligent carbonization to unify performance across diverse biomass, yielding high-capacity, long-life negative electrodes with lower footprints.

☐ <https://doi.org/10.1038/s41467-026-70411-5>

71. The problem with Canada's plan to buy scientific prestige

☐ Nature | 2026-03-13

☐ Abstract:

Nature, Published online: 13 March 2026; doi:10.1038/d41586-026-00743-1 The government's plans to poach 100 US researchers might make good economic sense. But what about the existing community?

☐ <https://doi.org/10.1038/d41586-026-00743-1>

72. Youthful antics predict lifespan —at least for these fish

☐ Nature | 2026-03-12

☐ Abstract:

Nature, Published online: 12 March 2026; doi:10.1038/d41586-026-00782-8 Activity levels and daytime sleepiness can be combined into a 'behavioural clock' that predicts whether a fish will have a short life or a long one.

☐ <https://doi.org/10.1038/d41586-026-00782-8>

【生态学核心】

73. Anaemic Streams: Iron and Essential Trace Metals Frequently Limit Primary Producer Biomass

☐ Ecology Letters | Sun, 08 Mar 2026 10:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/ele.70357>

【综合顶刊】

74. Profile of David Baker, Demis Hassabis, and John Jumper: 2024 Nobel laureates in chemistry

□ PNAS | 2026-02-27T08:00:00Z

□ Abstract:

The 2024 Nobel Prize in Chemistry recognized revolutionary computational success in predicting protein structures from amino acid sequences and for designing amino acid sequences that fold into desired protein structures. The ultimate accomplishment ...

□ <https://www.pnas.org/doi/abs/10.1073/pnas.2422539123>

75. Persistent adaptation through dual-timescale regulation of ion channel properties

□ PNAS | 2026-03-02T08:00:00Z

□ Abstract:

SignificanceSome neurons exhibit a remarkable property: they recover more quickly from repeated challenges even though their baseline activity appears unchanged. How such history-dependent improvement in recovery arises is unclear. Using a computational ...

□ <https://www.pnas.org/doi/abs/10.1073/pnas.2530340123>

【生态学核心】

76. Developmental Stage-Specific Responses to Extreme Climatic Events and Environmental Variability in Great Tit Nestlings

□ Global Change Biology | Wed, 11 Mar 2026 03:

□ <https://onlinelibrary.wiley.com/doi/10.1111/gcb.70794>

77. Rethinking Model Transferability: Validity Domains as a New Approach to Delineate the Limits of Bloom Date Projections

□ Global Change Biology | Wed, 11 Mar 2026 02:

□ <https://onlinelibrary.wiley.com/doi/10.1111/gcb.70776>

【环境与气候】

78. Generation of inner core anisotropy by anisotropic thermal conductivity of iron crystals

□ Nature Geoscience | 2026-03-05

☐ Abstract:

Nature Geoscience, Published online: 05 March 2026; doi:10.1038/s41561-026-01916-3 Seismic wave velocity variations, or anisotropy, in the Earth's inner core may be generated by the differing thermal conductivity of iron crystals along their long and short crystallographic axes, according to coupled thermo-mechanical modelling.

☐ <https://doi.org/10.1038/s41561-026-01916-3>

79. [ASAP] A Novel Biphasic Absorbent for Liquid–Solid Phase Separation Induced by Nanoparticle Polarity Difference and Application in DAC

☐ Environmental Science & Technology | Fri, 13 Mar 2026 04:

☐ Abstract:

Environmental Science & Technology DOI: 10.1021/acs.est.5c16348

☐ <https://doi.org/10.1021/acs.est.5c16348>

80. [ASAP] Inhibition of Imidacloprid Photolysis by Particulate Matter: Experimental and Computational Evidence

☐ Environmental Science & Technology | Fri, 13 Mar 2026 12:

☐ Abstract:

Environmental Science & Technology DOI: 10.1021/acs.est.5c18139

☐ <https://doi.org/10.1021/acs.est.5c18139>

81. [ASAP] Influence of Amphibian Metamorphosis on the Biokinetics and Biodistribution of Radionuclides Cesium and Strontium

☐ Environmental Science & Technology | Thu, 12 Mar 2026 06:

☐ Abstract:

Environmental Science & Technology DOI: 10.1021/acs.est.5c09489

☐ <https://doi.org/10.1021/acs.est.5c09489>

82. Toward cleaner poultry manure management in Canada: Life cycle impacts of anaerobic digestion with ammonia recovery versus traditional practices

☐ Science of the Total Environment

☐ Abstract:

Publication date: 20 April 2026 Source: Science of The Total Environment, Volume 1026 Author(s): M. Adghim, M. Sartaj, B. Strehler, N. Abdehagh, M. Abdallah

☐ <https://www.sciencedirect.com/science/article/pii/S0048969726003372>

83. Effects of chronic exposure to environmentally realistic microplastics on *Daphnia magna*: importance of particle size and morphology and implications for risk assessments

☐ Science of the Total Environment

☐ Abstract:

Publication date: 20 April 2026 Source: Science of The Total Environment, Volume 1026 Author(s): Safeerul Islam Hashmi, Andrew Barrick, James Stoeckel, Dengjun Wang, Bernardo Chaves-Cordoba, Nhung H.A. Nguyen, Alena Sevcu, Jana Novotna, Tham C. Hoang

☐ <https://www.sciencedirect.com/science/article/pii/S0048969726003347>

84. A Bayesian inversion of TROPOMI methane observations over South Africa: Implications for bottom-up inventories

☐ Science of the Total Environment

☐ Abstract:

Publication date: 20 April 2026 Source: Science of The Total Environment, Volume 1026 Author(s): Keneuoe A. Maliehe, James Goulding, Stuart Marsh, Mohammed S. Alam

☐ <https://www.sciencedirect.com/science/article/pii/S0048969726003116>

【海洋与水生】

85. Interfacial interaction-driven rapid capture and on-site analysis of nano- and microplastics enabled by multifunctional magnetic adsorbent

☐ Nature Water | 2026-03-13

☐ Abstract:

Nature Water, Published online: 13 March 2026; doi:10.1038/s44221-026-00610-3A multifunctional adsorbent, composed of copper-doped polydopamine-functionalized magnetic silica, enables the simultaneous removal and on-site detection of label-free nano- and microplastics.

☐ <https://doi.org/10.1038/s44221-026-00610-3>

86. Steering the nitrate electroreduction pathway via nanoconfinement-induced hydrogen-bond network regulation

☐ Nature Water | 2026-03-11

☐ Abstract:

Nature Water, Published online: 11 March 2026; doi:10.1038/s44221-026-00600-5 Electrochemical nitrate reduction can simultaneously remove pollutants and produce ammonia but is often limited by hydrogen side reactions. This study shows that nanoconfined CuCo catalysts enable a proton-coupled electron transfer pathway that delivers highly selective, efficient and stable ammonia synthesis.

☐ <https://doi.org/10.1038/s44221-026-00600-5>

87. Water scientists must become agenda-setters

☐ Nature Water | 2026-03-09

☐ Abstract:

Nature Water, Published online: 09 March 2026; doi:10.1038/s44221-026-00613-0 The global water agenda is outdated and narrow and is framed mainly as a downstream impact sector. Scientists must step up to help the world recognize water as an opportunity sector and to design a bolder water agenda.

☐ <https://doi.org/10.1038/s44221-026-00613-0>

88. Global seasonal distribution of low-frequency ocean soundscapes

☐ Estuarine Coastal and Shelf Science

☐ Abstract:

Publication date: 1 July 2026 Source: Estuarine, Coastal and Shelf Science, Volume 334 Author(s): Junhao Zhang, Jiancheng Yu, Jie Sun, Shilong Li, Qi Zhang, Yu Tian, Xiaolong Yu

☐ <https://www.sciencedirect.com/science/article/pii/S0272771426001022>

89. Meta analysis of Manning's coefficient for saltmarsh and mangroves to support broad scale assessment

☐ Estuarine Coastal and Shelf Science

☐ Abstract:

Publication date: 1 July 2026 Source: Estuarine, Coastal and Shelf Science, Volume 334 Author(s): Syed Shamsil Arefin, Robert J. Nicholls, Stefanie Nolte, Jack Heslop

☐ <https://www.sciencedirect.com/science/article/pii/S0272771426000867>

【保护与生物多样性】

90. Guiding stakeholder negotiations in data-poor coastal planning with open-access spatial data

☐ Conservation Biology | Wed, 11 Mar 2026 22:

☐ Abstract:

Conservation Biology, EarlyView.

☐ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.70248>

91. Indigenous governance and the future of conservation

☐ Conservation Biology | Tue, 10 Mar 2026 23:

☐ Abstract:

Conservation Biology, EarlyView.

☐ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.70254>

92. Integrating α and β diversity in conservation planning

☐ Conservation Biology | Tue, 10 Mar 2026 23:

☐ Abstract:

Conservation Biology, EarlyView.

☐ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/cobi.70243>

93. An algorithm underlying directional hearing in fish

☐ Current Biology

☐ Abstract:

Publication date: Available online 11 March 2026
Source: Current Biology
Author(s): Johannes Veith, Ana Svanidze, Benjamin Judkewitz

☐ <https://www.sciencedirect.com/science/article/pii/S0960982226001703>

94. Anthropogenic soil acidification severely decreases microbial diversity and functionality

☐ Current Biology

☐ Abstract:

Publication date: Available online 11 March 2026
Source: Current Biology
Author(s): Xunzhuo Dong, Yanzhong Yao, Bingbing Han, Matthias C. Rillig, Yunyao Zhong, Hangwei Hu, Zhaolei Li

☐ <https://www.sciencedirect.com/science/article/pii/S0960982226001715>

【植物与农业】

95. Cross-kingdom RNA interference promotes arbuscular mycorrhiza development

☐ Nature Plants | 2026-03-11

☐ Abstract:

Nature Plants, Published online: 11 March 2026; doi:10.1038/s41477-026-02247-2
The authors provide evidence that symbiotic fungi forming widespread arbuscular mycorrhiza symbioses use cross-kingdom RNA interference to silence plant genes and promote their colonization of host roots.

☐ <https://doi.org/10.1038/s41477-026-02247-2>

96. Resurrecting the American chestnut

☐ Nature Plants | 2026-03-09

☐ Abstract:

Nature Plants, Published online: 09 March 2026; doi:10.1038/s41477-026-02261-4
Resurrecting the American chestnut

☐ <https://doi.org/10.1038/s41477-026-02261-4>

97. The Apple Does Not Fall Far From the Tree and How This Affects the Abiotic Stress Tolerance in Juvenile Trees

☐ Journal of Vegetation Science | Sat, 07 Mar 2026 21:

☐ Abstract:

Journal of Vegetation Science, Volume 37, Issue 2, March/April 2026.

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jvs.70126>

【土壤与生物地球化学】

98. Subduing the Deluge in Soil Science: What If Each Researcher Published Only One Paper Per Year?

☐ European Journal of Soil Science | Fri, 27 Feb 2026 01:

☐ Abstract:

European Journal of Soil Science, Volume 77, Issue 2, March–April 2026.

☐ <https://bsssjournals.onlinelibrary.wiley.com/doi/10.1111/ejss.70296>

【遥感与模型】

99. Contrasting CO₂ Fluxes Among Arctic Pond Types Are Driven by Differences in Carbon Lability, Terrestrial Inputs, and Benthic Respiration

☐ Journal of Geophysical Research - Biogeosciences | Thu, 12 Mar 2026 06:

☐ Abstract:

Journal of Geophysical Research: Biogeosciences, Volume 131, Issue 3, March 2026.

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025JG009318>

100. Declines in Conifer Forest Recovery and Forest Loss From Four Decades of Wildfire in California

☐ Journal of Geophysical Research - Biogeosciences | Mon, 09 Mar 2026 05:

☐ Abstract:

Journal of Geophysical Research: Biogeosciences, Volume 131, Issue 3, March 2026.

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025JG009105>

【环境与气候】

101. Mapping the supply of nature's contributions to people on Mount Kilimanjaro

☐ Environmental Research Letters | 2026-03-10T00:00:00Z

☐ Abstract:

Mount Kilimanjaro, with its steep elevational gradient (770–5886 m a.s.l.) and pronounced land-use heterogeneity, supports high biodiversity and diverse nature's contributions to people (NCP), but it is underrepresented in global spatial assessments. We address this gap by mapping NCP supply across 12 ecosystem types on the southern slopes identifying hotspots and coldspots and quantifying synergies and trade-offs among NCP categories. We use 25 context-specific NCP categories that integrate local and scientific knowledge with field measurements and remote-sensing-derived proxies. Combining long-term field data with remote sensing and machine learning, we upscaled plot-scale indicators into standardized supply maps. Total NCP supply is strongly concentrated in mid-elevation ecosystems: the

☐ <https://iopscience.iop.org/article/10.1088/1748-9326/ae45bd>

102. Tourmaline's attraction

☐ Nature Geoscience | 2026-03-12

☐ Abstract:

Nature Geoscience, Published online: 12 March 2026; doi:10.1038/s41561-026-01938-x Tourmaline, a boron-rich mineral and valuable gemstone, boasts unique crystallographic features with wide-ranging uses. Barbara Dutrow and Darrell Henry delve into its geological and technological importance.

☐ <https://doi.org/10.1038/s41561-026-01938-x>

【海洋与水生】

103. Tracking annual changes in Suaeda salsa distribution in the Yellow River Delta using landsat time-series and phenological-tidal inundation dynamics

☐ Estuarine Coastal and Shelf Science

☐ Abstract:

Publication date: 1 July 2026 Source: Estuarine, Coastal and Shelf Science, Volume 334 Author(s): Kai Liu, Xiyong Hou, Dong Li, Xiaoli Wang, Xueying Zhang, Jie Song

☐ <https://www.sciencedirect.com/science/article/pii/S0272771426001101>

【保护与生物多样性】

104. Abrogation of presynaptic facilitation at hippocampal mossy fiber synapses disrupts neural ensemble activity and spatial memory

☐ Current Biology

☐ Abstract:

Publication date: Available online 12 March 2026 Source: Current Biology Author(s): Catherine Marneffe, Noelle Grosjean, Kyrian Nicolay-Kritter, Cécile Chatras, Evan R. Harrell, Ashley Kees, Christophe Mulle

☐ <https://www.sciencedirect.com/science/article/pii/S0960982226002034>

105. Heart rate and sleep history encode ultradian REM sleep timing

☐ Current Biology

☐ Abstract:

Publication date: Available online 11 March 2026
Source: Current Biology
Author(s): Leilei Hao, Joel Woolley, Zhuowen Yin, Xi Jin, Joseph Stucynski, Raquel Adaia Sandoval Ortega, Gregory Corder, Shinjae Chung, Franz Weber

☐ <https://www.sciencedirect.com/science/article/pii/S0960982226001673>

106. Totipotency and high plasticity in an embryo with an invariant, fate-specifying cleavage program

☐ Current Biology

☐ Abstract:

Publication date: Available online 10 March 2026
Source: Current Biology
Author(s): Amber Q. Rock, Mansi Srivastava

☐ <https://www.sciencedirect.com/science/article/pii/S0960982226001636>

【植物与农业】

107. Activating Africa's microbial inoculant sector through prioritization of mature technologies

☐ Nature Food | 2026-03-12

☐ Abstract:

Nature Food, Published online: 12 March 2026; doi:10.1038/s43016-026-01327-y
Activating Africa's microbial inoculant sector through prioritization of mature technologies

☐ <https://doi.org/10.1038/s43016-026-01327-y>

【遥感与模型】

108. Influence of Biofilms and Extracellular Polymeric Substances on High-Frequency Acoustic Backscatter

☐ Journal of Geophysical Research - Biogeosciences | Thu, 12 Mar 2026 06:

☐ Abstract:

Journal of Geophysical Research: Biogeosciences, Volume 131, Issue 3, March 2026.

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025JG009446>

【植物与农业】

109. Understanding the links between functional performance and environment in cold desert ecosystems through the flagship biocrust forming moss *Syntrichia caninervis*

□ Plant and Soil | 2026-03-13

□ Abstract:

Background and aims Biocrust communities shape the soil surface in drylands, regulating important ecosystem properties. Despite this, few works address key functional attributes in these poikilohydric photosynthetic communities, including the length of metabolic activity in the field and its relationship with microclimate. We aim to disentangle the links between functional performance of a keystone biocrust species and environment in drylands, in order to better understand ecosystem functioning and services provided to the soil by these organisms. Methods We developed a 23 months monitoring experiment using very high resolution measurements of chlorophyll a fluorescence and microclimate in the field, comparing habitats with soils of different particle size composition and microclimatic con

□ <https://link.springer.com/article/10.1007/s11104-026-08455-1>

【综合顶刊】

110. Assessing rice yield responses to climate change scenarios using a crop simulation model

□ PeerJ | 2026-03-12

□ Abstract:

Climate change is considered one of the most significant global environmental challenges of the future, and it is expected to adversely affect crop production. Rice is one of the most widely consumed staple foods in the world. Crop simulation models are tools that help researchers to simulate crop production stages for the future at the selected regions. The aim of this study was to evaluate the accuracy of the DSSAT (Decision Support System for Agrotechnology Transfer) CERES (Crop Environment Resource Synthesis) Rice (DSSAT-CERES-Rice) crop simulation model during its calibration and validation stages, and to assess the impacts of climate change in the Mediterranean region of Türkiye. In the calibration stage, the results showed that the estimated phenological values were within an accept

□ <https://peerj.com/articles/20965>

【海洋与水生】

111. When depth fails to prevent bleaching but limits coral death: insights from the 2019 heat-wave in Mo'orea

□ Coral Reefs | 2026-03-08

☐ Abstract:

Marine heatwaves (MHWs) are intensifying and increasingly threatening coral reef persistence by inducing widespread bleaching and mortality. Although depth is often proposed as a natural refuge, its protective role, especially in reducing post-bleaching coral loss, remains debated. This study quantified how depth (5, 12 and 20 m) shaped bleaching and post-bleaching mortality and evaluated drivers of depth-mediated protection during the unprecedented severe 2019 MHW in Moorea (French Polynesia), across 6 sites. Despite thermal stress levels considered moderate according to global standards (3 °C-weeks), the event caused unexpectedly severe impacts, with widespread bleaching resulting in the loss of half the coral cover. Bleaching was only weakly mitigated by depth with heightened protection

☐ <https://link.springer.com/article/10.1007/s00338-026-02839-6>

112. Hydroregime-dependent shifts in zooplankton hatching under increasing temperatures in Mediterranean temporary ponds: an experimental approach

☐ Hydrobiologia | 2026-03-13

☐ Abstract:

Zooplankton hatching is triggered by a series of environmental cues, and changes in these cues may alter hatching patterns. Our main objective was to assess how a 4 °C temperature increase influences timing and abundance of zooplankton hatching in temporary ponds from two Mediterranean-climate regions, Chile and Spain. For this, we conducted hatching experiments using microcosms with pond sediments. For each region, 15 ponds were selected, representing three hydroperiod types: semipermanent, seasonal, and ephemeral. Microcosms were incubated under two temperatures: current autumn conditions for Mediterranean-climate regions (15 to 23 °C) and a projected 4 °C increase. Warming significantly influenced timing and abundance of hatching of specific taxa across hydroregimes. Under warmer conditions

☐ <https://link.springer.com/article/10.1007/s10750-026-06183-2>

【保护与生物多样性】

113. Patterns of phylogenetic structure across plant life-forms in a large temperate forest and their possible drivers

☐ Biodiversity and Conservation | 2026-03-12

☐ Abstract:

Understanding the phylogenetic structure patterns of forest plants and their drivers is crucial for preserving the evolutionary potential of biodiversity. However, current knowledge remains relatively limited regarding high-latitude temperate forests. Here, we investigated over 38,000 plots in the largest natural forest region of China. Phylogenetic structure metrics (standardized phylogenetic diversity, SesPD; standardized mean pairwise distance, SesMPD; standardized mean nearest taxon distance, SesMNTD) were calculated. Geoclimatic factors (mean annual temperature, MAT; mean annual precipitation, MAP; altitude), community attributes (tree height, TH; diameter at breast height; shrub coverage; shrub abundance; herb coverage, HC), and soil property (total phosphorus) were derived from inte

☐ <https://link.springer.com/article/10.1007/s10531-026-03308-w>

【预印本】

114. Climatic conditions predict embryonic development in thorn tailed Rayadito (*Aphrastura spinicauda*)

☐ bioRxiv Ecology | 2026-03-12

☐ Abstract:

Rapid changes to weather caused by climate change have a negative effect on much of the world's animal populations and species. Some populations are more vulnerable than others to the effects of climate change, and individuals are particularly vulnerable during early development. Good embryonic development is important for vertebrate species because this can dictate their breeding success and survival rates, and disruptions to this phase can have far reaching fitness effects that can last into adulthood and beyond. We looked at the impact of weather (ambient temperature, rainfall and wind speed) on the embryonic development of thorn-tailed Rayadito (*Aphrastura spinicauda*) at two different latitudes in Patagonia, Chile. We measured the heart rate of embryos just before hatching using an egg

☐ <https://doi.org/10.1101/2026.03.11.710834>

115. Mapping groundwater-dependent vegetation in temperate climates on the example of Central Germany

☐ bioRxiv Ecology | 2026-03-12

☐ Abstract:

Groundwater-dependent ecosystems are biodiversity hotspots that provide habitat for specialised species. The EU Water Framework Directive (WFD) stresses the importance of identifying and protecting these ecosystems. However, they remain poorly mapped in temperate regions, as most studies have focused on (semi-) arid regions, where groundwater use by vegetation is both more prevalent and easier to detect from remote sensing. In this study, we transfer mapping approaches for groundwater-dependent vegetation (GDV) from dry climates into a novel framework for humid climates. To do so, we integrated, ECOSTRESS evapotranspiration data, together with high-resolution remote sensing data, regional geospatial data and field data to identify GDV. To test our framework, we trained and validated Random

☐ <https://doi.org/10.1101/2026.03.12.706590>

【海洋与水生】

116. Evaluating satellite and modeled lake surface water temperature across the contiguous United States

☐ Hydrobiologia | 2026-03-11

☐ Abstract:

We developed a model to predict surface water temperature across U.S. lakes using satellite remote sensing and in situ observations to enhance cyanobacterial harmful algal bloom (cyanoHAB) forecasting. The study focused on

Sentinel-3 Ocean and Land Colour Instrument (OLCI) sensor resolved lakes. We developed random forest models using both Landsat-derived and in-situ-measured surface water temperature. Landsat models offered broad spatial and temporal coverage of all OLCI resolved lakes, but they were sensitive to cloud cover and required filtering to minimize error. In contrast, the in situ model represented fewer OLCI resolved lakes, but yielded lower mean absolute error and bias. The models predicted lake surface temperature across the entire calendar year, with best performance (RMSEap

☐ <https://link.springer.com/article/10.1007/s10750-026-06178-z>

【预印本】

117. Chromosome-level Genome Assembly of the South African Lion (*Panthera leo melanochaita*)

☐ bioRxiv Genomics | 2026-03-12

☐ Abstract:

The lion (*Panthera leo melanochaita*) is one of the most iconic species and part of the big five, maintaining ecological balance and a major wildlife-based tourism attraction in South Africa. Despite its importance, it is currently threatened by rapid population decline and increasing population fragmentation. Therefore, there is a need for a high-quality genomic resource that captures the diverse genetic landscape of South African lion populations. To address this, we present a high-quality genome assembly of the lion, generated using PacBio HiFi and Omni-C sequencing technologies. The final assembly comprises 2.45 Gb, with a scaffold N50 of 148 Mb and a contig N50 of 22 Mb. Remarkably, 94.8% of the genome is anchored to 19 scaffolds, reflecting the high degree of contiguity and near-compl

☐ <https://doi.org/10.1101/2026.03.10.710750>

【海洋与水生】

118. Outcomes of the fourth global coral bleaching (2023–2024) in the Maldives

☐ Coral Reefs | 2026-03-13

☐ Abstract:

The fourth global coral bleaching event (2023–2024) was the most extensive and intense ever recorded, driven by unprecedented marine heatwaves. In the Maldives, one of the largest atoll systems in the Indian Ocean, the 2024 thermal anomaly reached record sea surface temperatures (31.5 °C) and degree heating weeks exceeding 9 °C-weeks, indicating cumulative stress levels above the mortality threshold for most coral taxa. We assessed the ecological impacts of this event across 18 reefs in central and southern atolls, comparing benthic community structure before and after bleaching. In the central atolls, live hard coral cover dropped by > 40% on average; the highest mortality (57%) occurred on a lagoon reef in Ari Atoll and disproportionately impacted branching and tabular *Acropora*. These los

☐ <https://link.springer.com/article/10.1007/s00338-026-02850-x>

【保护与生物多样性】

119. Persistence of medium- and large-sized mammals in an oil palm-dominated landscape of Sarawak, Malaysian Borneo

☐ Biodiversity and Conservation | 2026-03-10

☐ Abstract:

Forest mammals in Sarawak are at risk of local extinction from habitat fragmentation. Remnant forests on oil palm estates are important refugia for mammal metapopulations. Metapopulation persistence depends on species' ability to traverse the oil palm matrix. Using camera traps, we examined the occupancy of medium- to large-mammals in six forest fragments (range = 29–990 ha) and the oil palm matrix in northern Sarawak. The forest fragments collectively contained 22 of 24 mammal species occurring in the nearby Lambir Hills National Park, including three megafauna species (Sun bear *Helarctos malayanus*; Sambar deer *Rusa unicolor*, Bearded pig *Sus barbatus*). Species occupancy and richness increased with forest area and declined with distance from forest into oil palm, except for the mesopredator

☐ <https://link.springer.com/article/10.1007/s10531-026-03304-0>

【植物与农业】

120. Nitrogen application regulates ecosystem multifunctionality through soil microbial diversity: a quantitative assessment

☐ Plant and Soil | 2026-03-12

☐ Abstract:

Background and Aims Excessive nitrogen (N) fertilizer application in agricultural production inhibits crop dry matter accumulation, disrupts soil nutrient cycling, and disturbs the microbial community structure, thereby constraining the farmland ecosystem multifunctionality (EMF). **Methods** Through field experiments conducted from 2023 to 2024, this study investigated the response relationships of the microbial community structure to dry matter accumulation, soil environmental factors, and EMF (ecosystem multifunctionality) under different N application rates. **Results** This study further elucidated the influence of the dominant microbial species in different spatial distribution patterns on the EMF. **Results** demonstrated that optimal N application (N240) significantly enhanced dry matter accum

☐ <https://link.springer.com/article/10.1007/s11104-026-08459-x>

【生态学核心】

121. A Bias-Robust Framework for Quantifying Community Responses to the Climate Change Using the Occurrence Data

☐ Global Ecology and Biogeography | Sun, 08 Mar 2026 21:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/geb.70223>

【环境与气候】

122. The effects of self-governance arrangements on the climate change resilience of small-scale fisheries in Mexico

☐ Global Environmental Change

☐ Abstract:

Publication date: July 2026
Source: Global Environmental Change, Volume 98
Author(s): Xochitl Édua Elías Ilosvay, Sarah Elkin, Sebastian C.A. Ferse, Eréndira Aceves-Bueno, Javier Tovar-Ávila, Jhosafat Rentería-Bravo, Irving Alexis Medina Santiago, Jorge García Molinos, Elena Ojea

☐ <https://www.sciencedirect.com/science/article/pii/S095937802600021X>

【海洋与水生】

123. Climate change linked to infertility in well-known shark species

☐ Journal of Fish Biology | Thu, 12 Mar 2026 08:

☐ Abstract:

Journal of Fish Biology, EarlyView.

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jfb.70404>

124. Flexing machine learning muscle: predicting lake calcium to prioritize invasive mussel monitoring in Alaska

☐ Hydrobiologia | 2026-03-11

☐ Abstract:

Invasive zebra (*Dreissena polymorpha*) and quagga (*Dreissena rostriformis bugensis*) mussels (ZQM) are spreading across western North America, but are not yet known to be established in Alaska. If they invaded Alaska, ZQM could disrupt freshwater ecosystems supporting some of the world's most productive wild salmon fisheries. This study examined a key factor limiting ZQM invasion risk, the concentration of dissolved ionic calcium (Ca^{2+}), by synthesizing existing water quality data from published and unpublished sources and collecting new samples to fill data gaps for important salmon-bearing lakes across Alaska. We assembled a geospatial dataset including observed dissolved Ca^{2+} concentrations for 1406 lakes and used a randomForest model to predict Ca^{2+} concentrations for 1182 additional lake

☐ <https://link.springer.com/article/10.1007/s10750-026-06127-w>

【生态学核心】

125. Density dependence modulates climate change impacts on eastern Bering Sea snow crab

☐ Journal of Applied Ecology | Wed, 11 Mar 2026 00:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.70316>

【海洋与水生】

126. Climate Change Alters Post-Surge Recovery of Coastal Aquifers

☐ Water Resources Research | Thu, 12 Mar 2026 01:

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025WR042142>

【环境与气候】

127. Stakeholder engagement in climate change mitigation: A focus on Tanzania's renewable energy sector

☐ Climatic Change | 2026-03-06

☐ <https://link.springer.com/article/10.1007/s10584-026-04132-5>

【保护与生物多样性】

128. Species-Specific Responses to Multiple Climatic Variables Predict Diverging Locations of Future Climate Change Refugia

☐ Diversity and Distributions | Sat, 21 Feb 2026 01:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/ddi.70158>

【预印本】

129. Gene network centrality affects parallel evolution and local adaptation in wild yeast

☐ bioRxiv Evolutionary Biology | 2026-03-12

☐ Abstract:

The predictability of evolution remains a fundamental question in biology. While parallel evolution has been observed across taxa, we lack a mechanistic framework for predicting when evolution will be repeatable versus contingent. Here, we test whether gene network architecture predicts evolutionary repeatability and local (mal)adaptation

in natural populations. We sequenced 38 wild *Hanseniaspora uvarum* yeast strains from two replicated apple varieties across four Connecticut orchards, yielding 29,489 high-quality SNPs. Population genomic analyses suggested that genetic differentiation was structured primarily by orchard environment. Reciprocal transplant experiments across all orchard-variety combinations demonstrated local (mal)adaptation at multiple ecological scales, with strongest (ma

□ <https://doi.org/10.1101/2026.03.11.711091>

【植物与农业】

130. Co-designing a research agenda for UK agroforestry using a multi-actor approach

□ Agronomy for Sustainable Development | 2026-02-27

□ Abstract:

There is growing recognition of agroforestry's potential to help mitigate and provide resilience to the climate and biodiversity crises. Beyond its environmental benefits, agroforestry can also enhance production and profits, making it a sustainable farming solution that is scalable. Despite this, uptake within Europe is low, and many knowledge gaps remain that need to be addressed to promote adoption and optimize the management and implementation of agroforestry systems. We co-developed a research agenda for agroforestry using a multi-actor approach and a modified Delphi method in 2023. 156 UK-based stakeholders contributed to this process, including farmers, advisors, policy makers, NGOs, and researchers. An initial list of 238 research priorities (high-priority research questions) was s

□ <https://link.springer.com/article/10.1007/s13593-026-01089-8>

【综合顶刊】

131. Whole-genome simple sequence repeat development and genetic diversity analysis of sponge gourd (*Luffa cylindrica*)

□ PeerJ | 2026-03-13

□ Abstract:

Sponge gourd (*Luffa cylindrica*) is a versatile economic crop with nutritional, medicinal, and industrial value, but its genetic research has long been limited by a lack of stable molecular markers. Although high-quality genomic data of the sponge gourd line P93075 is available, no comprehensive whole-genome simple sequence repeat (SSR) marker development and systematic genetic diversity analysis based on this genome have been reported to date. This study first developed SSR markers using the high-quality *L. cylindrica* P93075 genome as reference. Using a microsatellite identification tool (MISA), 128,557 genome-wide SSR loci were identified, with a density of 195.91 SSRs/Mb; dinucleotide repeats (41.25% of total loci) were the dominant type. Candidate polymorphic SSR markers were initially

□ <https://peerj.com/articles/20934>

【海洋与水生】

132. Main drivers of specific composition and functional trait of phytobenthos in least disturbed streams of the Pampean plain

□ Hydrobiologia | 2026-03-10

□ Abstract:

This study aimed to elucidate the relationships between phytobenthos and natural environmental gradients in the least disturbed stream reaches of the Pampean plain. We hypothesized that if basal conditions are maintained, variables associated with the latitudinal gradient, such as irradiance and temperature, should be the main drivers of phytobenthos and that functional trait-based approaches would be more suitable than taxonomic ones for describing these relationships. Eighteen stream reaches belonging to different hydrological basins were selected, based on expected morphological and hydrological characteristics for undisturbed plain streams, with lowest impact from land uses in the surroundings. Traditional taxonomic approach and two functional perspectives based on species traits were

□ <https://link.springer.com/article/10.1007/s10750-026-06182-3>

【植物与农业】

133. Optimizing straw return management to suppress plant disease and promote plant growth. A meta-analysis

□ Agronomy for Sustainable Development | 2026-03-03

□ Abstract:

Straw return improves soil and nutrient cycling but may aggravate diseases if mismanaged. However, the comprehensive impact of different straw return methods on plant diseases remains unclear. This study aims to clarify the effects of straw return on plant diseases and explore appropriate straw return methods. This study evaluated the effect of straw return on the reduction of plant diseases by summarizing 1352 pairs of observations from 165 peer-reviewed publications. It further analyzed the effects of straw return conditions, disease types, and plant species on plant diseases. Overall, the study's findings showed that, with significant variation among return treatments, straw return reduced plant disease severity by 40.55% and increased plant biomass by 29.05%. Direct straw return of dif

□ <https://link.springer.com/article/10.1007/s13593-026-01094-x>

134. Contrasting contributions of plant detritus carbon and microbial necromass carbon to soil organic carbon accumulation along subalpine forest restoration on the eastern Qinghai-Tibetan Plateau

□ Plant and Soil | 2026-03-12

☐ Abstract:

Background and aims Forest restoration would significantly influence terrestrial carbon sequestration. However, the stage-specific dynamics and compositional changes of soil organic carbon (SOC) during forest restoration remain poorly understood. **Methods** Four forest restoration stages with distinct age gradients on the eastern Qinghai-Tibetan Plateau were selected. Lignin phenols and amino sugars were employed as specific biomarkers to investigate the accumulation and contributions of plant detritus carbon (PDC) and microbial necromass carbon (MNC) to SOC. **Results** The results showed that forest restoration consistently increased MNC and SOC contents by 391.2–444.8% and 143.6–218.9%, respectively, in both soil layers, indicating the critical role of microbial proliferation-mortality process

☐ <https://link.springer.com/article/10.1007/s11104-026-08442-6>

135. Revegetation mechanisms and influence factor in alpine mining areas: a case study of the Muli mining area, Qinghai-Tibet Plateau

☐ Plant and Soil | 2026-03-11

☐ Abstract:

Background and aims Mining activities cause ecosystem degradation, and ecological restoration promotes environmental recovery. However, the independent and coupling effects of environmental factors on the spatial heterogeneity of vegetation in alpine mining areas remain unclear. **Methods** Vegetation was investigated using quadrats, and soil samples were collected for laboratory analysis. ANOVA, geographical detectors, and RDA were used to analyze vegetation communities, their underground habitat characteristics, and the driving factors of vegetation spatial heterogeneity. **Results** Vegetation coverage and diversity generally increased with restoration age. Vegetation spatial heterogeneity showed moderate variability, significantly higher than in the natural background area. Fractional vegetati

☐ <https://link.springer.com/article/10.1007/s11104-026-08432-8>

【土壤与生物地球化学】

136. Nitrate sources and transformation pathways in salt-affected agricultural ditches: biogeochemical responses along contrasting salinity gradients

☐ Biogeochemistry | 2026-03-09

☐ Abstract:

Agricultural nitrate pollution, largely associated with high-intensity fertilizer application and untreated or insufficiently treated waste inputs, has become a major driver of water quality degradation worldwide. Agricultural ditches, as key recipients of surface runoff and lateral seepage, function as both transport conduits and biogeochemical hotspots for nitrogen transformation. In salt-affected ditches, high nitrogen inputs and salinity can interact to enhance nitrate accumulation and mobility, thereby increasing the potential for downstream transport. To bridge this knowledge gap, we investigated two representative saline agricultural ditches located in northwestern China, a region characterized by an arid climate and saline-alkaline soils. We employed stable isotope analysis ($\delta^{15}\text{N}$ -N

☐ <https://link.springer.com/article/10.1007/s10533-026-01318-y>

【综合顶刊】

137. Socioeconomic, physical and mental health impacts of climate change among informal outdoor workers in sub-Saharan Africa: A scoping review protocol

☐ PLOS ONE | 2026-03-13T14:00:00Z

☐ Abstract:

by Sylvia Hagan, Kate Nyhan, Ernest Darkwah, Collins Badu Agyemang, Yaw Agyeman Bofo The informal economy plays a critical role in Sub-Saharan Africa (SSA), yet informal outdoor workers are disproportionately exposed to climate-related hazards. Existing reviews often merge formal and informal workers, limiting insight into the distinct vulnerabilities and outcomes experienced in informal outdoor work. This proposed scoping review seeks to synthesise evidence on the socioeconomic, physical, and mental health impacts and coping strategies of climate change among informal outdoor workers in SSA. We will search Medline, Global Health, Embase, Scopus, Lens, PsycINFO, Business Source Complete, African Journals Online (AJOL), and Africa Index Medicus, alongside grey literature searching and cita

☐ <https://journals.plos.org/plosone/article>

【环境与气候】

138. Climate change anxiety in daily life: prevalence and distribution among young people in Canada

☐ Climatic Change | 2026-03-04

☐ <https://link.springer.com/article/10.1007/s10584-026-04141-4>

【海洋与水生】

139. Quantifying methane emissions from Laurentian Great Lakes estuaries using in situ measurements, remote sensing, and machine learning

☐ Limnology and Oceanography Letters | Thu, 19 Feb 2026 01:

☐ <https://aslopubs.onlinelibrary.wiley.com/doi/10.1002/lol2.70099>

140. Insights from multispecies coral seeding deployments on turbid nearshore reefs

☐ Coral Reefs | 2026-03-07

☐ Abstract:

Coral seeding may help sustain coral populations in a warming ocean; however, key knowledge gaps currently temper the successful application of this method across varied reef environments. This study investigated the survival and growth of three common coral species seeded on two device designs and deployed across a broad range of benthic communities in the Keppel Islands, southern inshore Great Barrier Reef. We examined the influence of algal cover and biomass, sedimentation, water flow, and temperature on seeding success after one year. Benthic

communities at deployment sites ranged from coral to macroalgal dominated, yet site-level differences in survival were only detected for *Acropora millepora* on one device type. Coral survival and size were related to macroalgal biomass and/or cover

☐ <https://link.springer.com/article/10.1007/s00338-026-02843-w>

【保护与生物多样性】

141. The role of an endangered vine parasite in promoting agritourism mediated conservation in Sabah, Malaysia

☐ Biodiversity and Conservation | 2026-03-13

☐ Abstract:

Agritourism is increasingly viewed as an anchor for sustainable development in Sabah, Malaysia, extending beyond its well-known and established wildlife-based tourism industry. This commentary considers a future role of agritourism that, when combined with targeted conservation practices, has the potential to aid in the broader effort to protect Sabah's rich biodiversity and support local indigenous economies. While *Rafflesia*, which is frequently located on private land, is an iconic species that has long attracted international visitors, many regions in Sabah possess untapped potential for eco-focused agritourism within natural landscape settings. Agritourism that protects forest could also act as an impetus to engage in the re-wilding of areas via the re-introduction of declining and rare

☐ <https://link.springer.com/article/10.1007/s10531-026-03315-x>

【遥感与模型】

142. Integrating eco-biogeographical knowledge into deep learning: An approach for fine-grained mountain vegetation classification

☐ Remote Sensing of Environment

☐ Abstract:

Publication date: 15 May 2026
Source: Remote Sensing of Environment, Volume 338
Author(s): Yonghui Yao, Yulian Liu

☐ <https://www.sciencedirect.com/science/article/pii/S0034425726001161>

143. A satellite-based approach for estimating runoff and river discharge in the Pan-Arctic region from 2003 to 2022

☐ Remote Sensing of Environment

☐ Abstract:

Publication date: 15 May 2026
Source: Remote Sensing of Environment, Volume 338
Author(s): Francesco Leopardi, Jacopo Dari, Carla Saltalippi, Luca Brocca, Espen Volden, Diego Fernández-Prieto, Peyman Saemian, Nico Sneeuw, Mohammad J. Tourian, Stefania Camici

☐ <https://www.sciencedirect.com/science/article/pii/S0034425726001239>

【预印本】

144. Song as a behavioural pre-mating barrier in early population divergence: Insights from the Canary Islands Chaffinch

☐ bioRxiv Evolutionary Biology | 2026-03-13

☐ Abstract:

Acoustic signaling is key to individual and species recognition, playing a major role in sexual and social communication. Since reproductive isolation is often maintained through pre-mating mechanisms, song can be an early isolating trait leading to assortative mating, promoting reproductive divergence, and potentially contributing to speciation. However, whether song differences alone are sufficient to prevent interbreeding or if other traits also contribute, remains a matter of debate. Playback experiments provide a more direct way to test the role of song as a reproductive barrier. Here, we use playback experiments to test the hypothesis that song acts as a pre-mating barrier in two recently diverged populations of an island passerine, the Canary Islands Chaffinch (*Fringilla canariensis*)

☐ <https://doi.org/10.1101/2026.03.12.711316>

【土壤与生物地球化学】

145. No indications for a priming effect on soil organic carbon mineralization in a temperate river system

☐ Biogeochemistry | 2026-03-07

☐ Abstract:

Globally, rivers are vital conduits transporting and processing terrestrial carbon, and are generally considered to act as source of carbon dioxide (CO₂) towards the atmosphere. A large amount of soil organic carbon (SOC) is transferred from the land surface to river systems each year, where it mixes and interacts with the autochthonous carbon pool (i.e., produced in-stream via photosynthesis). The latter has been suggested to be more labile and to potentially affect—positively or negatively—the mineralization rate of the more recalcitrant SOC, a mechanism referred to as the priming effect (PE). Here, we performed series of short-term (7 days) incubation experiments to investigate whether the addition of (¹³C-labelled) algal carbon (C) affected SOC mineralization in an aquatic environment,

☐ <https://link.springer.com/article/10.1007/s10533-026-01317-z>

【预印本】

146. Sex and breeding stage differences in neurogenomic profiles reflect hormone signaling in a socially polyandrous shorebird

☐ bioRxiv Genomics | 2026-03-13

☐ Abstract:

In 'sex-role reversed' species, females are socially polyandrous and compete for multiple mates, whereas males conduct the majority of parental care. To understand the extent to which physiological differences between females and males are shaped by sex roles, we examined sex differences in gene expression in 'sex-role reversed' northern jacanas (*Jacana spinosa*). Given that females compete for mating opportunities, and males cycle between courtship and parental care, we predicted that transcriptomic profiles would be more similar between females and courting males, in contrast to female and parenting males. Leveraging a high quality de novo genome assembly, we conducted RNA-seq on two brain regions associated with the regulation of social behavior: the preoptic area of the hypothalamus and

☐ <https://doi.org/10.1101/2026.03.10.710941>

147. Stochastic Evolutionary Control in Heterogeneous Populations

☐ bioRxiv Evolutionary Biology | 2026-03-13

☐ Abstract:

Therapeutic resistance, which poses a central challenge in cancer and infectious disease treatment, arises from the evolutionary dynamics of heterogeneous populations as a natural consequence of the evolutionary tendency towards higher fitness. Here we introduce SHEPHERD (Stochastic Heterogeneity-informed Evolutionary Policy Hampering the Expansion of Resistance to Drugs), which integrates Wright-Fisher (WF) population genetics modeling with Markov Decision Processes (MDPs) to design optimal adaptive drug policies which reduce the fitness of evolving disease, mitigating resistance. While MDPs have been applied to evolutionary control under the strong-selection, weak-mutation (SSWM) assumption - where populations are effectively homogeneous - SHEPHERD operates beyond this regime, effectively

☐ <https://doi.org/10.1101/2026.03.12.711493>

【综合顶刊】

148. DNA metabarcoding on roadkill stomach contents reveals the breadth of species present in bobcat diets

☐ PLOS ONE | 2026-03-13T14:00:00Z

☐ Abstract:

by Kim A. Hughes, Carol S. Henger, Jason E. Hawley, Evon R. Hekkala, Jason Munshi-South, Tracy A. G. Rittenhouse Trophic dynamics can be altered in complex ways as a result of urbanization. Understanding predator diets in these contexts may not only provide insight into these changes, but also in sources of mortality for vulnerable prey species like the New England cottontail (*Sylvilagus transitionalis*). However, studying the diets of mammalian predators such as bobcats (*Lynx rufus*) can be challenging because of their elusive behavior. DNA metabarcoding of stomach contents from roadkill is a method which provides a new opportunity to study predator diets when mortality events occur. We used this technique to examine variation in bobcat diet across a range of urbanized environments in Conne

☐ <https://journals.plos.org/plosone/article>

【生态学核心】

149. Assessing the environmental and dispersal-related drivers of an invasive aquatic plant in Great Lakes coastal wetlands

☐ Ecological Applications | Thu, 12 Mar 2026 00:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/eap.70206>

【海洋与水生】

150. Taxonomy and Functional Traits Modulate the Environmental Niche Dimensions of Crustacean Zooplankton Communities in Submerged Aquatic Vegetation Beds

☐ Freshwater Biology | Sun, 08 Mar 2026 06:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/fwb.70193>

【保护与生物多样性】

151. Patterns in the abundance and biomass of fauna inhabiting rhodolith beds of varying structure: the potential role of facilitation cascades

☐ Biodiversity and Conservation | 2026-03-10

☐ Abstract:

Rhodolith beds are globally distributed benthic habitats that play a key role in supporting associated faunal communities and serve as important biodiversity hotspots. Their ecological importance has been attributed to their ability to increase habitat complexity. In this context, rhodoliths are considered habitat-forming species (primary facilitator) that potentially support the establishment of further habitat providers, such as epiphytic macroalgae (secondary facilitator), which contribute to structural heterogeneity, and possibly, to facilitation processes. This study explored how the structural characteristics of rhodoliths and associated epiphytes affect the abundances and biomasses of epifaunal assemblages across five rhodolith beds in the Canary Islands. We identified 11,222 epifaunal

☐ <https://link.springer.com/article/10.1007/s10531-026-03269-0>

【土壤与生物地球化学】

152. Soil heterotrophic respiration after irrigation retirement is differentially influenced by moisture and substrate availability over time

☐ Biogeochemistry | 2026-03-09

☐ Abstract:

Water limitations are forcing producers to transition large areas of currently irrigated farmland into dryland agriculture across the Western U.S. with unclear effects on global soil carbon (C) dynamics. An experiment established in 2017 in a no-till, maize system in Colorado suggested that soil heterotrophic respiration (Rh) following irrigation retirement was co-regulated by water and available C. We continued Rh measurements in 2021–2022 along with monthly soil samplings to explore the interactive effects of soil moisture and available C on microbial community composition and activity. Plant C inputs, available soil water, bacteria, fungi, and protozoa fatty acid methyl ester (FAME) biomarkers, enzyme activity, and Rh decreased after irrigation retirement, while actinobacteria abundance

☐ <https://link.springer.com/article/10.1007/s10533-026-01312-4>

153. Precipitation legacy effects on gross N mineralization and nitrification rates in a Pinyon-Juniper dryland under altered precipitation

☐ Biogeochemistry | 2026-03-09

☐ Abstract:

Changes in precipitation patterns can influence soil nitrogen (N) cycling by altering the timing and extent of moisture availability. Arid conditions, associated with more frequent and severe droughts, can increase soil inorganic N concentrations when diffusion constraints decouple N sources and sinks, making this N susceptible to loss. Further, shifts in precipitation patterns in one season can “carry over” N into subsequent seasons, known as precipitation legacies. However, how these legacies increase soil N availability through changes in inorganic N production (i.e., gross N mineralization and nitrification) remain unclear. We manipulated the amount and timing of precipitation in a pinyon-juniper dryland by either adding or excluding precipitation during the winter or summer months and

☐ <https://link.springer.com/article/10.1007/s10533-026-01313-3>

【综合顶刊】

154. Population genomics of *Quercus gilva* provides insights into the conservation of fengshui forests

☐ Communications Biology | 2026-03-13

☐ Abstract:

Communications Biology, Published online: 13 March 2026; doi:10.1038/s42003-026-09846-x Research on China's fengshui forest oak *Q. gilva* reveals a higher genetic load in its Chinese lineage, recommends conserving four populations, and identifies Jianou's ancient trees as vulnerable.

☐ <https://doi.org/10.1038/s42003-026-09846-x>

【环境与气候】

155. Longitudinal wastewater metagenomics reveals distinct environmental and anthropogenic associations with resistance, virulence, and viral communities

☐ Environmental Pollution

☐ Abstract:

Publication date: 15 May 2026 Source: Environmental Pollution, Volume 397 Author(s): Júlia Firme Freitas, Thais Teixeira Oliveira, Lucymara Fassarella Agnez-Lima

☐ <https://www.sciencedirect.com/science/article/pii/S0269749126003131>

【遥感与模型】

156. Machine learning-based identification of key indicator species in coral reef fish assemblages

☐ Ecological Informatics

☐ Abstract:

Publication date: May 2026 Source: Ecological Informatics, Volume 95 Author(s): Eberhard Estephe Kana Djifack, Edi Prifti, Thomas Lamy, Florian Baletaud, Jean-Daniel Zucker, Norbert Tsopze, Laurent Vigliola, Eugeni Belda

☐ <https://www.sciencedirect.com/science/article/pii/S157495412600110X>

【综合顶刊】

157. Expert elicitation on agricultural enhanced weathering reveals carbon dioxide removal potential and uncertainties in loss pathways

☐ Communications Earth & Environment | 2026-03-12

☐ Abstract:

Communications Earth & Environment, Published online: 12 March 2026; doi:10.1038/s43247-026-03375-5 Enhanced weathering in agriculture shows promise as a carbon dioxide removal strategy, but experts disagree on how large its impact could be, and the greatest uncertainties lie in soil and water processes, highlighting the need for targeted research, according to an expert elicitation method.

☐ <https://doi.org/10.1038/s43247-026-03375-5>

【环境与气候】

158. Sustained weakening in the Atlantic Niño/Niña variability post 2100

☐ Environmental Research Letters | 2026-03-10T00:00:00Z

☐ Abstract:

The Atlantic Niño/Niña, akin to the Pacific El Niño-Southern Oscillation (ENSO) and the Indian Ocean Dipole (IOD), is a dominant mode of interannual climate variability, exerting profound impacts on the global climate. Previous studies show reversed changes in ENSO and IOD variability before and after 2100. However, the projected evolution of the Atlantic Niño/Niña beyond 2100 remains unknown. Here, we find that the Atlantic Niño/Niña variability displays a sustained weakening toward the 23rd century under high- and low- emission scenarios. On the one hand, atmospheric stratification is stabilized in the equatorial Atlantic, reducing the sensitivity of zonal wind to the anomalous sea surface temperature (SST) gradient. On the other hand, weakened equatorial upwelling decreases SST sensitivity

☐ <https://iopscience.iop.org/article/10.1088/1748-9326/ae49a1>

【海洋与水生】

159. The evolution, development, and genetic basis of cichlid hyoid shape reveals novel bone features and candidate genes

☐ Hydrobiologia | 2026-03-10

☐ Abstract:

Among teleosts, the hyoid bone is critical for feeding, but the causes and consequences of hyoid shape variation are poorly understood relative to other elements in the head. We leverage the experimental tractability and evolutionary richness of East African cichlids to fill this knowledge gap. We first quantified hyoid shape variation in an ecologically diverse set of species, as well as in an F5 hybrid population derived from crossing two Lake Malawi cichlid species. We found that hyoid shape variation was both broad and nuanced, and only weakly predicted by foraging ecology. We then analyzed growth dynamics of the hyoid, which revealed a unique feature of the bone that differed between species—a series of interdigitating sutures that spanned the growth plate to connect the lateral (i.e.

☐ <https://link.springer.com/article/10.1007/s10750-026-06172-5>

【预印本】

160. The effect of ULV-based mosquito control on target and non-target organisms in Hungary: an experimental field study

☐ bioRxiv Ecology | 2026-03-12

☐ Abstract:

Ultra-low volume (ULV) insecticide spraying with deltamethrin as the active ingredient is widely used in mosquito control programs, yet its effectiveness against target mosquitoes and its ecological side effects remain poorly quantified under field conditions in Central Europe. Here, we experimentally evaluated the short-term impact of ground ULV spraying on both mosquito populations and non-target flying insects in Hungary using a paired before-after-control-impact (BACI) design. Mosquitoes were sampled with BG Sentinel traps, while non-target insects were collected using malaise traps. ULV treatment resulted in a significant reduction in mosquito abundance at treated sites, with an average decline of approximately 45%. Native and invasive mosquito species, including *Aedes albopictus* and

☐ <https://doi.org/10.1101/2026.03.11.711007>

【海洋与水生】

161. Multibeam seabed bathymetry of the Long-Term Ecological Research observatory HAUS-GARTEN (Fram Strait)

☐ Deep Sea Research II

☐ Abstract:

Publication date: June 2026 Source: Deep Sea Research Part II: Topical Studies in Oceanography, Volume 227 Author(s): Boris Dorschel, Simon Dreutter, Lilian Boehringer

☐ <https://www.sciencedirect.com/science/article/pii/S0967064526000305>

【保护与生物多样性】

162. Practical and Ethical Issues in Big Data and Machine Learning Forecasts of Zambian Community Forestry Engagement

☐ Conservation Letters | Mon, 09 Mar 2026 23:

☐ Abstract:

Conservation Letters, Volume 19, Issue 2, March/April 2026.

☐ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/con4.70022>

【海洋与水生】

163. Flow-aligned frameworks: linking benthic currents to cold-water coral mound development using 3D photogrammetry and ADCP data

☐ Coral Reefs | 2026-03-08

☐ Abstract:

Scleractinian cold-water corals (CWC) rely on benthic currents for the delivery of food and other resources that support their growth and subsequent mound development in the deep sea. However, the CWC-current relationship remains poorly understood, as current knowledge is predominantly derived from spatially constrained ex-situ experimentation and coarse-scale modeling. Therefore, we combined long-term in situ acoustic Doppler current profile measurements with high-resolution photogrammetric data to clarify CWC-current interactions at the ‘mound-scale’ and ‘framework-scale’ across 4 sites in the Moira Mounds region (Belgica Mound Province, NE Atlantic). Study sites are characterized by prevailing north-directed regional flows and N-S oscillating tidal flows. These flows are locally modified

☐ <https://link.springer.com/article/10.1007/s00338-026-02846-7>

【土壤与生物地球化学】

164. Cover crops shape soil microbiome and ecological interactions in the soybean rhizosphere under long-term no-till

☐ Soil & Tillage Research

☐ Abstract:

Publication date: September 2026Source: Soil and Tillage Research, Volume 261Author(s): Caio César Gomes Freitas, Carolinne Rosa de Carvalho, Nariane de Andrade, Rafael Lima Oliveira, Victor Lucas Vieira Prudêncio Araújo, Felipe Martins do Rêgo Barros, João Henrique dos Santos Ferreira, José Roberto Portugal, Carlos Alexandre Costa Crusciol, Fernando Dini Andreote

☐ <https://www.sciencedirect.com/science/article/pii/S016719872600108X>

165. Mechanisms and sources of organic carbon accrual in deep soil under long-term straw return

☐ Soil & Tillage Research

☐ Abstract:

Publication date: September 2026Source: Soil and Tillage Research, Volume 261Author(s): Wenhao Feng, Jie Zhou, Antonio Rafael Sánchez-Rodríguez, Yakov Kuzyakov, Ji Chen, Shang Wang, Haoruo Li, Jing Wang, Hongyuan Zhang, Roland Bol, Yuyi Li, Leanne Peixoto

☐ <https://www.sciencedirect.com/science/article/pii/S0167198726001066>

【遥感与模型】

166. Pulse fragmentation-induced uncertainty in forest LAI mapping using UAV LiDAR

☐ Remote Sensing of Environment

☐ Abstract:

Publication date: 15 May 2026Source: Remote Sensing of Environment, Volume 338Author(s): Yuchen Bai, Philippe Verley, Tiangang Yin, Nicolas Lauret, Florence Forbes, Jean-Baptiste Durand, Grégoire Vincent

☐ <https://www.sciencedirect.com/science/article/pii/S0034425726001112>

【植物与农业】

167. Zinc oxide nano-priming fortifies *Triticum aestivum* L. against salt stress through physio-morphological, biochemical and transcriptomic responses

☐ Plant and Soil | 2026-03-13

☐ Abstract:

Background and Aims Plants frequently encounter salinity stress throughout their life cycle. This study comprehensively elucidates the role of zinc oxide nanoparticles (ZnO-NPs) priming in regulating long-term salinity tolerance in wheat by modulating physio-biochemical and transcriptional attributes, leading to improved plant biomass. Methods Wheat seeds were primed with ZnO-NPs (0, 50, 100, 150 and 200 mg/l) and grown in control (0 mM) and salt stress (150 mM). Results Findings demonstrated that priming with 100 mg/L of nano-sized ZnO maximally allowed it to easily penetrate and translocate throughout the plant tissues and cellular compartments, and reduced sodium (Na⁺) uptake by 24% in shoot and 21% in root under salt stress. Physiologically, ZnO-NPs priming alleviated salinity damage b

☐ <https://link.springer.com/article/10.1007/s11104-026-08451-5>

【综合顶刊】

168. Antimicrobial resistance dissemination via horizontal gene transfer is constrained in stratified waters

☐ Communications Biology | 2026-03-12

☐ Abstract:

Communications Biology, Published online: 12 March 2026; doi:10.1038/s42003-026-09857-8 Metagenome data from depth-resolved marine and freshwater samples reveal a lower level of ARG diversity in marine than in freshwater environments and suggests a weaker role of HGT-mediated spread of AMR and lower dynamics by water stratification.

☐ <https://doi.org/10.1038/s42003-026-09857-8>

169. Dormant microbes dominate soils across China and are regulated by water and resource availability

☐ Communications Earth & Environment | 2026-03-12

☐ Abstract:

Communications Earth & Environment, Published online: 12 March 2026; doi:10.1038/s43247-026-03377-3 Dormant microbes dominate soils across China, accounting for about 95% of cells and varying from forests to deserts, with water-holding capacity, enzyme activity, and carbon pools regulating dormancy patterns, based on analyses of 591 samples from 197 sites.

☐ <https://doi.org/10.1038/s43247-026-03377-3>

170. Tectonic activity and river mouth proximity drive submarine canyon retreat along Italian coasts

☐ Communications Earth & Environment | 2026-03-12

☐ Abstract:

Communications Earth & Environment, Published online: 12 March 2026; doi:10.1038/s43247-026-03373-7 Regional earthquakes and proximity to river mouths primarily dictate where submarine canyons retreat, posing risks to coastal populations, according to simulations of the multi-parametric susceptibility model applied to over 2,700 canyon heads around Italy.

☐ <https://doi.org/10.1038/s43247-026-03373-7>

171. Nationwide wastewater sequencing surveillance of SARS-CoV-2 lineages: validation against clinical data across 28 U.S. states

☐ PeerJ | 2026-03-13

☐ Abstract:

As clinical SARS-CoV-2 surveillance programs are being reduced, wastewater-based epidemiology (WBE) has emerged as a promising alternative for monitoring viral circulation. However, large-scale validation of wastewater sequencing against clinical data across multiple lineages and geographic regions remains limited. This study aimed to evaluate the concordance between wastewater and clinical SARS-CoV-2 lineage surveillance at a national scale and assess patterns of lineage emergence and geographic spread. From September 11, 2023, to April 1, 2025, we collected 3,151 wastewater samples from 42 treatment plants across 28 U.S. states. Samples underwent tiled amplicon sequencing using ARTIC V5.3.2 primers, with lineage abundance estimated using Freyja. We compared wastewater lineage proportions

☐ <https://peerj.com/articles/20941>

【生态学核心】

172. The epigenetic engine: Transgenerational plasticity as a driver of plant climate resilience and adaptation

☐ Journal of Ecology | Thu, 12 Mar 2026 03:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2745.70297>

【环境与气候】

173. Modulation of carbendazim toxicity by enhanced acanthocephalan infection in a freshwater fish

☐ Environmental Pollution

☐ Abstract:

Publication date: 15 May 2026 Source: Environmental Pollution, Volume 397 Author(s): Léa Lorrain-Soligon, Constance Warnier de Wailly, Alexandre Bauer, Thierry Rigaud, Jean-Emmanuel Rollin, Simon Agostini, Beatriz Decencièrre, Alexis Millot, Aurélie Goutte

☐ <https://www.sciencedirect.com/science/article/pii/S0269749126002915>

【海洋与水生】

174. Rethinking trophic transfer efficiency in freshwater ecosystems: Current understanding and knowledge gaps

☐ Limnology and Oceanography | Wed, 11 Mar 2026 06:

☐ <https://aslopubs.onlinelibrary.wiley.com/doi/10.1002/lno.70343>

【环境与气候】

175. Amplified response of Amazon floodplain flows to rising river levels

☐ Environmental Research Letters | 2026-03-10T00:00:00Z

☐ Abstract:

The dynamics of Amazon floodplains is tightly connected to the adjacent river flood pulse, yet its hydrological functioning differs from that of the main channel. While the river transports water downstream, floodplain flows promote lateral connection, facilitating biogeochemical exchanges with the river and sustaining local ecosystems and riverine communities. Extreme floods in the Amazon Basin have become more frequent in recent years, and their impact on floodplain flow remains unknown. Here, we show that floodplains flows of the lower Amazon basin can reach up to 40 000 m³ s⁻¹ during extreme floods, a magnitude comparable to the world's largest rivers. While the mean (maximum) Amazon River flow has only increased by ~4.7% (8.7%) since 2005, the mean (maximum) flow in the adjacent flood

☐ <https://iopscience.iop.org/article/10.1088/1748-9326/ae45be>

【保护与生物多样性】

176. Estimating wolf population size in France using non-invasive genetic sampling and spatial capture-recapture models

☐ Biological Conservation

☐ Abstract:

Publication date: May 2026
Source: Biological Conservation, Volume 317
Author(s): Cyril Milleret, Christophe Duchamp, Sarah Bauduin, Cecile Kaerle, Agathe Pirog, Guillaume Queney, Olivier Gimenez

☐ <https://www.sciencedirect.com/science/article/pii/S0006320726000807>

177. Non-peptide dysbiosis metabolites reprogram a peptide quorum-sensing receptor to induce sustained predation in beneficial streptococci

☐ PLOS Biology | 2026-03-13T14:00:00Z

☐ Abstract:

by Guillaume Cerckel, Denis Dereinne, Laura Ledesma-García, Vincent Meuric, Benoît Desguin, Johann Mignolet, Patrice Soumillion, Pascal Hols Cytoplasmic receptors of the RRNPPA superfamily mediate peptide-based quorum sensing in Gram-positive bacteria and are thought to be activated exclusively by short, unmodified pheromones. Here, we show that the RRNPPA regulator ComR in the human commensal *Streptococcus salivarius* can also be activated by a distinct class of non-peptide metabolites. A screen of ~200 organic compounds identified hydroxyphenylacetic acid (HPAA)—a microbial dysbiosis-associated catabolite—as a potent activator of ComR. Using biochemical and genetic approaches, we demonstrate that HPAA and related aromatic carboxylic acids bind the canonical pheromone pocket and induce sus

☐ <https://journals.plos.org/plosbiology/article>

【植物与农业】

178. Agricultural intensification impacts native, but not non-native, plant richness and species-area relationships across south-eastern Australia

☐ Agriculture Ecosystems & Environment

☐ Abstract:

Publication date: 1 July 2026Source: Agriculture, Ecosystems & Environment, Volume 404Author(s): Annette M. Cavanagh, Frederick W. Rainsford, John W. Morgan, James Q. Radford

☐ <https://www.sciencedirect.com/science/article/pii/S0167880926001453>

179. Wheat/pea intercropping with reduced nitrogen inputs maintains crop productivity but lowers soil nitrate residues and N₂O emissions: Evidence at crop and cropping system levels

☐ Agriculture Ecosystems & Environment

☐ Abstract:

Publication date: 1 July 2026Source: Agriculture, Ecosystems & Environment, Volume 404Author(s): Gege Li, Jianli Liu, Jianfeng Yao, Tiankang He, Jianke Xiao, Vinay Nangia, Yang Liu

☐ <https://www.sciencedirect.com/science/article/pii/S0167880926001416>

180. Microbial C-P metabolic flexibility and soil carbon accumulation: The role of nutrient stoichiometry and management practices in tea agroecosystems

☐ Agriculture Ecosystems & Environment

☐ Abstract:

Publication date: 1 July 2026Source: Agriculture, Ecosystems & Environment, Volume 404Author(s): Dehuang Zhu, Chengzhen Wu, Suhong Peng, Yan Zhou, Dafeng Hui

☐ <https://www.sciencedirect.com/science/article/pii/S016788092600143X>

181. Plant–arthropod–soil interactions in reservoir water-level fluctuation zones: A novel driver of soil phosphorus cycling

☐ Agriculture Ecosystems & Environment

☐ Abstract:

Publication date: 1 July 2026
Source: Agriculture, Ecosystems & Environment, Volume 404
Author(s): Qing Zhao, Yang Lan, Ying Shao, Xin Zhang, Yuan Feng, Esraa E. Ammar, Martina Roß-Nickoll, Beth A. Kaplin, Lanya Feng, Zhongli Chen

☐ <https://www.sciencedirect.com/science/article/pii/S0167880926001489>

【预印本】

182. Heat alters fruit morphology and severely limits reproduction but not growth in a widespread urban weed.

☐ bioRxiv Plant Biology | 2026-03-12

☐ Abstract:

Rationale: Plants in urban environments often experience heat stress and responses to heat stress often include vegetative and reproductive traits like rosette width and fruit morphology. However, our understanding of natural variation in vegetative and reproductive traits in urban environments is severely limited. Methods: We grew an urban weed, *Capsella bursa-pastoris*, in common garden environments that simulate an urban heat gradient to determine how heat affected growth, survival and reproduction. Additionally, we used geometric morphometric techniques alongside deterministic techniques to quantify variation in *C. bursa-pastoris* fruit shape and investigated the predictive relationship between fruit shape and seed production. Key results: We found that temperatures above 30{degrees}C ac

☐ <https://doi.org/10.1101/2026.03.10.710864>

【环境与气候】

183. Association between long-term air pollutant exposure and blood pressure and hypertension: A stratified analysis based on vitamin D status

☐ Environmental Pollution

☐ Abstract:

Publication date: 15 May 2026
Source: Environmental Pollution, Volume 397
Author(s): Su Jin Kim, Jae Moon Yun, Su Hwan Cho, Soontae Kim, Yoon-Hee Kang, Hyun-Jin Kim, Jin Ho Park

☐ <https://www.sciencedirect.com/science/article/pii/S0269749126003052>

184. A global perspective: quantifying disturbance and reclamation of surface coal mining through remote sensing innovations

☐ Global Environmental Change

☐ Abstract:

Publication date: July 2026Source: Global Environmental Change, Volume 98Author(s): Zhen Yang, Wenrui Tian, Tingting He, He Ren, Xingdong Wang, Huawei Jiang, Like Zhao, Yanchuang Zhao, Yuwei Chen

☐ <https://www.sciencedirect.com/science/article/pii/S0959378026000270>

【土壤与生物地球化学】

185. Long-term N fertilization altered viral community composition and increased functional potentials of phosphorus cycling by causing soil acidification

☐ Soil Biology and Biochemistry

☐ Abstract:

Publication date: June 2026Source: Soil Biology and Biochemistry, Volume 217Author(s): Shuxun Cheng, Zhongmin Dai, Dan He, Ran Xue, Kankan Zhao, Jorge L. Mazza Rodrigues, Lucas W. Mendes, Scott X. Chang, Jianming Xu

☐ <https://www.sciencedirect.com/science/article/pii/S0038071726000568>

【遥感与模型】

186. Urban PolSAR decomposition: Challenges and new directions for emerging SAR technologies

☐ Remote Sensing of Environment

☐ Abstract:

Publication date: 15 May 2026Source: Remote Sensing of Environment, Volume 338Author(s): Dingfeng Duan, Yong Wang

☐ <https://www.sciencedirect.com/science/article/pii/S0034425726001331>

187. Snow effects on altimeter waveforms over sea ice in the Weddell Sea - Part II: sea ice and snow spaceborne retrieval

☐ Remote Sensing of Environment

☐ Abstract:

Publication date: 15 May 2026
Source: Remote Sensing of Environment, Volume 338
Author(s): Lu Zhou, Henriette Skourup, Julianne Stroeve, Sahra Kacimi, Stefanie Arndt, Weixin Zhu, Alek Petty, Lanqing Huang, Shiming Xu

☐ <https://www.sciencedirect.com/science/article/pii/S0034425726001306>

【预印本】

188. ChromSMF: integrated profiling of histone modifications, protein-DNA interactions and DNA methylation on multi-kilobase DNA molecules

☐ bioRxiv Genomics | 2026-03-12

☐ Abstract:

Chromatin accessibility and histone post-translational modifications are widely used to identify and characterize cis-regulatory elements. Yet, these are typically measured separately, precluding direct linkage between them. Here, we present Chromatin-informed Single Molecule Footprinting (ChromSMF), a method that simultaneously quantifies histone modifications, transcription factor binding, and nucleosome occupancy, while measuring DNA methylation and sequence variations on the same multi-kilobase DNA molecules. ChromSMF combines antibody-guided tethering of the adenine methyltransferase Hia5 to modified histones, protein-DNA footprinting using the cytosine methyltransferase M.CviPI, and direct methylation detection by Nanopore sequencing. We benchmark ChromSMF across five histone modifications.

☐ <https://doi.org/10.1101/2026.03.11.710921>

189. Low-Cost UWB CPW Microwave Tattoo Sensor for Respiratory Monitoring in Epilepsy Detection

☐ Research Square - Environment | 2026-03-13 20:54:30

☐ Abstract:

This paper presents a flexible, ultra-thin, and transparent tattoo-based CPW slot microwave sensor designed for epilepsy detection based on respiratory monitoring and wearable biomedical applications. The sensor is fabricated using gold leaf on transparent PVC, enabling excellent skin conformity and long-term comfort. The proposed microwave sensor achieves an ultra-wide operating bandwidth of 2.4–17 GHz. Mechanical reliability is confirmed through bending and crumpling tests, where the sensor maintains stable impedance characteristics. In addition to respiratory monitoring, the proposed sensor is highly relevant for epilepsy detection, as epileptic seizures are often accompanied by abnormal respiratory patterns such as apnea, irregular breathing, or sudden changes in breathing rate.

☐ <https://www.researchsquare.com/article/rs-8462764/latest>

【综合顶刊】

190. Trophic ecology outweighed intrinsic constraints in shaping skull evolution of carnivorous Permian synapsids

☐ Communications Biology | 2026-03-12

☐ Abstract:

Communications Biology, Published online: 12 March 2026; doi:10.1038/s42003-026-09824-3 Anatomical network analysis and morphometric methods illuminate the influences of functional adaptation and developmental constraint on the evolution of cranial form in carnivorous Permian synapsids.

☐ <https://doi.org/10.1038/s42003-026-09824-3>

【生态学核心】

191. Eco-evolutionary dynamics of partially migratory metapopulations in spatially and seasonally varying environments

☐ Journal of Animal Ecology | Thu, 12 Mar 2026 22:

☐ Abstract:

Journal of Animal Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2656.70240>

192. Extending plant water-use strategies to flowers: Evidence from trait correlations across plant organs

☐ Functional Ecology | Tue, 10 Mar 2026 21:

☐ Abstract:

Functional Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2435.70293>

193. The post-fire recovery of soil seed banks along a fire severity gradient in an Australian threatened mesic forest

☐ Functional Ecology | Fri, 06 Mar 2026 03:

☐ Abstract:

Functional Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2435.70296>

194. Year-round rhythms: Alpine plant species modulate soil and microbial dynamics during the growing season and under the snow

☐ Ecological Monographs | Wed, 11 Mar 2026 22:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecm.70055>

195. A transcontinental experiment elucidates (mal)adaptation of a cosmopolitan plant to climate in space and time

☐ Ecological Monographs | Sun, 15 Feb 2026 16:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecm.70043>

196. Does restoring apex predators to food webs restore ecosystems? Reply

☐ Ecological Monographs | Tue, 03 Feb 2026 23:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecm.70049>

197. Does restoring apex predators to food webs restore ecosystems? Comment

☐ Ecological Monographs | Tue, 03 Feb 2026 22:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecm.70050>

198. Modeling species co-occurrence effects to inform invasive barred owl management and recovery of the northern spotted owl

☐ Ecological Applications | Thu, 12 Mar 2026 00:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/eap.70195>

199. Landscape heterogeneity affects developmental and dispersal-related traits of a butterfly in agricultural landscapes

☐ Ecological Applications | Wed, 11 Mar 2026 00:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/eap.70209>

200. Variation in Environmental Conditions and Biodiversity Between Contrasting Intertidal Habitats Across Multiple Spatial Scales on European Rocky Shores

☐ Global Ecology and Biogeography | Tue, 10 Mar 2026 21:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/geb.70211>

201. Automated counting of fish in moving diver-operated videos (DOV) for biodiversity assessments

☐ Methods in Ecology and Evolution | Thu, 12 Mar 2026 23:

☐ Abstract:

Methods in Ecology and Evolution, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210x.70283>

【环境与气候】

202. Optimizing soil profile nitrogen distribution alleviates nutrient limitations in wheat fields by influencing the microbial network and soil extracellular enzyme stoichiometry

☐ Journal of Environmental Management

☐ Abstract:

Publication date: 15 April 2026 Source: Journal of Environmental Management, Volume 404 Author(s): Yang Zhou, Yongqiao Zhang, Muhammad Fraz Ali, Ning Ding, Jiacong Zhang, Xiang Lin, Dong Wang

☐ <https://www.sciencedirect.com/science/article/pii/S0301479726007644>

203. Prediction skill and potential predictability of subseasonal South American summer precipitation reconstructed from leading modes of variability

☐ Climate Dynamics | 2026-03-06

☐ Abstract:

Improving subseasonal precipitation forecasts requires better comprehending how models represent subseasonal variations in precipitation and what affects models' predictability and prediction skill. Here, empirical orthogonal function (EOF) analysis is utilised to identify the leading modes of weekly precipitation variability over South America (SA) during the monsoon season, which are identified as (i) a dipole-like precipitation pattern affecting central-eastern and southern Brazil, as well as Paraguay, Uruguay, and northeastern Argentina; (ii) a precipitation pattern with opposite anomalies between northern and southeastern SA; and (iii) a pair of degenerated EOFs with large precipitation variability in eastern SA, including northeastern Argentina, southeastern SA, and part of northeast

☐ <https://link.springer.com/article/10.1007/s00382-026-08091-6>

【保护与生物多样性】

204. Next-generation agri-environment schemes: Integrating innovations in biodiversity monitoring, farming technologies and digital tools

☐ Biological Conservation

☐ Abstract:

Publication date: May 2026 Source: Biological Conservation, Volume 317 Author(s): Anna F. Cord, Frank Wätzold

☐ <https://www.sciencedirect.com/science/article/pii/S0006320726000698>

205. Linking disperser traits and habitat quality to seed dispersal effectiveness

☐ Biological Conservation

☐ Abstract:

Publication date: April 2026 Source: Biological Conservation, Volume 316 Author(s): Veronarindra Ramananjato, Tanjoniaina H.N.P. Rabarijaonina, Ginot Kava, Sidonie O. Rakotoarisoa, Gaëtan M. Rakotondrasoa, Tsinjo S.A. Andriatiavina, Finaritra Randimbiarison, Onja H. Razafindratsima

☐ <https://www.sciencedirect.com/science/article/pii/S0006320726000534>

206. Restoration of Spring-Run Habitat Improves Abundance and Juvenile Survival for Endangered, Highly Endemic Salamanders

☐ Animal Conservation | Mon, 23 Feb 2026 22:

☐ Abstract:

Animal Conservation, Volume 29, Issue 1, Page 108-119, February 2026.

☐ <https://zslpublications.onlinelibrary.wiley.com/doi/10.1111/acv.70025>

207. Environmental Gradients Decouple Demographic and Adaptive Connectivity in a Highly Mobile Coastal Marine Species

☐ Molecular Ecology | Mon, 09 Mar 2026 00:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/mec.70273>

【预印本】

208. Photosymbiotic algae acquisition and their interactions with the acoel *Convolutriloba macropyga*

☐ bioRxiv Zoology | 2026-03-09

☐ Abstract:

Symbiosis with photosynthetic microbes is widespread in marine animals, with various symbiont transmission modes and localisation within the host. Here, we characterise the association between the acoel *Convolutriloba macropyga* and its photosymbionts, identified as *Tetraselmis* green algae based on *rbcL* gene phylogenetic analysis. Symbionts are transmitted vertically to asexual offspring and acquired horizontally by juveniles after sexual reproduction. Embryos develop to aposymbiotic juveniles that ingest *Tetraselmis* through the mouth. Confocal microscopy shows an increase in algae number within juveniles and in their presence at the body wall. Transmission electron microscopy reveals that symbionts lose flagella and theca. In adults, symbionts are extracellular at the body periphery, but c

☐ <https://doi.org/10.1101/2026.03.06.710013>

209. Pigments and microstructure of the colour polymorphic shells of *Polymita picta* and *P. muscarum* (Gastropoda: Cepolidae), with observations on a new light-transmitting shell spot system

☐ bioRxiv Zoology | 2026-03-05

☐ Abstract:

Colour polymorphism in the Cuban painted snails *Polymita picta* and *P. muscarum* is striking, yet the pigmentary and structural bases remain unclear. We combined spectrophotometric screening, Raman micro-spectroscopy, scanning electron microscopy (SEM) and LED transillumination to link pigments, ultrastructure and optics across shell morphs. Melanin standard (*Sepia officinalis*) yielded a robust linear calibration used to quantify total melanin pigments at 215 nm in pooled extracts. Melanin was detected in all samples with predominance in darker morphs. Raman spectra (785 nm) confirmed aragonite mineral organization and revealed carotenoid bands, consistent with a mixed-pigment model in which carotenoids contribute to ground and band colours and melanins underlie darker elements. SEM showed a

☐ <https://doi.org/10.1101/2026.03.03.709309>

【植物与农业】

210. A conceptual framework for simultaneous optimization of integrated climate scenario data and phenology models

☐ Agronomy for Sustainable Development | 2026-03-12

☐ Abstract:

Climate-resilient crop varieties are exceedingly important for global food security. High-accuracy predictions of crop phenology in future climate scenarios require a more precise description of putative crop-environment interactions. While the accuracy of these predictions is affected by three primary sources of uncertainty —the phenology model, the climate scenario data, and their interaction —commonly used approaches consider only the phenology model as a source of uncertainty, while uncertainties arising from climate scenario data and their interaction with the model are commonly neglected. To address this gap, we developed a novel dynamic crop phenology model framework that simultaneously integrates uncertainties arising from all three sources. This model framework was developed using

☐ <https://link.springer.com/article/10.1007/s13593-026-01091-0>

【土壤与生物地球化学】

211. Composition, release and controls of sediment phosphorus in estuaries near shrimp aquaculture areas

☐ Biogeochemistry | 2026-03-07

☐ Abstract:

Chemical sequential extraction and high-resolution diffusive gradients in thin-film (DGT) techniques were employed to study the mobilization behavior and underlying mechanisms of phosphorus (P) in estuarine sediments. This study focused on two contrasting subtropical estuaries in the Maowei Sea, northern Beibu Gulf: the Maoling River Estuary (MLRE, dominated by natural processes) and the Qin River Estuary (QRE, influenced by coastal shrimp pond effluent). Sediment samples were collected in December 2020 (winter) and July 2021 (summer). Overall, the contents of inorganic P, organic P (OP), and DGT-labile P in core sediments of the QRE were significantly higher than those in the MLRE. Notably, the average concentration of DGT-labile P in the QRE sediments ($7.82 \pm 4.94 \mu\text{mol L}^{-1}$) was approximately

☐ <https://link.springer.com/article/10.1007/s10533-026-01316-0>

【遥感与模型】

212. Optimizing satellite-based cropland area estimation through integrated map accuracy assessment and stratified sampling design across six African countries

☐ International Journal of Applied Earth Observation

☐ Abstract:

Publication date: April 2026 Source: International Journal of Applied Earth Observation and Geoinformation, Volume 148 Author(s): Adebawale Daniel Adebayo, Catherine Nakalembe, Sergii Skakun, Diana Botchway Frimpong, Alana Ginsburg, Yash Hitesh Gadhiya, Monica Adjei, Hannah Kerner, Inbal Becker-Reshef

☐ <https://www.sciencedirect.com/science/article/pii/S1569843226001391>

213. Regional-scale *Acacia tortilis* crown mapping from UAV remote sensing using semi-automated annotation and a lightweight hybrid segmentation framework

☐ International Journal of Applied Earth Observation

☐ Abstract:

Publication date: April 2026 Source: International Journal of Applied Earth Observation and Geoinformation, Volume 148 Author(s): Mohamed Barakat A. Gibril, Rami Al-Ruzouq, Abdallah Shanableh, Fouad Lamghari, Ali El-Keblawy, Nezar Hammouri, Safa Makawy, Ratiranjan Jena, Ahmed Mansour, Simon Zerisenay Ghebremeskel, Nedal Salem Alafayfeh, Mohamed Abdulrhaim Almarzooqi

☐ <https://www.sciencedirect.com/science/article/pii/S1569843226001305>

【综合顶刊】

214. Cutoffs as a sufficient condition for chaos in kinematic river channel evolution

☐ Communications Earth & Environment | 2026-03-12

☐ Abstract:

Communications Earth & Environment, Published online: 12 March 2026; doi:10.1038/s43247-026-03370-w Cutoffs in meandering rivers trigger sustained exponential divergence in channel evolution and generate deterministic chaos that sets a finite predictability horizon, according to kinematic meander modeling.

☐ <https://doi.org/10.1038/s43247-026-03370-w>

215. Cell type-specific network analysis in Diversity Outbred mice identifies genes potentially responsible for human bone mineral density GWAS associations

☐ eLife | Wed, 11 Mar 2026 00:

☐ Abstract:

Genome-wide association studies (GWASs) have identified many sources of genetic variation associated with bone mineral density (BMD), a clinical predictor of fracture risk and osteoporosis. Aside from the identification of causal genes, other difficult challenges to informing GWAS include characterizing the roles of predicted causal genes in disease and providing additional functional context, such as the cell-type predictions or biological pathways in which causal genes operate. Leveraging single-cell transcriptomics (scRNA-seq) can assist in informing BMD GWAS by linking disease-associated variants to genes and providing a cell-type context for which these causal genes drive disease. Here, we use large-scale scRNA-seq data from bone marrow-derived stromal cells cultured under osteogenic

☐ <https://elifesciences.org/articles/100832>

【生态学核心】

216. Seed dispersal by cockroaches and crickets in a non-photosynthetic plant with fermented scents

☐ Ecology | Thu, 05 Mar 2026 23:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecy.70321>

217. Century-long trends in plant diversity of temperate mountain vegetation are modulated along elevation gradient

☐ Journal of Ecology | Thu, 12 Mar 2026 04:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2745.70292>

218. Does pollen form follow function? Effects of stigma type, pollination mode and habitat on pollen morphological traits

☐ Journal of Ecology | Thu, 12 Mar 2026 03:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2745.70290>

219. How to eradicate an invasive forest pest without clear-cutting

☐ Journal of Applied Ecology | Wed, 11 Mar 2026 22:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.70318>

220. Functional and phylogenetic clustering shape rodent co-occurrence via multi-scale mechanisms in a subtropical forest

☐ Journal of Animal Ecology | Fri, 06 Mar 2026 01:

☐ Abstract:

Journal of Animal Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2656.70237>

221. Environmental drivers of metapopulation dynamics throughout the full annual cycle in a declining Arctic-nesting migratory herbivore

☐ Journal of Animal Ecology | Thu, 05 Mar 2026 01:

☐ Abstract:

Journal of Animal Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2656.70236>

222. Nitrogen deposition does not exacerbate phosphorus limitation of rhizosphere microbes in subalpine forests

☐ Functional Ecology | Mon, 09 Mar 2026 01:

☐ Abstract:

Functional Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2435.70297>

223. An invasive shrub drives carbon uptake in New Zealand montane tussock grasslands, with strongest effects early in the growing season

☐ Functional Ecology | Thu, 05 Mar 2026 19:

☐ Abstract:

Functional Ecology, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2435.70291>

224. Trait-based approaches to restoration ecology: Synthesizing insights from diverse systems

☐ Ecological Applications | Tue, 10 Mar 2026 08:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/eap.70193>

225. ‘ukbioprepr’: an R package to support reproducible preparation of environmental data for biodiversity modelling in the UK

☐ Ecography | Thu, 12 Mar 2026 05:

☐ Abstract:

Ecography, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/ecog.08413>

226. EcoViz: a tool for visual analysis and photorealistic rendering of forest landscape model simulations

☐ Ecography | Wed, 11 Mar 2026 00:

☐ Abstract:

Ecography, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/ecog.08198>

227. Environmental heterogeneity and spatial variation mediates plant diversity and ecosystem stability in mountain ecosystems of the Mediterranean Andes

☐ Ecography | Wed, 04 Mar 2026 21:

☐ Abstract:

Ecography, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/ecog.08305>

228. Acoustic Indices Reveal Fundamental Differences in Daily Phenology of Tropical and Temperate Forest Soundscapes

☐ Global Ecology and Biogeography | Thu, 12 Mar 2026 21:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/geb.70224>

229. Ecoacoustics for context-rich direct and indirect trophic interaction data and ecological network construction

☐ Methods in Ecology and Evolution | Thu, 12 Mar 2026 23:

☐ Abstract:

Methods in Ecology and Evolution, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210x.70288>

230. A novel approach for distinguishing noise and information in forest MLS-point clouds

☐ Methods in Ecology and Evolution | Thu, 12 Mar 2026 23:

☐ Abstract:

Methods in Ecology and Evolution, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210x.70280>

231. CheckEM: An open-source toolkit for standardising, cleaning and visualising stereo-video fish survey data

☐ Methods in Ecology and Evolution | Thu, 12 Mar 2026 23:

☐ Abstract:

Methods in Ecology and Evolution, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210x.70287>

【环境与气候】

232. Safe harbours for the intruders of the sea: Greater abundance of invasive species on artificial structures and management implications

☐ Global Environmental Change

☐ Abstract:

Publication date: May 2026Source: Global Environmental Change, Volume 97Author(s): Laura Avila-Turriago, Jasmine B.D. Jaffrés, Michael Sievers, Brigitte Wright, Ariane Easton, Louise B. Firth, Antony M. Knights, Niclas Einert, Tom Coughlin, Naomi Forrest, Sven Frijlink, Valeriya Komyakova

☐ <https://www.sciencedirect.com/science/article/pii/S0959378026000269>

【海洋与水生】

233. Unraveling the effects of wet and dry areas on carbon emissions in an intermittent Mediterranean stream

☐ Limnology and Oceanography | Thu, 12 Mar 2026 03:

☐ <https://aslopubs.onlinelibrary.wiley.com/doi/10.1002/lno.70348>

234. Fecal pellet packaging enhances marine carbon sequestration

☐ Limnology and Oceanography | Wed, 04 Mar 2026 00:

☐ <https://aslopubs.onlinelibrary.wiley.com/doi/10.1002/lno.70328>

235. Aquatic reflectance derived from Sentinel-2 Multispectral Imager data for inland waters in the conterminous United States

☐ Limnology and Oceanography Letters | Sun, 22 Feb 2026 21:

☐ <https://aslopubs.onlinelibrary.wiley.com/doi/10.1002/lol2.70112>

236. Disentangling the Components Shaping Aquatic Richness Over Spatial Scales in Extreme Climatic Events

☐ Freshwater Biology | Thu, 12 Mar 2026 23:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/fwb.70194>

237. Apparent Flexibility of Fatty Acid Metabolism in Shredders Depends on Terrigenous Organic Matter Type

☐ Freshwater Biology | Fri, 27 Feb 2026 20:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/fwb.70192>

【环境与气候】

238. Beliefs about EU 2030 climate commitments across public, expert, and policy audiences

☐ Environmental Research Letters | 2026-03-10T00:00:00Z

☐ Abstract:

The European Union (EU) has adopted ambitious climate policies to reduce greenhouse gas emissions by 55% by 2030. While technical, economic, and political feasibility have been widely analyzed, far less is known about a critical enabling factor: whether key societal actors perceive these targets as credible and achievable. In this study, we elicit probabilistic beliefs about future EU emission reductions from a sample of citizens designed to be representative across 12 EU member states and compare them with the expectations of climate policymakers and experts. Our findings reveal that all three groups anticipate substantial progress compared to current levels. At the same time, citizens are more skeptical about achieving the target and substantially more uncertain than elites, expecting, o

☐ <https://iopscience.iop.org/article/10.1088/1748-9326/ae491b>

【海洋与水生】

239. Unlocking deep sea cold seep biodiversity: Leveraging environmental DNA for macrofauna diversity estimation in Haima cold seep

☐ Deep Sea Research I

☐ Abstract:

Publication date: June 2026Source: Deep Sea Research Part I: Oceanographic Research Papers, Volume 229Author(s): Gaoyou Yao, Hua Zhang, Wenguang Liu, Maoxian He

☐ <https://www.sciencedirect.com/science/article/pii/S0967063726000282>

240. Characterization and stabilization pathways of water-extractable dissolved organic matter in the Mariana Trench sediments

☐ Deep Sea Research I

☐ Abstract:

Publication date: April 2026Source: Deep Sea Research Part I: Oceanographic Research Papers, Volume 228Author(s): Jiayue Geng, Min Luo, Kexin Zheng, Linying Chen, Tingcang Hu, Dong Zhang, Jingqian Xie, Duofu Chen

☐ <https://www.sciencedirect.com/science/article/pii/S0967063726000208>

241. Drivers of benthic megafauna community dynamics in the Fram Strait, Arctic Ocean: Insights from the HAUSGARTEN observatory (2016-2021)

☐ Deep Sea Research II

☐ Abstract:

Publication date: June 2026Source: Deep Sea Research Part II: Topical Studies in Oceanography, Volume 227Author(s): Lilian Boehringer, Melanie Bergmann, Christiane Hasemann, James Taylor, Jennifer Dannheim

☐ <https://www.sciencedirect.com/science/article/pii/S0967064526000329>

242. Monitoring export fluxes to detect seasonal and interannual changes in the pelagic ecosystem of the northern Bering Sea

☐ Deep Sea Research II

☐ Abstract:

Publication date: April 2026Source: Deep Sea Research Part II: Topical Studies in Oceanography, Volume 226Author(s): Catherine Lalande, Phyllis J. Stabeno, Calvin W. Mordy, Shaun W. Bell, Chelsea W. Koch, Eun Jin Yang, Jinyoung Jung, Juyoung Son, Jee-Hoon Kim, Karen E. Frey, Jacqueline M. Grebmeier

☐ <https://www.sciencedirect.com/science/article/pii/S0967064526000226>

243. Light-driven community assembly and functional performance of aeration-free filamentous algae-partial nitrification/anammox granule

☐ Water Research

☐ Abstract:

Publication date: 1 June 2026Source: Water Research, Volume 297Author(s): Cui-Zhong Chen, Hui-Min Fu, Tong-Xu Li, Xiao-Yu Gao, Qing Hu, Peng Yan, Jin-Song Guo, Xiao-Wei Xu, You-Peng Chen

☐ <https://www.sciencedirect.com/science/article/pii/S0043135426003763>

【保护与生物多样性】

244. Factors Influencing Species Distribution Model Performance in Tropical Reef Fishes

☐ Diversity and Distributions | Wed, 11 Mar 2026 23:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/ddi.70160>

245. The World Could Reach 30% Protection by 2030, and Still Fail to Conserve Biodiversity without Effective and Well-located Protected Areas

☐ Conservation Letters | Mon, 09 Mar 2026 23:

☐ Abstract:

Conservation Letters, Volume 19, Issue 2, March/April 2026.

☐ <https://conbio.onlinelibrary.wiley.com/doi/10.1111/con4.70030>

246. Unravelling the Roles of Recent Speciation and Trait Evolution in Shaping the Longitudinal Gradient of Tropical Reef Fish Diversity

☐ Journal of Biogeography | Thu, 12 Mar 2026 03:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jbi.70184>

247. Modern Pollen–Environment Calibrations in Thailand–Malaysia: Normalised Difference Vegetation Index (NDVI) and Precipitation as Quantitative Constraints for Vegetation Reconstruction

☐ Journal of Biogeography | Thu, 12 Mar 2026 03:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/jbi.70191>

248. Decades of conservation and monitoring reveal population recovery in a globally important loggerhead rookery

☐ Biological Conservation

☐ Abstract:

Publication date: May 2026
Source: Biological Conservation, Volume 317
Author(s): Cassandra Roch, Carlos Angulo-Preckler, Kenydjeer Lima Rodrigues, Hugo Mann, Hector Barrios-Garrido, Natalie Wilderman, Luis F. López-Jurado, Ana Liria-Loza, Maria Medina-Suarez, Carlos M. Duarte

☐ <https://www.sciencedirect.com/science/article/pii/S000632072600090X>

249. NATURA 2000: Synergies and trade-offs between process-oriented conservation and the protection of threatened species

☐ Biological Conservation

☐ Abstract:

Publication date: May 2026Source: Biological Conservation, Volume 317Author(s): Erich Tasser, Ingrid Loacker, Chiara Paniccia, Jonas Sommer, Elena Tello García, Brenda Maria Zoderer

☐ <https://www.sciencedirect.com/science/article/pii/S0006320726000935>

【海洋与水生】

250. Diel feeding patterns, prey selectivity, and predatory impact of the box jellyfish *Carybdea brevipedalia* (Cnidaria: Cubozoa)

☐ Marine Biology | 2026-03-13

☐ <https://link.springer.com/article/10.1007/s00227-026-04805-w>

【植物与农业】

251. Vast, overlooked peat, and organic soils in Brazil's Cerrado: carbon storage, dynamics, and stability

☐ New Phytologist | Thu, 12 Mar 2026 07:

☐ Abstract:

New Phytologist, EarlyView.

☐ <https://nph.onlinelibrary.wiley.com/doi/10.1111/nph.71027>

252. Impacts of tillage system on soil fungal communities

☐ Agriculture Ecosystems & Environment

☐ Abstract:

Publication date: 1 July 2026Source: Agriculture, Ecosystems & Environment, Volume 404Author(s): Mehrdad Mohammadiani, Heidi Ahrenholtz, Curtis Cavers, Zisheng Xing, Stephen Crittenden, Matthew G. Bakker

☐ <https://www.sciencedirect.com/science/article/pii/S0167880926001465>

253. Crop rotation and nitrogen management achieve a trade-off among crop productivity, net income and soil CO₂ emission in the Hexi Oasis irrigation area

☐ Field Crops Research

☐ Abstract:

Publication date: 15 May 2026 Source: Field Crops Research, Volume 342 Author(s): Lili Yang, Xiaoyuan Bao, Hong Fan, Congcong Guo, Fuyang Cui, Jie Zhou, Chengxin Bai, Qiang Chai, Cai Zhao

☐ <https://www.sciencedirect.com/science/article/pii/S0378429026001103>

【土壤与生物地球化学】

254. Rapid assembly and functional differentiation of the soil surface microbiome in temperate agricultural soil

☐ Soil Biology and Biochemistry

☐ Abstract:

Publication date: June 2026 Source: Soil Biology and Biochemistry, Volume 217 Author(s): Christopher James O'Grady, Sally Hilton, Emma Picot, Sebastien Raguideau, Christopher Quince, Christopher J. van der Gast, Hendrik Schäfer, Gary D. Bending

☐ <https://www.sciencedirect.com/science/article/pii/S0038071726000489>

255. Building soil organic matter differing in physical fractions for fertilizer nitrogen retention

☐ Soil Biology and Biochemistry

☐ Abstract:

Publication date: June 2026 Source: Soil Biology and Biochemistry, Volume 217 Author(s): Quan Tang, Qingde Li, Xiaozhi Wang, Yuanyuan Huang, Tim J. Daniell, Enxuan Wu, Jing Wang, Feiyi Zhang, Zhenwang Li, Scott X. Chang, Zucong Cai, Yves Uwiragiye, Nyumah Fallah, Minggang Xu, Christoph Müller, Yi Cheng

☐ <https://www.sciencedirect.com/science/article/pii/S0038071726000556>

256. Glacial Meltwater Promotes Biological Productivity and Subsequent Dissolved Organic Carbon Accumulation in the Eastern Ross Sea: Evidence From the Austral Summer of 2023

☐ Global Biogeochemical Cycles | Fri, 06 Mar 2026 01:

☐ <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2025GB008770>

【保护与生物多样性】

257. Is urban part-time lighting a mitigation measure for a common amphibian? A case study on *Bufo spinosus*

☐ Biodiversity and Conservation | 2026-03-12

☐ Abstract:

Artificial light at night is an expanding phenomenon that affects biodiversity at the global scale. Mitigation measures consisting in switching off public lights during a part of the night are increasingly used. Whether such measures actually benefit biodiversity, beyond reducing the energy budget of municipalities, remains largely untested. We investigated the effect of part-time lighting on the behaviour of adult spiny toads (*Bufo spinosus*). We analysed the distance travelled and the use of shelters by individuals in arenas kept in the dark or exposed to light all night or part of it, i.e. excluding the 23:00–05:00 time period. Treatment had a relatively small effect on distance travelled during the night but shelters were increasingly used as the duration of the lit period at night incr

☐ <https://link.springer.com/article/10.1007/s10531-026-03313-z>

【土壤与生物地球化学】

258. Synergistic optimization of plastic film mulching and nitrogen management and water-soil-greenhouse gas coupling mechanism on the Loess Plateau

☐ Soil & Tillage Research

☐ Abstract:

Publication date: September 2026Source: Soil and Tillage Research, Volume 261Author(s): Peng Pan, Jin Shi, Congwei Sun, Madsarajah Rajendran, Enke Liu, Xurong Mei

☐ <https://www.sciencedirect.com/science/article/pii/S0167198726001078>

【遥感与模型】

259. Management approaches in decision support systems to mitigate the risk of natural disturbances in European temperate and boreal forests –a review

☐ Ecological Modelling

☐ Abstract:

Publication date: June 2026Source: Ecological Modelling, Volume 516Author(s): Adriano Mazziotta, Kyle Eyvindson, Katharina Albrich, Juha Honkaniemi, Joyce Machado Nunes Romeiro, Susanne Suvanto, Annika Kangas

☐ <https://www.sciencedirect.com/science/article/pii/S0304380026000943>

260. Assessment of ecosystem contributions to provisioning services in South Korea using emergy methodology

☐ Ecological Modelling

☐ Abstract:

Publication date: June 2026Source: Ecological Modelling, Volume 516Author(s): Daeseok Kang, Seungjun Lee

☐ <https://www.sciencedirect.com/science/article/pii/S0304380026000906>

261. Geomagnetic night vision: A data-driven approach to study geomagnetic navigation in a migratory bird

☐ Ecological Modelling

☐ Abstract:

Publication date: June 2026 Source: Ecological Modelling, Volume 516 Author(s): Beate Zein, Jed A. Long, Kamran Safi, Vanessa Brum-Bastos, Martin Wikelski, Philipp Schwemmer, Stefan Garthe, Frédéric Jiguet, Pierrick Bocher, Alicia Grace Marley, Urška Demšar

☐ <https://www.sciencedirect.com/science/article/pii/S030438002600089X>

262. A modeling framework for forest aboveground biomass estimation in mixed forests of the southeastern United States using airborne lidar and PlanetScope data

☐ Ecological Informatics

☐ Abstract:

Publication date: May 2026 Source: Ecological Informatics, Volume 95 Author(s): Nisham Thapa, Lana L. Narine, Tamara F. Milton, Basanta Shrestha, Heather D. Alexander

☐ <https://www.sciencedirect.com/science/article/pii/S1574954126001123>

【预印本】

263. Evaluation of Phosphogypsum and Pore Volume Water Rates for Reclaiming Saline-Sodic Cambisols of Metehara Sugar Estate, Central Rift Valley of Ethiopia

☐ bioRxiv Ecology | 2026-03-13

☐ Abstract:

Soil salinity and sodicity are among the major challenges threatening agricultural productivity in the Central Rift Valley of Ethiopia. A column experiment was conducted in laboratory on saline-sodic soils of Metehara Sugar Estate to evaluate the effectiveness of phosphogypsum and leaching in reclaiming these soils. The treatments comprised of five rates of phosphogypsum equivalent to 50, 75, 100, 150, and 200% gypsum requirement, 100% gypsum requirement of natural gypsum, and an absolute control with no amendments applied, and five volumes of leaching water. The treatments were arranged in Complete Randomized Design with three replications. The leaching water was applied to the columns in an intermittent ponding mode. Leachates and soil samples collected from the columns after termination

☐ <https://doi.org/10.1101/2026.03.11.710977>

264. Prevalence of *Mycoplasma agassizii* across wild and captive Mediterranean tortoises

☐ bioRxiv Ecology | 2026-03-12

☐ Abstract:

Mycoplasma agassizii is one of the principal pathogens associated with upper respiratory tract disease (URTD) in tortoises, yet its epidemiology in European wild chelonian populations remains poorly understood. The pathogen has been linked to population declines in some wild tortoise populations and is frequently detected in captive tortoises, where infections may persist subclinically and prolonged contact can facilitate transmission. In this context, the pet trade and the release or escape of captive individuals represent potential pathways for pathogen exchange between captive and wild populations. We assessed the presence and prevalence of *M. agassizii*-like agents in wild Mediterranean tortoises in Spain and compared infection patterns with captive populations. A total

☐ <https://doi.org/10.1101/2026.03.11.710774>

265. ABI5-mediated ABA signaling enhances aliphatic glucosinolates biosynthesis by transcriptionally suppressing BR signaling factors in Arabidopsis

☐ bioRxiv Plant Biology | 2026-03-12

☐ Abstract:

Brassinosteroids (BRs) are key regulators of plant growth and have been implicated in suppressing glucosinolates (GSLs) biosynthesis in Brassicaceae species, including *Arabidopsis thaliana*. However, the molecular mechanism linking BR signaling to transcriptional control of the aliphatic GSL pathway remains unclear. Here, we provide genetic and molecular evidence that the BR-responsive transcription factor BZR1 negatively regulates aliphatic GSL biosynthesis through interaction with TOPLESS (TPL) family corepressors and the histone deacetylase HISTONE DEACETYLASE 19 (HDA19). The gain-of-function mutant *bzr1-1D* exhibited reduced accumulation of aliphatic glucosinolates (GSLs), whereas disruption of TPL family genes (*tpl*, *tpl1*, *tpl4*) or HDA19 resulted in elevated GSL levels, supporting a repr

☐ <https://doi.org/10.1101/2026.03.10.710799>

266. Reduced body size of Varroa destructor associated with varroa-resistant honey bee colonies across Europe

☐ bioRxiv Evolutionary Biology | 2026-03-13

☐ Abstract:

The ectoparasitic mite *Varroa destructor* is the most significant parasite of the Western honey bee (*Apis mellifera*) and a major driver of colony losses worldwide. Although extensive research has focused on behavioral and physiological mechanisms of host resistance, comparatively little attention has been paid to potential phenotypic responses of the parasite itself. Here we investigated body size variation in *Varroa destructor* associated with varroa-resistant and non-resistant honey bee colonies across four European countries. We quantified the dorsal shield area of adult female mites from multiple colonies differing in the honey bee colonies resistance status, using standardized digital image analysis. Across geographically distant non-resistant populations, mite body size was remarkably

☐ <https://doi.org/10.1101/2026.03.11.711027>

267. Potential acoustic signatures of stress in black soldier fly (*Hermetia illucens*; Diptera: Stratiomyidae) larvae

☐ bioRxiv Zoology | 2026-03-10

☐ Abstract:

Black soldier fly larvae (BSFL) have quickly become one of the most farmed animals in the world. However, little is known about how to monitor stress and welfare in these animals. The difficulty of welfare assessment is compounded by the fact that BSFL live in their feed and prefer darkness. This behaviour makes it challenging to observe potential welfare indicators without inducing stress via disturbing the larvae or moving them into the light. However, acoustic devices may be able to pick up signatures of stress in the population even while they are out of sight, allowing for remote monitoring of animals in natural conditions (in the feed and/or in the dark). Acoustic monitoring of this type has been deployed for the detection of insects in stored grains, suggesting this method holds som

☐ <https://doi.org/10.1101/2026.03.06.709542>

268. Creating complete life histories of individual female tsetse (*Glossina* spp) to study the effects of meteorological conditions on fly size in Zimbabwe

☐ bioRxiv Zoology | 2026-03-09

☐ Abstract:

Combining novel methodologies with ovarian dissection, we estimated life histories for ca. 90,000 individual female *Glossina pallidipes* and *G. m. morsitans* sampled from 1988-1999 in Zimbabwe's Zambezi Valley. Using temperature-dependent development rates we stepped back through each fly's life, fixing dates of successive pregnancies, adult emergence, pupal period, pregnancy and oogenesis. This enabled modelling of relationships between wing and egg lengths, and conditions prevailing when these lengths were being determined. Egg lengths increased with maternal wing length, were shorter in primiparous flies but changed little with age thereafter. *G. pallidipes* egg lengths were positively related to NDVI and negatively to temperature ($R^2 = 0.68$), for variables averaged over the period of oogene

☐ <https://doi.org/10.1101/2026.03.06.710017>

【植物与农业】

269. Pragmatic principles for supporting the agroecological transition in the field: a review

☐ Agronomy for Sustainable Development | 2026-02-25

☐ Abstract:

The agroecological transition of agriculture is slow despite the wealth of knowledge produced to support it. Given the complexity and uncertainty of changing situations, the deterministic approach aimed at defining ideal transition pathways to speed up the transition seems fruitless to us. Our view is that paths are made by walking, tracing a singular route that depends on the surprises that arise. However, actors are currently not equipped to march into the unknown, a march toward greater sustainability. The challenge is to equip actors to implement agroecological principles in local, changing, complex, and uncertain situations. To this end, we propose 10 principles drawn from an argued review of pragmatic philosophy and formulated on the basis of 16 years' experience in participatory res

☐ <https://link.springer.com/article/10.1007/s13593-026-01092-z>

【预印本】

270. Wing pitch timing and wing elevation modulate forces and body pitch in forward flapping flight

☐ bioRxiv Zoology | 2026-03-06

☐ Abstract:

Aerodynamic performance in airplanes and flying animals can be controlled by changes in wing shape and size, but during flapping flight another key component is wing motion. Observations of free-flying animals reveal natural wing motions, but testing causal mechanisms requires controlled manipulation of flapping kinematics. In flapping wings, aerodynamic interactions between the two wings are expected to depend on wingbeat phase, wing proximity, and wing attitude. How these interactions influence force production remains unclear. Here we used a robotic flapping wing and quantitative flow measurements to test the effect of wing interactions between wings flapped above or below the body in combination with pitch timing during upstroke-downstroke transitions. We show that both force magnitude

☐ <https://doi.org/10.1101/2026.03.06.710029>

【综合顶刊】

271. Arctic sea-ice ridges are biomass hotspots harboring diverse microbial communities

☐ Communications Earth & Environment | 2026-03-13

☐ Abstract:

Communications Earth & Environment, Published online: 13 March 2026; doi:10.1038/s43247-026-03364-8 Arctic sea-ice ridges support distinct microbial and algal communities and hold up to 80% of summer ice algal biomass, transitioning from winter repositories to summer hotspots, based on seasonal surveys of ridge habitats and biomass.

☐ <https://doi.org/10.1038/s43247-026-03364-8>

272. Best reference genes for unbiased normalized transcript expression in normal and dystrophic human cell models of myogenesis

☐ PLOS ONE | 2026-03-13T14:00:00Z

☐ Abstract:

by Raffaella Quarta, Brigida Boccanegra, Enrica Cristiano, Alberto Ladisa, Elena Conte, Jessica Ohana, Vincent Mouly, Annamaria De Luca, John Hildyard, Ornella Cappellari Patient-derived cell models of dystrophic myogenesis and differentiation are valuable preclinical tools for early and mutation-based assessment of candidate therapeutic approaches. Quantitative measurement of gene expression within such models plays a key role in these studies, but normalisation of RT-qPCR data requires a panel of validated stably expressed reference genes. This study aims to identify stable reference genes for RT-qPCR assays in three human derived muscle immortalized cell lines: one healthy WT (from a 16-year-old donor), and two dystrophic lines, DMD1 (from a 11-year-old patient carrying a stop codon mut

☐ <https://journals.plos.org/plosone/article>

273. Precision cutaneous stimulation in freely moving mice

☐ eLife | Thu, 12 Mar 2026 00:

☐ Abstract:

Somatosensation connects animals to their immediate environment, shaping critical behaviors essential for adaptation, learning, and survival. Probing the relationships between somatosensory inputs and behavior in mice presents substantial challenges, primarily due to the practical difficulties of delivering stimuli to the skin during movement. To address this problem, we have developed a system for precise cutaneous stimulation of mice as they walk and run through environments. The system employs real-time body part tracking and targeted optical stimuli, offering precision while preserving the naturalistic context of the behaviors studied, thereby overcoming the traditional trade-offs between precision and animal behavior. We demonstrate the system from nociceptive testing conducted in sta

☐ <https://elifesciences.org/articles/106033>

【生态学核心】

274. Species-specific interactions with apex carnivores yield unique benefits and burdens for mesocarnivores

☐ Ecology | Sat, 07 Mar 2026 01:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecy.70331>

275. Who needs closure? Estimating abundance with a Markovian availability model for geographically open removal sampling

☐ Ecology | Thu, 05 Mar 2026 23:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecy.70289>

276. The role of the bole: Constraints on the remobilization of stem non-structural carbohydrates under experimental carbon limitation

☐ Journal of Ecology | Thu, 12 Mar 2026 03:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2745.70286>

277. Effects of habitat quality and fine-scale spatial structure on epiphytic lichen and bryophyte communities

☐ Journal of Ecology | Wed, 11 Mar 2026 03:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2745.70274>

278. Think globally, breed locally: Limited genetic impact of management in solitary bees (*Osmia bicornis* and *Osmia cornuta*)

☐ Journal of Applied Ecology | Wed, 11 Mar 2026 02:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.70321>

279. Long-term monitoring reveals how pondscape connectivity shapes the early spread of a biological invasion

☐ Journal of Applied Ecology | Wed, 11 Mar 2026 02:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.70325>

280. Mapping the next forest generation reveals multiple regeneration gaps across German forests

☐ Journal of Applied Ecology | Tue, 10 Mar 2026 03:

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.70315>

281. Fat chance for a skinny squirrel: Survival consequences of pre-hibernation fattening provide a model to understand foraging decisions and life-history strategies

☐ Journal of Animal Ecology | Tue, 03 Mar 2026 21:

☐ Abstract:

Journal of Animal Ecology, Volume 95, Issue 3, Page 380-382, March 2026.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2656.70186>

282. Metabolic growth mechanisms and theoretical growth potential of global woody plant communities

☐ Ecological Monographs | Thu, 05 Feb 2026 16:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/ecm.70048>

283. Consumer resilience suppresses the recovery of overgrazed ecosystems

☐ Ecological Applications | Wed, 11 Mar 2026 00:

☐ <https://esajournals.onlinelibrary.wiley.com/doi/10.1002/eap.70196>

284. Inequalities in intraspecific plant–lemur interactions drive seed dispersal patterns

☐ Oikos | Wed, 11 Mar 2026 02:

☐ Abstract:

Oikos, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/oik.11808>

285. Light variability typical of deciduous forests enhances the performance of non-native plants

☐ Oikos | Wed, 11 Mar 2026 02:

☐ Abstract:

Oikos, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/oik.11805>

286. Spatial heterogeneity modulates dispersal effects on metapopulation abundance: insights from a graphical approach

☐ Oikos | Fri, 06 Mar 2026 05:

☐ Abstract:

Oikos, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/oik.12099>

287. ‘MultiTraits’: an integrated R package for analysis and visualization of multidimensional plant traits

☐ Ecography | Sat, 07 Mar 2026 01:

☐ Abstract:

Ecography, EarlyView.

☐ <https://nsojournals.onlinelibrary.wiley.com/doi/10.1002/ecog.08026>

288. Diversification and Evolutionary Dynamics in Tropical Montane Regions

☐ Global Ecology and Biogeography | Wed, 11 Mar 2026 20:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/geb.70218>

289. Large-Bodied and Wide-Beaked Avian Frugivores Show Greater Specialisation in Tropical Seed Dispersal Networks

☐ Global Ecology and Biogeography | Tue, 10 Mar 2026 21:

☐ <https://onlinelibrary.wiley.com/doi/10.1111/geb.70216>

【环境与气候】

290. Israel-Gaza conflict carbon emissions exceeded 30 million tons

☐ One Earth

☐ Abstract:

Publication date: Available online 11 March 2026Source: One EarthAuthor(s): Benjamin Neimark, Frederick Otu-Larbi, Reuben Tete Larbi, Patrick Bigger, Linsey Cottrell, Lennard de Klerk, Mykola Shlapak

☐ <https://www.sciencedirect.com/science/article/pii/S2590332226000497>

291. Concurrent climate extremes and biological carryover effects dominate severe seasonal reductions in northern vegetation growth

☐ One Earth

☐ Abstract:

Publication date: Available online 11 March 2026Source: One EarthAuthor(s): Yiting Luo, Hui Yang, Hao Xu, Chris Huntingford, Rene Orth, Xiangyi Li, Josep Peñuelas

☐ <https://www.sciencedirect.com/science/article/pii/S2590332226000254>

292. Global assessment of alien freshwater megafauna reveals complex socio-economic impacts

☐ One Earth

☐ Abstract:

Publication date: Available online 6 March 2026Source: One EarthAuthor(s): Xing Chen, Thomas G. Evans, Jonathan M. Jeschke, Phoebe Griffith, Sonja C. Jähnig, Fengzhi He

☐ <https://www.sciencedirect.com/science/article/pii/S2590332226000242>

293. [ASAP] Nanoenabled Rapid Antigen Test Kits: A Potential Waste Source of Concern with Implications for Environmental Impact

☐ ES&T Letters | Thu, 12 Mar 2026 10:

☐ Abstract:

Environmental Science & Technology LettersDOI: 10.1021/acs.estlett.5c00908

☐ <https://doi.org/10.1021/acs.estlett.5c00908>

294. [ASAP] Emerging Amines in the Atmosphere: Occurrence and Potential Relevance to Carbon Capture

☐ ES&T Letters | Thu, 12 Mar 2026 09:

☐ Abstract:

Environmental Science & Technology LettersDOI: 10.1021/acs.estlett.6c00083

☐ <https://doi.org/10.1021/acs.estlett.6c00083>

295. [ASAP] Assessing Pesticide Application Contributions of Per- and Polyfluoroalkyl Substances (PFAS) in Agricultural Streams

☐ ES&T Letters | Tue, 10 Mar 2026 10:

☐ Abstract:

Environmental Science & Technology LettersDOI: 10.1021/acs.estlett.6c00132

☐ <https://doi.org/10.1021/acs.estlett.6c00132>

【生态学核心】

296. A suitable approach to resource allocation in biosecurity when considering dependent benefits and costs

☐ Methods in Ecology and Evolution | Thu, 12 Mar 2026 23:

☐ Abstract:

Methods in Ecology and Evolution, EarlyView.

☐ <https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210x.70286>

【环境与气候】

297. Assessment of aerosol optical depth using MAIAC and AERONET data during the 2020 wildfire season in southeastern South America

☐ Environmental Pollution

☐ Abstract:

Publication date: 15 May 2026Source: Environmental Pollution, Volume 397Author(s): María Fernanda Valle Seijo, Lidia Ana Otero, Alejandro Agesta, Erna Frins, Rubén Darío Piacentini

☐ <https://www.sciencedirect.com/science/article/pii/S0269749126003106>

298. Vertical and horizontal distribution of heavy metals in high-rise building windowsill dusts in a nonferrous metal smelting affected city

☐ Environmental Pollution

☐ Abstract:

Publication date: 15 May 2026Source: Environmental Pollution, Volume 397Author(s): Qing Zhao, Weiqin Xing, James A. Ippolito, Shuangshuang Shao, Ningning Xu, Yali Wang, Liping Li

☐ <https://www.sciencedirect.com/science/article/pii/S0269749126003088>

299. Large reservoir expansion underlies the near-doubling of reservoir GHG emissions in China since 21st century

☐ Journal of Environmental Management

☐ Abstract:

Publication date: 15 April 2026Source: Journal of Environmental Management, Volume 404Author(s): Zilin Wang, Meili Feng, Matthew F. Johnson, Guoqing Shi, Faith Ka Shun Chan

☐ <https://www.sciencedirect.com/science/article/pii/S030147972600705X>

300. Land use change frequency influences the achievement of land degradation neutrality: Evidence from the Yunnan–Guangxi–Guizhou key rocky desertification areas in China

☐ Journal of Environmental Management

☐ Abstract:

Publication date: 15 April 2026Source: Journal of Environmental Management, Volume 404Author(s): Yifang Wei, Weihua Liao, Zhiyan Wei

☐ <https://www.sciencedirect.com/science/article/pii/S030147972600770X>