





PEACE CORPS TABLEAU TRAINING

August 22, 2018

Welcome and Introductions – 1:00 – 1:10pm

Overview & Introduction to Tableau – 1:10 – 1:30pm

Demos and Practice—1:30pm - 4:00pm

Connecting, Organizing and Manipulating Data (1:30 – 2:00pm)

Pause: Are we all on the same page?

Developing Tables and Visuals in Worksheets (2:00-3:15pm)

- Create a basic table (HTS Yield Trends)
- Visualize site-level data using a bubble plot (HTS Yield/Site)
- Using geography to create a map (Geo)

Pause: Are we all on the same page?

Putting it All Together in a Dashboard (3:15-4:00pm)

Wrap-up (4:00-4:30pm)







Contents

I.	Connecting, Organizing and Manipulating Data in Tableau	5
	Connect Data Source and Save Workbook	ε
	Examine Data	6
	Create a Tableau Extract	7
	Orientation to the Worksheet interface	8
	Organize Data: Hierarchies	10
	Manipulate Data: Creating Calculated Fields	11
	Bonus: Organize Data in Groups	12
II.	Developing Tables and Visuals in Worksheets: Create a Basic Table	13
	Drag Dimensions and Measures to Rows and Columns	14
	Add Filters	14
	Use 'Show Me' to Add Quick Table Visuals	15
	Check Data and QC	16
	Swap Rows and Columns	16
Ш	I. Developing Tables and Visuals in Worksheets: Visualizing Site Level Data with a Bubble Plot	17
	Using Two (or More) Measures to Compare Data	18
	Add Filters	18
	Visualizing at the Site Level by Adding Details	19
	Analyze a Third Variable by Adding Size	20
	Change the Measure Colors	20
	Compare Quarters and Add Analytics	21
	Edit the Formatting and Add Tool Tips	21
	Bonus: Compare Results by Site Type	2 3
IV	/. Developing Tables and Visuals in Worksheets: Using Geography to Create a Map	25
	Add Geographic Dimensions to the View	26
	Apply HTS POS Yield to the Map	27
	Formatting Numbers and Percentages	28
	Apply and Connect Filters to Multiple Worksheets	29
	Show Filters on the Visual for Dynamic Visuals	30







31
32
35
37
38
42
43
44
44
46
47
47







ICPI Tableau Training Page 4 of 49







I. Connecting, Organizing and Manipulating Data in Tableau

ICPI Tableau Training Page 5 of 49








Connect Data Source and Save Workbook

- 1. Open Tableau Desktop
- Connect to "text file" since the Tableau training dataset is a csv file
- 3. Select your file and click open.
- 4. Click File, "Save As"
- 5. Save your file as a .twbx extension. This saves it as a packaged workbook, and will save the data within the workbook, so anyone who has Tableau Reader can open it without having to point to the original data source.




Examine Data


1. Click on **Sheet 1** at the bottom of the screen





- The number displayed indicates the number of rows that have been imported into Tableau. This should coincide with the number of rows in your external file.
- 4. Click Worksheet → Clear → Sheet





ICPI Tableau Training Page 6 of 49








Create a Tableau Extract

A Tableau extract of data will increase the speed with which visuals will update within Tableau. This is similar to subsetting your data in another software package (e.g. R, Stata, SAS, etc.).




1. Go to Sheet 1

2. Click on **Sheet 1** at the bottom of the screen



4. The number displayed indicates the number of rows remaining in the Tableau extract.



ICPI Tableau Training Page 7 of 49








Orientation to the Worksheet interface

Dimensions & Measures

- **Dimensions** contain qualitative values (such as names, dates, or geographical data). You can use dimensions to categorize, segment, and reveal the details in your data¹.
- Measures contain numeric, quantitative values that you can measure. Measures can be aggregated.
- Green measures and dimensions are continuous, while blue measures and dimensions are discrete. These can be changed in the Data pane.



¹ More info: https://onlinehelp.tableau.com/current/pro/desktop/en-us/datafields typesandroles.html

ICPI Tableau Training Page 8 of 49








Review Metadata

- Data fields are made from the columns in your data source and each field is automatically read
 in as a data type (integer, string, date, geography, etc.) and a role: Discrete Dimension or
 Continuous Measure (most commonly)
- The data type is indicated by blue or green text in the Data pane or on the Data Source tab.
- The data type can be edited by clicking on the data type icons.
- All the categorical data such as Disaggregate type, PSNU, etc. are imported as a Discrete
 Dimension and the numerical data (results and targets store as the "value" variable) are
 imported as a Continuous Measure.



ICPI Tableau Training Page 9 of 49







Marks

•••

Color

...

Create Hierarchy..

I Autom

🕞 tableautrain

Abc Facility

Abc FacilityPrioritization
Abc FacilityUID

Abc FundingAgency

Abc indicatorType

Abc mechanismUID
Abc modality

Add to Sheet

Duplicate

Rename

Aliases...

Create

Transform

Change Data Type

Geographic Role

Default Properties

Replace References..
Describe...

Hide

Abc isMCAD

Abc C

Abc C

Abc C

Abc C

Abc D

Abc F

Abc F

⊕ S

⊕ *L*


⊕ *L*

:#


Organize Data: Hierarchies

You can create hierarchies to organize your variables, and enable quick drill down of data. Let's create a hierarchy to be able to drill down geographically in our visuals later on.


- In the Data pane, right click on Operating Unit, and select Hierarchy, then Create Hierarchy
- 2. When prompted, enter a name for the hierarchy.




Drag the following additional fields into the newly created Hierarchy (in geographical order).



- 4. Drag **Geography** to **Rows**
- 5. Click the 🖽 or 🗖 to drill down or up in the hierarchy.





ICPI Tableau Training Page 10 of 49









Manipulate Data: Creating Calculated Fields²

For today's exercise, we will create calculations to estimate Testing Yield. Please note, that given the structure of the dataset, these calculations may vary. We will create 4 calculations: HTS POS Yield, HTS TST, HTS TST NEG, and HTS TST POS.

- On a new sheet, in the **Data** pane under **Measures**, right click on #value
- 2. Click Create → Calculated Field
- 3. In the calculation Editor, give this field a name.
- 4. Create calculated fields for each indicator below. Click OK.





- 5. You'll notice that your calculated field now has a "=" in front of it under Measures.
- 6. You should have 4 new measures now.

Measures
=# calc. HTS POS Yield
=# calc. HTS TST
=# calc. HTS TST NEG

=# calc. HTS TST POS

ICPI Tableau Training Page 11 of 49

² More info: https://onlinehelp.tableau.com/current/pro/desktop/en-us/calculations_calculatedfields_formulas.html







23. TX_RET 24. TX_PVLS

29. LAB_PTCQI 30. EMR_SITE

PEPFAR MER 2.0

Indicators


10. HTS_TST
11. HTS_SELF
12. PMTCT_STAT
13. PMTCT_EID
14. PMTCT_HEI_POS


15. PMTCT_FO 16. TB_STAT 17. OVC_HIVSTA

Bonus: Organize Data in Groups³

You can create a group to combine related members in a variable. For example, you can organize the indicators into groups within an Indicator field.

- 1. Within the Data pane, right click on Indicator
- 2. Click Create → Group
- 3. Select the indicators you'd like to group by CTRL + click
- 4. Click Group
- 5. Give it a title next to the paper clip.
- 6. Click OK when done.
- 7. You can check your work by dragging Indicator (group) and Indicator to Rows.
- 8. You may do this for the remaining indicators, if you wish. However, it is not necessary for today's exercise.





ICPI Tableau Training Page 12 of 49

³ More info: https://onlinehelp.tableau.com/current/pro/desktop/en-us/sortgroup_groups_creating.html







II. Developing Tables and Visuals in Worksheets: Create a Basic Table

ICPI Tableau Training Page 13 of 49







Drag Dimensions and Measures to Rows and Columns

- 1. If not there already, select **Sheet 1**
- From the Data Pane, grab the recently created hierarchical Geography dimensions pill and drag it to the Rows field or to the rows of the worksheet directly.



3. Drill down to the **PSNU** level by selecting **Plus Button**

4. Drag Period to columns.

5. Drag calc.HTS POS Yield and move it to directly to the body of the table.

 Right click calc.HTS POS Yield → Format to view the formatting pane and change to Numbers → Percentage.




Add Filters

 Drag StandardizedDisaggregate to the Filters Card and select Total Numerator.

Reminder: When working with the MER Structured datasets, to avoid double counting all indicators must be filtered at minimum on the **Disaggregate** or **StandardizedDisaggregate** dimensions. Depending on the table structure, filtering by **Period** or **ValueType** may also be required.

Add another filter for Valuetype. This time, create
the filter by right- clicking ValueType → Show Filter.
The ValueType Filter appears on the right hand side
of the worksheet.

Change the Filter Type. Select the ValueType Filter
 Dropdown → Single Value (dropdown) option. We only want to display results, which is the default.



ICPI Tableau Training Page 14 of 49







Show Me

4. Add one more filter for **Period** to the **Filters Card** to remove **FY2017APR**, since we want to look at our testing yield by quarter only.

Use 'Show Me' to Add Quick Table Visuals

- 1. Navigate to the menu bar and select:
- Show Me
- Tableau suggest a number of different table and chart options that will work with your data. Select Highlight Table to quickly highlight cells with the highest and lowest yield across the 6 quarters.

3.	Rename your worksheet to '1. HTS Yield Trends'								8 0 9 90 °8 0 9 0 °8
						riod			
Operating	Snu1	Psnu	FY2017Q1	FY2017Q2	FY2017Q3	FY2017Q4	FY2018Q1	FY2018Q2	LA.A. A.L
MER Land	Essos	The Crownlands	0.76%	0.56%	0.78%	1.28%	1.43%	1.39%	
		The Iron Islands	1.72%	1.71%	1.29%	2.02%	1.69%	1.97%	T T
		The North	2.19%	2.00%	2.05%	3.08%	2.19%	2.19%	+ 11 - 1 + 1 + 1
		The Riverlands	2.66%	3.54%	3.00%	2.63%	2.42%	2.34%	LINING PITI
		The Vale of Arryn	1.18%	1.33%	1.26%	1.86%	1.37%	1.43%	
		The Westerlands	1.90%	1.94%	1.89%	3.12%	2.31%	1.62%	
	Westeros	Beyond the Wall	2.09%	2.65%	2.78%	3.41%	2.70%	2.55%	cked bars try
		Braavos	3.48%	3.64%	3.97%	3.25%	4.23%	3.19%	
		Dorne	1.49%	0.48%	0.47%	0.67%	0.59%	0.95%	re Dimensions
		Lorath	1.77%	2.14%	1.42%	1.63%	1.24%	2.24%	re Measures
		The Reach	0.75%	1.00%	1.11%	0.75%	0.67%	1.19%	
		The Stormlands	2.74%	2.84%	3.87%	3.12%	3.24%	3.47%	

ICPI Tableau Training Page 15 of 49









Check Data and QC

Because we've structured our dataset in long format, it's a good idea to always check the data to confirm that you've applied filters correctly and calculated variables are summing correctly. Sometimes it's not easy to tell at first glance when there's a data error.

1. Drag the **Disaggregate** and **NumeratorDenom** dimensions to your table **Rows**. Looks like we're only looking at the numerator, as intended.



Drag calc.HTS TST and calc.HTS TST POS to the table, and rearrange ordering on the Measure Values Card. We can quickly calculate to see that in the Crownlands, 71 Positives/9,336 Tested *100 = 0.76%, which is correct.



Remove the Disaggregate, NumeratorDenom, calc.HTS TST, and calc.HTS TST POS pills from the table.

Note: If using a real MER dataset, now would be a good time to check your table results against final.DATIM or Panorama.

Swap Rows and Columns

Sometimes you'll find that the way you've set up your table doesn't allow easy interpretation of the data. Rather than re-dragging **Dimensions** and **Measures** to the **Columns** and **Rows**, Tableau makes it easy to switch things around.

- 1. Navigate to the menu bar at the top of Tableau and select (Swap Rows and Columns)
- Wait a minute? That's it??? Yes, it's that easy. Now Geography is our column data and Periods comprise the Row data.
- 3. It's a little difficult to read the PSNU names this way, so navigate back to the menu bar and change Standard view to Fit Width v
- 4. Select **Swap Rows and Columns** again to return back to the previous view.

ICPI Tableau Training Page 16 of 49







III. Developing Tables and Visuals in Worksheets: Visualizing Site Level Data with a Bubble Plot

ICPI Tableau Training Page 17 of 49









F

Using Two (or More) Measures to Compare Data

Now that we know which PSNUs had the best and worst testing yield, we might want to drill down further to understand within PSNUs, which sites not only had a high testing yield—indicating successfully targeted testing—but also which sites identified the highest number of positives, as it is the intersection of these that is of greatest programmatic interest.

- 1. Click on Worksheet → New Worksheet or on the icon at the bottom of the screen to create a new worksheet.
- 2. Ctrl+Click on calc.HTS POS Yield and calc.HTS TST POS to select both, then select the **Show Me** dropdown at the top right of the screen.
- 3. Notice that Tableau suggests three different chart types; select Scatterplot.
- 4. Click Swap Rows and Columns so that calc.HTS POS Yield appears on the x-axis and calc.HTS TST POS appears on the y-axis.
- 5. You should see one dot on a scatterplot. Not particularly interesting yet...





1. HTS Testing Yield T

Add Filters

Reminder: When working with the MER Structured datasets, to avoid double counting all indicators must be filtered, at minimum, on the Disaggregate or StandardizedDisaggregate dimensions. Depending on the table structure, filtering by **Period** or **ValueType** may also be required.

- 1. Drag StandardizedDisaggregate to the Filters Card and select Total Numerator.
- Add another filter for Valuetype by dragging the pill to the Filters Card, select Results.
- 3. Add one more filter for Period. This time, create the filter by right-clicking Period → Show Filter. The **Period** filter appears on the right-hand side of the worksheet.

Page 18 of 49 **ICPI Tableau Training**








4. You'll notice that the **Period** filter currently includes both results and targets, even though we've selected just results for this worksheet. Select

the **Filter Dropdown** \rightarrow **Only Relevant Values** to limit the filter options.

5. Select Filter Dropdown → Multiple Values (dropdown) to change the filter type, and select both FY2018Q1 and FY2018 Q2. By default, Tableau has added Period as a Shape on the Marks Card. We want to look at the sum of Q1+Q2, so drag Period back to Dimensions to remove it.






Visualizing at the Site Level by Adding Details


We can see that so far in FY18, we identified 11,536 new positives, and yield was approximately 2.2%. Now we want to understand site-level variations.

1. Select Site Name from the Geography hierarchy and drag it to Detail on the Marks

Card.

2. Select the Marks Dropdown→ Circle. Now we can see that there are a number of sites clustered together around the origin. These are sites identified a low number of positives (<100) and had low yield (<4%). We can also see those sites that identified few positives with very high yield, as well as those that identified a large number of positives while maintaining high yield.</p>






ICPI Tableau Training Page 19 of 49






Analyze a Third Variable by Adding Size

- 1. Select calc.HTS TST and drag it over Size on the Marks Card.
- 2. Click the Size Mark to increase the size of the bubbles relative to testing volume. You can also select the Size Legend **Dropdown** → **Edit Sizes** to customize bubble size.





Marks

**

T

T

Labe

Change the Measure Colors

1. Select Measure Names, drag and drop on the Color The color automatically changes to red.

Mark.

Marks

O Circle

•••


Color


000

 \Box

Tooltip Detail

 Select the Color Mark → Edit Colors to change calc.HTS POS Yield to Light Teal.





ICPI Tableau Training Page 20 of 49







Analytics

Data

Summarize


Compare Quarters and Add Analytics

iii Columns

Rows


Instead of looking at Q1+Q2 combined, let's compare results between Q1 and Q2 of FY2018 to see if there are any differences in median yield.

- Drag the Period dimension in front of your SUM(calc.HTS TST POS) measure.
- 2. Switch to the **Analytics Pane** by selecting **Analytics** at the top left side of the window.
- 3. Grab **Median with Quartiles** and drag over your bubble plot. Drag the pill to **Pane** → **AGG(calc.HTS POS Yield)**.



Edit the Formatting and Add Tool Tips

- Right click on the y-axis → Format.
- 2. In the **Axis Pane**, select **Scale** → **Percentage** and change the number of decimal places to **1**.
- 3. Right click on the **x-axis** → **Format.**
- 4. In the Axis Pane, select Scale → Number (Custom) and change the number of decimal places to 0.



Solution Select Marks

Clear Axis Range

Select Marks

Format...

Show Header

Add Reference Line
Edit Reference Line
Remove Reference Line
Remove All Reference Lines


ICPI Tableau Training Page 21 of 49







- 5. Click on the **Tooltip Mark** to customize the text that appears when hovering over each site.
- Change the tooltip to read: In <Period>, <Site Name> tested <SUM(calc.HTS TST)> individuals, of whom, <SUM(calc.HTS TST POS)> were HIV-positive. Yield was <AGG(calc.HTS POS Yield)>.
 Change all Font to Dark Grey and Bold only the Measures.
- 7. Rename the worksheet 2a. HTS Yield/Site.



ICPI Tableau Training Page 22 of 49









Bonus: Compare Results by Site Type

- 1. Grab the Site Type dimension and drag to the Color Mark
- 2. Select the **Color Mark** → **Edit Colors** to change the colors for the community versus facility-based sites.
- 3. Change the Color Palette to Tableau 20 and select Assign Palette.





4. Select **Community**, then select any color to assign a new color to community. Repeat for **Facility**.



ICPI Tableau Training Page 23 of 49







ICPI Tableau Training Page 24 of 49







IV. Developing Tables and Visuals in Worksheets: Using Geography to Create a Map

ICPI Tableau Training Page 25 of 49








Add Geographic Dimensions to the View

1. Create a new Sheet by clicking on Worksheet → New Worksheet or click on the button below.



Marks

Color

Detail

O Automatic

6

Size

 \Box Tooltip

PSNU State


T

Label

⊕ PSNU State

- 2. From the Data pane, drag **PSNU State** to **Detail** under the Marks Card
- 3. You should now see a map display under the Sheet 1 Title, with an auto-generated Longitude and Latitude.
- 4. At the bottom right of the screen, a grey notification indicates there are 8 unknowns on this sheet. Click on 8 unknown to resolve this issue.







6. Change the Country/Region to Fixed: United States and click OK

window that opens.





- 7. You should now see the below visual on your Sheet.
- 8. In the Marks card, click on the drop-down and select Filled Map. This will change your visual to a filled map of the locations within the PSNU State variable.



ICPI Tableau Training Page 26 of 49







Apply HTS POS Yield to the Map


Let's look at HTS POS Yield across MER Land for FY2018 Q2 Results at the Total Numerator level.


- 1. Filter for MER Land:
 - a. From the Dimensions pane, drag **Operating Unit** (under the Geography Hierarchy) to the **Filters** card
 - b. Select MER Land, click OK
- 2. Filter for FY2018 Q2:
 - a. From the Dimensions pane, drag Period to the Filters card
 - b. Select FY2018Q2, click OK
- 3. Filter for Total Numerator:
 - a. From the Dimensions pane, drag Standardized Disaggregate to the Filters card
 - b. Select Total Numerator, click OK
- 4. Filter for Results (note: given the structure of the dataset, this value was created in R previously)
 - a. From the Dimensions pane, drag Valuetype to the Filters card
 - b. Select Results, click OK
 - c. Your filters card should now look like the figure to the right.
- 5. Drop in HTS POS Yield onto the map.
 - Drag the calculated field created previously "calc. HTS POS Yield", on to Color under the Marks card.




- b. This will add a color scale to the PSNU States for the range of values for HTS POS Yield.
- 6. Add **PSNU** to **Details** under the Marks Card <u>from the Geography Hierarchy</u> created previously.

This will show up in tool-tips upon hovering over each PSNU State as in the below visual.







ICPI Tableau Training Page 27 of 49







Filter...

Format... Include in Tooltin

Measure

Continuous

T

S Automatic


...


Detail

□. Tooltip

Formatting Numbers and Percentages

- 1. You'll notice that HTS POS Yield is a decimal. Let's turn into a percentage.
- Right click on the calculated measure under the Marks card and click on Format
- 3. Double check that the title after format corresponds to the variable you clicked on to format.
- 4. Click on Pane
- 5. Under Default, click on **Numbers** and select **Percentage**. You can modify the number of decimals places as you wish.
- 6. HTS POS Yield should now show up as a percentage.






Add a Title

You can title this Sheet with hard-coded text, or you can have it update based on the Filters applied on this Sheet.

- 1. **Double click on "Sheet 1"** at the top of the map <u>or</u> click on the down arrow, then click **Edit Title**
- 2. To apply a Period Filter:
 - a. Click on Insert → Period
- 3. Add any other detailed text/instructions to the title and click OK





ICPI Tableau Training Page 28 of 49









Apply and Connect Filters to Multiple Worksheets

To connect filters across more than one sheet (similar to selecting Filter Connections with Pivot Tables in Excel).

- 1. Apply Operating Unit filter
 - a. Under the Filters card, right click on Operating Unit → Apply to Worksheets → Selected



- b. Select all sheets since this is an Operating Unit filter and click OK. A worksheets icon will appear next to this filter.
- c. FYI: We can also apply this filter to all worksheets that are using this data source. To do this, select All Using This Data Source. Either option will work for this exercise. If you use this option, a cylinder icon representing data source will appear next to this filter.
- 2. Apply the Period filter
 - a. Under the filters card, right click on Period → Apply to Worksheets → Selected Worksheets.
 - b. Select only the HTS Yield/Site worksheet since the HTS Yield by Trends visual is intended to show data over time, so we wouldn't want to reduce the number of periods on that visual. Click OK.
- 3. Apply the Standardized Disaggregate Filter
 - a. Under the filters card, right click on Standardized Disaggregate → Apply to Worksheets → Selected Worksheets.
 - b. Select the appropriate worksheets (HTS Yield Trends and HTS Yield/Site). Click OK.
- 4. Apply the Results Filter
 - a. Under the filters card, right click on Valuetype → Apply to Worksheets → Selected Worksheets.
 - b. Select the appropriate worksheets (HTS Yield Trends and HTS Yield/Site). Click OK.



Show only selected worksheets

OK Cancel

Filter will be applied to 2 worksheets

2. HTS Yield/Site Existing filter keeps FY2018Q2.

Worksheets

√ 3. Geo

1. HTS Yield Trends

All None

Page 29 of 49 **ICPI Tableau Training**








Show Filters on the Visual for Dynamic Visuals


1. Under the Filters card, right click on Period → Show Filter

That's strange...we filtered the value type to Results...so why are Targets showing in our filter?

- 2. Click on the drop down arrow, make sure that **Only Relevant Values** is selected. This will show only the relevant data that has been filter previously in the visual.
- 3. Much better!



- 4. You can also change the display of this filter on the Sheet single value, multiple values, list, drop down, slider, etc.
- 5. It's also important to note that given the data structure, it would not be appropriate to select (All) periods for this visual.
- 6. Click on the filter arrow and un-check Show "All" Value.



period
FY2017APR
FY2017Q1
FY2017Q2
FY2017Q3
FY2017Q4
FY2018Q1
✓ FY2018Q2

ICPI Tableau Training Page 30 of 49







V. Putting it All Together in a Dashboard

ICPI Tableau Training Page 31 of 49








Create a Dashboard

1. Click on **Dashboard** → **New Dashboard** or on the Dashboard icon at the bottom of the window.



Orientation to Dashboard interface





Setting size to "Automatic" will adjust the dashboard size based on the screen you are on, and the screen of your end user.








- 2. After you have a dashboard sheet, click the views you built (listed under **Sheets** on the left) and drag them to your dashboard sheet.
- 3. Drag HTS Yield Trends to the *Drop sheets here* area

5. Drag **HTS Yield/Site** to the view. You'll see a grey shaded box show, and you can place the visual in any desired location.




ICPI Tableau Training Page 33 of 49







- 6. Drag your map visual, here titled **Geo** to the view. You'll see a grey shaded box again, and that's where the visual will drop in. I want the map to go in the top left corner, so I'm going to drag it there.
- 7. Great job!!



ICPI Tableau Training Page 34 of 49









Make it Dynamic!

Add a Dashboard Action: Filter

Let's add in a filter based on the map. We want to be able to click on a PSNU State and then have the rest of the visuals drill down to the data within that PSNU State.

- 1. Click on Dashboard → Actions
- 2. Click on Add Action → Filter
- 3. Give your filter a Name
- Because we want the filter to work when click on a PSNU state, make sure that Select is blue under Source Sheets, Run Action on.
- 5. Note: Selecting <u>All Source Sheets</u> and <u>All Target Sheets</u> allows the filter to be run from any of the sheets, not just the map.
- 6. Click OK
- 7. Test your filter action by clicking on a state in the PSNU Map and see if it applies to the rest of your visuals.





ICPI Tableau Training Page 35 of 49







Add a Dashboard Action: Highlight


Looks like it worked, but our HTS Yield Trends graph doesn't look so great with everything gone but the one row. Let's make that look a little nicer by highlighting the PSNU row instead.


- 1. Click on Dashboard → Actions
- 2. Click on your PSNU State Action, and click Edit
- Under the Target Sheets, uncheck the HTS Yield Trends. Click OK
- 4. Click on Add Action → Highlight
- 5. Give your Highlight Action a name.


Note: Since we have applied the filter action on the HTS Yield/Site and Map visual, we don't need to highlight those.

We only want the Target Sheet for the Highlighter to apply to the HTS Yield Trends.

- 6. Check **HTS Yield Trends** under **Target Sheets** and make sure the Highlight runs on "**Select**" from the Source Sheets.
- 7. Click OK twice.
- 8. Test your highlight action by clicking on a state in the PSNU Map and see if it highlights HTS Yield Trends, but filters the other 2 visuals.
- 9. Looks like that worked! Great job!







ICPI Tableau Training Page 36 of 49







Select All

View Data...

Copy Format...

Mark Label

Annotate

Trend Lines

Forecast
Drop lines

Show View Toolbar

✓ Keep Only
X Exclude

Group


Create Set...


Check your data

It's important to remember to QC your data using another platform, analyst, etc. depending on your team's SOP for confirming the accuracy of data presentation and visualization.


Let's examine our dashboard for any outliers to start with.

- 1. Right click on any data point.
- 2. Click on View data.
- 3. This shows us the data points that are pulled together to display this circle on the visual.





- 5. We can see that this specific site, Site 282, has 5 rows of data in the dataset and this could include additional information about what this site reported, but is not displayed in the visual.
- 6. You can Export this to a CSV file by clicking **Export All** or you can copy selected rows, by selecting rows and then clicking **Copy**.



ICPI Tableau Training Page 37 of 49







OK Cancel Apply

Clean it up!

Now that we have a working dashboard, it's important to clean it up and make it more understandable.

Add a Dashboard title

- 1. Click Dashboard → Show Title
- 2. Double click "Dashboard 1" and rename your Dashboard
- 3. Click OK

Create a dynamic title


- 1. Let's add the period to the title, so it changes with the selected period in the filter.
- 2. Double click on "HTS Yield/Site" title.
- 3. Click on Insert → Period
- You can also add a dynamic title for the Operating Unit, PSNU, or any other filters that have been applied to that specific worksheet.


Edit Legends


In the top right corner, we see that our calculated field names are displaying in the legend. We understand what this is, but perhaps

others who are viewing the dashboard may need more clarification. You can also edit the filter legend to provide a bit more instruction on what to do with it.


- 1. Click on the drop down arrow
- 2. Click on Edit Title, revise the title and click OK.







Reset



H New Dashboard

ICPI Tableau Training Page 38 of 49








Adjust Spacing within visuals

Looking at the dashboard, there is a lot of unused white space. Especially at the bottom of the HTS Yield by PSNU over time visual. Let's adjust this.

- 1. Right click on visual where you want to adjust spacing
- 2. Click on Fit → Entire View




Insert Objects: images, text, etc.

Sometimes, we need to add logos or objects to the dashboard, like instructional text or what the data source is.

Let's add the PEPFAR and ICPI logos

1. Under the **Objects** pane in the left side, click and drag **Image** to where you want to place a logo.



2. Add the PEPFAR logo now by repeating step 1.

ICPI Tableau Training Page 39 of 49










PEPFAR





- 3. Resize the Dashboard title and Images by clicking and dragging the tiles to the desired location! A grey box will appear to where you're moving the tile. It works best to move the Dashboard Title and Logos to the very top of the Dashboard.
- 4. Right click on the image and make sure to select **Fit image** and **Center** image for both logos.




Page 40 of 49 **ICPI Tableau Training**







You can continue to move the tiles, add blanks spaces, etc. to adjust the dashboard to your liking.



ICPI Tableau Training Page 41 of 49







Share and Export Visuals

There are several options for sharing your workbook, and it depends on if you need to share an interactive or static version of your dashboard/worksheets.

To share an interactive workbook:


Click on File → Export packaged workbook and Save in a location. You may now share this file
with any user who has Tableau Desktop or Tableau Reader (at or above the same version as you;
e.g. if I have Tableau 10.0, I can share my workbook with anyone who has Tableau 10.0 or above
and they can open it easily with Tableau Desktop/Reader).


Note on versions when using Tableau: If you need to open a workbook that has been created with a higher version of Tableau than which you have on your computer, you can use a web-based conversion tool to convert the file to the version of Tableau that you have. Please be cautious and aware of any data sensitivities if using this: https://www.tableau.com/about/blog/2016/6/converting-tableau-files-new-conversion-tool-55326

To share static visuals

- 1. From a **Dashboard** screen, there are a few options for sharing images:
 - a. Click on **Dashboard** → **Copy Image** and **Paste** in a location.
 - b. Alternatively, you may also click on Dashboard → Export Image and Save in a location.
- 2. From a Worksheet screen, there are also a few options for sharing images:
 - a. Click on Worksheet → Copy → Image and Paste in a location.
 - b. Alternatively, you may click on Worksheet → Export → Image and Save
 on your computer. This may provide a better quality image than copying the image.

Other options in copying/exporting visuals are to copy or export the data behind the visual or a crosstab of the worksheet. You'll see these options under the **Worksheet** menu, too.





Worksheet Dashboard Story Analysis Map Format

ICPI Tableau Training Page 42 of 49







VI. Bonus! Create Combined Charts


ICPI Tableau Training Page 43 of 49








Goal: Create a Custom Chart for HTS Yield by Modality



Drag Dimensions and Measures to Rows and Columns

- 1. Create a new Sheet
- 2. From the **Data pane**, drag **Modality** to **Columns**.
 - # *Measure Values* 3. Drag to **Rows**
 - a. This adds all the measure values to the view. Drag out to the Data pane to remove all Measure Values *except* for **HTS TST NEG and HTS TST POS**.
- 4. Drag Measure Names to the Color box. This will color code the two indicators (measure values) in the graph.



ICPI Tableau Training Page 44 of 49









You should now have the visual displayed on the right: HTS POS and HTS TST NEG as a stacked bar chart.

Let's add HTS Yield for a combination chart.

- 5. Drag **Period** to **Columns**.
- 6. Drag calc.HTS POS Yield to Rows.
- Right click calc.HTS POS Yield → Format to view the formatting pane and change to Numbers → Percentage.
- 8. In the rows shelf, Right click
- AGG(calc. HTS POS Yi..
- 9. Click Dual Axis.
- 10. On the Marks Card, click on **Measure values** and change the visual type in the drop-down menu to: **Bar**







ICPI Tableau Training Page 45 of 49









Add Filters

- 1. From the **Data pane:**
 - a. Drag StandardizedDisaggregate to the Filters Card and select Modality/Age/Sex/Result.
 - b. Drag Valuetype to the Filters Card and select Results.
- 2. In the Columns shelf, right click on Period → Show Filter.
 - a. This creates a filter for the Period. Strangely, we see Results and Targets even though we selected Results under the Valuetype filter. Let's remove Targets from the Filter showing.
 - b. Click on the drop down arrow, select **Only Relevant Values**. This will show only the relevant data that has been filter previously in the visual.



- 3. You can also change the display of this filter on the Sheet single value, multiple values, list, drop down, slider, etc.
- 4. It's also important to note that given the data structure, it would not be appropriate to select (All) periods for this visual.
- 5. Click on the filter arrow and un-check Show "All" Value.
- 6. Select one period, with this example we'll use **FY2018Q2**.











Check your visual




Formatting

Customize Colors

- 1. Click on Color under the Marks Card.
- 2. Click Edit Colors
- 3. Change the Color Palette to Tableau 20.
- 4. Click on each data item and select a color for that item, or click **Assign Palette** to auto-assign colors. Click **Apply** to preview and **OK** to accept the colors.






Maximize screen space

1. Click on the drop-down arrow

next to Standard

2. Select Entire View. This will maximize screen space and reduce white space in your visual.











BEFORE:




AFTER:



Sorting

1. Click on the **descending bar chart** to sort your visual by the dimensions in your visual.



Add a title


- 1. Double click on Sheet 4
- 2. Add a descriptive title.
- 3. Create a dynamic title by clicking **Insert** and selecting the filters you'd like to be dynamic. Here we chose **<Period>**, **<Operating Unit>**, and **<PSNU>**


ICPI Tableau Training Page 48 of 49














ICPI Tableau Training Page 49 of 49