

Prose page 1

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 2

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 3

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 4

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 5

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 6

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 7

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 8

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.



Prose page 9

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.

Prose page 10

This document has no embedded table of contents, so the ingest pipeline must fall back to fixed page-window sectioning instead of bookmark-derived sections.