WEB MINING

by Sharadindu Adhikari, 19BCE2105

QUESTION (r file):

QUESTION -1

Write a python program to find the important words from the text using TFIDF.

Use any 5 documents in the course page location(Samples given)

- a) https://ocw.mit.edu/courses/electrical-engineering-and-computer-science/6-867-machine-learning-fall-2006/lecture-notes/lec1.pdf
- b) https://ocw.mit.edu/courses/electrical-engineering-and-computer-science/6-867-machine-learning-fall-2006/lecture-notes/lec2.pdf
- c) https://ocw.mit.edu/courses/electrical-engineering-and-computer-science/6-867-machine-learning-fall-2006/lecture-notes/lec4.pdf
- d) D & E can be taken of your choice..

ANSWER:

Input data:

The given 4 link pdfs and I've chosen d) as <u>lec3.pdf (mit.edu)</u> and e) as <u>lec5.pdf (mit.edu)</u>

Code:

```
import pandas as pd
import PyPDF2
pdf_file = open('F:\\lec1.pdf', 'rb')
read pdf = PyPDF2.PdfFileReader(pdf file)
number_of_pagesA = read_pdf.getNumPages()
page = read_pdf.getPage(0)
page content = page.extractText()
documentA = page_content.encode('utf-8')
bagOfWordsA = page_content.split(' ')
pdf_file = open('D:\lec2.pdf', 'rb')
read pdf = PyPDF2.PdfFileReader(pdf_file)
number of pagesB = read pdf.getNumPages()
page = read_pdf.getPage(0)
page content = page.extractText()
documentB = page_content.encode('utf-8')
bagOfWordsB = page_content.split(' ')
pdf_file = open('D:\lec3.pdf', 'rb')
read pdf = PyPDF2.PdfFileReader(pdf file)
number_of_pagesC = read_pdf.getNumPages()
page = read_pdf.getPage(0)
page content = page.extractText()
documentC = page_content.encode('utf-8')
bagOfWordsC = page_content.split(' ')
pdf_file = open('D:\lec4.pdf', 'rb')
read pdf = PyPDF2.PdfFileReader(pdf file)
number_of_pagesD = read_pdf.getNumPages()
page = read_pdf.getPage(0)
page content = page.extractText()
documentD = page_content.encode('utf-8')
bagOfWordsD = page_content.split(' ')
pdf file = open('D:\lec5.pdf', 'rb')
read pdf = PyPDF2.PdfFileReader(pdf file)
number_of_pagesE = read_pdf.getNumPages()
page = read_pdf.getPage(0)
page content = page.extractText()
documentE = page_content.encode('utf-8')
bagOfWordsE = page_content.split(' ')
```

```
uniqueWords =
set(bagOfWordsA).union(set(bagOfWordsB)).union(set(bagOfWordsC)).union(set(bagOfWordsD)
)).union(set(bagOfWordsE))
numOfWordsA = dict.fromkeys(uniqueWords, 0)
for word in bagOfWordsA:
    numOfWordsA[word] += 1
numOfWordsB = dict.fromkeys(uniqueWords, 0)
for word in bagOfWordsB:
    numOfWordsB[word] += 1
numOfWordsC = dict.fromkeys(uniqueWords, 0)
for word in bagOfWordsC:
   numOfWordsC[word] += 1
numOfWordsD = dict.fromkeys(uniqueWords, 0)
for word in bagOfWordsD:
    numOfWordsD[word] += 1
numOfWordsE = dict.fromkeys(uniqueWords, 0)
for word in bagOfWordsE:
   numOfWordsE[word] += 1
def computeTF(wordDict, bagOfWords):
    tfDict = {}
    bagOfWordsCount = len(bagOfWords)
    for word, count in wordDict.items():
        tfDict[word] = count / float(bagOfWordsCount)
    return tfDict
tfA = computeTF(numOfWordsA, bagOfWordsA)
tfB = computeTF(numOfWordsB, bagOfWordsB)
tfC = computeTF(numOfWordsC, bagOfWordsC)
tfD = computeTF(numOfWordsD, bagOfWordsD)
tfE = computeTF(numOfWordsE, bagOfWordsE)
def computeIDF(documents):
    import math
    N = len(documents)
    idfDict = dict.fromkeys(documents[0].keys(), 0)
    for document in documents:
        for word, val in document.items():
            if val > 0:
                idfDict[word] += 1
    for word, val in idfDict.items():
        idfDict[word] = math.log(N / float(val))
    return idfDict
idfs = computeIDF([numOfWordsA, numOfWordsB, numOfWordsC, numOfWordsD, numOfWordsE])
def computeTFIDF(tfBagOfWords, idfs):
    tfidf = {}
    for word, val in tfBagOfWords.items():
        tfidf[word] = val * idfs[word]
    return tfidf
tfidfA = computeTFIDF(tfA, idfs)
tfidfB = computeTFIDF(tfB, idfs)
tfidfC = computeTFIDF(tfC, idfs)
tfidfD = computeTFIDF(tfD, idfs)
tfidfE = computeTFIDF(tfE, idfs)
df = pd.DataFrame([tfidfA, tfidfB, tfidfC, tfidfD, tfidfE])
print(
   df.to string()) # Here the '0' row represents the TF-IDF of Document 1 and '1'
row represents the TF-IDF of Document 2.
```

Results:

 PdFk=dWarning: Xref table
 way
 Subject
 update.
 4
 words,
 Euclidean
 exp(z)]
 margin
 (e.g.,
 leave
 into
 possible

 0
 0.00
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.00000
 0.000000
 0.000000
 0.00000
 0.00000<

Process finished with exit code $\boldsymbol{0}$