BIS LAB 5/09/2025

Sharada Koundinya (1BM23CS310)

CODE:

```
import random
import math

# Example: f(x) = x * sin(10*pi*x) + 2
def fitness_function(x):
    return x * math.sin(10 * math.pi * x) + 2

POPULATION_SIZE = 6
GENE_LENGTH = 10
MUTATION_RATE = 0.05
CROSSOVER_RATE = 0.8
GENERATIONS = 20
DOMAIN = (-1, 2)

def random_gene():
    return random.uniform(DOMAIN[0], DOMAIN[1])

def create_chromosome():
    return [random_gene() for _ in range(GENE_LENGTH)]

def initialize_population(size):
    return [create_chromosome() for _ in range(size)]

def evaluate_population(population):
    return [fitness_function(express_gene(chrom)) for chrom in population]
```

```
def express_gene(chromosome):
    return sum(chromosome) / len(chromosome)

def select(population, fitnesses):
    total_fitness = sum(fitnesses)
    pick = random.uniform(0, total_fitness)
    current = 0
    for individual, fitness in zip(population, fitnesses):
        current += fitness
        if current > pick:
            return individual
    return random.choice(population)

def crossover(parent1, parent2):
    if random.random() < CROSSOVER_RATE:
        point = random.randint(1, GENE_LENGTH - 1)
        child1 = parent1[:point] + parent2[point:]
        child2 = parent2[:point] + parent1[point:]
        return child1, child2
    return parent1[:], parent2[:]

def mutate(chromosome):
    new_chromosome = []
    for gene in chromosome:
        if random.random() < MUTATION_RATE:
            new_chromosome.append(random_gene())
        else:
```

```
            new_chromosome.append(gene)
    return new_chromosome

def gene_expression_algorithm():
    population = initialize_population(POPULATION_SIZE)
    best_solution = None
    best_fitness = float("-inf")

    for generation in range(GENERATIONS):
        fitnesses = evaluate_population(population)

        for i, chrom in enumerate(population):
            if fitnesses[i] > best_fitness:
                best_fitness = fitnesses[i]
                best_solution = chrom[:]

        print(f"Generation {generation+1}: Best Fitness = {best_fitness:.4f}, Best x =
{express_gene(best_solution):.4f}")

        new_population = []
        while len(new_population) < POPULATION_SIZE:
            parent1 = select(population, fitnesses)
            parent2 = select(population, fitnesses)
            offspring1, offspring2 = crossover(parent1, parent2)
            offspring1 = mutate(offspring1)
            offspring2 = mutate(offspring2)
            new_population.extend([offspring1, offspring2])
```

```
        population = new_population[:POPULATION_SIZE]


    print("\nBest solution found:")
    print(f"Genes: {best_solution}")
    x_value = express_gene(best_solution)
    print(f"x = {x_value:.4f}")
    print(f"f(x) = {fitness_function(x_value):.4f}")


if __name__ == "__main__":
    gene_expression_algorithm()
```

OUTPUT: