# Diabetes Clinic Letter Evaluation Sheet

## Section A – Basic Information

Case ID: Case 4

Reviewer: Shanadiya Mitra

Review Date: 04.03.26

Review Timepoint: ☐ Immediate (T0) ☑ Delayed (T1)

Letter Type: ☑ AI-generated ☐ Gold-standard clinician letter

## Section B- First Impression

How clear is the clinical message overall?

☐ Very clear
☑ Mostly clear
☐ Somewhat unclear
☐ difficult to understand

Can I Use this letter without editing?

☐ Yes
☑ Minor Edits needed
☐ Significant edits needed
☐ Unsafe without correction

## Section C – Clinical Information

| Item | Accurate (2) | Partially (1) | Missing/Incorrect (0) | Any Comments |
|---|---|---|---|---|
| Diabetes type/context | ☑ | ☐ | ☐ | |
| Complications/comorbidities | ☑ | ☐ | ☐ | |
| Medication regimen accurate | ☑ | ☐ | ☐ | |
| Key measurements included | ☑ | ☐ | ☐ | |
| Glycaemic control described | ☑ | ☐ | ☐ | |

Subtotal (max 10): 10

## Section C – Must-Not-Miss Safety Items

| Safety Item | ✓ Correct | ⚠ Partial | ✕ Missing |
|---|---|---|---|
| Item 1 unstable glucose management | ☑ | ☐ | ☐ |
| Item 2 Risk of hypo and persistent hyperglycaemia | ☐ | ☑ | ☐ doesn't mention hypo risk if Novo rapid is taken after food |
| Item 3 Lantus switch | ☑ | ☐ | ☐ |
| Item 4 Pump plan | ☑ | ☐ | ☐ |
| Item 5 | ☐ | ☐ | ☐ |
| Item 6 | ☐ | ☐ | ☐ |
| Item 7 | ☐ | ☐ | ☐ |

Number of Safety Omission: 1 partial

## Section D – Clinical Intent Preservation

What do I believe the clinician's priorities were?

Low pancreas function, persistent hyperglycaemia, increased risk of hypo, hence insulin dose change cautiously to BD dosing with future plan for pump switch. Dietician appt. arranged in view of this. Received education regarding Novorapid.

To be compared later with hidden clinician intent

Score: ☑ Fully preserved (2) ☐ Partially preserved (1) ☐ Misinterpreted/absent (0)

Intent Score: 2/2

## Section E – Clinical Action Interpretation

Based ONLY on this letter, what actions would I take as GP?

Lantus dose change noted, unstable glucose management risk noted, plan for insulin pump, dietician appointment arranged

Does this match intend management: ☑ Yes- Same actions (2) ☐ Minor differences (1) ☐ Different management (0)

Concordance Score: 2 /2

## Section F – Error Classification

Omission Errors: ☑ Important information missing

Commission Errors: ☐ Incorrect information

Hallucination Errors: ☐ Information added not present in source

Interpretation Drift: ☐ Clinical priority changed

☐ Follow up unclear

☐ Responsibility unclear

## Section G – Overall Safety Judgement

Clinical risk if letter used without correction:

☐ No safety concern

☑ Low risk

☐ Moderate risk

☐ Potentially serious risk

Justification:

Letter doesn't clearly state hypoglycaemia risk if Novorapid is taken after meal. This was mentioned in case vignette.