Home » 100 TOP Selenium MCQs » Selenium Objective type Questions and Answers » [updated] 100 TOP Selenium Multiple choice Questions and Answers pdf free download

#### Wednesday, 9 August 2017

# [updated] 100 TOP Selenium Multiple choice Questions and Answers pdf free download

## **Latest Selenium Objective type Questions and Answers**

=> View More Selenium I  1. The test language usually used in Selection A. PHP  B. Python C. JavaScript D. None of the above Ans: C	
2. The term AJAX expands to	Selenium Tricky Quiz Questions and Answers
3. The term JSON refers to A. JavaScript Object Notation B. Java Object Notation C. Java Object Naming D. None of the above Ans: A	
4. Selenium tests  A. DOS applications  B. Browser-based applications  C. GUI applications  D. None of the above  Ans: B	
5. Selenium variables are stored in A. storedVars B. storedVariables C. VariablesStore D. None of the above Ans: A	
SELENIUM Multiple Choice Questions and Answers SELENIUM Multiple Choice Questions 6. Which selenium command check whether specific text exists somewhere on the page A. verifyTextPresent B. verifyTextPresent C. CheckTextPresent	

B. Java

C. C#

D. PHP

Ans: A

- A. ID
  - B. Name
  - C. Password
  - D. Link Text
  - Ans: A,C
  - 19. Is Web Driver a component of the Selenium?
  - A. No
  - B. Yes
  - Ans: B
  - 20. Selenium IDE stands for
  - A. Selenium Intialization Development Environment
  - B. Selenium Interrelated Development Environment
  - C. Selenium Integrated Development Environment
  - D. Selenium Information Development Environment
  - Ans: C
  - 21. Select the Browser which is supported by Selenium IDE
  - A. Google chrome
  - B. Opera mini
  - C. Mozilla Firefox
  - D. Internet Explorer
  - Ans: C
  - 22. Select the operating system which is NOT supported by Selenium IDE.
  - A. Unix
  - B. Linux
  - C. Windows
  - D. Solaris
  - Ans: A
  - 23. The Web driver is used
  - A. To execute tests on the HtmlUnit browser.
  - B. To design a test using Selenese
  - C. To quickly create tests
  - D. To test a web application against Firefox only.
  - Ans: A
  - 24. The Selenium IDE is used
  - A. To create customized test results.
  - B. To deploy your tests across multiple environments using Selenium Grid
  - C. To test with HTMLUnit
  - D. To test a web application against Firefox only.
  - Ans: D
  - 25. The Selenium RC is used
  - A. To run your test against different browsers (except HtmlUnit) on different operating systems.
  - B. To create tests with little or no prior knowledge in programming.
  - C. To test a web application against Firefox only.
  - D. To run a huge test suite, that can be executed on multiple machines.
  - Ans: A
  - 26. Out of the following which can only test web applications
  - A. QTP
  - B. Selenium
  - Ans: B
  - 27. Select the command which is NOT a type of assertion in Selenium IDE.
  - A. Assert
  - B. Verify
  - C. WaitFor
  - D. Wait
  - Ans: D
  - 28. Select the method which selects the option at the given index.
  - A. selectByIndex()
  - B. selectIndex()
  - C. selectedByIndex()
  - D. selectByIndexes()
  - Ans: A
  - 29. The Selenium can
  - A. access controls within the desktop
  - B. both web and desktop applications
  - C. only test web applications
  - Ans: C
  - 30. The Selenium
  - A. Provides professional customer support
  - B. Test Reports are generated automatically

D. Cannot access elements outside of the web application under test

Ans: D

31. Can Google chrome be supported by Selenium IDE?

A. Yes B. No Ans: B

32. Can Unix operating system be supported by Selenium IDE?

A. No B. Yes Ans: A

33. Which command can be used to enter values onto text boxes?

A. sendsKeys()

B. sendKey()

C. sendKeys

D. sendKeys()

Ans: D

34. Select the language which is supported by The Selenium Web Driver

A. Perl

B. Sql

C. ASP

D. Cobol

Ans: A

35. Which Selenium component supports All Operating System?

A. Selenium Generator

B. Selenium IDE

C. Selenium WebDriver

Ans: C

36. Select the command in Selenium IDE used to open a page using the URL.

A. OpenRecord

B. Open

C. OpenText

D. OpenTable

Ans: B

37. In case of Selenium IDE, the Source view shows your script in

A. DHTML format

B. J2EE format

C. XML format

D. HTML format.

Ans: C

38. The Actions commands

A. are commands that directly interact with page elements.

B. are commands that allow you to store values to a variable.

C. are commands that verify if a certain condition is met.

Ans: A

39. Select the command which is used to check the presence of a certain element.

A. verifyTable

B. verifyTitlePresent

 $C.\ verify Text Present$ 

D. verifyElementPresent

Ans: D

40. Select the command which is used to print a string value or a variable in Selenium IDE.

A. The 'display' command

B. The 'echo' command

C. The 'print' command

D. The 'printr' command

Ans: B

 $41. \ \mbox{Which component}$  of Selenium can create customized test results.

A. Web driver

B. Selenium RC

C. Selenium IDE

D. Selenium Grid

Ans: A

42. Select the command which is used to compare the contents of a table with expected values.

A. verifyTables

B. verifyTableData

 ${\sf C.\ verifyTable}$ 

 ${\sf D.\ verifyTableCell}$ 

Ans: C

- 43. Select the command which is used to pause execution until the specified element becomes present. A. waitForElementPresent B. waitForPagePresent C. waitForTablePresent D. waitForFieldPresent Ans: A 44. Select the command that will NOT wait for a new page to load before moving onto the next command. A. clickAndWait B. selectAndType C. typeAndWait D. selectAndWait Ans: B 45. Select the command which is used to pause execution until the page is loaded completely. A. waitForPageToLoad B. waitForElementPresent C. waitForPage D. waitForLoad Ans: A 46. Select the syntax to locate an element using inner text. A. css=tag:contains("inner text") B. css=tag:value("inner text") C. css=tag:attributes("inner text") D. css=tag:class("inner text") 47. Select the command which is used to compare the actual page title with an expected value. B. verifiedTitle C. verifyTitles D. verifiedTitles Ans: A 48. Select the command which is NOT used in verifying page elements . A. verifyElementPresent B. verifyElementRight C. verifyElementNotPresent D. verifyElementPositionLeft Ans: B 49. Select the tab which gives feedback and other useful information when executing tests. A. Information B. Feedback C. Reference D. Element Ans: C 50. What is TestNG? A. TestNextGeneration B. TestNewGenerlization C. TestNewGeneration D. TestNextGenerations Ans: A SELENIUM Objective Questions pdf free download :: 51. Select the variation which finds elements based on the driver's underlying CSS selector engine in Web driver Selenium. A. By.cssSelected B. By.cssSelection C. By.cssSelector D. By.Selectcs Ans: C 52. Select the variation which locates elements by the value of the "name" attribute in Web driver Selenium A. By.name B. By.nametag C. By.tagname D. By.nametags Ans: A 53. Select the tab that shows which command Selenium IDE is currently executing. A. Variable B. Data
  - C. Information
  - D. Info
- Ans: D
- 54. Which is a faster component between the SeleniumWeb driver and Selenium RC?
- A. Selenium RC

C. Selenium RC

D. Selenium Webdriver

Ans: A

60. Select the View which shows your script in HTML format.

A. The Table View B. The Source View C. The Editor View D. The Field View

Ans: B

61. Select the method which clears all selected entries in Web driver Selenium.

A. dselectAll() B. deselect\_All() C. dselect\_All() D. deselectAll() Ans: D

62. Method which selects the option which displays the text matching the parameter passed to it A. selectVisibleText()

B. selectByVisibleText() C. select\_VisibleText() D. select\_ByVisibleText() Ans: B

63. Out of the following which is NOT a wait command.

A. waitForTitle B. waitForTextPresent C. waitForActive D. waitForAlert Ans: C

64. Select the command which retrieves the alert message and stores it in a variable that you will specify.

A. storeAlert B. storedAlert C. store Alert D. storesAlert Ans: A

65. Select the method which performs a context-click at the current mouse location.

A. click Context() B. context.Click() C. contextClick() D. context\_Click() Ans: C

```
B. 1 or more of the preceding character
C. 0 or 1 of the preceding character
D. All of these
Ans: A
78. Which regular expression sequence that loosely translates to "anything or nothing?"
A. .* (dot star)
B. *. (star dot)
C. "?
D. *+
Ans: A
79. Which is a procedure?
A. Wait
B. Fxit
C. WaitForProperty
D. None of these.
Ans: A
80. Variable can be saved in which format?
A. ${variableName}
B. storedVars['variableName'].
C. Both of these
D. None of these
Ans: C
81. We use the dot (.) operator followed by either a * or a +. The + tells the regular expression that there will be instances
between "0" and "n", while the * tells the regular expression that there will be instances between "1" and "n".
B. False
Ans: B
82. Applications do not have the items needed for the tests when the tests get to commands. To get around this, we had a
look at adding fro waitFor commands to test. This is related to
A. Debugging tests
B. Working with AJAX applications
C. Working with multiple windows
D. All of these
Ans: B
83. What is the most common way to find an element on a page?
A. ID
B. XPath
C. CSS selector
D. Name
84. Which is not true in case of Globs, in Selenium?
A. Globs are used as default pattern matching technique.
B. It is similar to regular expressions.
C. The syntax of Globs is much wider than Regular expression
D. B and C
Ans: C
85. Which process use the JavaScript to find an element?
A. By DOM query
B. BY XPath query
C. BY CSS sector
D. All of these
Ans: A
86. Which of the following is not verify and asserts method in Selenium?
A. VerifyElementPresent
B. VerifyElementNotPresent
C. VerifyText
D. VerifyTextAttributes
Ans: D
87. If you wanted to access the element that has the text "This element has an ID that changes every time the page is
loaded" in it, then which of the following is used:
A. //div[contains(@id,'time_')]
B. //div[contains(@id_time())]
C. //div[parameter(@id_time())]
D. //div[parameter(@id,'time_')]
Ans: A
88. To delete a cookie we need to call the deleteCookie method, passing in two parameters.
A. The first parameter is the name of the cookie, and the second parameter is where it was created.
B. The first parameter is where it was created, and the second parameter is the name of cookie.
C. None of these
```

89. What is the default port number used by hub in selenium?

A. 4444

B. 2222

C. 1111 D. 3333

Ans: A

90. Which two commands you use to validate a button?

A. VerifyTextPresent and assertTextPresent

B. VerifyElementPresent and assertElementPresent

C. VerifyAlertPresent and assertAlertPresent

D. VerifyAlert and assertAlert

Ans: B

Real Time Selenium Quiz Questions and Answers

By PEGA PRPC Interview Questions and Answers for freshers and experienced pdf at August 09, 2017 Email ThisBlogThis!Share to TwitterShare to FacebookShare to Pinterest Labels: 100 TOP Selenium MCQs, Selenium Objective type Questions and Answers

### No comments:

# **Post a Comment**

Older Post Home Subscribe to: Post Comments (Atom)

## Search Here

#### Labels

- 100 TOP Selenium MCQsQuestions and Answers for Selenium
- Selenium Objective type Questions and Answers
  • Selenium TOP Interview Questions

## **Popular Posts**

[updated] 100 TOP Selenium Multiple choice Questions and Answers pdf free download Latest Selenium Objective type Questions and Answers => View More Selenium Interview Questions 1. The test language usually used i...

[Updated] 100 TOP Selenium Interview Questions and Answers for freshers pdf
Real Time Selenium Interview Questions and Answers for experienced pdf free download => View More Selenium Online Quiz Questions 1...

Powered by Blogger.