CF Bulk Upload – Test Scenarios

Use these scenarios to demo the tool, to retest after a change, or as a checklist on a new environment. Scenarios 1–10 were first run on local AEM (author, port 4507) on 15 Oct 2026 with the old per-model slug fields; they are written here in the current format (`slug` column, Dry run / Final run buttons). The **Verified** column says when each one was last run in its current form; scenarios not yet re-run since the 20 Oct changes are marked *to re-run*.

The workbooks are not stored in the repo (only `test-data/cf-bulk-upload/cf-import-combined.xlsx` is). Rebuild them from the rows below, starting from **Download sample sheet** so every sheet has the right headers, and upload them to `/content/dam/aemcloudproject/imports`.

When:

- **Before:** works on an instance with no fragments under `offer-listing`.
- **After:** needs the fragments from scenario 3 (final run of `demo-offers-fixed.xlsx`).

The fragment folder on the page is `/content/dam/aemcloudproject/cfs/offer-listing` (the default); all paths below are under it (shown as `…`).

Summary

#	Scenario	Workbook	When	Expected result	Verified
1	Sample sheet	Download sample sheet	Any	`_Guide` + 6 header-only sheets, `slug` and required headers red, action dropdown	20 Oct, 8080
2	Create a full set, with two mistakes	`demo-offers.xlsx` (dry run)	Before	6 Pass with generated IDs, 2 Fail; Final run stays disabled	20 Oct, 8080 (equivalent rows)
3	Create a full set	`demo-offers-fixed.xlsx` (dry run, then final run)	Before	8 Pass; fragments created; run report saved	20 Oct, 8080 (equivalent rows)
4	Whole workbook rejected	`demo-workbook-errors.xlsx`	Any	Red alert listing all 3 problems; nothing checked or written	*to re-run*
5	Wrong file or folder picked	the `imports` folder / a non-Excel file / a bad folder	Any	"is not a DAM asset" / "is not an .xlsx file" / "No folder found at …"	20 Oct, 8080 (folder)
6	CREATE twice	`demo-offers-fixed.xlsx` again	After	Every row Fail: "already exists"	*to re-run*
7	Update, clear, partial columns, `_Notes`	`demo-updates.xlsx`	After	3 Pass with `(cleared: …)`, 1 Skip	*to re-run*
8	Row errors; the rest still runs	`demo-row-errors.xlsx`	After	1 Pass + 10 Fail, each with its own message	*to re-run*
9	Report with data	Save report to DAM	After	New dated file; one row per fragment; offers by end date, latest first	20 Oct, 8080
10	Re-upload the report unchanged	the saved report	After	`_Guide` ignored, every sheet Skip, status ok	*to re-run*
11	Final run gate	any clean workbook	Any	Final run enabled only after a clean dry run of the same file and folder	20 Oct, 8080

#	Scenario	Workbook	When	Expected result	Verified
12	Workbook changed after the dry run	re-upload after the dry run	Any	Final run refused: "The workbook changed after the dry run…"	20 Oct, 8080
13	DELETE left in place	`demo-deletes.xlsx`	After	Warn for referenced / published fragments, Fail for a missing one	20 Oct, 8080 (equivalent rows)
14	Delete an offer and its CTA together	`demo-delete-chain.xlsx`	After	Both Pass, in dry run and final run	20 Oct, 8080 (equivalent rows)
15	IDs continue from DAM	sample with one new offer	After	New offer gets the highest existing `offerID` + 1	20 Oct, 8080

Suggested demo order: 1 → 2 → 3 → 11 → 7 → 13 → 9 (about 15 minutes).

1. Sample sheet

Steps: on the upload page click **Download sample sheet**.

Expected:

- The browser downloads `cf-bulk-upload-sample.xlsx`, opening on `_Guide`.
- Sheets: `_Guide`, `merchant-venue`, `merchant-details`, `category`, `offer-card`, `offer-cta`, `offer-detail`; the six model sheets have only a header row: `action`, `slug`, then the model fields.
- Red headers: `slug` on every sheet; `merchantID`; `ID` (category); `offerID`, `offerTitle`.
- The action column (A2:A5001) has a dropdown with CREATE, UPDATE, DELETE; empty is allowed.

2. Create a full set, with two mistakes

Workbook `demo-offers.xlsx` (built from the sample sheet):

Sheet	action	Key cells
merchant-venue	CREATE	`slug` spice-garden-orchard, `name` Spice Garden Orchard, `address` `<p>1 Orchard Road, #02-10, Singapore 238801</p>`, `latitude` 1.3048, `longitude` 103.8318, `telephone` +65 6000 1234, `ophr` 11:00-22:00
merchant-details	CREATE	`slug` spice-garden, `merchantName` Spice Garden, `merchantLogo` true, `merchantVenues` …/merchants/venues/spice-garden-orchard
category	CREATE	`slug` dining, `name` Dining
offer-card	CREATE	`slug` platinum-card, `name` Platinum Card
offer-cta	CREATE	`slug` book-table-spice-garden, `label` Book a table, `url` https://example.com/spice-garden/book, `deeplink` app://book/spice-garden
offer-detail	CREATE	`slug` spice-garden-weekend-deal, `offerTitle` Weekend dinner deal, summary, description, `hotPromo` true, `offerStartDate` 2026-11-01, `offerEndDate` 2026-12-31, `offerURL`, `offerLabel` 20% off, `offerEmail`, `offerTnc`, `offerType` Dining, `offerPromoCodes` SPICE20, `offerBadge` New, `offerTags` dining, `offerLocation` Orchard, `offerLocationType` In-store, `preview` false, `cache` true, references below
offer-detail	CREATE	**mistake 1:** `slug` Festive Bundle, `offerTitle` Festive bundle
offer-detail	CREATE	**mistake 2:** `slug` lunch-special, no `offerTitle`

All three offers reference `offerCategories` …/categories/dining, `offerMerchants` …/merchants/spice-garden, `offerCards` …/cards/platinum-card, `offerCta` …/offer-cta/book-table-spice-garden, `offerOrigin`

SCB. Dates are typed as text.

Steps: upload to `imports`, pick it, click **Dry run**.

Expected (dry run, nothing written; red banner "Dry run: 2 rows failed", Final run disabled):

```
merchant-venue   2 spice-garden-orchard       CREATE PASS …/merchants/venues/spice-garden-
orchard
merchant-details 2 spice-garden               CREATE PASS …/merchants/spice-garden (merchantID
100001)
category         2 dining                     CREATE PASS …/categories/dining (ID 1001)
offer-card       2 platinum-card              CREATE PASS …/cards/platinum-card (ID 1001)
offer-cta        2 book-table-spice-garden    CREATE PASS …/offer-cta/book-table-spice-garden
offer-detail     2 spice-garden-weekend-deal  CREATE PASS …/offers/spice-garden-weekend-deal
(offerID 100001)
offer-detail     3 Festive Bundle             CREATE FAIL slug: "Festive Bundle" must be
lowercase letters, digits, - or _
offer-detail     4 lunch-special              CREATE FAIL offerTitle: required
```

3. Create a full set

Workbook `demo-offers-fixed.xlsx`: scenario 2 with `slug` festive-bundle and `offerTitle` Weekday lunch special on the `lunch-special` row.

Steps: upload, **Dry run** (yellow banner, Final run enabled), then **Final run**.

Expected: 8 Pass; offers numbered 100001, 100002, 100003; the fragments appear in their folders in Assets; no slug field in the fragments. Green banner "Final run done." with a link to `/content/dam/aemcloudproject/reports/cf-upload-run-<date>-<time>.xlsx` (Results sheet: workbook, folder, user, time, then the 8 rows). Final run is disabled again.

4. Whole workbook rejected

Workbook `demo-workbook-errors.xlsx`:

Sheet	Headers	Rows
offer-detail	`action`, `slug`, `Offer Title`	CREATE ok-row; UPDTE typo-row
offer-card	`slug`, `name` (no `action`)	gold-card, Gold

Expected: a red alert, nothing checked or written:

```
Sheet "offer-detail", column C: header "Offer Title" must be a single word.
Sheet "offer-detail", row 3: action "UPDTE" must be CREATE, UPDATE or DELETE.
Sheet "offer-card": has no action column.
```

5. Wrong file or folder picked

Pick	Expected message
The `imports` folder itself as the workbook	`/content/dam/aemcloudproject/imports is not a DAM asset.`
Any image or PDF (upload one to `imports` first; the path browser starts there)	`… is not an .xlsx file.`

Pick	Expected message
No workbook	`Select a workbook first.`
No fragment folder	`Select the fragment folder first.`
A fragment folder that doesn't exist, e.g. typed `/content/dam/nope`	`No folder found at /content/dam/nope.`

6. CREATE twice

Steps: after scenario 3, dry-run `demo-offers-fixed.xlsx` again.

Expected: every row Fail, e.g. `Fragment: already exists at …/merchants/venues/spice-garden-orchard`; Final run stays disabled.

7. Update, clear, partial columns, `_Notes`

Workbook `demo-updates.xlsx` (only the columns listed; no `_Guide`):

Sheet	Columns	Row
`_Notes`	`note`	any text (sheet must be ignored)
merchant-venue	`action`, `slug`, `telephone`, `ophr`	`update` (lowercase), spice-garden-orchard, +65 6000 9999, *(empty)*
offer-cta	`action`, `slug`, `label`, `deeplink`	UPDATE, book-table-spice-garden, Reserve a table, *(empty)*
offer-detail	`action`, `slug`, `offerID`, `offerTitle`, `offerLabel`, `hotPromo`	UPDATE, spice-garden-weekend-deal, *(empty)*, Weekend dinner deal, 25% off, no
category	`action`, `slug`, `name`	*(no action)*, dining, Dining

Expected (dry run):

```
merchant-venue 2 spice-garden-orchard       UPDATE PASS …/merchants/venues/spice-garden-orchard
(cleared: ophr)
offer-cta      2 book-table-spice-garden    UPDATE PASS …/offer-cta/book-table-spice-garden
(cleared: deeplink)
offer-detail   2 spice-garden-weekend-deal  UPDATE PASS …/offers/spice-garden-weekend-deal
category       – –                          –      SKIP Sheet: no row has an action (CREATE,
UPDATE or DELETE)
```

Shows: lowercase action accepted (typed by hand, outside the dropdown); an empty cell clears the field (and is listed); an empty ID on UPDATE keeps the ID; columns left out are not touched; `_Notes` ignored; a sheet without actions is skipped.

8. Row errors; the rest still runs

Workbook `demo-row-errors.xlsx`:

Sheet	Row	Purpose
offer-detail	UPDATE lunch-special, title Weekday lunch special, start 2026-11-04, `offerCta` …/offer-cta/book-table-spice-garden	the valid row

Sheet	Row	Purpose
offer-detail	CREATE spice-garden-weekend-deal	already exists
offer-detail	UPDATE no-such-offer	not found
offer-detail	UPDATE festive-bundle with `offerTitle` empty	required field emptied on UPDATE
offer-detail	CREATE bad-number, `offerID` 10001a	not a whole number
offer-detail	CREATE bad-boolean, `hotPromo` maybe	not yes/no
offer-detail	CREATE bad-date, `offerStartDate` 01/11/2026	not a date
offer-detail	CREATE two-ctas, `offerCta` with two paths on two lines	single reference
offer-detail	UPDATE festive-bundle, `offerTnc` #CLEAR	retired token
category	CREATE shopping with an extra column `promoCode` X1	column not in the model
offers	CREATE wrong-sheet	sheet name not a model

Rows with CREATE also carry `offerTitle` Test offer and `offerStartDate` 2026-11-01 where needed, so each row fails only for its own reason.

Expected (dry run):

```
offer-detail  2 lunch-special              UPDATE PASS …/offers/lunch-special
offer-detail  3 spice-garden-weekend-deal  CREATE FAIL Fragment: already exists at
…/offers/spice-garden-weekend-deal
offer-detail  4 no-such-offer              UPDATE FAIL Fragment: not found at …/offers/no-such-
offer
offer-detail  5 festive-bundle             UPDATE FAIL offerTitle: required
offer-detail  6 bad-number                 CREATE FAIL offerID: "10001a" is not a whole number
offer-detail  7 bad-boolean                CREATE FAIL hotPromo: "maybe" must be true/false,
1/0 or yes/no
offer-detail  8 bad-date                   CREATE FAIL offerStartDate: "01/11/2026" is not a
date (use e.g. 2026-10-01T00:00:00.000+05:30)
offer-detail  9 two-ctas                   CREATE FAIL offerCta: takes one value, but the cell
has several lines
offer-detail 10 festive-bundle             UPDATE FAIL offerTnc: #CLEAR is no longer used —
leave the cell empty to clear the field
category      2 shopping                   CREATE FAIL promoCode: not a field of model category
offers        – –                          –      FAIL Sheet: "offers" is not a known CF model
```

Note: a column that is present but empty clears that field on UPDATE. The valid row fills `offerCta` with its current value for that reason; without it, the result would read `(cleared: offerCta)`.

9. Report with data

Steps: after scenario 3, **Save report to DAM**; click it twice within the same second to see the name suffix.

Expected:

- "Saved /content/dam/aemcloudproject/reports/offer-listing-report-<date>-<time>.xlsx"; a second save is a new file (`…-2.xlsx` within the same second). No versions are created.
- One row per fragment (venue 1, merchant 1, category 1, card 1, CTA 1, offers 3), with the slug column holding each fragment's node name.
- `offer-detail` sorted by `offerEndDate`, latest first, offers without an end date last; the other sheets by ID.

10. Re-upload the report unchanged

Steps: upload the saved report from scenario 9 to `imports` and dry-run it.

Expected: `_Guide` ignored; all six sheets `SKIP Sheet: no row has an action (CREATE, UPDATE or DELETE)`; status `ok`; Final run enabled (nothing to write).

11. Final run gate

Steps: dry-run a clean workbook (e.g. scenario 7's), then change the fragment folder to `/content/dam/aemcloudproject/cfs`, then back to `…/offer-listing`.

Expected: Final run is enabled after the clean dry run, disabled when the folder (or the workbook) changes, and enabled again when both match the dry run. After a dry run with any Fail row it stays disabled.

12. Workbook changed after the dry run

Steps: dry-run a clean workbook, upload a new version of the same file, click **Final run**.

Expected: red alert "The workbook changed after the dry run. Run the dry run again."; nothing written.

13. DELETE left in place

Setup (after scenario 3): CREATE an offer-cta `spare-cta` and publish it (on a local instance without publish, set `cq:lastReplicationAction` = `Activate` on its `jcr:content`), and add the category `dining` to a test page with a Content Fragment component.

Workbook `demo-deletes.xlsx`:

Sheet	action	slug
offer-cta	DELETE	book-table-spice-garden
offer-cta	DELETE	spare-cta
offer-cta	DELETE	no-such-cta
category	DELETE	dining
merchant-venue	DELETE	spice-garden-orchard

Expected (dry run; deletes listed after any CREATE/UPDATE rows, offers' sheets first):

```
offer-cta      2 book-table-spice-garden DELETE WARN Not deleted: referenced by …/offers/spice-
garden-weekend-deal, …/offers/festive-bundle, …/offers/lunch-special (remove the references
first)
offer-cta      3 spare-cta               DELETE WARN Not deleted: still published (unpublish it
```

```
first)
offer-cta      4 no-such-cta            DELETE FAIL Fragment: not found at …/offer-cta/no-
such-cta
category       2 dining                 DELETE WARN Not deleted: referenced by …/offers/…,
/content/<test page> (remove the references first)
merchant-venue 2 spice-garden-orchard   DELETE WARN Not deleted: referenced by
…/merchants/spice-garden (remove the references first)
```

14. Delete an offer and its CTA together

Workbook `demo-delete-chain.xlsx` (after scenario 3, on a CTA used by one offer only):

Sheet	action	slug
offer-cta	DELETE	the CTA
offer-detail	DELETE	the one offer that uses it

Expected: the offer row runs first (offer-detail is last in profile order, so first for deletes); both Pass with `(to be deleted)` in the dry run and `(deleted)` in the final run. The same works for a merchant and its venue.

15. IDs continue from DAM

Steps: after scenario 3, download the sample sheet, add one CREATE offer with an empty `offerID`, dry-run it.

Expected: `…/offers/<slug> (offerID 100004)`: the highest existing `offerID` in DAM + 1, even though the sheet has no other rows.

Clean-up after testing

Delete the fragments created in the scenarios (venue, merchant, category, card, CTAs and the offers), the test page, the test workbooks in `imports` and the reports in `reports`, so the instance is back to the "Before" state.