USN : 1BM22CS253

LAB-1 : Gene c Algorithm for Op miza on Problems

CODE:

```
import numpy as np import
random


def objec ve_func on(x):
    return x ** 2


popula on_size = 100
num_genera ons = 50
muta on_rate = 0.1

crossover_rate = 0.7
range_min = -10
range_max = 10


# Create ini al popula on def ini alize_popula on(size,
min_val, max_val): return
np.random.uniform(min_val, max_val, size)


# Evaluate fitness of the popula on def
evaluate_fitness(popula on):

    return np.array([objec ve_func on(x) for x in popula on])


# Selec on using roule e-wheel method
def selec on(popula on, fitness):
```

```
total_fitness = np.sum(fitness)
probabili es = fitness / total_fitness

   return popula on[np.random.choice(range(len(popula on)), size=2, p=probabili es)] # Crossover between two parents def crossover(parent1, parent2):  if random.random() < crossover_rate:
      return (parent1 + parent2) / 2  # Simple averaging for crossover
return parent1  # No crossover


# Muta on of an individual def
mutate(individual):  if
random.random() < muta on_rate:
      return np.random.uniform(range_min, range_max)
   return individual


# Gene c Algorithm func on def gene c_algorithm():  # Step 1: Ini alize
popula on  popula on = ini alize_popula on(popula on_size, range_min,
range_max)


   for genera on in range(num_genera ons):
      # Step 2: Evaluate fitness  fitness
= evaluate_fitness(popula on)


      # Track the best solu on  best_index
= np.argmax(fitness)  best_solu on =
popula on[best_index]
      best_fitness = fitness[best_index]
```

```
    # print(f"Genera on {genera on + 1}: Best Solu on = {best_solu on}, Fitness = {best_fitness}")

    # Step 3: Create new popula on
new_popula on = []        for _ in
range(popula on_size):

        # Select parents
        parent1, parent2 = selec on(popula on, fitness)
        #  Crossover  to  create  offspring
offspring = crossover(parent1, parent2)

        #       Mutate       offspring
offspring = mutate(offspring)

        new_popula on.append(offspring)

    # Step 6: Replace old popula on with new popula on
popula on = np.array(new_popula on)

  return best_solu on, best_fitness

# Run the Gene c Algorithm best_solu on, best_fitness = gene
c_algorithm() print(f"Best Solu on Found: {best_solu on}, Fitness:
{best_fitness}")
```

OUTPUT:

```
Best Solution Found: -9.290037411642935, Fitness: 86.30479510972536
```