

```
sharanaya@DESKTOP-TPK9V3Q:~$ nano fork1.c
sharanaya@DESKTOP-TPK9V3Q:~$ gcc fork1.c -o fork1
sharanaya@DESKTOP-TPK9V3Q:~$ ./fork1
Parent Process
PID : 619
Child Process
PID : 620
PPID : 619
|
```

```
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>

int main()
{
    pid_t pid = fork();
    if(pid == 0)
    {
        printf("Child Process\n");
        printf("PID : %d\n", getpid());
        printf("PPID : %d\n", getppid());
        sleep(10);
    }
    else
    {
        printf("Parent Process\n");
        printf("PID : %d\n", getpid());
        wait(NULL);
    }
    return 0;
}
```

```
sharanaya@DESKTOP-TPK9V3Q:~$ nano Multichild.c
sharanaya@DESKTOP-TPK9V3Q:~$ gcc Multichild.c -o Multichild
sharanaya@DESKTOP-TPK9V3Q:~$ ./Multichild
Child 2 PID=725
Child 3 PID=726
Child 1 PID=724
All children completed.
sharanaya@DESKTOP-TPK9V3Q:~$
```

```
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>
int main()
{
    int i;
    for(i=0;i<3;i++)
    {
        if(fork()==0)
        {
            printf("Child %d PID=%d\n", i+1,getpid());
            return 0;
        }
    }
    for(i=0;i<3;i++)
    {
        wait(NULL);
    }
    printf("All children completed.\n");
    return 0;
}
```

•