

Strings

Sequence of characters.

Creation of string

① String literal.

String str = "Lane";

② new

String str = new String("Lane");

String pool.

Access of characters

- length(); → For the length of string
- charAt(0); → Access characters by index.

String is immutable

↳ cannot be changed after creation.

String builder

Comparing strings

- ① == (Does not compare value, checks refer)
- ② equals() (compares value but case sensitive)
- ③ equalsIgnoreCase() (compare value, not case sensi)

Eg:

```
String name1 = "Lane";  
String name2 = "Lane";
```

```

if (name1.equals(name2)) {
    sent ("both strings are equal");
} else {
    sent ("both not equal");
}

```

String Input

scanner $\rightarrow$ next()
 $\rightarrow$ nextLine()

Fig:

```
Scanner sc = new Scanner(System.in);  
Scanner str = sc.nextLine();  
Sout ("value : " + str);
```

Common string methods

- 1) length()
- 2) charAt(int index) ← inclusive
- 3) substring(int begin index, int end index) ← exclusive
- 4) contains(charSequence s) substring exist or not T/F
- 5) equals(Object o)
- 6) equalsIgnoreCase(String s)
- 7) ~~upper~~ toUpperCase(String s)
- 8) toLowerCase(String s)
- 9) trim() → Removes any spaces from left and right
- 10) split(String regex)
- 11) startsWith(String prefix) → checks if given string has given prefix T/F
case sensitive

Day 6

checks if given string has
given suffix T/F

- 12) .endswith (string suffix) [↑]
- 13) .valueOf (any type) → converts any type to string
- 14) .toCharArray () → converts string to array charac
- 15) .isEmpty () → No values in string. False if spaces
- 16) .isBlank () → True if empty and spaces.
- 17) .replace (char oldchar, char newchar)

Q1. Print each character of a string.

```
String str = "Sharat";  
for (int i = 0; i < str.length(); i++) {  
    cout << str.charAt(i);  
}
```

Q2. Count length of a string without length().

```
String str = "Sharat";  
int for (int i = 0; i < count = 0;  
for (char ch: str) {  
    count++;  
}  
return count;
```

```
char [] arr = str.toCharArray();  
int len = arr.length;  
return len;
```

Day 6

camlin

→ myself done.

- { Q3. Leetcode 125 done (Valid Palindrome)
- { Q4. Leetcode 387 done (First unique character)

Q5. Leetcode 141 done (Longest common prefix)

↑
Not done by myself.
(check again)

- { Q6. Longest Substring without repeating (#3)
- { Q7. Group diagrams (49)

→ Not done and will
try on day 7