

Build strength. Build your next chapter.

Home training with your 2, 3, 4 and 5 kg dumbbells. Indian meals. Simple face care. A daily system for skills, interviews and work.

Your starting point

Age 20; weight 65 kg; height assumed to mean 5 feet 5 inches (about 165 cm). You eat vegetarian and non-vegetarian food and wake at 07:00. Injury history, skin type and training experience are not confirmed. This is a conservative starter routine for an otherwise healthy adult, not a diagnosis from your photographs.

The goal for the next 12 weeks

Train consistently, improve repetitions and control, eat enough protein, and watch your waist and strength trend. At this height and weight, start with body recomposition: build muscle while maintaining or gently reducing fat. There is no need to chase rapid scale loss.

About belly fat, abs and your face

Ab training strengthens your trunk; it cannot choose where fat comes off. Visible abs depend on muscle development, overall fat, genetics and time. A six-pack or a particular face shape cannot be promised in 12 weeks. Your photos cannot provide a reliable body-fat percentage. No adult workout will materially increase your height.

Start safely

Start easy if new to exercise. If you have an injury, heart condition, uncontrolled blood pressure, or another condition that affects exercise, get individual advice before progressing. Stop for sharp pain, dizziness or unusual breathlessness; chest pain or fainting needs urgent medical care. Do not exercise through pain.

Your first win

Tonight: set out your dumbbells, choose breakfast, and install the app. Tomorrow: begin with the warm-up. Consistency can start before motivation arrives.

Three strength days. Room to recover.

Day	07:15 session	Later movement
Monday	Workout A: full body + arms + core	10-15 min indoor walk
Tuesday	20-30 min indoor brisk walk + 5 min mobility	Optional 10 min easy walk
Wednesday	Workout B: legs + shoulders + arms	10-15 min indoor walk
Thursday	20-30 min indoor brisk walk + 5 min mobility	Optional 10 min easy walk
Friday	Workout C: full body + arms + core	10-15 min indoor walk
Saturday	25-35 min indoor walk or low-impact dance	Gentle stretch if comfortable
Sunday	15-20 min easy movement; recovery	Weekly review + meal prep

Warm up before each strength session / 5-7 minutes

March in place for 2 minutes. Do 8 easy body-weight squats to a comfortable depth, 8 hip hinges, 10 small shoulder circles each way, and 6 wall push-ups. Then do one very light practice set of the first exercise. Warm-ups are not maximum-effort tests.

How hard, how long

Weeks 1-2: use 2 sets per exercise; a set is one group of repetitions. Rest 60-90 seconds between sets, or 90-120 seconds when breathing is still heavy. End each set with about 2-3 good repetitions left. Start near the bottom of the rep range. A session should take about 30-45 minutes.

Indoor cardio only

Walk through your rooms, march in place or use low-impact dance. Keep space clear and footing secure. Moderate effort means breathing faster while still able to speak in sentences. Start with 10-15 minutes if needed and gradually build toward at least 150 minutes per week. No jumping or outdoor running is required.

[1]

A / Strong foundations

Use the listed sets in weeks 1-2. In weeks 3-12, progress gradually using the rules on page 6. If you own only one dumbbell of each weight, use one side at a time; do not use unequal weights together.

Goblet squat / 2 x 10-15

Hold one 3-5 kg dumbbell close to your chest. Sit between your hips, knees following toes, heels down. Use a stable chair behind you as a depth guide; do not drop onto it.

Incline push-up / 2 x 6-12

Hands on a fixed wall or solid countertop. Keep head, ribs and hips in one line. Lower chest under control; exhale as you press. Begin at a wall if needed.

One-arm dumbbell row / 2 x 12-20 / side

Use 3-5 kg. Support your free hand on a solid surface, hinge at hips, keep back neutral. Pull elbow toward hip without twisting.

Dumbbell Romanian deadlift / 2 x 12-20

Use a matched pair if available, or hold one 5 kg dumbbell with both hands. Soft knees, push hips back, keep weight close. Stop before your back rounds.

Hammer curl / 2 x 10-20 / side

Start at 2-4 kg. Palms face in, elbows by ribs. Lift without swinging, lower slowly. One arm at a time is fine.

Dead bug / 2 x 6-10 / side

Lie on your back, knees bent at 90 degrees. Exhale and brace gently. Extend opposite arm and leg only as far as you can without arching your back.

Finish: 2-3 minutes of easy walking and relaxed breathing. Mild muscle soreness can happen; sharp joint pain is a stop signal. Write weight and repetitions in the app after training.

B / Legs, shoulders & arms

Use the listed sets in weeks 1-2. In weeks 3-12, progress gradually using the rules on page 6. If you own only one dumbbell of each weight, use one side at a time; do not use unequal weights together.

Supported split squat / 2 x 8-12 / side

Start with body weight. Hold a wall lightly for balance; feet on two parallel tracks. Lower straight down to a comfortable depth. Add one light dumbbell only when steady.

One-arm floor press / 2 x 12-20 / side

Lie on floor, knees bent. Use 3-5 kg, wrist above elbow, elbow about 30-45 degrees from your torso. Touch upper arm gently to floor, press up; keep hips level.

One-arm dumbbell row / 2 x 12-20 / side

Use 3-5 kg. Hinge, support yourself on a solid surface, pull toward hip and lower slowly without rotating your torso.

One-arm overhead press / 2 x 8-15 / side

Start with 2-3 kg. Brace lightly and keep ribs down. Press only through a pain-free range; do wall push-ups instead if overhead movement hurts.

Triceps kickback / 2 x 12-20 / side

Use 2 kg or no weight at first. Hinge with support, upper arm alongside your torso. Straighten the elbow without moving the shoulder or swinging.

Side plank from knees / 2 x 15-30 sec / side

Elbow under shoulder, knees bent. Lift hips so shoulder, hip and knee form one line. Breathe normally; stop before form collapses.

Finish: 2-3 minutes of easy walking and relaxed breathing. Mild muscle soreness can happen; sharp joint pain is a stop signal. Write weight and repetitions in the app after training.

C / Whole-body strength

Use the listed sets in weeks 1-2. In weeks 3-12, progress gradually using the rules on page 6. If you own only one dumbbell of each weight, use one side at a time; do not use unequal weights together.

Goblet squat with pause / 2 x 10-15

Use 3-5 kg. Lower for 3 seconds, pause briefly at a comfortable depth, then stand. Start with body weight if balance is difficult.

Incline push-up / 2 x 6-12

Use the same stable surface as Monday. Lower under control with a straight body. Progress by using a slightly lower stable surface when all reps are easy.

Dumbbell Romanian deadlift / 2 x 12-20

Use one weight in both hands or a matched pair. Move hips backward with soft knees. Feel hamstrings working; keep back neutral.

One-arm dumbbell row / 2 x 12-20 / side

Use 3-5 kg. Keep hips and shoulders square and elbow close. Match repetitions between sides; start with the weaker side.

Supinated biceps curl / 2 x 10-20 / side

Use 2-4 kg, palms forward, elbows still. Avoid leaning back. Lower for 2-3 seconds.

Reverse crunch / 2 x 8-15

Lie on your back, knees bent. Exhale and curl pelvis slightly off the floor without swinging legs. Use dead bugs if you feel lower-back discomfort.

Finish: 2-3 minutes of easy walking and relaxed breathing. Mild muscle soreness can happen; sharp joint pain is a stop signal. Write weight and repetitions in the app after training.

Make light weights work harder.

Weeks	Strength plan	Progress measure
1-2	2 sets each. Learn form, use lighter weights. Keep 2-3 reps in reserve.	Complete 3 sessions per week comfortably.
3-4	If recovered, use 3 sets for the first 4 exercises. Arms/core stay at 2 sets.	Add 1-2 reps while maintaining control.
5-8	Continue 3 main sets, 2 arms/core sets. Progress reps, then weight.	Record load, reps and effort for each exercise.
9-12	Keep the same structure. Use slower lowering or a harder stable variation when weights feel easy.	Compare waist, energy and performance with week 1.

The progression rule

When every set reaches the top of its range with at least 2 good repetitions left on two sessions, move up one available dumbbell size and return to the lower rep range. With the heaviest weight, lower for 3 seconds, add a brief pause, or use a controlled single-side variation. Change only one variable at a time. Do not keep adding endless sets.

When 5 kg stops being enough

Light dumbbells can build a starting base. Over time, legs and back may need heavier resistance to keep progressing efficiently. Until then, use tempo, range of motion and unilateral exercises. Avoid improvised unstable equipment, loaded chairs and makeshift door anchors.

Recovery is part of training

Leave about 48 hours between full-body strength sessions. If soreness affects normal movement, take an easy day. If fatigue builds for several days, use half the usual sets for a week, then rebuild. Aim for 7-9 hours of sleep; the default schedule allows 22:30-07:00.

Track what actually changes

Optional weight: 2-3 mornings per week after the toilet, before food, under similar conditions; compare weekly averages. Waist: once weekly at the same point, tape level and relaxed after a normal exhale. Photos: optional, monthly and private. Record push-up reps, squat reps, energy and sleep. Stable weight with a smaller waist and better strength is progress.

Adjust food gently

Review at 3-4 weeks, not after one day. If reducing waist is still your priority and it is not changing, slightly reduce one discretionary extra or grain portion while keeping protein and vegetables. If weight falls faster than about 0.5 kg per week, or energy and strength drop, eat more and reassess. No crash diet, fasting challenge or dehydration.

Protein at each meal.

At 65 kg, start with roughly 90-105 g protein daily. This is about 1.4-1.6 g/kg, within commonly used training ranges. There is no fixed calorie prescription without your activity pattern, medical history and response. [2]

Food	Useful portion	Approx. protein
Eggs	2 large	12-14 g
Milk / plain curd	250 ml milk / 200 g curd	8 g / 7-10 g
Chicken / fish	100 g cooked edible portion	25-31 g / 20-25 g
Dal / chana / rajma	1 cup cooked; thickness varies	7-15 g
Soy chunks	40 g dry, then cooked	Around 20 g; check label
Paneer / tofu	100 g paneer / 150 g tofu	16-20 g / 12-24 g; check label
Roasted chana	30 g	Around 6 g

A practical day

Breakfast around 20-25 g + lunch around 25-30 g + snack around 10-15 g + dinner around 25-30 g gives about 80-100 g. Add milk, curd, an egg or a little more tofu/soy when your chosen options fall short of 90 g. These are estimates: brands, water content and recipes change the numbers.

Build lunch and dinner

Start with roughly half your plate vegetables, one quarter protein-rich food and one quarter rice/chapati or other grains. Dal is both protein and carbohydrate, so pair it with curd, eggs, tofu or soy where needed. A typical grain starting portion is 1 cup cooked rice OR 2 medium chapatis; adjust with appetite, training and trends. [3]

Food first; powder is optional

You do not need a mass gainer, fat burner or a supplement to begin. If food makes the protein target difficult, a reputable, independently tested whey or soy protein can be a convenience; count the label amount toward the daily total. Avoid products with undisclosed blends. Kidney disease or a prescribed diet requires individual advice. [2]

More often / less often

More: varied vegetables, whole fruit, pulses, eggs, fish/chicken, tofu, plain dairy and normal staple foods. Less often: sugary drinks and tea, deep-fried snacks, repeated sweets, large oily takeaway meals and unmeasured oil. Rice is allowed. Drink to thirst; add fluids during heat and sweating. [3]

Choose. Cook. Repeat.

Use these as meal combinations, not a compulsory calorie-controlled diet. All rice, meat and dal portions below are cooked; soy amounts are dry before soaking. Vegetables accompany lunch and dinner every day.

Day	Breakfast	Lunch	Dinner
Mon	3 eggs + 2 idlis + sambar	1 cup rice + 100-120 g chicken + vegetables	2 chapatis + curry from 40-50 g dry soy
Tue	2 moong chillas (60 g dry moong) + 200 g curd	2 chapatis + 1 cup rajma + 200 g curd	1 cup rice + 100-120 g fish
We d	40 g oats + 250 ml milk + 2 eggs	1 cup rice + 150-200 g tofu + 1/2 cup dal	2 chapatis + 100-120 g chicken
Thu	2 dosa + sambar + 2 eggs	2 chapatis + 100 g paneer + 1/2 cup dal	1 cup rice + soy curry (40-50 g dry)
Fri	2 moong chillas + 200 g curd	1 cup rice + 100-120 g fish	2 chapatis + 1 cup chana + 200 g curd
Sat	3 eggs + 2 slices wholegrain bread	2 chapatis + 100-120 g chicken	1 cup rice + 150-200 g tofu + dal
Sun	2 idlis + sambar + 3 eggs	Family meal: keep a clear protein portion	2 chapatis + 100 g paneer + 1/2 cup dal

Daily snack / about 16:00

250 ml milk + 30 g roasted chana, or 200 g high-protein yogurt/curd (check label). Add whole fruit if hungry. Include one to two servings of fruit over the day. If breakfast already includes milk, another serving is optional rather than mandatory.

Vegetarian swaps

Replace chicken/fish with 150-200 g tofu plus dal, or curry from 40-50 g dry soy chunks. Replace eggs with moong chilla and curd or tofu bhurji. Portions are not protein-equivalent across brands: check your labels and the table on page 7. Increase pulses gradually if they cause bloating.

Low-cost shopping and preparation

Buy seasonal vegetables, bananas/guava or other affordable fruit, dal, chana, soy chunks, eggs, milk/curd, rice and atta. Rotate chicken/fish according to budget. Soak and cook pulses fully; refrigerate perishable cooked food promptly. Prepare two protein options and chopped vegetables to simplify weekdays.

Keep it simple. Keep it gentle.

Morning / after exercise

Gently wash with a mild cleanser, then use a simple moisturiser. Before going outdoors or daylight exposure, apply broad-spectrum SPF 30+ sunscreen; choose water-resistant protection when sweating. Reapply outdoors about every 2 hours and after sweating/wiping, following the label.

Evening / 21:00

Gently cleanse and moisturise. Wash after heavy sweating too, without repeated harsh scrubbing. Introduce only one new product at a time and patch-test first. Stop a product if it causes irritation.

Grooming & confidence

Choose a haircut you can maintain, tidy the beard neckline, keep nails and clothes clean, and wear clothes that fit your shoulders and waist. Stand comfortably tall and practise calm eye contact. These are choices, not requirements to change your natural features.

What to skip

No lemon juice, bleach, steroid/fairness creams, abrasive scrubs or jaw-training devices. Face exercises cannot reliably remove face fat or reshape facial bones. Persistent acne, itching or painful bumps deserve a dermatologist, not stronger DIY products.

Skin care is care, not a face-shape promise

These steps support cleanliness, comfort and sun protection. They do not promise acne treatment or skin lightening. You do not need lighter skin to look well-groomed. If acne persists, discuss a suitable treatment with a dermatologist instead of trying several strong products at once. [4,5]

A five-minute weekly reset

Clean grooming tools. Change your pillowcase regularly. Wash workout clothes and towels. Pick clean, well-fitting outfits for interviews. Choose a simple haircut/beard maintenance schedule you can afford. Sleep and consistent habits matter more than buying many products.

A routine you can edit.

Time	Action
07:00	Wake up; get ready; water if thirsty
07:15	Scheduled home strength or indoor walk
08:00 / 08:10	Shower/face care, then protein breakfast
09:00-09:45	DSA: solve, explain complexity, note mistakes
10:00-11:00	Java coding/project on Mon-Sat
13:00	Balanced lunch
14:00-14:30	2-3 quality applications on weekdays
16:00	Protein snack if needed
17:00-17:30	Interview practice on Mon-Sat
18:00	10-15 min indoor movement
19:30	Dinner; prepare tomorrow
21:00 / 22:30	Evening skin care / lights out

DSA roadmap / one topic at a time

Weeks 1-2: arrays, strings, hashing. 3-4: two pointers, sliding window, binary search. 5-6: linked lists, stacks, queues. 7-8: recursion, trees, BSTs. 9-10: heaps and graphs. 11-12: basic dynamic programming and timed revision. Revisit incorrect problems after a day and again after a week.

Build skills that interviews can see

Use Java project time to make a small, working backend project: clear OOP, collections, SQL, then a REST API with validation and tests. Explain your design in a README. Interview sessions rotate Java, SQL, HTTP, project decisions and STAR examples. Saturday: a mock. Sunday: plan and review.

Small actions count.

The minimum day

When energy is low, do 5 minutes of comfortable movement, one DSA revision, one job-search action, one protein-rich meal, and your simple face-care steps. If ill, rest. Your routine should support your life, not punish you for being human.

Make dreams actionable

The app starts with Royal Enfield GT 650, your future iPhone 20 wish, Apple headphones, shoes and clothes. These are editable wishes, not product recommendations or availability claims. Enter your own verified budget and savings. A future phone model has no assumed release date or price. Add career, health or family goals too.

A weekly review / Sunday, 15 minutes

Ask: Did I train three times? Is performance improving? Am I eating protein regularly? How was sleep? Which DSA ideas can I explain? Which applications led to replies? Choose one obstacle and one adjustment. Do not restart the whole plan just because one day went badly.

Week	Strength sessions / 3	Waist (optional)	Skill / career win
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			

Use the system on your phone.

Install Rise

Copy Rise-Saran.apk to your Android phone and open it from Files. If Android asks, allow installation from that file-opening app temporarily, install Rise, then turn that permission off again. This is a signed personal APK for Android 8.0 and newer; it is not a Play Store listing. An installation can still depend on device policy.

Enable and test reminders

Open More in Rise. Allow notifications on Android 13+, enable precise reminders if offered, then tap Test notification and Test reminder in 1 minute. On phones that restrict background apps, allow Rise background operation in phone settings. A reboot restores future reminders after unlock. Force-stopping the app stops reminders until it is opened again. Silent mode, Do Not Disturb and battery restrictions can delay or silence alerts. These are notification reminders, not guaranteed wake-up alarms.

Calendar for your Google account

Import Saran-Routine.ics using Google Calendar on a computer: Settings > Import & export > Import. First sign in to saransaran4232@gmail.com and choose the intended calendar, ideally a new separate Routine calendar. Check event times and notification settings after import. Events use Asia/Kolkata. Import only once to avoid duplicates. Importing this file does not send email, and I have not directly added events to your account. [6]

Everything is yours to edit

Today: complete, edit, delete or add recurring/one-time tasks. Train: workout instructions and exercise logs. Fuel: meal options and portions. Dreams: names, notes, budgets, savings and completion. More: profile, face-care/career guides, measurement logs, reminder settings and backup/restore. App changes do not automatically sync with Google Calendar; the calendar file is a separate starting schedule.

Privacy and backups

Rise works offline and requests no internet, contacts, camera or location access. Your photos are not embedded. Data stays in local app storage. Export a JSON backup before uninstalling or changing phones. Backups contain personal routine/measurement data; store them privately. Android notification text can appear on the lock screen; change that in phone settings if desired.

References / checked 16 September 2026

1. WHO - physical activity guidance
2. NIH ODS - exercise and protein
3. ICMR-NIN - Dietary Guidelines for Indians 2024
4. AAD - healthier-looking skin
5. AAD - sunscreen guidance
6. Google Calendar - import events