

Cucumber Report

Jul 7, 2023, 7:12:23 PM

Start : Jul 07, 7:12:13.061 PM

End : Jul 07, 7:12:23.008 PM

Duration : 9.947 s

Features







PASSED - 0
FAILED - 3
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 3
SKIPPED - 0

Steps


PASSED - 0
FAILED - 3
SKIPPED - 22



| Feature | | | | Scenario | | | | Step | | | |
|---|--|-----------------|--|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | | Duration | | T | P | F | S | T | P | F | S |
| <u>Search product and select and add to cart with other functionalities</u> | | 9.947 s | | 1 | 0 | 1 | 0 | 15 | 0 | 1 | 14 |
| <u>Login Page Feature</u> | | 7.386 s | | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 3 |
| <u>Login for Amazon website</u> | | 5.068 s | | 1 | 0 | 1 | 0 | 6 | 0 | 1 | 5 |



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Search product and select and add to cart with other functionalities</u> | 1 | 0 | 1 | 0 | 9.947 s |
| 2 | <u>Login Page Feature</u> | 1 | 0 | 1 | 0 | 7.386 s |
| 3 | <u>Login for Amazon website</u> | 1 | 0 | 1 | 0 | 5.068 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|----------|----------|----------|----------|-----------------|
| 1 | <u>Search product and select and add to cart with other functionalities</u> | <u>Adding product to the cart and validating accordingly chrome</u> | 15 | 0 | 1 | 14 | 9.945 s |
| 2 | <u>Login Page Feature</u> | <u>Customer login to the app and validate Forgot Password Link chrome</u> | 4 | 0 | 1 | 3 | 7.386 s |
| 3 | <u>Login for Amazon website</u> | <u>Verify the Account for amazon chrome</u> | 6 | 0 | 1 | 5 | 5.068 s |

Search product and select and add to cart with other functionalities



Adding product to the cart and validating accordingly chrome



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given user is on application</p> <pre>java.lang.Exception: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='nav-global-location-popover-link']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2aef7f784c3cc5f14abf4d0da8cd38b8, findElement {using=xpath, value=/a[@id='nav-global-location-popover-link']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4..., userDataDir: C:\Users\ASUS\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:61902}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61902/devtoo... , se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2aef7f784c3cc5f14abf4d0da8cd38b8 at com.amazon.automation.parallel.ProductStepDefinition.user_is_on_application(ProductStepDefinition.java:74) at ?.user is on application(file:///D:/frameworks/code/Amazon_CucumberBDD_JSON-main/src/test/resources/parallel/AmazonProduct.feature:3) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='nav-global-location-popover-link']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name:</pre> | FAILED | 6.139 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2aef7f784c3cc5f14abf4d0da8cd38b8, findElement {using=xpath, value=/a[@id='nav-global-location-popover-link']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4..., userDataDir: C:\Users\ASUS\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:61902}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61902/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2aef7f784c3cc5f14abf4d0da8cd38b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy32.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:52) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:477) at com.amazon.automation.util.ElementUtil.highlightElement(ElementUtil.java:1198) at com.amazon.automation.pages.ProductPage.changepincode(ProductPage.java:170) at com.amazon.automation.parallel.ProductStepDefinition.user_is_on_application(ProductStepDefinition.java:51) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.098 s |
| | anyname | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| |  | | |
| 2 | Then user search the product "Amazon Essentials Women's Digital Chronograph Resin Strap Watch" | SKIPPED | 0.000 s |
| 3 | Then product add to the cart | SKIPPED | 0.001 s |
| 4 | And user validates the product with quantity "1" in the cart | SKIPPED | 0.000 s |
| 5 | Then user search the product "Mouse" | SKIPPED | 0.000 s |
| 6 | And increase the quantity of the product by 2 in cart | SKIPPED | 0.001 s |
| 7 | Then product add to the cart | SKIPPED | 0.000 s |
| 8 | And user validates the product with quantity "2" in the cart | SKIPPED | 0.000 s |
| 9 | Then user search the product "Apple AirTag Leather Key Ring - California Poppy" | SKIPPED | 0.001 s |
| 10 | Then product add to the cart | SKIPPED | 0.000 s |
| 11 | And user validates the product with quantity "1" in the cart | SKIPPED | 0.000 s |
| 12 | Then user deletes the product "Apple AirTag Leather Key Ring - California Poppy" | SKIPPED | 0.000 s |
| 13 | Then user search the product "office chair" | SKIPPED | 0.000 s |
| 14 | Then product add to the cart | SKIPPED | 0.000 s |
| 15 | Then navigate to cart and validate the save later functionality | SKIPPED | 0.000 s |
| | AFTER - com.amazon.automation.AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.359 s |
| | Adding_product_to_the_cart_and_validating_accordingly_chrome | | |
| |  | | |

Login Page Feature



Customer login to the app and validate Forgot Password Link chrome




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given user is on login page</p> <p>Launch the application using URL</p> <p>Launching Application</p> <p>java.lang.Exception: java.lang.NullPointerException</p> <pre>at com.amazon.automation.parallel.LoginStepDefinition.user_is_on_login_page(LoginStepDefinition.java:53) at ?.user is on login page(file:///D:/frameworks/code/Amazon_CucumberBDD_JSON-main/src/test/resources/parallel/Login.feature:4)</pre> <p>Caused by: java.lang.NullPointerException</p> <pre>at java.base/java.io.File.<init>(File.java:278) at com.amazon.automation.util.ScreenshotUtility.captureScreenshot(ScreenshotUtility.java:33) at com.amazon.automation.parallel.LoginStepDefinition.user_is_on_login_page(LoginStepDefinition.java:47) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</pre> | FAILED | 2.834 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) </pre> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>  | PASSED | 0.410 s |
| 2 | When user enter Username | SKIPPED | 0.000 s |
| 3 | And user enter Password | SKIPPED | 0.000 s |
| 4 | Then forgot your password link should be displayed | SKIPPED | 0.001 s |
| | <p>AFTER - com.amazon.automation.AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Customer_login_to_the_app_and_validate_Forgot_Password_Link_chrome</p>  | PASSED | 0.933 s |

Login for Amazon website



Verify the Account for amazon chrome



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given as a user login for amazon website</p> <p>Launching Application</p> <pre>java.lang.Exception: java.lang.NullPointerException at com.amazon.automation.parallel.VerifyLoginaccount.as_a_user_login_for_amazon_website(VerifyLoginaccount.java:54) at ?.as a user login for amazon website(file:///D:/frameworks/code/Amazon_CucumberBDD_JSON-main/src/test/resources/parallel/ Verifytheaccount.feature:3) Caused by: java.lang.NullPointerException at java.base/java.io.File.<init>(File.java:278) at com.amazon.automation.util.ScreenshotUtility.captureScreenshot(ScreenshotUtility.java:33) at com.amazon.automation.parallel.VerifyLoginaccount.as_a_user_login_for_amazon_website(VerifyLoginaccount.java:49) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</pre> | FAILED | 1.223 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario) | PASSED | 0.129 s |
| | anyname | | |
| |  | | |
| 2 | Then as a user click signin | SKIPPED | 0.000 s |
| 3 | Then as a user click create a account | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then as a user Verify the username Validate the Message | SKIPPED | 0.001 s |
| 5 | Then as a user Verify the Mobilenumber Validate the Message | SKIPPED | 0.000 s |
| 6 | Then as a user Verify the Password Validate the Message | SKIPPED | 0.000 s |
| | AFTER - com.amazon.automation.AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Verify_the_Account_for_amazon_chrome  | PASSED | 0.400 s |