


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	EPIC WRA-160-Transaction SetUp User Stories WRA-462 WRA-330 WRA-231 WRA-172 WRA-	1	0	1	0	12.252 s
	422 WRA-307 WRA-207 WRA-174					



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	EPIC WRA-160-Transaction SetUp	WRA-737- Verify Transaction - Referral Details	2	1	1	0	12.235 s
	User Stories WRA-462 WRA-330 W *						


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

EPIC WRA-160-Transaction SetUp User Stories WRA-462 WRA-330 WRA-231 WRA-172 WRA-422 WRA-307 WRA-207 WRA-174

FAILED DURATION - 12.252 s	Scenarios		Steps	
	Total - 1		Total - 2	
/ 1:28:44.735 pm // 1:28:56.987 pm /	Pass - 0	1	Pass - 1	
	Fail - 1		Fail - 1	
	Skip - 0		Skip - 0	

WRA-737- Verify Transaction - Referral Details



#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	1.820 s
	LOG: Launched RMA_SIT landing page successfully with url: https://facebook.com/login		
2	When user inputs a valid LAN "gowris036@gmail.com" and "Bangalore@123"	FAILED	5.295 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=115.0.1901.203) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [c123e3b2d8b637413e690ba89394e8e2, findElement {using=xpath, value=//button[@id='loginbutton']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 115.0.1901.203, ms:edgeOptions: {debuggerAddress: localhost.62048}, msedge: {msedgedriverVersion: 115.0.1901.203 (a5a2b1779bc, userDataDir: C:\Users\shara\AppData\Loca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost.62048/devto, se:cdpVersion: 115.0.1901.203, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c123e3b2d8b637413e690ba89394e8e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.cimb.rma.pages.RMALoginPageWRA137Page.facebookLogin(RMALoginPageWRA137Page.java:260) at com.cimb.rma.stepdefs.RMALoginPageStepDef.facebookLogin(RMALoginPageStepDef.java:77) at ?.user inputs a valid LAN "gowris036@gmail.com" and "Bangalore@123"(file:///D://Selenium_workspace/rma-qa/src/test/resources/features/regression/RMTransSetup.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.cimb.rma.stepdefs.Hooks.afterStep(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=115.0.1901.203) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [c123e3b2d8b637413e690ba89394e8e2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 115.0.1901.203, ms:edgeOptions: {debuggerAddress: localhost:62048}, msedge: {msedgedriverVersion: 115.0.1901.203 (a5a2b1779bc, userDataDir: C:\Users\shara\AppData\Loca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62048/devtoo, se:cdpVersion: 115.0.1901.203, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c123e3b2d8b637413e690ba89394e8e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at com.cimb.rma.common.CommonMethods.takeScreenshot(CommonMethods.java:11) at com.cimb.rma.stepdefs.Hooks.afterStep(Hooks.java:33)		