{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:37.970Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:37.971Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:37.972Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:38.973Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:38.974Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:38.975Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:39.977Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:39.977Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:39.979Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"info","msg":"Executing (d8656390-89c3-4d98-b422-b13ed19ee175): START TRANSACTION;","product":"Universal Backend","time":"2023-07-06T09:53:40.725Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"warn","msg":"Command Handler completed","product":"Universal Backend","time":"2023-07-06T09:53:40.725Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"warn","msg":"Command Handler started; 140000","product":"Universal Backend","time":"2023-07-06T09:53:40.725Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"info","msg":"Executing (d8656390-89c3-4d98-b422-b13ed19ee175): SELECT id, createdBy, updatedBy, deletedBy, fileName, fileLocation, fileSource, entityType, noOfRecords, processingStatus, retryCount, sequence, failedRecords, errorMessage, payload, correlationId, isFileDeleted, createdAt, updatedAt, deletedAt, version FROM file_record AS FileRecordEntity WHERE (FileRecordEntity.deletedAt IS NULL AND (FileRecordEntity.processingStatus IN (Ready) OR (FileRecordEntity.processingStatus = ToBeRetried AND FileRecordEntity.retryCount <= 5))) ORDER BY FileRecordEntity.createdAt ASC, FileRecordEntity.sequence ASC LIMIT 1 FOR UPDATE SKIP LOCKED;","product":"Universal Backend","time":"2023-07-06T09:53:40.793Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"info","msg":"Executing (d8656390-89c3-4d98-b422-b13ed19ee175): COMMIT;","product":"Universal Backend","time":"2023-07-06T09:53:40.795Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:40.979Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:40.980Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:40.981Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:41.982Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:41.982Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:41.982Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:42.985Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:42.985Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:42.985Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending

data to %s","product":"Universal Backend","time":"2023-07-06T09:53:43.988Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:43.989Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:43.989Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:44.991Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:44.992Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:44.992Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:45.994Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:45.994Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:45.994Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:46.996Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:46.996Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:46.996Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:47.999Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:47.999Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:47.999Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:49.002Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:49.002Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:49.003Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:50.004Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:50.005Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:50.005Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:51.006Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:51.008Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:51.008Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:52.008Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:52.010Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:52.010Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:53.011Z"}

{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:53.012Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:53.013Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:54.014Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:54.014Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:54.015Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:55.017Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:55.017Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:55.017Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:56.020Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:56.021Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:56.022Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:57.023Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:57.023Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:57.025Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:58.028Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:58.028Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:58.028Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:59.030Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:59.030Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:53:59.030Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:00.034Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:00.034Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:00.034Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:01.037Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:01.038Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:01.038Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:01.558Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"error","msg":"Health Che

ck has failed! {sequelize:{status:down,message:timeout of 1000ms exceeded}}","product":"Universal Back end","time":"2023-07-06T09:54:01.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"error","msg":"{1001} - {Unknown error } - {We have encountered unknown error, please try again. If problem persists please contact support with correlation id.}","product":"Universal Backend","time":"2023-07-06T09:54:01.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:02.042Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:02.043Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:02.043Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:02.560Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:03.045Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:03.046Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:03.046Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:04.049Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:04.050Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:04.050Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:05.053Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:05.054Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:05.054Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:06.058Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:06.058Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:06.058Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:07.062Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:07.062Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:07.063Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:08.066Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:08.067Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:08.068Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universarl Backend","time":"2023-07-06T09:54:09.071Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:09.071Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:09.071Z"}

{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:10.072Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:10.073Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:10.073Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:11.075Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:11.075Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:11.075Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:12.078Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:12.078Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:12.080Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:13.082Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:13.083Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:13.084Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:14.084Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:14.085Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:14.143Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:15.087Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:15.143Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:15.144Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:16.089Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:16.145Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:16.146Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:17.145Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:17.147Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:17.148Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:18.148Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:18.152Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:18.152Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending

data to %s","product":"Universal Backend","time":"2023-07-06T09:54:19.153Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:19.154Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:19.155Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:20.155Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:20.159Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:20.159Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:21.159Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:21.162Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:21.162Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:22.163Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:22.167Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:22.167Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:23.168Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:23.170Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:23.170Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:24.171Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:24.242Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:24.244Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:25.174Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:25.245Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:25.248Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:26.176Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:26.247Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:26.253Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:27.179Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:27.249Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:27.255Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:28.181Z"}

{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:28.251Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:28.256Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:29.183Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:29.253Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:29.260Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:30.184Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:30.255Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:30.262Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:31.186Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:31.257Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:31.267Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:31.563Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"error","msg":"Health Check has failed! {sequelize:{status:down,message:timeout of 1000ms exceeded}}","product":"Universal Backend","time":"2023-07-06T09:54:31.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"error","msg":"{1001} - {Unknown error } - {We have encountered unknown error, please try again. If problem persists please contact support with correlation id.}","product":"Universal Backend","time":"2023-07-06T09:54:31.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:32.188Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:32.259Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:32.270Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Sending data to %s","product":"Universal Backend","time":"2023-07-06T09:54:32.566Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"info","msg":"Executing (4fbe75fd-7056-4e16-a68c-ea1c4e8619cd): START TRANSACTION;","product":"Universal Backend","time":"2023-07-06T09:54:32.650Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"warn","msg":"FieldMigrated: 1000","product":"Universal Backend","time":"2023-07-06T09:54:32.650Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"info","msg":"Publishing Bulk - integration-yara-digitalsolution-di-field : FieldMigrated","product":"Universal Backend","time":"2023-07-06T09:54:32.650Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.651Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.652Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.653Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.654Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.655Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.656Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.657Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.658Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.659Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.660Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.661Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.662Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.663Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.664Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.665Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.666Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.667Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.668Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.668Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.668Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.669Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.669Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.670Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.671Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.672Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.673Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.674Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.675Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.676Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.677Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.678Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.679Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.680Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.681Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.682Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.683Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.684Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.685Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.686Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.688Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.689Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.690Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.691Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.692Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.693Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.694Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.695Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.696Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.697Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.698Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.699Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.700Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.701Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.702Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.703Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.704Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.705Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.707Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.708Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.709Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.710Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.711Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.712Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.713Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.714Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.715Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.716Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.717Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.718Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.719Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.720Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.721Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.722Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.723Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.724Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.725Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.725Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.726Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.727Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.728Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.729Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.730Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.731Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.732Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.733Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.734Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.735Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.736Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.737Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.738Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.738Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.738Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.741Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.741Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.741Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.741Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.742Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.743Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.744Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.745Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.746Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.747Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.747Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.747Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.747Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.747Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.747Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.749Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.750Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.751Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.752Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.753Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.754Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.755Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.756Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.757Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.758Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.759Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.760Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.761Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.762Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.763Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.764Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema id for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id from cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.765Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.766Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.768Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId

for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.768Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.768Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.768Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.768Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.768Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"Schema i
d for event subject com.yara.di.FieldMigrated is available in cache, will skip register process and use id fr
om cache","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"debug","msg":"schemaId
 for eventSubject is 100246","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}
{"app":"yara-universal-api-data-ingestion-ms","environment":"integration","level":"warn","msg":"Producer:
Event CorrelationId: 8e22262b-2d84-46c1-abae-b4ab5aadeabd; Topic: integration-yara-digitalsolution-di-f
ield; Name: FieldMigrated; MessageKeys: cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-9
2ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce
4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-0
3cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-
c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6
ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-
4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e6
63,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-
92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cc
e4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-
03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f
-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc

6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6e

c0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e6

63,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663

,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce

4ff0f-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f

-c1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c

1a2-4e0d-92ec-03cc6ec0e663,cce4ff0f-c1a2-4e0d-92ec-03cc6ec0e663","product":"Universal Backend","time":"2023-07-06T09:54:32.769Z"}