Assignment : 3a

Cmd commands:

```
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>mkdir simplesite

C:\Users\Admin>cd simplesite

C:\Users\Admin\simplesite>npm init -y
Wrote to C:\Users\Admin\simplesite\package.json:

{
  "name": "simplesite",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "type": "commonjs"
}



C:\Users\Admin\simplesite>npm install express

added 65 packages, and audited 66 packages in 7s

22packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\Users\Admin\simplesite>node server.js
C:\Users\Admin\simplesite\server.js:14
    {alert("server is running")});
```

```
    ^

ReferenceError: alert is not defined
    at Server.<anonymous> (C:\Users\Admin\simplesite\server.js:14:6)
    at Server.f (C:\Users\Admin\simplesite\node_modules\once\once.js:25:25)
    at Object.onceWrapper (node:events:622:28)
    at Server.emit (node:events:520:35)
    at emitListeningNT (node:net:1983:10)
    at process.processTicksAndRejections (node:internal/process/task_queues:88:21)

Node.js v25.1.0

C:\Users\Admin\simplesite>node server.js
server is running
^C
C:\Users\Admin\simplesite>node server.js
server is running
```

Directory Structure:



[server.js]

```
const express = require('express');
const app = express();
const path = require('path');
```

```
app.use(express.static(path.join(__dirname,'public')))

app.get('/',(req,res)=>
{
   res.sendFile(path.join(__dirname,'public','index.html'));

});
constport = process.env.port || 3000;
app.listen(port,()=>
   {console.log("server is running")});
```

Index.html

```
<html>
   <head>
      <title>Simple Site</title>
   </head>
   <body>
   <h2>
         Hello World
      </h2> <p> Hey there!</p>

   </body>
   </html>
```