Hills Road Sixth Form College

ROBOCON 2019

GOLD RUSH

RULE BOOK



Gold Rush

Revision 1.0 November 14th, 2019

The following defines the rules and regulations of the Hills Road RoboCon 2019 competition.

1. GAME RULES

1A BASE RULES

- 1.1 The game, called Gold Rush, will be played in the arena defined in section 3B. The objective of this game is to achieve as many points as possible by collecting tokens and placing them in the home zones. Different token have different scores, as defined in section 1.8.
- 1.2 Before a round starts, the teams participating in that round will be given some time to set their robot up in the arena. During this time, they must place their robot in the zone that they are assigned. The robot must be placed such that it is entirely within this zone, with no parts overhanging its boundary. The robot **does not** need to finish within the zone at the end of three minutes.
- 1.3 There are two types of token, "Gold" and "Ore". Each team is assigned three "Gold" tokens, placed in front of other teams' zones, and all other "Gold" tokens are considered "Fools Gold" for that team. "Ore" tokens are common to all teams. The tokens will be positioned as shown in Figure 1:




Figure 1: The positions of the tokens and zones in the arena. The colour of the zone corresponds to the colour of that team, and coloured tokens correspond to the "Gold" tokens for that team. Grey tokens represent "Ore" tokens.

- 1.4 There must be no team members in the arena during the 1 minute before a round is scheduled to start. Robots must be installed and oriented before this deadline. During this minute there must be no interaction with the robot. Teams that do not meet this rule may forfeit the round subject to judges' discretion. Teams must not in any circumstances enter any body part or object into the arena during the round except to press the start switch to begin the round. Interfering with the robots will lead to forfeit of the points from the round and may lead to being asked to leave the arena.
- 1.5 Robots and tokens must remain untouched in the arena until the judges "release" them, this is to allow fair scoring to happen. Any robot touched before it is released by the judges may forfeit the points from the round. Any token touched before it is released will cause 3 league points to be lost by the offending team.
- 1.6 Robots must not move between being placed in the arena and the start of the round. Robots will be started by teams leaning into the arena to press the start button on their robot when instructed to do so.
- 1.7 Robots are free to enter any rival teams zone an at any time during the three minutes and are free to interact with **any tokens** within that zone as well as leave any token in a rival team's zone.
- 1.8 At the end of a round, each team's "Game Points" will be calculated. These are used to rank teams before competition league points are awarded. Game points will be awarded as follows:

Token	Controlled by Robot	In Zone
Ore	1	5
Gold	3	7
Fool's Gold	-1	-2

- 1.9 One additional game point will be awarded if the robot fully leaves its starting zone as defined in section 3B, at any point in the round.
- 1.10 Tokens will be counted as being in a zone if they are fully within one of the zones, as defined in section 3B.
- 1.11 Tokens can only score once and will score or deduct the greatest point total they are valid for.
- 1.12 Token scoring begins 10 seconds after the round ends. Should any further movement of the token occur after this point, the token is removed from the field and does not score.
- 1.13 A round lasts 180 seconds.
- 1.14 There will be a maximum of 4 robots in a round.
- 1.15 A round may be terminated prematurely if all teams participating in that round state to the judge that they are happy for the game to end.

1B CONTROLLING A TOKEN

1.16 Tokens fully or partially inside the perimeter of the robot are considered to be controlled by the robot. The perimeter of the robot is defined by a virtual "thread", wrapped around the furthest extremities of the robot. The images below are provided for clarification.

The virtual thread (marked by the thicker grey line) is wrapped around the furthest extremity of the robot and defines its perimeter. The token that is partially within the perimeter, as shown by the grey mesh underneath the virtual thread, is considered to be controlled by the robot, but the red token next to it is outside the perimeter of the robot and does not count.




Figure 2: The red cubes represent tokens that are not considered to be controlled by the wireframe robot, and the green cubes represent tokens that are being controlled by the wireframe robot. While not all the green cubes are touching the robot, since they are at least partially contained within the perimeter, they are considered to be controlled.




Figure 3: Tokens in and outside the virtual thread perimeter.

1.17 If a token is being controlled by more than one robot, the token is removed from the field and does not score.




Figure 4: Two wireframe robots with overlapping perimeters. When the perimeter of two robots overlaps, tokens that are within the perimeter of both cubes are considered to be controlled by both, and therefore are removed from the arena during scoring and score for neither team.

1C ROUNDS AND LEAGUE POINTS

- 1.18 At the end of a game, **League Points** will be awarded as follows:
- 1.19 The team with the most game points will be awarded 8 League Points towards the competition league. The team with the second most will be awarded 6 League Points. The team with the third most game points will be awarded 4 League Points, and the team with the fewest game points will be awarded 2 League Points
- 1.20 If teams are drawn on Game Points, they both receive the average League Points score of their two places.
 For instance, if two teams come joint first on Game Points, they are both awarded the average of 8 and 6
 League Points, so 7 League Points.
- 1.21 Teams whose robot was not entered into the round, or who were disqualified from the round, will be awarded no league points.
- 1.22 Once the league has been completed, a knockout competition will begin. The positions of the teams in the league will seed the positions of teams in the knockout rounds. Each round in the knockout competition involves up to 4 teams. The teams that come 1st and 2nd in each knockout round will continue to the next round of the knockout. In the event of a tie in a knockout round, the team that ranked highest in the league will go through. If there is a tie in the final, then a rematch will be played.

2. REGULATIONS

- 2.1 No remote control systems may be used during a round.
- 2.2 This is a non-contact sport, but accidental bumps and scrapes are inevitable.
- 2.3 Robots must not intentionally damage anything including tokens, the arena or other robots. At the discretion of the judge, teams who deliberately engage in collisions or take insufficient precautions against collisions may be disqualified from rounds until the issue is resolved
- 2.4 Robots may not deliberately leave any debris in the arena.
- 2.5 Hills Road RoboCon reserves the right to examine your robot software and hardware at any time.
- 2.6 Assistance from Hills Road RoboCon is provided without any guarantees.
- 2.7 All kit deployed by **Hills Road RoboCon** remains the property of **Hills Road RoboCon**. The kit must be returned to **Hills Road RoboCon**
- 2.8 The judges' decision is final.
- 2.9 Robots must pass an inspection by a **Hills Road RoboCon** Inspector before competing in a round. This inspector will check that the robot complies with the rules and regulations of this game. Robots that have not passed inspection will not be permitted to compete.
- 2.10 At the beginning of each round, robots must fit within a cube with 400mm internal sides. During the round, the robot may extend beyond this size up to a height, width, or length of 800mm.
- 2.11 The power switch must be easily accessible at all times including throughout the game. This is for everyone's safety, especially your robots.
- 2.12 You may use custom hardware to enhance your robot's electronics but all power must be derived from the power board supplied.
- 2.13 All custom electronics that require a connection to the battery must instead be connected to the power board. There are extra connectors on the power board for this purpose.
- 2.14 The Brainbox and battery must not be disassembled, altered or otherwise tampered with in any way. The power cable includes a 20A fuse. In no circumstances should this fuse fail, failure of this fuse indicates a dangerous fault in the Brain Box DO NOT REPLACE THE FUSE, RETURN THE UNIT IMMEDIATLY FOR REPAIR.
- 2.15 All wires connected to the robot's ground (OV line) must be black. Black wires must not be used for anything else. It is strongly recommended that all wiring is neat and easily removable, as this will reduce the time required to debug problems on robots (teams may be asked to tidy their wiring before a member of Hills Road RoboCon will approach any issues with their robot).
- 2.16 All electronics must be securely fixed to the robot and should also be easily removable.
- 2.17 It must not be possible to injure oneself on the robot. This will be tested using a Frankfurter sausage to simulate a finger. For example, high-speed rotating parts that could cause injury must be suitably shielded.

2. REGULATIONS (CONTINUED)

- 2.18 The lithium-ion polymer batteries provided in the kit must be shielded from mechanical and thermal harm. This includes mechanical protection from accidental impact with other robots. Teams found to be in violation of this rule will have their batteries confiscated until they have demonstrably rectified the identified issues.
- 2.19 If teams wish to use batteries, chargers or cables other than the ones provided, then they must seek approval from Hills Road RoboCon through robotics@hrsfc.ac.uk first. Additionally, if teams wish to add systems powered by separate batteries then they must seek approval through the same channel first. In general, teams are encouraged to power everything off the power board supplied with the kit. All electromechanical components must be powered through the motor rail provided by the power board.
- 2.20 Robots may not include additional radio transmitters or receivers to those contained within the Brainbox.
- 2.21 Attaching a Go-Pro or similar small video recorder to your robot to record the round is permitted, but it should be powered from its own internal batteries and may not be connected to any other electronics in the robot. It must fit within the overall dimensions contained in section 2.10.
- 2.22 Hills Road RoboCon must be able to access the USB port of the Brainbox.
- 2.23 Robots must obey the Three Laws of Robotics:
 - 1. A robot may not injure a human being or, through inaction, allow a human being to come to harm.
 - 2. A robot must obey orders given it by human beings except where such orders would conflict with the First Law.
 - 3. A robot must protect its own existence as long as such protection does not conflict with the First or Second Law.

3. SPECIFICATIONS

3A MARKERS

3.1 The arena, and tokens involved in the game are labelled with *libkoki* markers. Each marker pattern encodes a number. Each marker number is associated with a particular feature within the arena, and also has an associated size. The marker numbers and sizes are as follows:

Item	Marker Numbers	Marker Size (mm)
Arena Boundary	0 – 23	250
"Ore" Tokens	32 – 41	100
Team 0 "Gold" Tokens	42 – 44	100
Team 1 "Gold" Tokens	45 – 47	100
Team 2 "Gold" Tokens	48 – 50	100
Team 3 "Gold" Tokens	51 – 53	100

The markers can be printed on a black-and-white printer. Marker designs can be downloaded from the documentation section of the **Hills Road RoboCon** website.

All markers described in this document are oriented vertically such that the principal corner of the marker (which is indicated by a dark grey dot in the black marker border) is on the higher and left edge.




Figure 5: An example *libkoki* marker is given above; this one is *arena-0*.

3B ARENA

- 3.2 The arena floor, overall, is a $6m \times 6m$ square, as shown in Figure 7. The tolerance of these two dimensions is $\pm 0.25m$.
- 3.3 The floor of the arena is carpeted. A close pile industrial carpet will be used.
- 3.4 The arena will be surrounded by 0.5m walls. No competitors or members of the audience will be allowed beyond the walls onto the arena during a round.
- 3.5 The arena features four zones. These areas are delineated by different coloured carpet. These extend from the barrier walls and are 2m x 0.5m and are centred. The dimensions and numbering of these zones is shown in Figure 7.
- 3.6 Each wall of the arena features six 250mm libkoki markers. Figure 6 shows the positioning of these markers, whilst Figure 7 shows the numbering of these markers.



Figure 6: Six 250mm wide markers are spaced evenly along each 6m arena wall. The markers are placed 50mm above the floor.

3.7 The zones are numbered from 0, the yellow zone, and increase clockwise as shown in Figure 7.

3C TOKENS

- 3.8 Tokens are cubic corrugated cardboard boxes with side 110±10mm. Each team's kit contains four of these.
- 3.9 Each token is associated with its own libkoki marker number. Each token is labelled with six identical 100mm libkoki markers one on each face. Markers will be printed on high density paper adhered to the token
- 3.10 At the beginning of the round there will be a total of 21 cubes in the arena. 12 of these will be "Gold" cubes (3 "Gold" cubes per team) and 9 will be "Ore" cubes.




Figure 7: A bird's-eye view of the arena labelled with dimensions and wall marker numbers.

4. THE KIT

- 4.1 Each team will be provided with a kit, each of which is issued by **Hills Road RoboCon** and contains a manifest which lists the parts and part numbers issued to each team. Each team is responsible for ensuring that they return the items listed on their manifest.
- 4.2 Items to be returned:

Containers:

1 x 12L Really Useful Box

Electronics Kit:

- 1 Brainbox
- 1 Minibot
- 1 microservo 9g SG90
- 1 fuse in line with Brainbox

Start Switches:

- Red switch, black connector: ON/OFF (latching)
- Black switch, green connector: Start (momentary)

Batteries:

- 2 x 12 V LiPo Battery
- 1 x Turnigy E3 Compact 2S/3S Lipo Charger
- 1 x Charger Lead (U.S.)
- 1 x Lithium Polymer Charge Pack

Tablet Computer:

- · Windows operating system, paired with electronics for programming and WiFi download.
- 4.3 The kit should be returned, if possible, at the competition, but in no case longer than 14 days. If you wish to keep the kit beyond that, then this must be arranged with us, before the competition date, via an email to robotics@hrsfc.ac.uk. 2 flat cubes will also be provided that do not need to be returned.

5. AWARDS

5A MAIN COMPETITION AWARDS

Prizes will be awarded to the teams that are placed highest at the end of the competition. The teams in 1^{st} , 2^{nd} and 3^{rd} place will receive awards.

5B JUDGES' AWARD

The Judges' Award will be given to the team that displays the most extraordinary ingenuity in the design of their robot. This award is entirely at the discretion of the judges.

5C ROBOT AND TEAM IMAGE

The team that presents their robot and themselves in what is judged to be the most outstanding way will receive this award. Your online presence will also count towards this category.

6. CLARIFICATIONS

Requests for rule clarifications may be sent to robotics@hrsfc.ac.uk.

Requests received within one month of the competition are unlikely to be processed.

THANKS

Thanks goes the people bellow, without them we would not have been able to organise the Gold Rush competition.



"Robotics, cybernetics and artificial intelligence are some of the most rapidly changing fields of science and technology, with tremendous opportunities for future engineers. This generation of students are the ones who will write the next chapter in technology and this competition may be the starting point for their careers. Several Hills Road students who became interested in engineering and robotics through the Robotics group and entering competitions have gone on to degrees and careers in this exciting field" says David Massey, Leader of Hills Road Robotics.