STRATEGY PRE-READ | DECISION SESSION

Enterprise Power Generation

Version 0 strategy, operating model, and 90-day pilot for the August 20 working session

SESSION	PARTICIPANTS	GOVERNANCE
Thursday, August 20, 2026 9:00 a.m. to 1:00 p.m. | Carrollton	Marc Hall, sponsor Stephan Hardt, strategy lead	Amber ratifies, modifies, or stops the pilot at the September checkpoint

HOW TO USE THIS DOCUMENT

Read pages 3 and 8 before Thursday; everything else is evidence you can pull in the room

Contents

The evidence method used throughout

Every material statement carries one of four labels. If a claim cannot carry a label and cite a source or a named validation owner, it does not appear.

SOURCE FACT
Traceable to S01-S12 by page, sheet, or cell

INFERENCE
Reasoned from facts; falsifiable

RECOMMENDATION
A choice proposed for decision

OPEN QUESTION
Owner, due date, and default recorded

The source base

Twelve sources, S01 to S12: the working brief, direct strategy notes, the IPP midyear review, three generations of OEM summaries, a leadership email, the master account board, the Rev89C target matrix, the NRG teaser, transcript notes, and the contractor-landscape reference. Version-of-record rules resolve which figure wins when versions conflict (page 6).

What this pre-read is not. Not an approved mandate, not a market study, not a pipeline report. It is a decision pack: ten choices, each with a recommended default, built to be ratified or amended in four hours.

EXECUTIVE SUMMARY

The opportunity is real enough to organize and not yet proven enough to reorganize: launch a 90-day federated pilot

SITUATION Real momentum on several fronts at once: an IPP funnel narrowed from 500+ signals to 17 items labeled actionable, an OEM model holding 55 priorities and 31 Tier 1 candidates, a Time to Power customer proposition, and established Utility and Renewables businesses positioned as the foundation.

COMPLICATION Not yet one operating system. Foundation visibility is incomplete, nine governance items remain open, market and quote figures conflict across document versions, the strongest labor proof is an adjacent unverified case, and leadership has cautioned on channel conflict while route and credit rules stay undecided. No source establishes enterprise authority over accounts, pricing, capacity, channels, or revenue.

RESOLUTION Run PowerGen as a federated platform for a 90-day pilot, August 21 to November 18. Marc authorizes the interim launch Thursday; Amber ratifies, modifies, or stops it in September. PowerGen orchestrates; the businesses keep every commercial and P&L authority they hold today. Two validation priorities move now, one is conditional, everything else is mapped.

Governing thought: buy 90 days of evidence with a pilot that changes decision-making without changing ownership.

The numbers at a glance, with their labels attached

17 IPP items labeled actionable, from 500+ signals **(stage count, not pipeline)**	**31** Tier 1 OEM candidates in Rev89C; the summary says 30 **(open conflict)**	**~$1.8B** OEM directional market model **(unvalidated; frozen externally)**	**$9.7M** Reported quote activity **(pending line-level reconciliation)**
9 Governance decisions open on the account board (RID-01 to RID-09)	**0** Accounts evidenced beyond the Engaged stage anywhere in the source base	**1** Outcome proof point, adjacent and unverified (4,400 to ~880 labor hours)	**90** Days of pilot before the scale, continue, pivot, or stop decision

Source: S01 working brief; S03 pp.1-6; S04 p.1; S08 Governance Board; S09 Executive Targets; S10 p.11. All labels per the conflict ledger.

CURRENT STATE

Targeting is most developed exactly where the foundation is still unmapped

IPP conventional gas — DEVELOPED
500+ to 29 to 17 funnel; account rows exist; pursuit leadership and routes unresolved

OEM / modular platforms — DEVELOPED
55 priorities, 31 Tier 1 in Rev89C; all modeled candidates; quotes unreconciled

EPC / owner's engineer — PARTIAL
Account rows exist; no reconciled stage summary; treated as a cross-cutting route

Utility & Renewables — MISSING
Named the foundation; accounts, pipeline, and channel commitments not yet mapped

Prefab & assemblies — PARTIAL
Offer concepts and adjacent proof; no delivery model, warranty, or economics owner

Repower / brownfield — MISSING
Customer proposition exists; no sourced enterprise project list

Data Center / BTM — MISSING
Strategically referenced; no account, project, or overlap map

Nuclear / SMR — MISSING
Strategic lane only; qualification and capability needs unknown

Enterprise enablers — PARTIAL
Governance and trackers exist; no common stages, commitments, or single project ID

Insight. The retrieved evidence is deepest in IPP funnel construction and OEM targeting, and thinnest in the businesses the strategy calls its foundation. The August 21-28 baseline exercise exists to close exactly this inversion, and every downstream artifact consumes it.

What the map does not claim

Depth ratings are inferences from source coverage, not performance judgments about any team. No lane is characterized as failing or territorial; the gaps are structural: visibility, common stages, and one project identifier.

The Thursday consequence

Each business names one delegate who fills its lane by August 28, with an acceptance test per lane: owner, activity, source, route, proof, capability, and explicit gap. Unknown is a valid answer; blank is not.

Source: S01 pp.3, 6; S02 pp.1-2; S03 pp.1-8; S08 Governance Board; S09 Executive Targets; S10 pp.5-18; S12 pp.4-25.

EVIDENCE BASE

Two developed funnels prove targeting discipline, not pipeline: every count is a stage and no source shows a qualified opportunity

IPP conventional gas (S03)



Stages are distinct and stay separated; the account board flags relationship-versus-stage errors (S08).

OEM / modular (S04, S09)



All rows are modeled candidates, not incumbents, awards, or engaged accounts (S09 Method & Assumptions).

Methodology: the stage taxonomy every record must use

Today, no account in the source base is evidenced past this point

Rule 1. A candidate or a relationship is never counted as an opportunity. Relationship status and commercial stage are recorded separately, always.

Rule 2. Influence value and purchase value are linked by one project ID and never added together. Owner, OE, or OEM influence does not determine who buys the field cable.

Source: S03 pp.1, 3, 5-6; S04 p.1; S09 Executive Targets!A5:I5 and Method & Assumptions!B14:B15; S08 Critical Corrections.

EVIDENCE DISCIPLINE

The figures are material and unreconciled: they stay internal and labeled directional until Finance signs one auditable set

Figure	Conflicting versions in the sources	Treatment until reconciled
OEM market size	Superseded $12.575B gross estimate with overlap (S06) vs corrected ~$1.8B directional model (S04)	Use ~$1.8B only, labeled directional; never repeat $12.575B as current
Quote activity	More than $20M (S06) vs $9.7M pending reconciliation (S04)	TBD in any executive thesis until a quote-level export supports one number
Tier 1 count	30 (S04) vs 31 calculated in Rev89C (S09)	Say 31 only when citing Rev89C; otherwise approximately 30
Labor benchmark	4,400 to ~880 hours; adjacent case, not an NRG result (S10)	Internal only with verification qualifier until baseline, scope, and contribution validate
IPP planning figures	63 GW, $140-160B, ~$2B ambition, $248M buying wave (S03)	Reported planning assumptions with definitions attached; never comparable to OEM TAM

Guardrail issued August 21: executive and external use of all unreconciled figures is frozen; every internal use carries the word directional and its source. Exceptions are recorded with reason, approver, scope, and duration.

Methodology: the metric dictionary, due September 4

Define

One definition per metric: total project capex, electrical TAM, wire-and-cable TAM, OEM TAM, Southwire opportunity. Each with period, geography, inclusion and exclusion rules.

Reconcile

Quote ledger rebuilt from quote IDs: account, project, scope, route, date, stage, amount, duplicates, status. Sales Operations and account owners sign line by line.

Control

S08 is the controlled interim record. A signed evidence check precedes every leadership update; anything failing the check ships as TBD, not as a number.

Source: conflict ledger C01-C07; S03 p.2; S04 p.1; S06 pp.1-2; S10 p.11. Reconciliation workstream: Aug 24 to Sept 4, Finance/Strategy lead.

MARKET ARCHITECTURE

Five dimensions kept apart prevent double counting: every pursuit is classified on all five before it enters the pipeline

1	**Market arenas**	Conventional thermal	Renewables and storage	Nuclear		
2	**Asset lifecycle**	Greenfield	Expansion, repower, uprate	Brownfield sustainment, retrofit		
3	**Owner economics**	Regulated utility	IPP or merchant owner	Industrial or behind-the-meter		
4	**Commercial control points**	Owner / developer	Engineer / EPC	OEM / modular integrator	Contractor / prefab shop	Distributor / agent
5	**Delivery model**	Site-built	Factory-assembled / prefabricated	Packaged / modular		

Why it matters commercially. Ownership describes who pays, control points describe who decides, delivery describes how scope reaches the site. Collapsing them into one list is how a $12.575B estimate with "significant overlap" happens; the model exists so it cannot happen again.

Scope boundary carried into D-01. Generation projects and operating fleets across the three arenas, full lifecycle, all owner types, including interconnection tied to a generation asset. Unrelated T&D, non-generation data center scope, and general industrial work stay with their verticals.

Source: S01 (market architecture); S09 Method & Assumptions (control points); S12 pp.24-25 (decision rights). The framework is a recommendation for D-01.

WHERE TO PLAY

Veto-gated force-ranking on eight weighted criteria supports a narrow start: two priorities validate now, one is conditional, two map only



CRITERIA AND WEIGHTS Right to win 20% | Customer urgency 15% | Capability readiness 15% | Market attractiveness 10% | Specification influence 10% | Speed to proof 10% | Route simplicity 10% | Low incremental investment 10%

Methodology note. Scores 1 to 5 are initial recommendations. Unknown evidence cannot score above 3, and every criterion carries a veto condition: no priority moves beyond validation until its veto gates clear. This is what keeps a developed target model from being mistaken for a market position.

Source: 05_Thursday_Decision_Workshop, portfolio force-ranking. Feeds decisions D-01 and D-04.

PORTFOLIO STRUCTURE

EPC/OE is a route and prefab is an enabler: both serve the two validation priorities rather than competing with them

VALIDATE NOW	**New-build gas project capture** Owner/IPP access linked to EPC/OE specification and contractor/channel conversion	**OEM / modular platform embedding** Repeatable factory packages linked to field-order conversion
CONDITIONAL	**Repower / brownfield** Activates only with a named customer sponsor, project, route, and repeatable hypothesis	
FOUNDATION MAPPING	**Utility and Renewables** Capabilities, relationships, activity, proof, channels, and handoffs mapped by August 28	
EVIDENCE MAP ONLY	**Data Center / BTM** Ownership, overlap, and demand mapping; separate sponsor gate before activation	**Nuclear / SMR** Qualification path and entry gate; no commercial resources during the pilot

CROSS-CUTTING ROUTE EPC / owner's engineer specification influence runs through both validation priorities

ENABLING CAPABILITIES Application engineering, supply planning, prefab and kitting, manufacturing scale, field support, distribution

What stays out matters. Repower gets no dedicated pursuit resources until its gate opens; nuclear gets a watcher and an entry-gate note, nothing more. Spreading effort across all lanes now would leave the thirty-day plan without a spine.

Source: 04_Strategy_Thesis_v0 (portfolio sequence); S09 Method & Assumptions!B29 (dual-lane recommendation). Structure is the recommendation for D-01.

HOW SOUTHWIRE WINS

Seven mechanics in commercial order, each testable inside the pilot, none assuming EPC or installation responsibility

1 Qualify the actual project

Customer, stage, one-lines, vendor list, cable schedule, buying process, next decision. No forecast entry without them.

2 Enter before specifications are fixed

Owner, EPC/OE, and OEM access while constructions, standards, and interfaces are still open.

3 Lock the commercial boundary

Record factory-wired, owner-furnished, EPC-procured, contractor-installed, and distributor-served scope. The boundary decides offer, buyer, route, and revenue path.

4 Engineer compatibility

VFD/motor, hazardous-area, fire, shielding, fiber, bend radius, pulling, termination. Credibility comes from engineering, not access.

5 Standardize repeatability

Approved cable families, package BOMs, pre-cut labeled kits, schedules, and interface data that travel between projects.

6 Run two commercial lanes in parallel

OEM/package approval pulls factory specification; EPC, contractor, and channel engagement converts field demand. Linked, never double-counted.

7 Prove value with project evidence

Schedule, labor, supply, and risk outcomes from the actual project. Adjacent results are never generalized without verification.

The customer outcome

Faster time to power, lower execution and supply risk, better labor productivity, and reliable lifecycle performance, within clearly defined product and commercial responsibilities.

What would falsify the thesis. Owners not engaging pre-BOM kills mechanic 2; Operations unable to commit capacity visibility kills the supply-risk story; the labor case failing verification with no successor guts the productivity claim. Each has a named validation activity and date inside the 30-day plan.

Source: 04_Strategy_Thesis_v0 (how Southwire wins); S09 (boundaries, compatibility); S10 pp.5-8 (proposition); S12 p.24 (decision rights).

OPERATING MODEL

Three models tested against nine criteria: the federated platform is the only one worth a 90-day trial today

1. BU-led coordination

KEEP EXECUTION, NOT THE MODEL

Lowest disruption, but the enterprise outcome has no owner, visibility stays fragmented, and channel-conflict risk stays high under fragmented rules.

2. Federated platform

RECOMMENDED: 90-DAY PILOT

One market system while commercial and P&L authority stays put; one pursuit lead with distributed execution. Requires explicit authority, participation, and escalation, which the charter provides.

3. Standalone vertical

RECONSIDER ONLY WITH EVIDENCE

Maximum structural clarity eventually, at the cost of the highest disruption, resourcing, P&L conflict, and account-transfer risk. Insufficient evidence today.

The authority boundary the pilot runs on

POWERGEN RUNS	POWERGEN MAY NOT	BUSINESSES KEEP
Strategy development and portfolio recommendations	Reassign an account unilaterally	Product authority and technical obligations
Consolidated account and project view; stage taxonomy proposal	Quote or approve pricing outside existing authority	Pricing, quoting, and margin under current rules
Discovery standards and pursuit charters	Promise capacity, lead time, engineering, or delivery	Manufacturing, capacity, and fulfillment
Lighthouse-pursuit orchestration and escalation	Change a distributor, agent, or direct route	Channel and agent relationships
Leadership reporting and the executive narrative	Take P&L, warranty, or booked revenue; present influence as an award	Account execution, warranty, P&L, and all booked revenue

Escalation: unresolved conflicts go to Marc under a proposed 48-hour response target (D-07); Amber decides pilot continuation in September and at Day 90. Structure follows evidence, never the reverse.

Source: 03_Operating_Model_Options (comparative assessment, explicit authority boundary, decision rights). Effective only on Marc's approval of D-02 and D-03.

ROUTE TO MARKET

One project, two linked lanes: OEM approval pulls factory specification while EPC, contractor, and channel convert field demand

ONE PROJECT ID

FACTORY LANE
OEM / package approval

- OEM / skid builder engineering specifies and approves
- Package BOMs, kits, and interface data embedded
- OEM buys factory scope via existing permitted route

Product team approves commitments; package approval links to the project, never double-counted with field orders.

FIELD LANE
EPC / contractor / channel conversion

- EPC / OE specifies field scope
- EPC or contractor buys bulk cable
- Distribution serves cuts, kits, credit, staging, logistics
- Agents open access under existing agreements

Route confirmed by account owner, business, and channel before quoting; distribution used where it creates project value.

Guardrails, adopted as policy with D-06 and D-07

1. Direct is not the default; the actual buyer and existing commercial rules decide.

2. Route and revenue owner recorded per buying scope before any proposal.

3. Unknown factory/field boundary means discovery only; no forecasting.

4. Route conflicts resolved before proposal, under the proposed 48-hour sponsor target.

Why this framework exists. Marc's own direction paired the market-potential request with an explicit channel-conflict caution (S07). The dual-lane model is how owner influence, OEM approvals, and field conversion coexist without competing quotes or double counting.

Source: S09 Method & Assumptions!B29 (parallel lanes); S07 p.2 (channel caution); 03_Operating_Model_Options (route guardrails and decision table).

THURSDAY DECISIONS

Ten decisions with recommended defaults: the session ratifies or amends, and every item leaves the room owned and dated

ID	Decision	Recommended default	Owner
D-01	**Enterprise scope**	Two validation priorities; conditional repower; foundation mapping; two evidence-map lanes; EPC/OE a route, prefab an enabler	Marc; Amber ratifies
D-02	**Operating model**	Interim federated model; pilot Aug 21 to Nov 18; Amber ratifies, modifies, or stops in September	Marc; Amber
D-03	**PowerGen authority**	Strategy, prioritization, consolidated view, discovery standards, orchestration, reporting; Marc approves material changes	Marc
D-04	**Validation priorities**	New-build gas and OEM/modular now; repower only after its activation gate	Marc
D-05	**Pursuit leadership**	One orchestration owner, existing relationship lead, and product/scope owner per lighthouse pursuit	Marc and leaders
D-06	**Route principles**	Distinct routes per buying scope; OEM and field lanes in parallel; accounts stay with commercial owners	Marc; comm. owners
D-07	**Credit and overlap**	Route and revenue owner recorded before proposal; proposed 48-hour sponsor-response target	Marc; P&L leaders
D-08	**30-day resources**	Named delegate, minimum time, and output per function, per the resource table	Marc secures
D-09	**Source of truth**	S08 as controlled interim view; PowerGen proposes taxonomy; CRM owns fields; account owners maintain records	Marc; CRM owner
D-10	**September ask**	Amber ratifies, modifies, or stops model, scope, priorities, decision rights, resources, scorecard	Marc; Stephan preps

The four operating methodologies behind the register

EVIDENCE LEDGER

Fact, inference, recommendation, or open question; source or named owner on every claim; conflicts recorded, never silently resolved.

PURSUIT CHARTER

One page per pursuit: stage with dated evidence, leads, specifier, buyer, boundary, value basis, route and revenue owner per scope, next event. Required before any external proposal.

VETO-GATED SCORING

Weighted 1-5 scores; unknowns capped at 3; every criterion carries a veto condition that blocks advancement until cleared.

DECISION LOG

Every decision leaves Decided, Modified, Deferred, or Rejected with owner and date; read back aloud at 12:50, published same day.

Source: 05_Thursday_Decision_Workshop (decision register, workshop rules); 01_Evidence_and_Conflict_Ledger; 12_Launch_Kit (decision log instrument).

THE 90-DAY PILOT

A dated mobilization with acceptance tests: thirty days to a leadership-ready strategy, ninety days to a scale-or-stop decision



Day-90 decision criteria, pre-agreed now

SCALE
Two customers validate; one pursuit at a commercial gate; routes resolved without account damage; support sustained

CONTINUE
Need validated; progress limited by solvable issues; extend with corrective actions and a dated gate

PIVOT
Demand exists but plays, route, or decision rights do not convert; change them, do not scale

STOP
No credible validation or fit; return activity to the businesses, keep validated work

The critical path runs through August 28. Every downstream artifact consumes the signed baseline; slippage escalates to Marc that day, not later. External timing (NRG response, Southern Power availability) is treated as input when it arrives, and the September readout stands without it if needed.

Source: 06_Thirty_Day_Mobilization (mobilization plan, launch actions, Day-90 criteria). Dated phases originate in S01 pp.7-8.

MEASUREMENT AND THE ASK

Thirty-day targets measure evidence produced, not revenue promised; then authorize the pilot and let the evidence decide the structure

3-5 IPP lighthouse pursuits fully chartered	**3-5** OEM lighthouse accounts fully qualified	**100%** lighthouse projects with full influence and buying map	**9 of 9** governance RIDs decided or escalated with dates
100% numerical conflicts reconciled or explicitly marked unresolved	**≥3** external discovery conversations documented	**≥1** proof point approved for external use	**All** required functions with active named delegates

MARC, THURSDAY	AMBER, SEPTEMBER	FRIDAY MORNING, AUG 21
Authorize the interim federated launch and confirm what Stephan may decide alone. Approve the two priorities, the conditional gate, the route principles, and the 48-hour escalation target. Name one delegate per function and freeze unreconciled figures.	Ratify, modify, or stop the pilot model, scope, priorities, decision rights, resources, and scorecard, in writing. Confirm the enterprise scope boundary. Set the Day-90 review as the decision forum.	Decision log published; pilot charter and guardrail note issued. Baseline data request reaches every named delegate, due August 28. Lighthouse shortlisting begins toward the August 24 candidate list.

Structure is an outcome of evidence, not the starting assumption.

stephan.hardt@southwire.com | +1 470-439-8488

Cadence: weekly 30-minute workstream review; weekly 45-minute sponsor decision window; pursuit charter before every proposal; signed evidence check before every leadership update.