


Prepared wiring kits for switchgear production

Evaluate repeatable control wiring and internal cable assemblies against your equipment design and production process.



APPLICATIONS TO EVALUATE

1 Prepared and identified conductors

Cut to length, stripped and prepared for the illustrated terminals, with identification at both ends.

2 Kits organized by cubicle or assembly step

Grouped and packed so each kit matches a section or build step instead of bulk wire at the bench.

3 Defined inspection, testing, and traceability requirements

Inspection points, test methods and records agreed in advance and tied to each kit label.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Review one representative wiring schedule and select a pilot assembly. Compare preparation time, installation time, and rework with the current process.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Cable packages for generator electrical interfaces

Review where output leads, control wiring and external cable connections on a generator platform could be prepared before final assembly.



APPLICATIONS TO EVALUATE

- 1 Terminal-box output leads**
Leads cut, terminated and identified to the terminal arrangement, compared with current preparation at assembly.
- 2 Control and sensing wiring**
Engine, regulator and remote-control conductors grouped by platform option and routed to a defined harness drawing.
- 3 External cable interface**
A defined hand-off at the cable exit: what the package supplies, what the installer connects, and how each is identified.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Identify the engineering and sourcing owners for one generator platform and review its terminal-box and control-wiring requirements together.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Repeatable wiring packages for generator production

Evaluate whether power leads and control wiring for recurring builds could arrive prepared, identified and grouped for the assembly line.



APPLICATIONS TO EVALUATE

- | | | |
|---|---|---|
| <p>1 Power-lead kit</p> <p>Leads cut, terminated and labeled to the terminal-box layout of a recurring build, delivered as one set per unit.</p> | <p>2 Control-wire kit</p> <p>Conductors grouped by harness or assembly step, with identification at both ends and a packing list that matches the build sheet.</p> | <p>3 Build-specific identification</p> <p>Kit labels tied to the build record so material, revision and destination can be checked at the station.</p> |
|---|---|---|

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Review one recurring build and its wiring requirements. Compare current preparation, installation and rework steps with a proposed kit.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Prepared wiring for paralleling and control equipment

Evaluate repeatable control wiring in paralleling and control sections against your schedules, devices and production sequence.



APPLICATIONS TO EVALUATE

1 Schedule-driven conductors

Conductors cut, stripped, ferruled and marked from the wiring schedule, ready for termination at the panel.

2 Device and terminal-block landings

Preparation matched to the devices and terminal types used, following your termination practices.

3 Kits grouped by section

Kits packed per section or build step to fit the production sequence and limit sorting at the panel.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Evaluate one wiring schedule from a recent paralleling or control section and select a pilot assembly for comparison with the current process.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Interconnection packages for packaged electrical systems

Examine the wiring and interconnections that cross shipping splits and are completed after an electrical building is set.



APPLICATIONS TO EVALUATE

- 1 Factory-installed cable and tray**

Cables routed and terminated within each shipping section before shipment, per the building design and its interconnection list.
- 2 Interconnect cable package**

Split-crossing feeders and control cables prepared, identified and packed for the reconnection sequence.
- 3 Shipping-split field interface**

Tray splices, bonding jumpers and terminations defined so field work follows a known scope and a documented sequence.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Select one electrical package and walk through its interconnection list in an assembly review.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Evaluating repetitive wire preparation in production

Compare in-house cut, strip, ferrule and marking steps with conductors that arrive prepared for the terminals you use.



APPLICATIONS TO EVALUATE

1 Identification at both ends

Markers printed to the wire list so each conductor can be checked against the schedule at installation.

2 Prepared ends for terminal blocks

Strip lengths and ferrules selected for the terminal types used, subject to your termination standards.

3 Lengths set by duct routing

Lengths based on the routing through wire duct, keeping installation consistent from build to build.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Compare current preparation steps with a proposed kit for one compartment, using the same wiring schedule and terminal set.

Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Cable packages for custom power equipment

Identify cable and wiring work in custom lineups that repeats often enough to prepare before final assembly.



APPLICATIONS TO EVALUATE

1 Power-cable entry and landing

Incoming cables, lugs and identification planned to the lug pads, entry plates and bend space of each section.

2 Internal control wiring

Repeatable control circuits prepared as kits, even where the lineup itself is custom.

3 Grounding and bonding

Ground leads and bonding jumpers cut and terminated to the equipment layout, including door and backplate bonds.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Identify one generation-related manufacturing application where the wiring repeats and review it as a candidate package.

Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Defining interconnections for modular electrical skids

Clarify which connections are completed in the factory and which are made after the sections are placed onsite.



APPLICATIONS TO EVALUATE

- | | | |
|---|--|---|
| <p>1 Factory-installed connections</p> <p>Cables routed and terminated within each section and checked before shipment, per the agreed plan.</p> | <p>2 Shipping-split boundary</p> <p>Split-crossing cables prepared, identified and staged to match the reconnection sequence.</p> | <p>3 Site cable entry and grounding</p> <p>External feeders, cable transits and grounding pads defined as a clear site interface, with ownership agreed for each item.</p> |
|---|--|---|

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Review one skid interface and its installation sequence to identify which interconnections could be prepared in advance.

Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Defining scope at transfer-equipment interfaces

Clarify factory-supplied and installer-supplied connections at the normal-source, generator-source and load terminals. Open-transition switch shown; sources are not paralleled.



APPLICATIONS TO EVALUATE

1 Normal-source connection

Document lug, conductor and entry details so installer-supplied cable can be specified and prepared consistently.

2 Generator-source connection

Evaluate prepared generator feeders and a separately routed engine-start control cable as one defined package.

3 Load connection

Confirm which load and neutral terminations are factory-supplied and which are completed by the installer.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Establish factory-supplied versus installer-supplied scope for one transfer-switch configuration and identify where a cable package could help.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Generator docking and connection sets

Review portable lead sets and internal docking-station wiring as coordinated, identified connection packages.



APPLICATIONS TO EVALUATE

1 Portable lead sets

Single-conductor sets built to length, with connectors and matching identification at both ends, stored as complete sets.

2 Docking-station internal wiring

Prepared conductors between receptacles, bus and disconnect, matched to the enclosure layout and installed as a kit.

3 Generator and load-bank ports

Separate generator-input and load-bank ports, with the facility feed treated as a fixed interface.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Review one connection configuration, including ratings, connectors, lead lengths and storage, as a candidate package.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Wiring and routing within enclosures and electrical buildings

Evaluate how tray, cable entries and internal connections could be planned and supplied together for an enclosure or building.



APPLICATIONS TO EVALUATE

- | | | |
|--|---|---|
| <p>1 Tray routing and segregation</p> <p>Power and control cables run in separate tray or channel, with routes defined before assembly.</p> | <p>2 Cable entries and transits</p> <p>Entry plates and transits matched to the cable counts and sizes in the design, with spare capacity agreed up front.</p> | <p>3 Internal equipment connections</p> <p>Equipment drops prepared to length and identified to the connection list, so each landing can be checked against the drawing.</p> |
|--|---|---|

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Select one enclosure or building application and define assembly ownership for tray, entries and internal cabling.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Repeatable generator-testing connection sets

Review the lead sets used to connect generators to load banks for testing, including handling, storage and replacement.



APPLICATIONS TO EVALUATE

- 1 Generator-to-load-bank leads**

Portable sets with connectors, lengths and identification matched to the load bank connection panel and typical site layouts.
- 2 Configurable test load**

The load bank is a configurable test load, connected through a dedicated port, not to facility loads.
- 3 Lead-set storage and transport**

Coiled sets, labels and inspection records kept together for repeated deployments, with a defined point for retiring worn leads.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Review duty, ratings, connectors and replacement needs for one load-bank lead set.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Cable assemblies coordinated with acceptance testing

Align cable preparation, factory testing and field acceptance testing at a defined equipment connection.



APPLICATIONS TO EVALUATE

1 Factory-tested equipment

Transformer and switchgear terminations as delivered, with their factory test records and documented connection points.

2 Site-installed cable boundary

Cables and terminations installed onsite, prepared and identified for the defined connection points.

3 Field acceptance testing

Test methods, responsibilities and records agreed before installation rather than after, so results can be traced to each cable.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Define one application, the responsibilities at each boundary and the acceptance criteria for the cable connection.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Cable supply and assembly partnership

Compare how cable supply, preparation, identification, testing and packaging could be divided for a representative assembly.



APPLICATIONS TO EVALUATE

1 Cable and prepared end

Cable specification and preparation steps documented for one representative assembly, including strip lengths and tolerances.

2 Termination and identification

Lug selection, crimping tools and sleeve marking agreed per drawing and termination standard, with first-article review.

3 Inspection record and packaging

Inspection and test record, packaging and labeling defined for each shipment, and responsibility assigned for each step.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Compare specifications, capacity and responsibilities for one representative assembly.


Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]

Cable packages aligned with the build sequence

Explore a coordinated supply approach where cable, reels and kits are staged to match the equipment build or installation sequence.



APPLICATIONS TO EVALUATE

1 Equipment modules

Each module or shipping section tied to its own cable and kit list, drawn from the equipment and installation drawings.

2 Labeled reels and kits

Reels and kits identified to the program, section and installation step, so material can be checked on arrival.

3 Staged deliveries

Deliveries planned against the build or installation sequence rather than one bulk shipment.

Established: Southwire wire and cable manufacturing and supply.

For evaluation: the prepared kits, cable packages and assemblies shown are application concepts, not qualified Southwire products.

Illustrative model. Ratings, cable sizes, clearances and termination selections are subject to application engineering. No code compliance, engineering approval or certification is implied.

PROPOSED NEXT STEP

Identify one customer program where a coordinated supply approach could be evaluated.

Stephan Hardt

Director, Power Generation Solutions,
Southwire

[Phone] [Email]