

POWER GENERATION SOLUTIONS / STRATEGY UPDATE · SIX MONTHS IN

Accelerating Time to Power

A blank page became a plant. What we learned, what we built, and the decisions Southwire needs to turn a \$1.17 billion gas-cable window into growth.

STRATEGIC BROCHURE · 15 SPREADS · SEPTEMBER 2026

378 → 94 GW

Reported U.S. gas pipeline → modeled additions through 2036

\$1.17B

Core gas cable by purchase-order year, 2026–35

< 1%

Cable's share of plant cost. The spec is written three tiers up.

16 zones

Application zones and 75 equipment nodes in the plant model

4 asks

Definition, EPC onboarding, Houston, the strategic plan

01 / OBJECTIVE & AGENDA

One objective: align on the opportunity and the decisions.


Six sections in the order the leadership conversation runs: what we learned, what we built, what we are working on.
The asks come last, so nobody has to wait for them.

01 DEFINITION & LEARNINGS Where we started, what we learned and what is in scope.	02 THE PLANT IS THE MODEL Sixteen application zones, four cable families, two cable scopes.	WHAT WE LEARNED The plant is the model. IPPs pointed us to EPCs and OEMs. The drawing is the proof of six months.
03 OPPORTUNITY One gas-generation scenario with explicit assumptions, and the purchase-order-year view.	04 BUYERS & INFLUENCERS Who specifies, who buys each package, and where the money goes.	HOW BIG \$1.17B core cable, \$100-200M a year. Two bases, both provisional. The bridge between them is the Business Development ask.
05 GO-TO-MARKET & VALUE IOU, IPP / EPC, OEM and HV coverage with named leads; benefits by lane.	06 CURRENT STATE & DECISIONS Evidence to build on, next proof points and leadership commitments.	WHAT WE NEED Five segments, four asks. Definition buy-in, EPC onboarding, Houston, the strategic plan.

02 / WHERE WE STARTED

IPPs were the starting point. Owners pointed us to the EPCs.

The assignment was the independent-power-producer pipeline. The owners taught us two things: EPCs write the cable specification, and OEM packages are where that specification is still open in 2026.



The working definition, drawn: generation assets and the electrical balance of plant, up to the step-up transformer. Everything else on the site is auxiliary at some scale.

STARTING POINT

Evaluate the IPP gas-plant pipeline

Understand owner priorities, pain points and engagement strategy with Business Development. Test assumptions on HV underground opportunities.

WORK COMPLETED

A funnel, the relationships, the map

Built an internal funnel of 17 pursuits, pursued owner conversations and mapped EPC relationships, plant applications, stakeholders and buying preference.

WHAT CHANGED

The whole plant, near to long term

- 1. Owner discussions pointed to EPCs as the primary audience for influencing cable specifications and preference.
- 2. An OEM execution strategy expands reach across modular power, packagers and integrators.

IN SCOPE

Generation assets and electrical balance of plant

Including behind-the-meter generation. The rule follows the generation function, not the site.

NOT IN SCOPE

Utility T&D, data-center campuses, industrial manufacturing

Renewables and storage keep their own lanes. Nuclear is a later workstream.

COMMERCIAL HANDOFF

Up to the GSU

The purchased work package sets the switchyard, interconnect and shared-equipment handoff.

DECISION REQUIRED

03 / DEFINITION & SCOPE

Five verticals, one site, no tug of war.

What each vertical leads, the typical package it buys, and the boundary the room still has to confirm.

Power generation: any entity that generates or stores electricity and delivers it to grid operators or end consumers.

Conventional, renewable, nuclear and battery. Target audiences: generation asset owners and operators, design firms, EPCs, and generation equipment and component manufacturers. Initial focus: gas generation, engines, fuel cells and modular packages.

PROPOSED RULE Generation is generation Regardless of what it sits next to. A gas turbine or fuel cell behind a data-center meter is a PowerGen application.	OPEN BOUNDARY Storage The BESS boundary with the Renewables and Energy Storage team is still open. Standalone storage needs separate ownership.	SHARED PLATFORMS One OEM lead per account Application teams support. Proposal on the table, not agreed: ask the room, don't announce it.
---	---	--


	POWERGEN	DATA CENTER	UTILITY T&D	INDUSTRIAL	OEM / INTEGRATOR
Working scope	Generation assets and supporting plant systems	Campus distribution and consuming infrastructure	Network transmission, distribution and grid assets	Process loads and facility infrastructure	Equipment / package buying role
Typical package	Turbine / genset, controls, generation switchgear	Campus MV, UPS, PDU, busway and cooling	Grid substation, transmission and distribution	Motors, drives, process controls and MRO	Switchgear, e-house or packaged power
Proposed lead	PowerGen for the generation application	Data Center for facility scope	Utility team for network scope	Industrial team for process scope	One OEM lead; application teams support
Confirm boundary	GSU, interconnect and shared BOP	Shared campus interface	Asset ownership, contract and POI	CHP and captive generation island	Cross-vertical platforms and bundled RFQs

The bottom row is the open decision. This table already landed with Donna and Marc; the ask is what is missing, not a rebuild.

04 / THE PLANT IS THE MODEL

One plant. Sixteen zones. Every one a place cable gets bought.

Built in-house from our own drawings: sixteen application zones and seventy-five equipment nodes. Copper pins mark the zones the strategy turns on.




- 01 Switchyard / GSU / grid tie
- 02 Battery energy storage
- 03 Reel staging / prefab
- 04 Admin / control room
- 05 E-house
- 06 HRSG trains & stacks
- 07 Turbine hall
- 08 GT air inlets
- 09 MCC / VFD / UPS
- 10 Modular power yard
- 11 Air-cooled condenser
- 12 Chillers / cooling towers
- 13 Water / wastewater
- 14 Carbon capture
- 15 Gas metering
- 16 Shared cable corridor

PLANT Understand the systems. **EQUIPMENT** Locate the interfaces. **CABLE** Discuss the scope. **DELIVERY** Connect it to execution.

05 / WHERE CABLE LIVES

Four families run the whole site. Two scopes buy them.

Cable is in every zone, under one percent of plant cost, at the end of every contract branch. That is why the play is the specification and the package, not the reel.



MV power
Plant feeders and auxiliary systems


LV power
Tray cable, motors, panels and equipment

Control & instrumentation
Signals, monitoring and protection

Grounding
Bonding and the ground grid

Inside the package, between the packages

The OEM may supply wiring inside a package up to terminal boxes or local panels. The EPC or an assigned installer supplies the interconnects between packages. The exact terminal point follows the contract and the scope split: two cable scopes, two buyers, two specifications.



Typical route. OEMs may also buy through distribution; confirm each package.

Reach the specification before it is written. **Engineering tier or package first; the PO follows.**

Presentation routes, not a circuit schedule or a verified takeoff. Colors do not establish voltage classification.

06 / OPPORTUNITY

Sizing the wire and cable window in U.S. gas generation.

Start from the reported pipeline and be conservative about what gets built. Then value the same plants two ways.
Conservative planning scenario, every assumption on the page.




CAPACITY 93.7 GW Realized additions 2026–2036 from the 378 GW reported pipeline. The arithmetic is on the page; nobody has to trust a black box. KNOWN Completion rates are illustrative.	WHOLE-PLANT INVESTMENT ~\$180B Generation equipment, auxiliaries, electrical systems and construction, constant 2026 dollars. WORKING ASSUMPTION 65% CCGT at \$2,150/kW, 25% peakers at \$1,300/kW, 10% engines at \$2,000/kW.	PLANT-WIDE CABLE \$750M–1B Cable materials over the period across all suppliers. Southwire's achievable share needs a separate addressability and market-share calculation. WORKING ASSUMPTION \$8/kW cable allowance.
---	--	--

07 / BY PURCHASE-ORDER YEAR


\$1.17B of core gas cable over ten years, peaking 2028–29.

Project by project, by the year the cable purchase order is cut. Project likelihood and supply caps are already in the model; OEM internal wiring and HV underground are outside it.

Named projects · \$673M Future-project allowance · \$501M Total \$1.17B · 10% CAGR · \$100–200M a year




By buyer segment, weighted \$M



Copper = weighted. Dark = gross. Model probability: IOU 81.5% · IPP 44.2% · Co-op 85.7% · BTM 16.8%. IOU carries the highest probability, IPP the largest gross, behind-the-meter the biggest discount.

By technology and where it concentrates



OEM association, weighted: GE Vernova \$173M · Mitsubishi Power \$109M · Siemens Energy \$55M. Constructors: Kiewit / TIC \$36M · Zachry / Quanta \$15M · Gemma \$15M.

TWO MODELS, TWO BASES: NEVER ADD THEM


Main-deck scenario: 93.7 GW × \$8/kW ≈ \$750M (2026–36). Project model: 85.35 GW named + 64.5 GW allowance at technology rates ≈ \$1.17B (2026–35). The bridge is not validated; that is the Business Development ask.

08 / BUYERS & INFLUENCERS

Whoever writes the spec is not whoever cuts the PO.

Owners set requirements. EPC and OEM packages determine the buying path. The distributor holds the purchase order. PowerGen works upstream of the PO; the field closes.

WHO CONTROLS THE SPEND



IOU / IPP GENERATION		EPC		OEM / MODULAR	
INFLUENCERS	Utility standards group, owner's engineer, EPC engineering	INFLUENCERS	Procurement teams (AVL), EPC electrical lead	INFLUENCERS	Package engineering and operations
PO SOURCE	Utility, EPC or distributor	PO SOURCE	EPC or distributor	PO SOURCE	OEM, integrator or distributor
ENTRY POINT	Generation plan and qualified package	ENTRY POINT	EPC specification and cable schedule	ENTRY POINT	Repeat design and forecast

"IPPs don't buy cable" is how the structure works, not a sales result. IPPs push spec and execution to the EPC by design; contractors won't warranty owner-furnished cable.

09 / WHERE THE MONEY GOES

Under 1% of plant cost, at the end of every branch.

Its spec is written three tiers up. Every box is a contract or a purchase order. Shares are working assumptions for a one-gigawatt combined-cycle plant at about \$2.4B. The owner lets the contracts.



SMALL IN DOLLARS, LARGE IN LEVERAGE.

Reach the engineering tier or the package and the PO follows.

Five lanes, a name on each door.

How big and when, the path in, who leads, what is happening today, and ready for 2027.

	IOU / UTILITY GEN. \$250M + \$61M co-op / public · core orders 2026–35 (28.9 + 7.8 GW) · 65% building or approved	IPP / DEVELOPER \$220M core orders 2026–35 (26.8 GW) · 17 projects, ~24 GW in our funnel · procurement now through 2027	OEM / EP&ES \$100M ~\$10M quoted in July across four accounts · ~25% of the market via OEM / integrator · spec still open in 2026	HV SERVICES Site by site HV underground only where a site is ducted · up to \$398M over ten years if every site were, which it is not	OTHER Route on contact Specialty, datacom, HVAC, other verticals · data-center BTM generation (\$149M named) is the boundary case
PATH TO MARKET	Utility team and agents, with the EPC or OEM that buys the package	Through the EPC. IPPs do not buy cable; they are the second conversation	Jeff’s team vets direct first, then Bob’s distribution; Cordie’s EP&ES team on the visits	Project package with Denise’s specialist team	Existing vertical or product owner; no orphan scope
WHO LEADS	John + a named generation lead	Stephan + Patrick	Stephan	Denise + Barrett	Application owner
TODAY	Ask John’s team for the funnel and agent support; agent incentive. NextEra’s \$13B gas plan needs a named owner. DECISION REQUIRED	NRG leave-behind in motion; CPV through Gemma / CIE; Southern Power came to us; Texas, Ohio, Indiana first	Enchanted Rock visited; VoltaGrid, Powell and NRG for Houston, week of Sept 21; ten account plans by Oct 2	Pull-through via utility contacts; define the scope with Denise. Denise’s team to flag the actual sites TO VERIFY	Route on contact; record the handoff
READY FOR 2027	Agents feeding the EPC pipeline; credit rule in place	Package map with EPCs; tier-2 IPPs via contractors	Repeat packages with standard specs; qualified assemblies	Scope and service attachment defined	Handoffs recorded in Salesforce

Where the build concentrates: Texas is IPP and behind-the-meter; Louisiana, the Carolinas, Indiana and Georgia are IOU; Pennsylvania and Ohio are IPP. Texas, Ohio and Indiana come first; no coverage is spent on California or New York.

The value proposition is the moat, not what sits inside it.

Candidates by lane, each with the product underneath and the evidence we have or still need. Presented for the room's view, not a sign-off.


OEM / EP&ES	EPC	IOU / UTILITY GEN.	IPP / OWNER
■ Repeatable designs, fewer assembly hours. Standard specifications and qualified assemblies shipped as a finished EP&ES solution. ■ Products ahead of the trend. A 2.4 kV rating on standard cable ahead of 800 VDC, so customers do not jump to 5 kV. ■ A direct path when it qualifies. Jeff's team vets direct; distribution otherwise. EVIDENCE \$9.7M quoted in July; Enchanted Rock \$2.3M at ~40% quoted margin, order status to confirm.	■ Less field work. Factory-built, tested cable spine and terminations instead of site labor. ■ Material readiness. Standard put-ups, kitting, labeling and staged deliveries, run with distribution (CIE), not around it. ■ Engineering before the spec. The plant model and the one-line read: we reach the specification before it is written. EVIDENCE CIE, Sept 2: fit, put-ups, visibility and delivery are what they get paid for; \$24-28M directional across four Gemma opportunities. Fuel-cell spine ~80% less field labor, to confirm.	■ Predictable electrical delivery. Early planning and engineering support around the outage and energization dates. ■ The product the spec asks for. Thermoset CPE medium-voltage cable where the utility specifies it; HV underground and grounding where the project calls for it. EVIDENCE TBD. Say it plainly; thermoset CPE is the lesson.	■ Lower exposure at the electrical milestones. Owner requirements aligned with the EPC and OEM packages before procurement locks. ■ A leave-behind their engineers use. The plant model as the door-opener; the spine as the primary opportunity. EVIDENCE NRG leave-behind forwarded to their generation team; Southern Power came to us.
 Reduced installation time Custom prefab and standardized designs across projects.	 Material readiness Reel IDs, kits and sequenced delivery.	 Supply certainty Forecasts tied to a confirmed supply plan.	 Execution speed Earlier decisions and repeat designs.

Measure hours, shortages, on-time delivery and electrical milestone dates. That is the answer to "prove it".

12 / LIFE-CYCLE FRICTION

Where cable causes friction, and what already takes it out.

Problem shares from Southwire's own publications. Most of the fixes already exist, built for data centers, utilities and contractors. What is missing is pointing them at gas plants before the spec is frozen.



THE ASK IS NOT NEW PRODUCTS. IT IS AIMING EXISTING SERVICES AT A NEW CUSTOMER, EARLIER.

SPECIFY · EXISTS CableTechSupport, engineering letters, pre-planning calls. Proposed: the One-Line Read, reserved MV and HV production slots.	PROCURE · INSTALL · EXISTS SPEED Services, SIMpull and MAXIS, Contractor Solutions Professionals, kitting and labeling. Proposed: the factory-built spine, 4,400 to ~880 field hours.	COMMISSION · OPERATE · EXISTS Pre-energization guidance, nitrogen purge (\$185K saved on one job), rejuvenation, resiliency assessments. Proposed: tray and duct room for a future carbon-capture island.
---	---	--

Houston is the first test: the problem, its current cost, repeatability, willingness to pay. **Figures current before customer use.**



13 / CURRENT STATE & DECISIONS


We have evidence to build on. Each line carries its caveat.

A funnel, not orders. Quotes, not closed business. A learning tool, not engineering. Said plainly, so the room reads the numbers the way they were built. Then four asks.

17 validated IPP pursuits ~24 GW; more than \$200M of project-life cable potential, from 500+ signals. Historical funnel, not orders.	\$9.7M quoted to OEMs Four accounts in July; about 300 names mapped and 50-100 prioritized. Quotes, not closed business.
16 application zones The plant model connects equipment, cables, buying roles and delivery. A learning and sales-enablement tool.	Working scope Generation and supporting plant systems, including behind-the-meter assets. Shared handoffs remain for agreement.
Reporting established Salesforce structure and SAP / CPQ indicator 34 are in place. Flagged bookings (~\$11M) require reconciliation.	Field learning underway CIE and Enchanted Rock engagement; Houston visits the week of Sept 21. Turn discussions into qualified packages.

So we leave with the definition agreed, the sizing reviewed, Houston on the 21st, and the plan back on a date.

01	VALIDATE Buy-in on the PowerGen definition. Business Development to stress-test the market sizing and bridge the two models. POWERGEN + BD + FINANCE · DECISION REQUIRED
02	ONBOARD THE EPC HIRE Sales and vertical leaders open the EPC doors. Patrick Richey starts Sept 14. SALES AND VERTICAL LEADERS
03	KEY END-USER VISITS, HOUSTON VoltaGrid, Powell and NRG the week of Sept 21 with the EP&ES team. Identify the EP&ES plays; ten account plans by Oct 2. STEPHAN / CORKY
04	POWERGEN STRATEGIC PLAN Bring back the plan with the lanes, the leads and the validated sizing. MARC + STEPHAN



Faster time to power. Lower execution risk. Engineered for long-term reliability.

POWER GENERATION SOLUTIONS
powergen@southwire.com

STEPHAN HARDT
stephan.hardt@southwire.com

SOURCE
Sept 14, 2026 strategy update · internal planning figures