



NICA · FOR ELECTRICAL CONTRACTORS


POWER GENERATION SOLUTIONS

**CABLE, KITS AND ASSEMBLIES FOR THE CREWS THAT
BUILD AND CONNECT GENERATION**


One cable scope from the switchyard to the control panel: medium-voltage feeders, tray and control cable, grounding, and prepared kits that arrive ready to land.

ACCELERATING TIME TO POWER™

Stephan Hardt · Director, Power Generation Solutions
stephan.hardt@southwire.com · powergen@southwire.com



16 ZONES. 75 EQUIPMENT NODES. ONE CONNECTED CABLE SCOPE.



- 01

Switchyard, GSU & grid tie
- 02

BESS yard
- 03

Reel staging & prefab
- 04

Admin & control room
- 05

E-house
- 06

HRSg trains & stacks
- 07

Turbine hall
- 08

GT air inlets
- 09

MCC, VFD & UPS room
- 10

Modular power yard
- 11

Air-cooled condenser
- 12

Chillers & cooling towers
- 13

Water treatment
- 14

Carbon capture (CCS)
- 15

Gas metering
- 16

Cable corridor & MV

Every zone above is wired. The contractor's share of that scope runs from the switchyard to the last terminal block: feeders, tray cable, control and instrumentation, grounding, and the prepared kits and assemblies that shorten the work inside each enclosure.

PLANT · EQUIPMENT · CABLE · DELIVERY

WHY NOW

378 GW

US gas power in development, mid-2026

52 GW

under construction, the largest gas build in the world

Up to 7 yrs


quoted lead time for some large gas turbines

< 1%

of plant capex is wire and cable, on the critical path to first power

Sources: Grid Strategies 2025; Global Energy Monitor, Aug 2026; S&P Global Commodity Insights, May 2025; Southwire planning assumption for cable share. Early-stage proposals will not all be built.

EVERY MEGAWATT TRAVELS THROUGH A CABLE



ILLUSTRATIVE 1+1 COMBINED CYCLE BLOCK · CABLE DIAMETERS EXAGGERATED

WHAT THE SITE ASKS OF THE CABLE

COMBINED CYCLE PLANTS		MODULAR GAS POWER	
HEAT	Routes beside turbines, HRSGs and steam lines	COMPACT SKIDS	Flexible cable with tight bend radii
DAILY CYCLING	Frequent starts stress terminations and joints	VIBRATION	Fine stranding and secure glands for engines
FIRE AND SMOKE	Flame-retardant, low-smoke cable in halls and control rooms	HARSH SITES	Oil, fuel, sunlight and wide temperature ranges
ELECTRICAL NOISE	Drives and switchgear next to DCS and protection	SPEED TO POWER	Pre-terminated, tested harnesses cut site hours

WHY IT MATTERS ON SITE

One supplier across voltage classes means one spec review, one reel plan and one point of contact when the schedule moves. Cable inside packaged equipment is bought months before the field-cable RFQ, so the earlier the conversation, the more of the work can arrive prepared.

CABLE IN DETAIL



HV single-core XLPE. Triple-extruded insulation, copper wire screen, water-blocking under a PE jacket.

MV three-core for large auxiliary motors.

Circuit integrity for fire and shutdown circuits.

ONE SUPPLIER. EVERY CIRCUIT.

HV 69-345 KV

XLPE from step-up transformer to switchyard

AEIC CS9 · ICEA S-108-720

MV 5-35 KV

Feeders to pumps, fans, compressors and GT start-up

UL 1072 · ICEA S-93-639

LV POWER & VFD

MCC feeders, VFD motor leads, lighting

UL 1277 TC-ER · UL 44 XHHW-2

C&I; CONTROL

Shielded pairs, triads and thermocouple extension

UL 2250 ITC · UL 13 PLTC

FR FIRE-RATED

2-hour circuit integrity for fire pumps, alarms, ESD

UL 2196 · IEC 60331

FO FIBRE

Relay links, plant network and OPGW

ICEA S-87-640 · IEEE 1138

MX MODULAR

Flexible, oil-resistant cable and harnesses for skids

Class K stranding · UL 1277

GR GROUNDING

Bare copper grid and equipment bonding

IEEE 80 · IEEE 665

BUILT TO NORTH AMERICAN SPECS

Cable family	North American standards	International
HV 69-345 kV	AEIC CS9 · ICEA S-108-720	IEC 60840 · IEC 62067
MV 5-35 kV	UL 1072 · ICEA S-93-639	IEC 60502-2
LV power & VFD	UL 1277 TC-ER · UL 44 XHHW-2	IEC 60502-1
Control & instrumentation	UL 2250 ITC · UL 13 PLTC	EN 50288-7
Fire-rated	UL 2196 circuit integrity	IEC 60331
Flame propagation	IEEE 1202 · UL 1685	IEC 60332-3
Fibre & OPGW	ICEA S-87-640 · IEEE 1138	ITU-T G.652.D
Grounding	IEEE 80 · IEEE 665	IEC 61936-1

CONFIRM LISTINGS PER PRODUCT DATASHEET

FROM REEL TO TERMINATION

BUILT FOR THE WAY CONTRACTORS BUILD



REEL STAGING AND PREFAB AREA · RENDERED ILLUSTRATION

Cable inside packaged equipment is bought months before the EPC issues its field-cable RFQ. The earlier the conversation with the package builder and the contractor, the more of the work can arrive prepared.

- 01

SPEC SUPPORT
Cable sizing, derating and spec reviews with the engineer of record before the cable schedule is frozen
- 02

CUT-TO-LENGTH
Reel lengths planned against the cable schedule, so pulls start without re-cutting
- 03

HARNESS KITS
Pre-terminated, labelled kits for skids, panels and enclosures
- 04

STOCKING PROGRAM
Core control and power constructions held locally through the channel
- 05

PROJECT LOGISTICS
Reel tracking and deliveries sequenced to the installation plan
- 06

FIELD SUPPORT
Pulling calculations, termination guidance and commissioning tests

POWER THAT SHIPS IN A CONTAINER

PRE-TERMINATED
Cut, terminated, tested and labelled in the factory

FLEXIBLE
Fine stranding and tight bend radii for dense skids

VIBRATION-PROOF
Built for engines and aeroderivative packages

SITE-RATED
Oil-, fuel- and sunlight-resistant jackets

DESIGN

CUT & TERMINATE

TEST & LABEL

INSTALL ON SITE

SOUTHWIRE POWER GENERATION SOLUTIONS · NICA
© 2026 Southwire Company, LLC. All rights reserved. Illustrations are conceptual and not engineering data.


04

SOUTHWIRE POWER GENERATION SOLUTIONS · NICA
© 2026 Southwire Company, LLC. All rights reserved. Illustrations are conceptual and not engineering data.

05

WHERE PREPARED CABLE FITS THE JOB

Six places on a generation project where cable, kits or assemblies can arrive prepared instead of being cut and dressed on site. Each is an application to evaluate against your drawings, not a catalog item.



SWITCHGEAR & CONTROL PANELS


- 1 Control conductors cut, stripped, ferruled and marked from the wiring schedule, identified at both ends.
- 2 Kits packed by cubicle or build step, so the bench holds what that section needs and nothing else.
- 3 Inspection points and test records agreed up front and tied to each kit label.

FIRST STEP
Bring one representative wiring schedule and pick a pilot section.

GENERATOR PACKAGES

- 1 Output leads cut, terminated and identified to the terminal-box arrangement.
- 2 Engine, regulator and remote-control wiring grouped by option and routed to a defined harness drawing.
- 3 A defined hand-off at the cable exit: what ships with the set, what the installer connects.


FIRST STEP
Review the terminal-box and control-wiring scope of one generator platform.



E-HOUSES & MODULAR SKIDS

- 1 Cables routed and terminated within each shipping section before it leaves the factory.
- 2 Split-crossing feeders and control cables prepared, identified and staged for the reconnection sequence.
- 3 External feeders, cable transits and grounding pads defined as a clear site interface.

FIRST STEP
Walk one skid's interconnection list and installation sequence.



TRANSFER & DISTRIBUTION EQUIPMENT


- 1 Normal-source, generator-source and load terminations documented so installer-supplied cable can be prepared consistently.
- 2 Generator feeders and a separately routed engine-start cable evaluated as one package.
- 3 Factory-supplied versus installer-supplied scope confirmed before the cable is cut.

FIRST STEP
Define the scope split for one transfer-switch configuration.

TEMPORARY POWER & TESTING

- 1 Portable single-conductor sets built to length, with connectors and matching identification at both ends.
- 2 Separate generator-input and load-bank ports; the load bank stays a configurable test load.
- 3 Coiled sets, labels and inspection records kept together for repeated deployments.

FIRST STEP
Review duty, connectors and lead lengths for one test setup.



STAGED SUPPLY & ASSEMBLY

- 1 Each module or section tied to its own cable and kit list from the drawings.
- 2 Reels and kits identified to the program, section and installation step.
- 3 Deliveries planned against the build sequence rather than one bulk shipment.

FIRST STEP
Pick one program and define who prepares, who delivers and who installs.

Blue conductors, amber highlights and the kits shown are presentation devices, not conductor identification or qualified products. Ratings, sizes, clearances and terminations remain subject to application engineering.



Southwire®

POWER GENERATION SOLUTIONS

***FASTER TIME TO POWER. LOWER EXECUTION RISK.
ENGINEERED FOR LONG-TERM RELIABILITY.***

— WE DELIVER POWER RESPONSIBLY —

powergen@southwire.com

VALUE PROPOSITION

ACCELERATING TIME TO POWER

LESS INSTALLATION TIME

Prefab and standard designs across projects

MATERIAL READINESS

Reel IDs, kits and sequenced delivery

SUPPLY CERTAINTY

Forecasts tied to a confirmed supply plan

EXECUTION SPEED

Earlier decisions and repeat designs

AT THE SHOW, OR AFTER

Bring one drawing: a wiring schedule, a cable schedule or a skid interconnection list. We will walk it together, mark what could arrive prepared, and agree a first pilot with named owners on both sides.

Stephan Hardt

Director, Power Generation
Solutions
Southwire Company, LLC

stephan.hardt@southwire.com
powergen@southwire.com

QR CODE
placeholder
(approved URL)

WE DELIVER POWER RESPONSIBLY

© 2026 Southwire Company, LLC. All rights reserved. Illustrations are conceptual and not engineering data. Confirm listings per product datasheet. Applications shown are concepts for evaluation, not qualified products.