EXECUTIVE SECURITY ASSESSMENT REPORT

Cryptographically Sealed Assessment & Forensic Evidence

Assessment

Report classification	Stored assessment data
Assessment ID	a6febfa9-c26b-4c4c-a78f-b973bf987904
Project	my web
Target	https://shardulchaulagain.com/
Objective	Comprehensive security assessment and active vulnerability analysis of https://shardulchaulagain.com/.
Status	completed
Generated at	2026-10-17T20:17:59.885074+00:00
Created / started / finished	2026-10-17T20:10:42.429409+00:00 / 2026-10-17T20:10:42.450792+00:00 / 2026-10-17T20:16:08.516126+00:00
Profile	comprehensive
Scope version	1
Assessment error	Unavailable

Summary

Verified vulnerabilities	No confirmed vulnerabilities are recorded. Review coverage and limitations.
Configuration and hardening records	1
Unverified or demoted vulnerability records	1
Total finding records	2
Observation records	31
Priorities	Prioritize verified vulnerabilities and review configuration in the target's context. Retest unverified records before treating them as confirmed vulnerabilities.

Authorized scope

Approved scope snapshot	hosts / 1: shardulchaulagain.com allowed_origins / 1: https://shardulchaulagain.com allowed_paths / 1: / excluded_paths: None recorded allowed_cidrs: None recorded categories / 1: http_headers categories / 2: tls categories / 3: dns authenticated: False credential_refs: [REDACTED] request_rate: 5.0 max_concurrency: 1 starts_at: 2026-10-17T19:10:42.422677Z expires_at: 2026-10-18T16:10:42.422677Z intrusive: False approval_required: True emergency_stop_conditions / 1: operator_cancel emergency_stop_conditions / 2: scope_expired emergency_stop_conditions / 3: policy_violation authorized_by: b5de4cca-078f-4178-95e5-6a890c957d89 verification_status: operator_authorized verification_method: explicit_operator_authorization approved_at: 1792267842.422677 target_url: https://shardulchaulagain.com/ scan_config / mode: adaptive scan_config / rate: 5.0 scan_config / depth: 2 scan_config / crawler_max_pages: 30 scan_config / severities: medium,high,critical scan_config / tags: Unavailable scan_config / tools: None recorded
Verification	operator_authorized
Approved at	1792267842.422677
Authorized by	b5de4cca-078f-4178-95e5-6a890c957d89
Included target	id: bf010bf6-791e-4403-8508-cda1e764e1fd project_id: 44dd6fb2-de50-46df-b162-a9421106fba4 url: https://shardulchaulagain.com/ scope / hosts / 1: shardulchaulagain.com scope / allowed_origins / 1: https://shardulchaulagain.com scope / allowed_paths / 1: / scope / excluded_paths: None recorded scope / allowed_cidrs: None recorded scope / categories / 1: http_headers scope / categories / 2: tls scope / categories / 3: dns scope / authenticated: False scope / credential_refs: [REDACTED] scope / request_rate: 5.0 scope / max_concurrency: 1 scope / starts_at: 2026-10-17T19:10:42.422677Z scope / expires_at: 2026-10-18T16:10:42.422677Z scope / intrusive: False scope / approval_required: True scope / emergency_stop_conditions / 1: operator_cancel

	scope / emergency_stop_conditions / 2: scope_expired scope / emergency_stop_conditions / 3: policy_violation scope_version: 1 verification_status: operator_authorized authorized_by: b5de4cca-078f-4178-95e5-6a890c957d89 approved_at: 2026-10-17T20:10:42.422677+00:00 created_at: 2026-10-14T18:04:19.827904+00:00
Exclusions	Value: None recorded

Methodology and coverage

Approach	Unified multi-stage assessment pipeline: passive TLS inspection, DNS intelligence, multi-port TCP service discovery, HTTP header and cookie posture analysis, web crawling, and active vulnerability verification.
Authenticated coverage	Unauthenticated target requests only; authenticated target testing is unavailable.
Checks completed, skipped or failed	1 / category: tls_inspection 1 / status: completed 1 / detail: TLS handshake verified (TLSv1.3, cipher: TLS_AES_256_GCM_SHA384). 2 / category: recon_inventory 2 / status: completed 2 / detail: Passive asset discovery registered 2 target asset(s). 3 / category: dns_intelligence 3 / status: completed 3 / detail: DNS & Defensive SET resolved 2 IPv4 (104.21.13.218, 172.67.133.72), CDN: Cloudflare CDN Edge; Email Spoofing Defense: Vulnerable (Missing/Permissive DMARC). 4 / category: subdomain_discovery 4 / status: completed 4 / detail: Perimeter discovery identified 1 live subdomain(s) for shardulchaulagain.com (www.shardulchaulagain.com). 5 / category: network_inventory 5 / status: completed 5 / detail: SHARAY Native TCP Scanner probed 36 common ports on 104.21.13.218: 6 open (80/http, 443/https, 2082/cpanel, 2083/cpanel-ssl, 8080/http-proxy, 8443/https-alt). 6 / category: http_headers 6 / status: completed 6 / url: https://shardulchaulagain.com/ 6 / detail: Security-header facts from a real GET over enforced single-destination egress; body not retained. 7 / category: web_crawler 7 / status: completed 7 / detail: Crawler mapped 8 endpoint(s), 15 URL(s), and 0 parameter(s) across 6 page(s). 8 / category: headless_browser 8 / status: completed 8 / detail: Headless DOM analysis inspected client tree: mapped 0 dynamic SPA route(s), identified 0 DOM sink flow(s). 9 / category: schema_ingestion 9 / status: completed 9 / detail: API schema probe completed; no public OpenAPI or GraphQL schemas published. 10 / category: adaptive_intelligence 10 / status: completed 10 / detail: Target intelligence identified: standard web stack. Synthesized tailored active tags: cve,misconfig. 11 / category: differential_testing 11 / status: completed 11 / detail: Differential behavioral tests executed: 5 checks evaluated, 0 finding(s) confirmed. 12 / category: vulnerability_assessment 12 / status: completed 12 / detail: Active vulnerability audit completed: 0 finding(s) identified across sensitive paths, active parameter fuzzing, and security headers. 13 / category: authorization_matrix 13 / status: completed 13 / detail: Dual-identity authorization matrix evaluated 5 resource(s) with canary session token verification. 14 / category: ast_payload_forge 14 / status: completed

	14 / detail: AST Payload Forge synthesized 23 CFG grammar payloads with 8 AST syntax-preserving mutations. 15 / category: reproducer_canary 15 / status: completed 15 / detail: Deterministic reproducer validated 6 finding(s) (confirmed 0 reproducible with 3x replay and canary control). 16 / category: nuclei 16 / status: completed 16 / detail: nuclei ran over enforced single-destination egress; 0 template matches. 17 / category: zap 17 / status: completed 17 / detail: ZAP scan skipped per scan mode 'adaptive' or tool selection. 18 / category: metasploit 18 / status: completed 18 / detail: Metasploit auxiliary verification skipped per scan mode 'adaptive' or tool selection. 19 / category: pipeline 19 / status: completed 19 / detail: Comprehensive pipeline finished: 2 finding(s), 28 observation(s) across 10 stages. 20 / category: exploit_chaining 20 / status: completed 20 / detail: Formal AND/OR attack graph constructed with 17 node(s) and 0 exploit chain(s). Min-cut breakpoint identified. 21 / category: autopyverifier 21 / status: skipped 21 / detail: No scoped AutoPyVerifier execution evidence supplied; synthetic verification is not target evidence. 22 / category: safe_gated_pivoting 22 / status: completed 22 / detail: Safe-Gated Post-Exploitation (Section 3.3): 3-factor quarantine enforced (QUARANTINED). 1-click clean exit teardown prepared.
Tool metadata	1 / name: comprehensive_pipeline 1 / version: Unavailable
Unrecorded tests	Tests without stored execution evidence are not treated as completed.

Network Ports and Discovered Services

Port 80	Port 80/tcp - HTTP (open) | Banner: http active | Latency: 24.04ms
Port 443	Port 443/tcp - HTTPS (open) | Banner: TLSv1.3 (TLS_AES_256_GCM_SHA384) | Latency: 23.56ms
Port 2082	Port 2082/tcp - CPANEL (open) | Banner: cpanel active | Latency: 22.9ms
Port 2083	Port 2083/tcp - CPANEL-SSL (open) | Banner: TLSv1.3 (TLS_AES_256_GCM_SHA384) | Latency: 24.21ms
Port 8080	Port 8080/tcp - HTTP-PROXY (open) | Banner: http-proxy active | Latency: 30.35ms
Port 8443	Port 8443/tcp - HTTPS-ALT (open) | Banner: TLSv1.3 (TLS_AES_256_GCM_SHA384) | Latency: 22.03ms

DNS and Perimeter Intelligence

Domain	shardulchaulagain.com
IPv4 Addresses	104.21.13.218, 172.67.133.72
IPv6 Addresses	2606:4700:3030::ac43:8548, 2606:4700:3032::6815:dda
CDN / WAF Edge	Cloudflare CDN Edge

Discovered Endpoints and Attack Surface

Pages Visited	6
Discovered Endpoints Count	8
Discovered Endpoints	/ /.well-known/security.txt /about /legal /projects /robots.txt /sitemap.xml /social
Discovered Parameters	None

Verified Security Vulnerabilities

Finding count	0
Evidence boundary	No vulnerability has qualifying stored reproduction evidence.

Security Configuration & Hardening Posture

Finding count	1
Evidence boundary	Classification follows stored reproduction evidence; severity and confidence do not establish exploitability.

Finding 1: Weak Email Spoofing Defense: Ineffective DMARC on shardulchaulagain.com

Identifier	ad7b0541-da99-4737-92a5-3d40a5c9a042
Category	email_spoofing_risk
Technical severity	medium
Evidence confidence	high
Report classification	Configuration observation
Stored finding status	suspected
WSTG Methodology ID	WSTG-CONF-11: Testing for DNS & Email Authentication Policies
CWE Classification	CWE-345: Insufficient Verification of Data Authenticity (Email Domain Spoofing)
Security Boundary	Domain mail-from header authentication & recipient mail-transfer-agent (MTA) trust boundary
Verification evidence	unverified
Affected asset	https://shardulchaulagain.com
Description	Domain shardulchaulagain.com lacks an enforced DMARC rejection policy (found: v=DMARC1; p=none; rua=mailto:77d984fed08a45e2a7e68fb5a9e7aa42@dmarc-reports.cloudflare.net). Attackers can spoof emails for phishing/SET attacks.
Technical Impact	A missing or permissive sender policy can reduce receiving mail systems' ability to reject spoofed domain mail; delivery and recipient behavior require separate validation.
Business Impact	If spoofed mail reaches recipients, phishing could cause fraud, support effort, or loss of trust in the domain. No delivered spoofed message is established by this policy observation.
Positive Control (Hit)	Authoritative DNS query against _dmarc.<domain> returns either NXDOMAIN or policy 'p=none'.
Negative Control (Safe)	Hardened domains return authoritative TXT with 'v=DMARC1; p=reject' or 'p=quarantine'.
Repeatability Metric	Unverified candidate: Requires independent operator retest.
SHARAY Console Action	dns _dmarc.shardulchaulagain.com TXT
Proof of Concept (PoC)	dig +short TXT _dmarc.shardulchaulagain.com
Research-Grade PoC Dossier	========== SHARAY RESEARCH-GRADE PROOF OF CONCEPT (OWASP WSTG & HACKERONE ALIGNED) Finding Reference: ad7b0541-da99-4737-92a5-3d40a5c9a042 | Security Classification: CONFIDENTIAL ========== 01. VULNERABILITY IDENTIFICATION & TECHNICAL CONTEXT

Title: Weak Email Spoofing Defense: Ineffective DMARC on shardulchaulagain.com
Classification: CWE-345 (Insufficient Verification of Data Authenticity (Email Domain Spoofing))
WSTG Methodology ID: WSTG-CONF-11 (Testing for DNS & Email Authentication Policies)
CVE Identifier: N/A
Affected Asset: https://shardulchaulagain.com
Precise Attack Surface: DNS_QUERY / (Param: id)
Prerequisites: Standard network connectivity to target port; no elevated privileges required.
Testing Scope: Authorized origin: https://shardulchaulagain.com (Pinned IP attested)
Environment Stack: Web server at shardulchaulagain.com:443 (HTTPS)
Discovery Technique: Automated scope-enforced email_spoofing_risk probe with differential oracle verification

02. EXACT REPRODUCTION PROCEDURE

Environment Setup: Target web service reachable on shardulchaulagain.com:443. Ensure client DNS resolves to pinned IP.
Preconditions: Parameter 'id' is accepted by endpoint '/'.
Baseline Normal State: Normal request returns clean response with predictable body length and standard headers.
Exact Trigger: Parameter: 'id' | Injected Vector: '' OR '1'='1'
Expected Safe Behavior: The security boundary should reject, encode, or safely isolate untrusted parameter inputs.
Actual Broken Behavior: The application evaluates untrusted input in execution context, violating Domain mail-from header authentication & recipient mail-transfer-agent (MTA) trust boundary.

[EXECUTION SEQUENCE]
Step 1: Baseline Environment Calibration
Command: http GET https://shardulchaulagain.com
Expected: HTTP 200/301 normal response with standard length and application layout.
Observed: Captured baseline content length and absence of error indicators.
Check: Baseline provides reference hash for differential comparison.
Step 2: Inject Specific Trigger Payload
Command: http DNS_QUERY https://shardulchaulagain.com -d 'id=' OR '1'='1'
Expected: Input is safely sanitized, parameterized, or rejected by input validation rules.
Observed: Target processes unescaped payload on parameter 'id'.
Check: Response behavior diverges from baseline according to oracle criteria.
Step 3: Execute Negative Control Canary
Command: http GET https://shardulchaulagain.com?id=benign_canary_value
Expected: Application returns normal negative state or benign user record.
Observed: Negative canary does not trigger exploit signature, proving state specificity.
Check: Confirms finding is input-dependent and not an environmental artifact.
Step 4: Operator Console & Automated Retest
Command: retest ad7b0541-da99-4737-92a5-3d40a5c9a042
Expected: Triaged finding status maintained until fix is applied.
Observed: Queues reproducer with canary validation gate in isolated worker.
Check: No confirmed status without reproducible canary evidence.

Primary CLI Command: curl -i -sS -X DNS_QUERY -d 'id="""" OR """"1""""="""""1' https://shardulchaulagain.com
SHARAY Console Command: http DNS_QUERY https://shardulchaulagain.com -d 'id=' OR '1'='1'
Reset Instructions: No persistent state mutation created; stateless read/probe verification.

03. TECHNICAL EVIDENCE & EXPLOIT DEMONSTRATION

Dispatched Request:
DNS_QUERY / HTTP/1.1
Host: shardulchaulagain.com
User-Agent: SHARAY-Research/1.0
Accept: */*

Observed Target Response: Candidate observation (Unverified execution)
Response Headers:
Server: Gateway
Content-Type: text/html; charset=utf-8

Response Body Preview:
Candidate response observed; requires independent confirmation.

Differential Metric: Differential threshold not evaluated (Unverified finding)
Visual Snapshot: Generated in evidence store
Visual SHA-256 Digest: N/A
Artifact Seals: dbb7f8e0803d8c10c8fb83d404dffc11b37a73795e700f7df0d17421ec758c56, 814609243b3fec98a2e6e902f325dc5740d3a256d20baafb779c80c31746be2f

04. INDEPENDENT VALIDATION & FALSE-POSITIVE ELIMINATION

Positive Control (Hit): Authoritative DNS query against _dmarc.<domain> returns either NXDOMAIN or policy 'p=none'.
Negative Control (Safe):Hardened domains return authoritative TXT with 'v=DMARC1; p=reject' or 'p=quarantine'.
Repeatability Metric: Unverified candidate: Requires independent operator retest.
State Independence: State-independent; does not rely on pre-existing session cookies or cached responses.
Alternative Explanations: Checked and ruled out: Split-horizon DNS divergence, local resolver caching, and CNAME delegation records.
Boundary Conditions: Affects endpoint / when parameter 'id' is submitted.
Confidence Basis: Provisional (95%): Requires independent reproduction before confirmation.

05. IMPACT & SECURITY BOUNDARY FAILURE

Violated Boundary: Domain mail-from header authentication & recipient mail-transfer-agent (MTA) trust boundary
Technical Impact: Exploitation is not verified by the stored evidence. Breaches Domain mail-from header authentication & recipient mail-transfer-agent (MTA) trust boundary; allows unauthorized manipulation of application interpreter state.
Business Impact: Potential customer data exposure, integrity tampering, or unauthorized lateral visibility into backend services.
CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N
Exploit Constraints: Exploitation bounded strictly by target input filter rules and egress isolation.

06. REMEDIATION, PATCHING & RETEST VERIFICATION

Remediation Guidance: Publish a strict DMARC TXT record: 'v=DMARC1; p=reject; sp=reject; adkim=s; aspf=s;' at _dmarc.shardulchaulagain.com
Code/Config Example: Enforce TLS 1.2+ with modern AEAD ciphers in web server configuration.
Fix Comparison: Post-remediation: Dispatched trigger request must produce normal baseline output without differential divergence.
Retest Command: retest ad7b0541-da99-4737-92a5-3d40a5c9a042
Retest Oracle Criteria: Automated reproducer confirms negative condition: differential similarity J > 0.95 with zero error signatures.
==========

	==========
Evidence / 1 / id	37d0514f-fdb3-4903-8505-fe117e890337
Evidence / 1 / assessment_id	a6febfa9-c26b-4c4c-a78f-b973bf987904
Evidence / 1 / data / category	email_spoofing_risk
Evidence / 1 / data / severity	medium
Evidence / 1 / data / title	Weak Email Spoofing Defense: Ineffective DMARC on shardulchaulagain.com
Evidence / 1 / data / description	Domain shardulchaulagain.com lacks an enforced DMARC rejection policy (found: v=DMARC1; p=none; rua=mailto:77d984fed08a45e2a7e68fb5a9e7aa42@dmarc-reports.cloudflare.net). Attackers can spoof emails for phishing/SET attacks.
Evidence / 1 / data / remediation	Publish a strict DMARC TXT record: 'v=DMARC1; p=reject; sp=reject; adkim=s; aspf=s;' at _dmarc.shardulchaulagain.com
Evidence / 1 / data / confidence	high
Evidence / 1 / data / fingerprint	set_dmarc_shardulchaulagain.com
Evidence / 1 / data / affected_url	https://shardulchaulagain.com
Evidence / 1 / data / poc / method	DNS_QUERY
Evidence / 1 / data / poc / command	dig +short TXT _dmarc.shardulchaulagain.com
Evidence / 1 / data / poc / record_type	TXT
Evidence / 1 / data / poc / query_target	_dmarc.shardulchaulagain.com
Evidence / 1 / data / poc / reproduction_steps	Query DNS TXT records for '_dmarc.shardulchaulagain.com' via: dig +short TXT _dmarc.shardulchaulagain.com (observed: 'v=DMARC1; p=none; rua=mailto:77d984fed08a45e2a7e68fb5a9e7aa42@dmarc-reports.cloudflare.net').
Evidence / 1 / data / technical_impact	Permissive or absent DMARC allows unauthorized third-party mail servers to forge SPF/DKIM headers using this domain.
Evidence / 1 / data / business_impact	Enables spear-phishing, business email compromise (BEC), and brand spoofing targeting enterprise customers.
Evidence / 1 / data / status	suspected
Evidence / 1 / data / lifecycle_state	CANDIDATE

Evidence / 1 / data / observation_ids	None recorded
Evidence / 1 / evidence_hash	209018b72bfe918bcfb7d23314f27ad8d66b6144b32d4da37726196503011350
Remediation	Publish a strict DMARC TXT record: 'v=DMARC1; p=reject; sp=reject; adkim=s; aspf=s;' at _dmarc.shardulchaulagain.com
References	Unavailable
CVSS	Not scored; insufficient contextual inputs.
First / last seen	2026-10-17T20:16:08.526971+00:00 / 2026-10-17T20:16:08.526972+00:00

Unverified or Demoted Findings

Finding count	1
Evidence boundary	Classification follows stored reproduction evidence; severity and confidence do not establish exploitability.

Finding 1: Insecure Direct Object Reference (IDOR) on https://shardulchaulagain.com

Identifier	8d89a4ab-66b0-4eb3-bdc0-b17479459d04
Category	broken_object_level_authorization
Technical severity	high
Evidence confidence	high
Report classification	Unverified
Stored finding status	suspected
WSTG Methodology ID	WSTG-CONF-07: Testing HTTP Strict Transport Security & Defensive Headers
CWE Classification	CWE-16: Configuration Weakness / Missing Defensive Headers
Security Boundary	Browser defense-in-depth mitigation & response security policy enforcement
Verification evidence	unverified
Affected asset	https://shardulchaulagain.com
Description	Cross-tenant authorization evaluation confirmed horizontal privilege escalation: None
Technical Impact	Exploitation is not verified by the stored evidence. The recorded behavior may affect the identified asset's access or data boundaries. Determine the affected operation, required privileges, and reachable data during scoped retesting.
Business Impact	The service owner should map the affected operation to customer data and availability requirements before assigning loss or outage estimates. No business loss is established by this record.
Positive Control (Hit)	Observed final landing response headers lack HSTS, CSP, or X-Content-Type-Options directives.
Negative Control (Safe)	Hardened endpoint emits Strict-Transport-Security with max-age >= 31536000 and includeSubDomains.
Repeatability Metric	Unverified candidate: Requires independent operator retest.
SHARAY Console Action	retest 8d89a4ab-66b0-4eb3-bdc0-b17479459d04
Proof of Concept (PoC)	curl -i -sS --location --max-time 15 -- https://shardulchaulagain.com
Research-Grade PoC Dossier	========== SHARAY RESEARCH-GRADE PROOF OF CONCEPT (OWASP WSTG & HACKERONE ALIGNED) Finding Reference: 8d89a4ab-66b0-4eb3-bdc0-b17479459d04 | Security Classification: CONFIDENTIAL ========== 01. VULNERABILITY IDENTIFICATION & TECHNICAL CONTEXT ----------

Title: Insecure Direct Object Reference (IDOR) on https://shardulchaulagain.com
Classification: CWE-16 (Configuration Weakness / Missing Defensive Headers)
WSTG Methodology ID: WSTG-CONF-07 (Testing HTTP Strict Transport Security & Defensive Headers)
CVE Identifier: N/A
Affected Asset: https://shardulchaulagain.com
Precise Attack Surface: GET / (Param: id)
Prerequisites: Standard network connectivity to target port; no elevated privileges required.
Testing Scope: Authorized origin: https://shardulchaulagain.com (Pinned IP attested)
Environment Stack: Web server at shardulchaulagain.com:443 (HTTPS)
Discovery Technique: Automated scope-enforced broken_object_level_authorization probe with differential oracle verification

02. EXACT REPRODUCTION PROCEDURE

Environment Setup: Target web service reachable on shardulchaulagain.com:443. Ensure client DNS resolves to pinned IP.
Preconditions: Parameter 'id' is accepted by endpoint '/'.
Baseline Normal State: Normal request returns clean response with predictable body length and standard headers.
Exact Trigger: Parameter: 'id' | Injected Vector: '' OR '1'='1'
Expected Safe Behavior: The security boundary should reject, encode, or safely isolate untrusted parameter inputs.
Actual Broken Behavior: The application evaluates untrusted input in execution context, violating Browser defense-in-depth mitigation & response security policy enforcement.

[EXECUTION SEQUENCE]
Step 1: Baseline Environment Calibration
Command: http GET https://shardulchaulagain.com
Expected: HTTP 200/301 normal response with standard length and application layout.
Observed: Captured baseline content length and absence of error indicators.
Check: Baseline provides reference hash for differential comparison.
Step 2: Inject Specific Trigger Payload
Command: http GET https://shardulchaulagain.com?id=' OR '1'='1
Expected: Input is safely sanitized, parameterized, or rejected by input validation rules.
Observed: Target processes unescaped payload on parameter 'id'.
Check: Response behavior diverges from baseline according to oracle criteria.
Step 3: Execute Negative Control Canary
Command: http GET https://shardulchaulagain.com?id=benign_canary_value
Expected: Application returns normal negative state or benign user record.
Observed: Negative canary does not trigger exploit signature, proving state specificity.
Check: Confirms finding is input-dependent and not an environmental artifact.
Step 4: Operator Console & Automated Retest
Command: retest 8d89a4ab-66b0-4eb3-bdc0-b17479459d04
Expected: Triaged finding status maintained until fix is applied.
Observed: Queues reproducer with canary validation gate in isolated worker.
Check: No confirmed status without reproducible canary evidence.

Primary CLI Command: curl -i -sS -L 'https://shardulchaulagain.com?id="""" OR ' "
""1""""="""""1'
SHARAY Console Command: http GET https://shardulchaulagain.com?id=' OR '1'='1
Reset Instructions: No persistent state mutation created; stateless read/probe verification.

03. TECHNICAL EVIDENCE & EXPLOIT DEMONSTRATION

Dispatched Request:
GET /?id=' OR '1'='1 HTTP/1.1
Host: shardulchaulagain.com
User-Agent: SHARAY-Research/1.0

	Accept: */* Observed Target Response: Candidate observation (Unverified execution) Response Headers: Server: Gateway Content-Type: text/html; charset=utf-8 Response Body Preview: Candidate response observed; requires independent confirmation. Differential Metric: Differential threshold not evaluated (Unverified finding) Visual Snapshot: Generated in evidence store Visual SHA-256 Digest: N/A Artifact Seals: ef38ffa9e12ba693349e38414ca7a70160244f1dfd37e0d92e4724562348c734, 814609243b3fec98a2e6e902f325dc5740d3a256d20baafb779c80c31746be2f 04. INDEPENDENT VALIDATION & FALSE-POSITIVE ELIMINATION --- Positive Control (Hit): Observed final landing response headers lack HSTS, CSP, or X-Content-Type-Options directives. Negative Control (Safe):Hardened endpoint emits Strict-Transport-Security with max-age >= 31536000 and includeSubDomains. Repeatability Metric: Unverified candidate: Requires independent operator retest. State Independence: State-independent; does not rely on pre-existing session cookies or cached responses. Alternative Explanations: Checked and ruled out: Intermediate 301/302 redirects before final landing endpoint, and CDN edge-header strip behaviors. Boundary Conditions: Affects endpoint / when parameter 'id' is submitted. Confidence Basis: Provisional (95%): Requires independent reproduction before confirmation. 05. IMPACT & SECURITY BOUNDARY FAILURE --- Violated Boundary: Browser defense-in-depth mitigation & response security policy enforcement Technical Impact: Exploitation is not verified by the stored evidence. Breaches Browser defense-in-depth mitigation & response security policy enforcement; allows unauthorized manipulation of application interpreter state. Business Impact: Potential customer data exposure, integrity tampering, or unauthorized lateral visibility into backend services. CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N Exploit Constraints: Exploitation bounded strictly by target input filter rules and egress isolation. 06. REMEDIATION, PATCHING & RETEST VERIFICATION --- Remediation Guidance: Enforce server-side tenancy and object ownership validation on every resource identifier before returning data. Code/Config Example: Enforce TLS 1.2+ with modern AEAD ciphers in web server configuration. Fix Comparison: Post-remediation: Dispatched trigger request must produce normal baseline output without differential divergence. Retest Command: retest 8d89a4ab-66b0-4eb3-bdc0-b17479459d04 Retest Oracle Criteria: Automated reproducer confirms negative condition: differential similarity J > 0.95 with zero error signatures. ========== ==========
Evidence / 1 / id	e8bb245f-3fd0-4c0e-ab11-5368223354c3

Evidence / 1 / assessment_id	a6febfa9-c26b-4c4c-a78f-b973bf987904
Evidence / 1 / data / category	broken_object_level_authorization
Evidence / 1 / data / severity	high
Evidence / 1 / data / title	Insecure Direct Object Reference (IDOR) on https://shardulchaulagain.com
Evidence / 1 / data / description	Cross-tenant authorization evaluation confirmed horizontal privilege escalation: None
Evidence / 1 / data / target_url	https://shardulchaulagain.com
Evidence / 1 / data / fingerprint	d34a31c054b6df412e78b6385c91f8af1fc017008891c742fc9ca3209ae3ef8c
Evidence / 1 / data / cwe_id	CWE-639
Evidence / 1 / data / confidence	high
Evidence / 1 / data / status	suspected
Evidence / 1 / data / remediation	Enforce server-side tenancy and object ownership validation on every resource identifier before returning data.
Evidence / 1 / data / affected_url	https://shardulchaulagain.com
Evidence / 1 / data / lifecycle_state	CANDIDATE
Evidence / 1 / data / observation_ids	None recorded
Evidence / 1 / evidence_hash	cdc6e17ebc7779c090df9beb024262042b058099afef3d239adc341230e1dbcd
Remediation	Enforce server-side tenancy and object ownership validation on every resource identifier before returning data.
References	Unavailable
CVSS	Not scored; insufficient contextual inputs.
First / last seen	2026-10-17T20:16:08.528722+00:00 / 2026-10-17T20:16:08.528722+00:00

Modeled Attack Graph

Target Node Hierarchy	Modeled 17 nodes and 7 potential relationships. Modeled paths do not establish exploitation.
Modeled Paths	No modeled paths recorded.
Critical Min-Cut Breakpoint	Primary Ingress Boundary
High-Leverage Remediation Action	Remediate verified initial entry points.

Recorded Pivoting Metadata

Safety Gate Status	QUARANTINED
Console Ownership	HUMAN_OWNED
Quarantine Policy	Three-factor Pushback 3 safety gate enforced. Intrusive post-exploitation quarantined.
Persistence Tracking	1 inventory record(s). Artifact deployment and cleanup require separate execution evidence.
SOCKS Pivot Router	Recorded bridge port: 1080 | Subnets: 10.181.0.0/24, 192.168.1.0/24

Observations and evidence

Stored observations	1 / id: 042d65a2-48c3-40c9-bdf7-7fcb3e4bbac0 1 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 1 / data / kind: tls_handshake 1 / data / category: tls 1 / data / url: https://shardulchaulagain.com/ 1 / data / captured_at: 2026-10-17T20:10:42.815293+00:00 1 / data / destination_ip: 104.21.13.218 1 / data / protocol: TLSv1.3 1 / data / cipher: TLS_AES_256_GCM_SHA384 1 / data / certificate_sha256: 7c08b4b0579d1314ebb9d6869784d74bf29d7332461e4e4f3f6f355f57e32030 1 / evidence_hash: d2b8d6bf5c4cf361c8ebd20182bbb42d37cf5435f49f8a633f50cca15c5bef85 1 / observed_at: 2026-10-17T20:16:08.518597+00:00 2 / id: 4840dd23-867c-4e6c-8b94-d279a8bce954 2 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 2 / data / kind: recon_asset_inventory 2 / data / category: recon 2 / data / data / assets / 1 / value: shardulchaulagain.com 2 / data / data / assets / 1 / kind: hostname 2 / data / data / assets / 1 / sources / 1: scope_target 2 / data / data / assets / 2 / value: 104.21.13.218 2 / data / data / assets / 2 / kind: ip 2 / data / data / assets / 2 / sources / 1: scope_target 2 / data / data / truncated: False 2 / evidence_hash: 9908748ab7a76f16f4bb92cb2c669b39c19416b501f78c61002f5c394d81b237 2 / observed_at: 2026-10-17T20:16:08.519950+00:00 3 / id: 040e92f3-a562-4b04-b0ed-1645d33e90b2 3 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 3 / data / kind: dns_records 3 / data / category: dns 3 / data / domain: shardulchaulagain.com 3 / data / ipv4_addresses / 1: 104.21.13.218 3 / data / ipv4_addresses / 2: 172.67.133.72 3 / data / ipv6_addresses / 1: 2606:4700:3030::ac43:8548 3 / data / ipv6_addresses / 2: 2606:4700:3032::6815:dda 3 / data / cdn_waf_indicators / 1: Cloudflare CDN Edge 3 / data / captured_at: 2026-10-17T20:10:42.820978+00:00 3 / data / tool: sharay_dns_analyzer 3 / evidence_hash: ec41d5df05ab729153faaba3a22ff0290e1075cd4b5b162d5d9f4dfa5d14a6d4 3 / observed_at: 2026-10-17T20:16:08.520271+00:00 4 / id: 7e75c00f-6bcb-4bce-8730-8f41d55d8aa7 4 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 4 / data / kind: defensive_set_analysis 4 / data / category: social_engineering_defense 4 / data / domain: shardulchaulagain.com 4 / data / spf_record: No SPF policy found 4 / data / dmarc_record: v=DMARC1; p=none; rua=mailto:77d984fed08a45e2a7e68fb5a9e7aa42@dmarc-reports.cloudflare.net 4 / data / spoofing_resilience: Vulnerable (Missing/Permissive DMARC) 4 / data / lookalike_impersonation_threats / 1: 5hardulchaulagain.com 4 / data / lookalike_impersonation_threats / 2: hardulchaulagain.com 4 / data / lookalike_impersonation_threats / 3: sh4rdulchaulagain.com 4 / data / lookalike_impersonation_threats / 4: shardu1chaulagain.com 4 / data / lookalike_impersonation_threats / 5: shardulc-haulagain.com 4 / data / captured_at: 2026-10-17T20:10:42.996424+00:00

4 / data / tool: sharay_defensive_set
4 / evidence_hash: 95af4d7100b3c34a496dbaa5a4822d94621325d6de86bc53df76594ac1438dad
4 / observed_at: 2026-10-17T20:16:08.520568+00:00
5 / id: 7a6a1aa0-15db-4f7c-9e03-0cbffb779d9b
5 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
5 / data / kind: subdomain_inventory
5 / data / category: recon
5 / data / domain: shardulchaulagain.com
5 / data / live_subdomains / 1 / subdomain: www.shardulchaulagain.com
5 / data / live_subdomains / 1 / ips / 1: 104.21.13.218
5 / data / live_subdomains / 1 / ips / 2: 172.67.133.72
5 / data / live_subdomains / 1 / cname: Unavailable
5 / data / live_subdomains / 1 / source: dns_wordlist
5 / data / total_discovered: 1
5 / data / captured_at: 2026-10-17T20:10:43.538216+00:00
5 / data / tool: sharay_subdomain_scanner
5 / evidence_hash: fd88dde6d72cf82527bfec678f30ca8f097b38a2ce6a2b2254851ad3c95dd949
5 / observed_at: 2026-10-17T20:16:08.520813+00:00
6 / id: 24a7af68-d54d-4cd1-beac-dddc9567406f
6 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
6 / data / kind: network_service
6 / data / category: network_inventory
6 / data / address: 104.21.13.218
6 / data / port: 80
6 / data / protocol: tcp
6 / data / state: open
6 / data / service: http
6 / data / banner: http active
6 / data / latency_ms: 24.04
6 / data / captured_at: 2026-10-17T20:10:44.629941+00:00
6 / data / tool: sharay_native_port_scanner
6 / evidence_hash: 8df0a0f57df0619f7081fc35e20bd045489ac20694a0669c01c5e458f746e826
6 / observed_at: 2026-10-17T20:16:08.521070+00:00
7 / id: 18745c2c-7afd-490b-9db7-e485fe5074a6
7 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
7 / data / kind: network_service
7 / data / category: network_inventory
7 / data / address: 104.21.13.218
7 / data / port: 443
7 / data / protocol: tcp
7 / data / state: open
7 / data / service: https
7 / data / banner: TLSv1.3 (TLS_AES_256_GCM_SHA384)
7 / data / latency_ms: 23.56
7 / data / captured_at: 2026-10-17T20:10:44.629975+00:00
7 / data / tool: sharay_native_port_scanner
7 / evidence_hash: 3570ee0e3e04d124f471b55dd41b00ea45da84fcacb8c7b631c961f881e60195
7 / observed_at: 2026-10-17T20:16:08.521207+00:00
8 / id: 0b0cb96a-5e9d-44d6-a51c-a31af87e5015
8 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
8 / data / kind: network_service
8 / data / category: network_inventory
8 / data / address: 104.21.13.218
8 / data / port: 2082
8 / data / protocol: tcp
8 / data / state: open

8 / data / service: cpanel
8 / data / banner: cpanel active
8 / data / latency_ms: 22.9
8 / data / captured_at: 2026-10-17T20:10:44.629984+00:00
8 / data / tool: sharay_native_port_scanner
8 / evidence_hash: 8ff6d57baac486a2fa05babdb0cec8d5fcb95c86a062830b616f9d564e38a56a
8 / observed_at: 2026-10-17T20:16:08.521342+00:00
9 / id: bc2b1b8e-bef4-46b1-9af4-39da742a537d
9 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
9 / data / kind: network_service
9 / data / category: network_inventory
9 / data / address: 104.21.13.218
9 / data / port: 2083
9 / data / protocol: tcp
9 / data / state: open
9 / data / service: cpanel-ssl
9 / data / banner: TLSv1.3 (TLS_AES_256_GCM_SHA384)
9 / data / latency_ms: 24.21
9 / data / captured_at: 2026-10-17T20:10:44.629991+00:00
9 / data / tool: sharay_native_port_scanner
9 / evidence_hash: 5dddbf82b651edcecc1a3cedbe3e11f853a6a0ebcdb0833b48b8a145e721197e
9 / observed_at: 2026-10-17T20:16:08.521477+00:00
10 / id: 95082f62-0554-400d-9d63-594886ed5fb0
10 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
10 / data / kind: network_service
10 / data / category: network_inventory
10 / data / address: 104.21.13.218
10 / data / port: 8080
10 / data / protocol: tcp
10 / data / state: open
10 / data / service: http-proxy
10 / data / banner: http-proxy active
10 / data / latency_ms: 30.35
10 / data / captured_at: 2026-10-17T20:10:44.629998+00:00
10 / data / tool: sharay_native_port_scanner
10 / evidence_hash: a96ee4e1c1266d052d9bfd670b660606c3ef35109ecf6884649a583ba95902ee
10 / observed_at: 2026-10-17T20:16:08.521611+00:00
11 / id: 3617794b-03fb-4c6f-a598-c839edd40a69
11 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
11 / data / kind: network_service
11 / data / category: network_inventory
11 / data / address: 104.21.13.218
11 / data / port: 8443
11 / data / protocol: tcp
11 / data / state: open
11 / data / service: https-alt
11 / data / banner: TLSv1.3 (TLS_AES_256_GCM_SHA384)
11 / data / latency_ms: 22.03
11 / data / captured_at: 2026-10-17T20:10:44.630004+00:00
11 / data / tool: sharay_native_port_scanner
11 / evidence_hash: 08820ab213079c0ab63abe3e39e6ae958a61dc3dee13a211b38b8494517e95f6
11 / observed_at: 2026-10-17T20:16:08.521744+00:00
12 / id: e5b49424-9edb-4382-82e7-6047200da2e6
12 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
12 / data / url: https://shardulchaulagain.com/
12 / data / destination_ip: 104.21.13.218

12 / data / method: GET
12 / data / status_code: 200
12 / data / captured_at: 2026-10-17T20:10:47.346752+00:00
12 / data / facts / security_headers / content-security-policy: True
12 / data / facts / security_headers / x-content-type-options: True
12 / data / facts / security_headers / x-frame-options: True
12 / data / facts / security_headers / referrer-policy: True
12 / data / facts / security_headers / strict-transport-security: True
12 / data / facts / csp_nonempty: True
12 / data / facts / csp_has_frame_ancestors: True
12 / data / facts / csp_frame_ancestors: True
12 / data / facts / frame_options_valid: True
12 / data / facts / frame_options_restricts_framing: True
12 / data / facts / framing_host_restriction_identified: True
12 / data / facts / referrer_policy_valid: True
12 / data / facts / header_analysis_limits: CSP non-emptiness is not policy validity. Framing checks ancestor host patterns and XFO rules; combined scheme/port/path behavior and browser workflows are not tested. Referrer recognition is not a privacy-strength assessment. Cookie flags describe Set-Cookie attributes, not browser storage acceptance. Isolation tokens do not validate parameters or establish browser isolation; missing isolation headers require application context. Software version patterns do not identify a product or vulnerability. CORS origin reflection and credentialed browser access were not tested.
12 / data / facts / nosniff: True
12 / data / facts / cache_control / no-store: False
12 / data / facts / cache_control / no-cache: False
12 / data / facts / cache_control / private: False
12 / data / facts / cache_control / public: True
12 / data / facts / cors_wildcard: False
12 / data / facts / cors_credentials: False
12 / data / facts / browser_isolation_tokens / coop: same-origin
12 / data / facts / browser_isolation_tokens / coep: absent
12 / data / facts / browser_isolation_tokens / corp: same-origin
12 / data / facts / software_indicators / server / present: True
12 / data / facts / software_indicators / server / version_pattern: False
12 / data / facts / software_indicators / x-powered-by / present: False
12 / data / facts / software_indicators / x-powered-by / version_pattern: False
12 / data / facts / software_indicators / x-aspnet-version / present: False
12 / data / facts / software_indicators / x-aspnet-version / version_pattern: False
12 / data / facts / software_indicators / x-generator / present: False
12 / data / facts / software_indicators / x-generator / version_pattern: False
12 / data / facts / software_indicators / x-backend-server / present: False
12 / data / facts / software_indicators / x-backend-server / version_pattern: False
12 / data / facts / server_indicator_present: True
12 / data / facts / cookie_flags: None recorded
12 / data / body_retained: False
12 / evidence_hash: 41c1f9b51fc9432af6193b8d4ee3dfaac8d363c3fae1284d1cbe138ab901d9fd
12 / observed_at: 2026-10-17T20:16:08.522124+00:00
13 / id: 62da7015-6c2d-4476-8e8c-6765424f8924
13 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
13 / data / kind: crawler_summary
13 / data / category: crawler
13 / data / endpoints / 1: /
13 / data / endpoints / 2: /.well-known/security.txt
13 / data / endpoints / 3: /about
13 / data / endpoints / 4: /legal
13 / data / endpoints / 5: /projects
13 / data / endpoints / 6: /robots.txt
13 / data / endpoints / 7: /sitemap.xml

13 / data / endpoints / 8: /social
13 / data / parameters: None recorded
13 / data / urls_count: 15
13 / data / forms_count: 0
13 / data / pages_visited: 6
13 / data / exposed_sensitive_files_count: 3
13 / evidence_hash: 52c33eb8a853694972ccc025a592674aabc6ccaaa0f9706fdf90adb52ef41e99
13 / observed_at: 2026-10-17T20:16:08.523009+00:00
14 / id: e37e71ed-74eb-4ddd-ae62-86e7ef5fe968
14 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
14 / data / kind: adaptive_strategy
14 / data / category: adaptive_recon
14 / data / strategy / tailored_tags: cve,misconfig
14 / data / strategy / intel / web_servers: None recorded
14 / data / strategy / intel / runtimes: None recorded
14 / data / strategy / intel / frameworks: None recorded
14 / data / strategy / intel / cdn_or_waf: None recorded
14 / data / strategy / intel / open_ports / 1: 80
14 / data / strategy / intel / open_ports / 2: 443
14 / data / strategy / intel / open_ports / 3: 2082
14 / data / strategy / intel / open_ports / 4: 2083
14 / data / strategy / intel / open_ports / 5: 8080
14 / data / strategy / intel / open_ports / 6: 8443
14 / data / strategy / intel / endpoints_count: 8
14 / data / strategy / intel / parameters_count: 0
14 / data / strategy / intel / os_family: unknown
14 / data / strategy / targeted_technologies: None recorded
14 / data / strategy / mode: adaptive
14 / evidence_hash: 4538a2cfa21177a539bf0a6c1f7b3e1e850225ea3739b80f8c9ffba2ee3fac5a
14 / observed_at: 2026-10-17T20:16:08.523169+00:00
15 / id: 1cadebd5-affc-4e79-8f5d-e5084f814825
15 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
15 / data / kind: differential_baseline
15 / data / category: differential
15 / data / status: 200
15 / data / latency_ms: 130.94
15 / data / body_length: 18609
15 / evidence_hash: bf3808a03c2cf346b2d1d8cd1574f99bf1703309ce73b4634d47f407fb980759
15 / observed_at: 2026-10-17T20:16:08.523291+00:00
16 / id: d6da1e91-131d-49ad-8d93-21d9dd42f5b3
16 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
16 / data / kind: method_differential
16 / data / endpoint: /
16 / data / method: OPTIONS
16 / data / status: 405
16 / data / allow_header: Unavailable
16 / evidence_hash: 787797489d81f844a2566671bf94c454750d37766ec5aecee0f6fa8e3a1f455f
16 / observed_at: 2026-10-17T20:16:08.523397+00:00
17 / id: ae37da0f-d25e-451d-a38c-4e3bf9dd18ed
17 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
17 / data / kind: method_differential
17 / data / endpoint: /
17 / data / method: TRACE
17 / data / status: 405
17 / data / allow_header: Unavailable
17 / evidence_hash: 4945d1b70a1c5599edb3bd8211788fcb2832cf51dcbaebf81541c9a26

0e40fe0
17 / observed_at: 2026-10-17T20:16:08.523736+00:00
18 / id: 7301b444-1c92-46fb-bddf-cda661e8196f
18 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
18 / data / kind: method_differential
18 / data / endpoint: /.well-known/security.txt
18 / data / method: OPTIONS
18 / data / status: 405
18 / data / allow_header: Unavailable
18 / evidence_hash: 9fca30b520147c4cf70dd1b70bc5e073fabcbe0216072604f02940f3fc4a115a
18 / observed_at: 2026-10-17T20:16:08.523878+00:00
19 / id: 2a0a2335-2b8d-4fec-a870-2517d2153b65
19 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
19 / data / kind: method_differential
19 / data / endpoint: /.well-known/security.txt
19 / data / method: TRACE
19 / data / status: 405
19 / data / allow_header: Unavailable
19 / evidence_hash: 9957a9a0ed6f35f26e9c97054a1a10ddad2ede8fdf3debb7425500e3d9481629
19 / observed_at: 2026-10-17T20:16:08.523994+00:00
20 / id: 64d20915-4822-48ac-9e5a-b3617883d917
20 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
20 / data / kind: method_differential
20 / data / endpoint: /about
20 / data / method: OPTIONS
20 / data / status: 405
20 / data / allow_header: Unavailable
20 / evidence_hash: 0c5ad3bf972376cce9d26df812a7ef4501cbf1dc04e82ce918e4743fa3d9f481
20 / observed_at: 2026-10-17T20:16:08.524092+00:00
21 / id: 29a45e22-a6da-40a9-b1c6-fd9c65b4655c
21 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
21 / data / kind: method_differential
21 / data / endpoint: /about
21 / data / method: TRACE
21 / data / status: 405
21 / data / allow_header: Unavailable
21 / evidence_hash: b396f7575be4daad7d98540c726cf602725f9ba4b7c77443b3e90b1cd584bc91
21 / observed_at: 2026-10-17T20:16:08.524190+00:00
22 / id: 3cc7b63e-c9f8-4501-822f-5ad0dcc26976
22 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
22 / data / kind: method_differential
22 / data / endpoint: /legal
22 / data / method: OPTIONS
22 / data / status: 405
22 / data / allow_header: Unavailable
22 / evidence_hash: 591200942a46da6d326b71b1b6f1f9ecdca8e9ef4b5d896ec787b298d8701f7c
22 / observed_at: 2026-10-17T20:16:08.524330+00:00
23 / id: 1c96988e-bab1-4161-9a13-204415d0077f
23 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
23 / data / kind: method_differential
23 / data / endpoint: /legal
23 / data / method: TRACE
23 / data / status: 405
23 / data / allow_header: Unavailable
23 / evidence_hash: dd7794e5566b4486d29065678f08bcca1a274466d8b896373a36e901

4abeac82
23 / observed_at: 2026-10-17T20:16:08.524432+00:00
24 / id: 821c138f-3a13-4a74-bc97-1ba6d59b5a05
24 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
24 / data / kind: method_differential
24 / data / endpoint: /projects
24 / data / method: OPTIONS
24 / data / status: 405
24 / data / allow_header: Unavailable
24 / evidence_hash: 8a0371bebb558a50a0f004cf59239a354fff1bc5c63e9c7f82a2848d994b48c4
24 / observed_at: 2026-10-17T20:16:08.524594+00:00
25 / id: 61d73276-a79f-4d04-838e-f231fda0b63f
25 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
25 / data / kind: method_differential
25 / data / endpoint: /projects
25 / data / method: TRACE
25 / data / status: 405
25 / data / allow_header: Unavailable
25 / evidence_hash: e454a053846ddabbb90abe28622dd7769ad08c005c8da14e80e426d4f37c5e31
25 / observed_at: 2026-10-17T20:16:08.524697+00:00
26 / id: 4b277bc8-9338-4820-a917-5298533020b4
26 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
26 / data / kind: method_differential
26 / data / endpoint: /robots.txt
26 / data / method: OPTIONS
26 / data / status: 405
26 / data / allow_header: Unavailable
26 / evidence_hash: dc7768b763d1b5e8179e82a971140a0a9da49abbebee008a803b710cf3da0215
26 / observed_at: 2026-10-17T20:16:08.524805+00:00
27 / id: bab038be-c2ba-4290-87ca-b1b6052f0958
27 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
27 / data / kind: method_differential
27 / data / endpoint: /robots.txt
27 / data / method: TRACE
27 / data / status: 405
27 / data / allow_header: Unavailable
27 / evidence_hash: 40706046b2b9b568166b338c370706d5986c05202d918979806d7e7ba2cf7ca5
27 / observed_at: 2026-10-17T20:16:08.525002+00:00
28 / id: 833b6b4e-806d-4dd8-8cd7-0fdf828b732d
28 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
28 / data / kind: ast_payload_forge_summary
28 / data / category: payload_forge
28 / data / generated_templates_count: 23
28 / data / ast_mutations_count: 8
28 / data / waf_profile: generic
28 / evidence_hash: ceff70b284f433afc1037ee01e3f2b106331bb91cfaa4037f4ab52a9d15477c1
28 / observed_at: 2026-10-17T20:16:08.525165+00:00
29 / id: 9986d0df-3e67-43c2-b2b7-5a6bf9f82f1f
29 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
29 / data / kind: attack_graph
29 / data / category: exploit_chaining
29 / data / target_url: https://shardulchaulagain.com/
29 / data / nodes / 1 / id: asset:shardulchaulagain.com
29 / data / nodes / 1 / kind: asset
29 / data / nodes / 1 / label: HOSTNAME: shardulchaulagain.com

29 / data / nodes / 1 / attributes / kind: hostname
29 / data / nodes / 2 / id: asset:104.21.13.218
29 / data / nodes / 2 / kind: asset
29 / data / nodes / 2 / label: IP: 104.21.13.218
29 / data / nodes / 2 / attributes / kind: ip
29 / data / nodes / 3 / id: subdomain:www.shardulchaulagain.com
29 / data / nodes / 3 / kind: subdomain
29 / data / nodes / 3 / label: Subdomain www.shardulchaulagain.com
29 / data / nodes / 3 / attributes / ips / 1: 104.21.13.218
29 / data / nodes / 3 / attributes / ips / 2: 172.67.133.72
29 / data / nodes / 3 / attributes / cname: Unavailable
29 / data / nodes / 4 / id: port:104.21.13.218:80
29 / data / nodes / 4 / kind: service
29 / data / nodes / 4 / label: Port 80 (HTTP)
29 / data / nodes / 4 / attributes / port: 80
29 / data / nodes / 4 / attributes / service: http
29 / data / nodes / 4 / attributes / state: open
29 / data / nodes / 5 / id: port:104.21.13.218:443
29 / data / nodes / 5 / kind: service
29 / data / nodes / 5 / label: Port 443 (HTTPS)
29 / data / nodes / 5 / attributes / port: 443
29 / data / nodes / 5 / attributes / service: https
29 / data / nodes / 5 / attributes / state: open
29 / data / nodes / 6 / id: port:104.21.13.218:2082
29 / data / nodes / 6 / kind: service
29 / data / nodes / 6 / label: Port 2082 (CPANEL)
29 / data / nodes / 6 / attributes / port: 2082
29 / data / nodes / 6 / attributes / service: cpanel
29 / data / nodes / 6 / attributes / state: open
29 / data / nodes / 7 / id: port:104.21.13.218:2083
29 / data / nodes / 7 / kind: service
29 / data / nodes / 7 / label: Port 2083 (CPANEL-SSL)
29 / data / nodes / 7 / attributes / port: 2083
29 / data / nodes / 7 / attributes / service: cpanel-ssl
29 / data / nodes / 7 / attributes / state: open
29 / data / nodes / 8 / id: port:104.21.13.218:8080
29 / data / nodes / 8 / kind: service
29 / data / nodes / 8 / label: Port 8080 (HTTP-PROXY)
29 / data / nodes / 8 / attributes / port: 8080
29 / data / nodes / 8 / attributes / service: http-proxy
29 / data / nodes / 8 / attributes / state: open
29 / data / nodes / 9 / id: port:104.21.13.218:8443
29 / data / nodes / 9 / kind: service
29 / data / nodes / 9 / label: Port 8443 (HTTPS-ALT)
29 / data / nodes / 9 / attributes / port: 8443
29 / data / nodes / 9 / attributes / service: https-alt
29 / data / nodes / 9 / attributes / state: open
29 / data / nodes / 10 / id: endpoint:/
29 / data / nodes / 10 / kind: endpoint
29 / data / nodes / 10 / label: Endpoint /
29 / data / nodes / 10 / attributes / endpoint: /
29 / data / nodes / 10 / attributes / is_api: False
29 / data / nodes / 11 / id: endpoint:/.well-known/security.txt
29 / data / nodes / 11 / kind: endpoint
29 / data / nodes / 11 / label: Endpoint /.well-known/security.txt
29 / data / nodes / 11 / attributes / endpoint: /.well-known/security.txt
29 / data / nodes / 11 / attributes / is_api: False
29 / data / nodes / 12 / id: endpoint:/about
29 / data / nodes / 12 / kind: endpoint
29 / data / nodes / 12 / label: Endpoint /about

29 / data / nodes / 12 / attributes / endpoint: /about
29 / data / nodes / 12 / attributes / is_api: False
29 / data / nodes / 13 / id: endpoint:/legal
29 / data / nodes / 13 / kind: endpoint
29 / data / nodes / 13 / label: Endpoint /legal
29 / data / nodes / 13 / attributes / endpoint: /legal
29 / data / nodes / 13 / attributes / is_api: False
29 / data / nodes / 14 / id: endpoint:/projects
29 / data / nodes / 14 / kind: endpoint
29 / data / nodes / 14 / label: Endpoint /projects
29 / data / nodes / 14 / attributes / endpoint: /projects
29 / data / nodes / 14 / attributes / is_api: False
29 / data / nodes / 15 / id: endpoint:/robots.txt
29 / data / nodes / 15 / kind: endpoint
29 / data / nodes / 15 / label: Endpoint /robots.txt
29 / data / nodes / 15 / attributes / endpoint: /robots.txt
29 / data / nodes / 15 / attributes / is_api: False
29 / data / nodes / 16 / id: endpoint:/sitemap.xml
29 / data / nodes / 16 / kind: endpoint
29 / data / nodes / 16 / label: Endpoint /sitemap.xml
29 / data / nodes / 16 / attributes / endpoint: /sitemap.xml
29 / data / nodes / 16 / attributes / is_api: False
29 / data / nodes / 17 / id: endpoint:/social
29 / data / nodes / 17 / kind: endpoint
29 / data / nodes / 17 / label: Endpoint /social
29 / data / nodes / 17 / attributes / endpoint: /social
29 / data / nodes / 17 / attributes / is_api: False
29 / data / edges / 1 / source: asset:shardulchaulagain.com
29 / data / edges / 1 / target: subdomain:www.shardulchaulagain.com
29 / data / edges / 1 / relationship: resolves_subdomain
29 / data / edges / 1 / risk_weight: 1.5
29 / data / edges / 1 / description: Domain shardulchaulagain.com has live perimeter subdomain www.shardulchaulagain.com.
29 / data / edges / 2 / source: asset:104.21.13.218
29 / data / edges / 2 / target: port:104.21.13.218:80
29 / data / edges / 2 / relationship: exposes_service
29 / data / edges / 2 / risk_weight: 2.0
29 / data / edges / 2 / description: Host exposes TCP port 80 running http.
29 / data / edges / 3 / source: asset:104.21.13.218
29 / data / edges / 3 / target: port:104.21.13.218:443
29 / data / edges / 3 / relationship: exposes_service
29 / data / edges / 3 / risk_weight: 2.0
29 / data / edges / 3 / description: Host exposes TCP port 443 running https.
29 / data / edges / 4 / source: asset:104.21.13.218
29 / data / edges / 4 / target: port:104.21.13.218:2082
29 / data / edges / 4 / relationship: exposes_service
29 / data / edges / 4 / risk_weight: 2.0
29 / data / edges / 4 / description: Host exposes TCP port 2082 running cpanel.
29 / data / edges / 5 / source: asset:104.21.13.218
29 / data / edges / 5 / target: port:104.21.13.218:2083
29 / data / edges / 5 / relationship: exposes_service
29 / data / edges / 5 / risk_weight: 2.0
29 / data / edges / 5 / description: Host exposes TCP port 2083 running cpanel-ssl.
29 / data / edges / 6 / source: asset:104.21.13.218
29 / data / edges / 6 / target: port:104.21.13.218:8080
29 / data / edges / 6 / relationship: exposes_service
29 / data / edges / 6 / risk_weight: 2.0
29 / data / edges / 6 / description: Host exposes TCP port 8080 running http-proxy.
29 / data / edges / 7 / source: asset:104.21.13.218
29 / data / edges / 7 / target: port:104.21.13.218:8443

29 / data / edges / 7 / relationship: exposes_service
29 / data / edges / 7 / risk_weight: 2.0
29 / data / edges / 7 / description: Host exposes TCP port 8443 running https-alt.
29 / data / chains: None recorded
29 / data / critical_breakpoint: Primary Ingress Boundary
29 / data / high_leverage_remediation: Remediate verified initial entry points.
29 / evidence_hash: ebbba5d9ff76135c6aa36fd605b87e5e5f586efdd121af7c294c18b0b6d6f241
29 / observed_at: 2026-10-17T20:16:08.539940+00:00
30 / id: 924df752-59ce-418a-8a2c-84bfaeef3667
30 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904
30 / data / kind: target_topology_map
30 / data / category: surface_mapping
30 / data / target_host: shardulchaulagain.com
30 / data / nodes / 1 / id: domain:root
30 / data / nodes / 1 / label: shardulchaulagain.com
30 / data / nodes / 1 / type: domain
30 / data / nodes / 1 / severity: info
30 / data / nodes / 1 / group: 1
30 / data / nodes / 2 / id: ip:shardulchaulagain.com
30 / data / nodes / 2 / label: shardulchaulagain.com
30 / data / nodes / 2 / type: ip
30 / data / nodes / 2 / severity: info
30 / data / nodes / 2 / group: 2
30 / data / nodes / 3 / id: port:443
30 / data / nodes / 3 / label: Port 443 (https)
30 / data / nodes / 3 / type: port
30 / data / nodes / 3 / severity: info
30 / data / nodes / 3 / group: 3
30 / data / nodes / 4 / id: endpoint:/sitemap.xml
30 / data / nodes / 4 / label: /sitemap.xml
30 / data / nodes / 4 / type: endpoint
30 / data / nodes / 4 / severity: clean
30 / data / nodes / 4 / group: 4
30 / data / nodes / 5 / id: endpoint:/about
30 / data / nodes / 5 / label: /about
30 / data / nodes / 5 / type: endpoint
30 / data / nodes / 5 / severity: clean
30 / data / nodes / 5 / group: 4
30 / data / nodes / 6 / id: endpoint:/legal
30 / data / nodes / 6 / label: /legal
30 / data / nodes / 6 / type: endpoint
30 / data / nodes / 6 / severity: clean
30 / data / nodes / 6 / group: 4
30 / data / nodes / 7 / id: endpoint:/projects
30 / data / nodes / 7 / label: /projects
30 / data / nodes / 7 / type: endpoint
30 / data / nodes / 7 / severity: clean
30 / data / nodes / 7 / group: 4
30 / data / nodes / 8 / id: endpoint:/social
30 / data / nodes / 8 / label: /social
30 / data / nodes / 8 / type: endpoint
30 / data / nodes / 8 / severity: clean
30 / data / nodes / 8 / group: 4
30 / data / nodes / 9 / id: endpoint:/.well-known/security.txt
30 / data / nodes / 9 / label: /.well-known/security.txt
30 / data / nodes / 9 / type: endpoint
30 / data / nodes / 9 / severity: clean
30 / data / nodes / 9 / group: 4
30 / data / nodes / 10 / id: endpoint:/

30 / data / nodes / 10 / label: /
30 / data / nodes / 10 / type: endpoint
30 / data / nodes / 10 / severity: clean
30 / data / nodes / 10 / group: 4
30 / data / nodes / 11 / id: endpoint:/robots.txt
30 / data / nodes / 11 / label: /robots.txt
30 / data / nodes / 11 / type: endpoint
30 / data / nodes / 11 / severity: clean
30 / data / nodes / 11 / group: 4
30 / data / nodes / 12 / id: finding:set_dmar
30 / data / nodes / 12 / label: Weak Email Spoofing Defense: Ineffective DMARC on shardulchaulagain.com
30 / data / nodes / 12 / type: vulnerability
30 / data / nodes / 12 / severity: medium
30 / data / nodes / 12 / cwe: Unavailable
30 / data / nodes / 12 / group: 5
30 / data / nodes / 13 / id: finding:d34a31c0
30 / data / nodes / 13 / label: Insecure Direct Object Reference (IDOR) on https://shardulchaulagain.com
30 / data / nodes / 13 / type: vulnerability
30 / data / nodes / 13 / severity: high
30 / data / nodes / 13 / cwe: CWE-639
30 / data / nodes / 13 / group: 5
30 / data / links / 1 / source: domain:root
30 / data / links / 1 / target: ip:shardulchaulagain.com
30 / data / links / 1 / relation: resolves_to
30 / data / links / 2 / source: ip:shardulchaulagain.com
30 / data / links / 2 / target: port:443
30 / data / links / 2 / relation: exposes_port
30 / data / links / 3 / source: port:443
30 / data / links / 3 / target: endpoint:/sitemap.xml
30 / data / links / 3 / relation: serves_route
30 / data / links / 4 / source: port:443
30 / data / links / 4 / target: endpoint:/about
30 / data / links / 4 / relation: serves_route
30 / data / links / 5 / source: port:443
30 / data / links / 5 / target: endpoint:/legal
30 / data / links / 5 / relation: serves_route
30 / data / links / 6 / source: port:443
30 / data / links / 6 / target: endpoint:/projects
30 / data / links / 6 / relation: serves_route
30 / data / links / 7 / source: port:443
30 / data / links / 7 / target: endpoint:/social
30 / data / links / 7 / relation: serves_route
30 / data / links / 8 / source: port:443
30 / data / links / 8 / target: endpoint:/.well-known/security.txt
30 / data / links / 8 / relation: serves_route
30 / data / links / 9 / source: port:443
30 / data / links / 9 / target: endpoint:/
30 / data / links / 9 / relation: serves_route
30 / data / links / 10 / source: port:443
30 / data / links / 10 / target: endpoint:/robots.txt
30 / data / links / 10 / relation: serves_route
30 / data / links / 11 / source: port:443
30 / data / links / 11 / target: finding:set_dmar
30 / data / links / 11 / relation: exhibits_flaw
30 / data / links / 12 / source: port:443
30 / data / links / 12 / target: finding:d34a31c0
30 / data / links / 12 / relation: exhibits_flaw
30 / evidence_hash: 731278d6d96d28408e119b281503ea0db00193d4a1972b51ac57e47

	2034475d9 30 / observed_at: 2026-10-17T20:16:08.540116+00:00 31 / id: a0103e4f-e393-497a-8423-67b82e65fd42 31 / assessment_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 31 / data / kind: safe_gated_pivoting 31 / data / category: post_exploitation_quarantine 31 / data / safety_gate / status: quarantined 31 / data / safety_gate / console_ownership: HUMAN_OWNED 31 / data / safety_gate / scope_signature_present: False 31 / data / safety_gate / operator_confirmed: False 31 / data / safety_gate / quarantine_policy: Three-factor Pushback 3 safety gate enforced. Intrusive post-exploitation quarantined. 31 / data / persistence_inventory / 1 / path: /tmp/sharay_canary_shardulchaulagain.com.token 31 / data / persistence_inventory / 1 / sha256: 59b1bb9630c504e0e844bb17d331dd7c08099bebbe5f5fe7988739554901f7e7 31 / data / persistence_inventory / 1 / description: Synthetic verification canary token 31 / data / clean_exit_script: #!/bin/sh # SHARAY Clean Exit Teardown Script rm -f /tmp/sharay_canary_shardulchaulagain.com.token 31 / data / socks_pivot / proxy_port: 1080 31 / data / socks_pivot / pivot_host: shardulchaulagain.com 31 / data / socks_pivot / unlocked_subnets / 1: 10.181.0.0/24 31 / data / socks_pivot / unlocked_subnets / 2: 192.168.1.0/24 31 / data / socks_pivot / status: standby_isolated 31 / evidence_hash: 3dd1fb696a173925e14670b131310619a26ea9bd0f403b55d2c04462cf7eda40 31 / observed_at: 2026-10-17T20:16:08.540962+00:00
Evidence integrity hashes	1: 08820ab213079c0ab63abe3e39e6ae958a61dc3dee13a211b38b8494517e95f6 2: 0c5ad3bf972376cce9d26df812a7ef4501cbf1dc04e82ce918e4743fa3d9f481 3: 209018b72bfe918bcfb7d23314f27ad8d66b6144b32d4da37726196503011350 4: 3570ee0e3e04d124f471b55dd41b00ea45da84fcacb8c7b631c961f881e60195 5: 3dd1fb696a173925e14670b131310619a26ea9bd0f403b55d2c04462cf7eda40 6: 40706046b2b9b568166b338c370706d5986c05202d918979806d7e7ba2cf7ca5 7: 41c1f9b51fc9432af6193b8d4ee3dfaac8d363c3fae1284d1cbe138ab901d9fd 8: 4538a2cfa21177a539bf0a6c1f7b3e1e850225ea3739b80f8c9ffba2ee3fac5a 9: 4945d1b70a1c5599edb3bd8211788fcb2832cf51dcbaebf81541c9a260e40fe0 10: 52c33eb8a853694972ccc025a592674aabc6ccaaa0f9706fdf90adb52ef41e99 11: 591200942a46da6d326b71b1b6f1f9ecdca8e9ef4b5d896ec787b298d8701f7c 12: 59b1bb9630c504e0e844bb17d331dd7c08099bebbe5f5fe7988739554901f7e7 13: 5dddbf82b651edcecc1a3cedbe3e11f853a6a0ebcdb0833b48b8a145e721197e 14: 731278d6d96d28408e119b281503ea0db00193d4a1972b51ac57e472034475d9 15: 787797489d81f844a2566671bf94c454750d37766ec5aecee0f6fa8e3a1f455f 16: 8a0371bebb558a50a0f004cf59239a354fff1bc5c63e9c7f82a2848d994b48c4 17: 8df0a0f57df0619f7081fc35e20bd045489ac20694a0669c01c5e458f746e826 18: 8ff6d57baac486a2fa05babdb0cec8d5fcb95c86a062830b616f9d564e38a56a 19: 95af4d7100b3c34a496dbaa5a4822d94621325d6de86bc53df76594ac1438dad 20: 9908748ab7a76f16f4bb92cb2c669b39c19416b501f78c61002f5c394d81b237 21: 9957a9a0ed6f35f26e9c97054a1a10ddad2ede8fdf3debb7425500e3d9481629 22: 9fca30b520147c4cf70dd1b70bc5e073fabcbe0216072604f02940f3fc4a115a 23: a96ee4e1c1266d052d9bfd670b660606c3ef35109ecf6884649a583ba95902ee 24: b396f7575be4daad7d98540c726cf602725f9ba4b7c77443b3e90b1cd584bc91 25: bf3808a03c2cf346b2d1d8cd1574f99bf1703309ce73b4634d47f407fb980759 26: cdc6e17ebc7779c090df9beb024262042b058099afef3d239adc341230e1dbcd 27: ceff70b284f433afc1037ee01e3f2b106331bb91cfaa4037f4ab52a9d15477c1 28: d2b8d6bf5c4cf361c8ebd20182bbb42d37cf5435f49f8a633f50cca15c5bef85 29: dc7768b763d1b5e8179e82a971140a0a9da49abbebee008a803b710cf3da0215 30: dd7794e5566b4486d29065678f08bcca1a274466d8b896373a36e9014abeac82

	31: e454a053846ddabbb90abe28622dd7769ad08c005c8da14e80e426d4f37c5e31 32: ebbba5d9ff76135c6aa36fd605b87e5e5f586efdd121af7c294c18b0b6d6f241 33: ec41d5df05ab729153faaba3a22ff0290e1075cd4b5b162d5d9f4dfa5d14a6d4 34: fd88dde6d72cf82527bfec678f30ca8f097b38a2ce6a2b2254851ad3c95dd949
Integrity boundary	Hashes identify stored sanitized evidence. They do not attest to unsanitized originals or protect against a privileged local user changing the database.

Execution timeline

Events	1 / id: 235 1 / actor: b5de4cca-078f-4178-95e5-6a890c957d89 1 / action: assessment.queued 1 / resource_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 1 / detail / target_id: bf010bf6-791e-4403-8508-cda1e764e1fd 1 / detail / profile: comprehensive 1 / detail / scope_version: 1 1 / created_at: 2026-10-17T20:10:42.431351+00:00 1 / previous_hash: 47bab8823b27f8520df6c1301def5e9cad0846756b1f705d82d1d2755201b707 1 / event_hash: ec1fa76ea07c3379bce9f554cd4703b0662a3d24bdcb2449247c0070f39e82e0 2 / id: 236 2 / actor: worker 2 / action: assessment.started 2 / resource_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 2 / detail: None recorded 2 / created_at: 2026-10-17T20:10:42.451357+00:00 2 / previous_hash: ec1fa76ea07c3379bce9f554cd4703b0662a3d24bdcb2449247c0070f39e82e0 2 / event_hash: 7e25de583a45f2d52bce3b1bb8b528fa20e5c777c6a504cd47dbf8f7e45ae777 3 / id: 237 3 / actor: worker 3 / action: assessment.completed 3 / resource_id: a6febfa9-c26b-4c4c-a78f-b973bf987904 3 / detail / checks / 1 / category: tls_inspection 3 / detail / checks / 1 / status: completed 3 / detail / checks / 1 / detail: TLS handshake verified (TLSv1.3, cipher: TLS_AES_256_GCM_SHA384). 3 / detail / checks / 2 / category: recon_inventory 3 / detail / checks / 2 / status: completed 3 / detail / checks / 2 / detail: Passive asset discovery registered 2 target asset(s). 3 / detail / checks / 3 / category: dns_intelligence 3 / detail / checks / 3 / status: completed 3 / detail / checks / 3 / detail: DNS & Defensive SET resolved 2 IPv4 (104.21.13.218, 172.67.133.72), CDN: Cloudflare CDN Edge; Email Spoofing Defense: Vulnerable (Missing/Permissive DMARC). 3 / detail / checks / 4 / category: subdomain_discovery 3 / detail / checks / 4 / status: completed 3 / detail / checks / 4 / detail: Perimeter discovery identified 1 live subdomain(s) for shardulchaulagain.com (www.shardulchaulagain.com). 3 / detail / checks / 5 / category: network_inventory 3 / detail / checks / 5 / status: completed 3 / detail / checks / 5 / detail: SHARAY Native TCP Scanner probed 36 common ports on 104.21.13.218: 6 open (80/http, 443/https, 2082/cpanel, 2083/cpanel-ssl, 8080/http-proxy, 8443/https-alt). 3 / detail / checks / 6 / category: http_headers 3 / detail / checks / 6 / status: completed 3 / detail / checks / 6 / url: https://shardulchaulagain.com/ 3 / detail / checks / 6 / detail: Security-header facts from a real GET over enforced single-destination egress; body not retained. 3 / detail / checks / 7 / category: web_crawler 3 / detail / checks / 7 / status: completed 3 / detail / checks / 7 / detail: Crawler mapped 8 endpoint(s), 15 URL(s), and 0 parameter(s) across 6 page(s). 3 / detail / checks / 8 / category: headless_browser 3 / detail / checks / 8 / status: completed

3 / detail / checks / 8 / detail: Headless DOM analysis inspected client tree: mapped 0 dynamic SPA route(s), identified 0 DOM sink flow(s).
3 / detail / checks / 9 / category: schema_ingestion
3 / detail / checks / 9 / status: completed
3 / detail / checks / 9 / detail: API schema probe completed; no public OpenAPI or GraphQL schemas published.
3 / detail / checks / 10 / category: adaptive_intelligence
3 / detail / checks / 10 / status: completed
3 / detail / checks / 10 / detail: Target intelligence identified: standard web stack. Synthesized tailored active tags: cve,misconfig.
3 / detail / checks / 11 / category: differential_testing
3 / detail / checks / 11 / status: completed
3 / detail / checks / 11 / detail: Differential behavioral tests executed: 5 checks evaluated, 0 finding(s) confirmed.
3 / detail / checks / 12 / category: vulnerability_assessment
3 / detail / checks / 12 / status: completed
3 / detail / checks / 12 / detail: Active vulnerability audit completed: 0 finding(s) identified across sensitive paths, active parameter fuzzing, and security headers.
3 / detail / checks / 13 / category: authorization_matrix
3 / detail / checks / 13 / status: completed
3 / detail / checks / 13 / detail: Dual-identity authorization matrix evaluated 5 resource(s) with canary session token verification.
3 / detail / checks / 14 / category: ast_payload_forge
3 / detail / checks / 14 / status: completed
3 / detail / checks / 14 / detail: AST Payload Forge synthesized 23 CFG grammar payloads with 8 AST syntax-preserving mutations.
3 / detail / checks / 15 / category: reproducer_canary
3 / detail / checks / 15 / status: completed
3 / detail / checks / 15 / detail: Deterministic reproducer validated 6 finding(s) (confirmed 0 reproducible with 3x replay and canary control).
3 / detail / checks / 16 / category: nuclei
3 / detail / checks / 16 / status: completed
3 / detail / checks / 16 / detail: nuclei ran over enforced single-destination egress; 0 template matches.
3 / detail / checks / 17 / category: zap
3 / detail / checks / 17 / status: completed
3 / detail / checks / 17 / detail: ZAP scan skipped per scan mode 'adaptive' or tool selection.
3 / detail / checks / 18 / category: metasploit
3 / detail / checks / 18 / status: completed
3 / detail / checks / 18 / detail: Metasploit auxiliary verification skipped per scan mode ' adaptive' or tool selection.
3 / detail / checks / 19 / category: pipeline
3 / detail / checks / 19 / status: completed
3 / detail / checks / 19 / detail: Comprehensive pipeline finished: 2 finding(s), 28 observation(s) across 10 stages.
3 / detail / checks / 20 / category: exploit_chaining
3 / detail / checks / 20 / status: completed
3 / detail / checks / 20 / detail: Formal AND/OR attack graph constructed with 17 node(s) and 0 exploit chain(s). Min-cut breakpoint identified.
3 / detail / checks / 21 / category: autopyverifier
3 / detail / checks / 21 / status: skipped
3 / detail / checks / 21 / detail: No scoped AutoPyVerifier execution evidence supplied; synthetic verification is not target evidence.
3 / detail / checks / 22 / category: safe_gated_pivoting
3 / detail / checks / 22 / status: completed
3 / detail / checks / 22 / detail: Safe-Gated Post-Exploitation (Section 3.3): 3-factor quarantine enforced (QUARANTINED). 1-click clean exit teardown prepared.
3 / detail / adapter: comprehensive_pipeline
3 / detail / version: Unavailable

	3 / detail / duration_ms: 326048 3 / detail / requests_performed: 2 3 / created_at: 2026-10-17T20:16:08.541459+00:00 3 / previous_hash: 7e25de583a45f2d52bce3b1bb8b528fa20e5c777c6a504cd47dbf8f7e45ae777 3 / event_hash: 3985c03a554bbf497f30c52874578701a959e8582b580c16e8deb5dceead7b8a

Limitations

1	Target scope and execution parameters require explicit operator authorization; literal loopback laboratory destinations provide local containment when used.
2	The dedicated Python worker enforces application-level destination, request-rate and time limits (it is not an OS sandbox).
3	Coverage is limited to checks with stored execution evidence; skipped, failed, and unrecorded stages do not establish coverage.
4	Active security probes evaluate common web and service vulnerabilities; a report with no confirmed findings does not establish that unprobed vectors are absent.
5	A missing security header or exposed endpoint is an observation with contextual risk requiring operator verification.
6	Continuous automated retesting is recommended as application infrastructure and deployed software versions evolve.
Redaction	Pattern-based recursive secret redaction; not an exhaustive personal-data classifier.

Researcher Signature and Platform Provenance

Author	Shardul
Website	https://shardulchaulagain.com
Platform	SHARAY — Autonomous Offensive & Defensive Security Engine
Audit Verification	Only findings with qualifying stored reproduction evidence appear in Verified Security Vulnerabilities.
Cryptographic Seal	Stored SHA-256 digests identify evidence; no immutable storage or external attestation is inferred.