



PIZZAHUT





WELCOME TO PIZZAHUT

Today we'll slice into pizzahut data using SQL to reveal sales patterns, top toppings, and profit drivers.

Let's explore what our pizza orders are telling us and how SQL turns raw transactions into decisions.

This PPT covers dataset, queries, visual insights, and 3 clear actions to boost pizza revenue.





TOTAL NUMBER OF ORDERS PLACED.

QUERY

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

RESULT

21,350



TOTAL REVENUE GENERATED FROM PIZZA SALES.

QUERY :-

```
SELECT
    ROUND(SUM(orders_details.quantity *
    pizzas.price),
    2) AS total_sales
FROM
    orders_details
    JOIN
        pizzas ON pizzas.pizza_id =
        orders_details.pizza_id
```

RESULT :- 8,17,860





OUR HIGHEST-PRICED PIZZA.

QUERY :- SELECT
 pizza_types.name, pizzas.price
FROM
 pizza_types
 JOIN
 pizzas ON pizza_types.pizza_type_id =
 pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1

RESULT :- The Greek Pizza
35.95




MOST COMMON PIZZA SIZE ORDERED.

★★★★★
QUERY

```
SELECT
  pizzas.size,
  COUNT(orders_details.order_details_id) AS order_count
FROM
  pizzas
JOIN
  orders_details ON pizzas.pizza_id = orders_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

RESULT

L = 18526
M = 15385
S = 14137
XL = 544
XXL = 28





TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.



QUERY :-

```
SELECT
    pizza_types.name, SUM(orders_details.quantity) AS
quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

RESULT :-

The Classic Deluxe Pizza = 2453
The Barbecue Chicken Pizza = 2432
The Hawaiian Pizza = 2422
The Pepperoni Pizza = 2418
The Thai Chicken Pizza = 2371





TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.

QUERY :-

```
SELECT
    pizza_types.category,
    SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id =
        pizzas.pizza_type_id
    JOIN
        orders_details ON orders_details.pizza_id =
        pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

RESULT :-

Classic	= 14888
Supreme	= 11987
Veggie	= 11649
Chicken	= 11050



ORDERS BY HOUR OF THE DAY

QUERY

```
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS
order_count
FROM
    orders
GROUP BY HOUR(order_time);
```

RESULT

```
11 = 1231
12 = 2520
13 = 2455
14 = 1472
15 = 1468
16 = 1920
17 = 2336
18 = 2399
19 = 2009
20 = 1642
21 = 1198
22 = 663
23 = 28
10 = 8
9 = 1
```




CATEGORY- WISE DISTRIBUTION OF PIZZAS.

QUERY :- SELECT
 category, COUNT(name)
FROM
 pizza_types
GROUP BY category;

RESULT :- Chicken = 6
 Classic = 8
 Supreme = 9
 Veggie = 9





OUR

AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

QUERY :- SELECT
ROUND(AVG(quantity), 0) as
avg_pizza_ordered_per_day
FROM
(SELECT
orders.order_date,
SUM(orders_details.quantity) AS quantity
FROM
orders
JOIN orders_details ON orders.order_id =
orders_details.order_id
GROUP BY orders.order_date) AS order_quantity;

RESULT :- 138




3 MOST ORDERED PIZZA TYPES BASED ON REVENUE

★★★★★
QUERY

```
SELECT
  pizza_types.name,
  SUM(orders_details.quantity * pizzas.price) AS revenue
FROM
  pizza_types
  JOIN
  pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
  JOIN
  orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

RESULT

The Thai Chicken Pizza = 43434.25
The Barbecue Chicken Pizza = 42768
The California Chicken Pizza = 41409.5





3 MOST ORDERED PIZZA TYPES BASED ON REVENUE FOR EACH PIZZA CATEGORY.



QUERY :-

```
select name, revenue from
(select category, name, revenue,
rank() over(partition by category order by revenue desc) as
rn
from
(select pizza_types.category,pizza_types.name,
sum((orders_details.quantity)*pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id=pizzas.pizza_type_id
join orders_details
on orders_details.pizza_id=pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn <=3;
```

RESULT :-

The Thai Chicken Pizza = 43434.25
The Barbecue Chicken Pizza = 42768
The California Chicken Pizza = 41409.5
The Classic Deluxe Pizza = 38180.5
The Hawaiian Pizza = 32273.25
The Pepperoni Pizza = 30161.75
The Spicy Italian Pizza = 34831.25
The Italian Supreme Pizza = 33476.75
The Sicilian Pizza = 30940.5
The Four Cheese Pizza = 32265.70000000065
The Mexicana Pizza = 26780.75
The Five Cheese Pizza = 26066.5





PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.

QUERY :-

```
SELECT
    pizza_types.category,
    ROUND(SUM(orders_details.quantity * pizzas.price) /
(SELECT
    ROUND(SUM(orders_details.quantity * pizzas.price),
    2) AS total_sales
FROM
    orders_Details
JOIN
    pizzas ON pizzas.pizza_id =
orders_details.pizza_id) * 100,
    2) AS revenue
FROM
    pizza_types
JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```



RESULT :-

Classic = 26.91
Supreme = 25.46
Chicken = 23.96
Veggie = 23.68





THANK YOU!

