# Safety Data Sheet



## SECTION 1: Product and company identification

Product name : Snow & Ice Inhibitor

Use of the substance/mixture : Ice melter Product code : 127801

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification (GHS-US)

Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335 STOT RE 2 H373

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS07

S07 GHS08

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Harmful if swallowed

Causes skin irritation
Causes serious eye irritation

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) : Do not breathe mist, spray

Avoid breathing mist, spray Wash thoroughly after handling

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

Wear eye protection, protective clothing, protective gloves If swallowed: Call a doctor, a POISON CENTER if you feel unwell

If on skin: Wash with plenty of soap and water.

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Call a doctor, a POISON CENTER if you feel unwell Get medical advice/attention if you feel unwell Specific treatment (see First aid measures on this label)

Rinse mouth

If skin irritation occurs: Get medical advice/attention
If eye irritation persists: Get medical advice/attention
Take off contaminated clothing and wash before reuse
Store in a well-ventilated place. Keep container tightly closed

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

Date of issue: 10/19/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 1 of 6

# Safety Data Sheet



#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
ethanediol, ethylene glycol	(CAS No) 107-21-1	30 - 60	Acute Tox. 4 (Oral), H302
urea	(CAS No) 57-13-6	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
2,2' -oxybisethanol, diethylene glycol	(CAS No) 111-46-6	1 - 5	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : If unconscious, place in the recovery position and seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water.

First-aid measures after eye contact : Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Never give anything by mouth to an unconscious person. Immediately call a

poison center or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory

irritation. May cause damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : May cause respiratory irritation.

 $\label{thm:contact} \mbox{Symptoms/injuries after skin contact} \qquad : \mbox{ Causes skin irritation}.$ 

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Water spray. Alcohol-resistant foam.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

No additional information available

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

No additional information available

## 6.1.2. For emergency responders

No additional information available

## 6.2. Environmental precautions

No additional information available

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Reference to other sections (13).

## 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

No additional information available

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in a well-ventilated place.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

ethanediol, ethylene glycol (107-21-1)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³

Date of issue: 10/19/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 2 of 6

# Safety Data Sheet



8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Protective clothing. Safety glasses. Use appropriate personal protective equipment when

risk assessment indicates this is necessary.







## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Odor : Mild odor

Odor threshold No data available рΗ : No data available Melting point : No data available Freezing point No data available No data available Boiling point : > 200 °F Closed Cup Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available : No data available Relative density No data available Relative vapor density at 20 °C

Specific gravity / density : 1.13 g/ml

Solubility : Soluble in water. Log Pow : No data available Log Kow : No data available No data available Auto-ignition temperature Decomposition temperature No data available Viscosity No data available Viscosity, kinematic No data available Viscosity, dynamic : No data available

VOC content : 0 %

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

Date of issue: 10/19/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 3 of 6

# Safety Data Sheet



# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

2,2' -oxybisethanol, diethylene gl	ycol (111-46-6)
LD50 oral rat	12565 mg/kg
LD50 dermal rabbit	11890 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	11890.000 mg/kg body weight
ethanediol, ethylene glycol (107-2	21-1)
LD50 oral rat	4700 mg/kg
LD50 dermal rabbit	10626 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	10626.000 mg/kg body weight
urea (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)
ATE CLP (oral)	8471.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed.

## SECTION 12: Ecological information

## 12.1. Toxicity

urea (57-13-6)	
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus; Nominal concentration)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; Nominal concentration)
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)
Threshold limit algae 1	> 10000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
Threshold limit algae 2	47 mg/l (192 h; Microcystis aeruginosa; Growth rate)

## 12.2. Persistence and degradability

urea (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Highly mobile in soil.
ThOD	0.27 g O □/g substance

## 12.3. Bioaccumulative potential

urea (57-13-6)	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)

 Date of issue: 10/19/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 4 of 6

# Safety Data Sheet



urea (57-13-6)	
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Log Pow	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Bioaccumulation: not applicable.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations. Do not discharge into the sewer. Do not remove as household garbage.

## **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

**Additional information** 

Other information : No supplementary information available.

**ADR** 

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

## **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

ethanediol, ethylene glycol	CAS No 107-21-1	30 - 60
ethanediol, ethylene glycol (107-21-1)		
Listed on SARA Section 313 (Specific toxic chemi	cal listings)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

### Full text of H-phrases:

akt of Fi-philases.		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H373	May cause damage to organs through prolonged or repeated exposure	

 Date of issue: 10/19/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 5 of 6

# Safety Data Sheet

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



## Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 10/19/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 6