Safety Data Sheet



SECTION 1: Product and company identification

Product name : Ar-Chem Ag CS-80
Use of the substance/mixture : Foam Marker Concentrate

Product code : 111876

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 Carc. 2 H351

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05





GHS08

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes skin irritation

May cause an allergic skin reaction Causes serious eye damage Suspected of causing cancer

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing mist, spray Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves

If on skin: Wash with plenty of water

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention Immediately call a doctor, a POISON CENTER Specific treatment (see First aid measures on this label) If skin irritation occurs: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse Take off contaminated clothing and wash it before reuse

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Date of issue: 12/10/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 1 of 7

Safety Data Sheet



Name	Product identifier	%	Classification (GHS-US)
butan-1-ol, n-butanol	(CAS No) 71-36-3	10 - 30	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 STOT SE 3, H336
ethanol	(CAS No) 64-17-5	5 - 10	Flam. Liq. 2, H225 STOT SE 3, H336
Lauryl Alcohol	(CAS No) 112-53-8	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
MYRISTYL ALCOHOL	(CAS No) 112-72-1	1 - 5	Eye Irrit. 2A, H319
tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
trisodium nitrilotriacetate	(CAS No) 5064-31-3	0.025 - 0.125	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351
3-aminopropyldimethylamine, N,N-dimethyl-1,3-diaminopropane	(CAS No) 109-55-7	0.1 - 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause an allergic skin reaction. Causes skin irritation. Causes serious eye damage. Suspected

of causing cancer.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms/injuries after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

Date of issue: 12/10/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 2 of 7

Safety Data Sheet



6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using

this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in original container. Protect from freezing. Store

locked up.

Incompatible products : strong acids.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol (64-17-5)		
ACGIH STEL (ppm) 1000 ppm		
ACGIH	Remark (ACGIH)	URT irr

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Safety glasses. Gloves. Protective clothing.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Blue-green. Liquid.

Odor : Mild odor

Odor threshold No data available No data available рΗ No data available Melting point Freezing point : No data available Boiling point No data available Flash point : > 200 °F Closed Cup Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties No data available Oxidizing properties No data available Vapor pressure No data available No data available Relative density Relative vapor density at 20 °C : No data available

Date of issue: 12/10/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 3 of 7

Safety Data Sheet

Specific gravity / density : 0.84 g/ml Solubility : Soluble in water. : No data available Log Pow Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic

VOC content : < 19 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Reproductive toxicity

No additional information available

10.5. Incompatible materials

strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Specific target organ toxicity (single exposure) : Not classified

Acute toxicity	: Not classified	
ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)	
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)	
ATE CLP (oral)	10740.000 mg/kg body weight	
tetrasodium ethylenediaminetetracetat	e (64-02-8)	
LD50 oral rat	> 2000 mg/kg (Rat)	
ATE CLP (oral)	500.000 mg/kg body weight	
trisodium nitrilotriacetate (5064-31-3)		
LD50 oral rat	1740 mg/kg rat, male and female	
LD50 dermal rabbit	> 2000 mg/kg	
ATE CLP (oral)	500.000 mg/kg body weight	
3-aminopropyldimethylamine, N,N-dim	ethyl-1,3-diaminopropane (109-55-7)	
ATE CLP (oral)	500.000 mg/kg body weight	
butan-1-ol, n-butanol (71-36-3)		
ATE CLP (oral)	500.000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Suspected of causing cancer.	
trisodium nitrilotriacetate (5064-31-3)		
IARC group	2B - Possibly Carcinogenic to Humans	

Date of issue: 12/10/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 4 of 7

: Not classified

Safety Data Sheet

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints.

Likely routes of exposure : Skin and eyes contact.;Ingestion.

SECTION 12: Ecological information

12.1. Toxicity

LC50 fish 1

EC50 Daphnia 1

ErC50 (algae)

ethanol (64-17-5)	
LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
tetrasodium ethylenediaminetetracetate (64-02-	8)
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)
trisodium nitrilotriacetate (5064-31-3)	

114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test

91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static

> 100 mg/l Daphnia magna (Water flea); Test Type: static test

12.2. Persistence and degradability

ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O□/g substance	
Chemical oxygen demand (COD)	1.70 g O□/g substance	
ThOD	2.10 g O ☐/g substance	
BOD (% of ThOD)	0.43 % ThOD	
tatua a di una atla da na di ancia atatua a stata (C	4.00.0)	

test; Method: OECD Test Guideline 201

tetrasodium ethylenediaminetetracetate (64-02-8)

tellisoosian on juniorisation (c. c. c. c)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O □/g substance
Chemical oxygen demand (COD)	0.54 - 0.58 g O⊡/g substance

12.3. Bioaccumulative potential

ethanol (64-17-5)		
BCF fish 1 1 (72 h; Cyprinus carpio)		
Log Pow	-0.31 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
tetrasodium ethylenediaminetetracetate (64-02-8)		
Log Pow	-2.6	
Bioaccumulative potential	Bioaccumulation: not applicable.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Date of issue: 12/10/2015 Revision date: 06/01/2015 Version: 1.0 P GHS SDS Page 5 of 7

Safety Data Sheet

SHARE

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

butan-1-ol, n-butanol	CAS No 71-36-3	10 - 30
butan-1-ol, n-butanol (71-36-3)		
Listed on SARA Section 313 (Specific toxic chemi	cal listings)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer

 Date of issue: 12/10/2015
 Revision date: 06/01/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 7

Safety Data Sheet

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 12/10/2015
 Revision date: 06/01/2015
 Version: 1.0
 P GHS SDS
 Page 7 of 7