

TUBERCULOCIDAL

FOOD CONTACT SANITIZER

SOFT SURFACES SANITIZER

BROAD SPECTRUM HOSPITAL DISINFECTANT

CLEAN AND DISINFECT IN ONE STEP²

NON-CORROSIVE

ELIMINATES ODOR-CAUSING BACTERIA

 Active Ingredient:
 0.60%

 Other Ingredients:
 99.40%

 Total
 100.00%

KEEP OUT OF REACH OF CHILDREN

EPA REG. NO. 34810-35-11547 EPA EST. 10088-WI-1

Net Contents: One Quart (32 fl.oz)

TROUNCE

AEAS OF VEST- for use or. Athelic Solities, Cathersone, Day use centers, Destal offices, Groom Facilities, Groom Seculities, Groom Seculit

In the presence of 5% blood serum and a contact time of 3 minutes, is effective against: VIRILCIDAL** Honatitis Reviews (HEV) Honatitis Cutrus (HEV). Rhinoviews (Tuno 14. Strain 1059)

In the presence of 5% blood serum and a contact time of 5 minutes, is effective against:

on the presence of 5% books serim and a contact unnex of merit of merit or serious decrains. Vancomycin Resistant (VRE, Escheichie coli 05/HI, Listeria nonox ribgenes, Pseudomona aeruginosa, Salmonella enderia (formen's Salmonella chikiraesus), Staphylococus aureus, Staphylococus aureus, Staphylococus aureus, PRESA, Inchikiraesus adriemie— MESA.

VIBLUIDAL** Adenovirus Type 2, Feline Calicivirus (surrogate for Norovirus), Herpes Simplex Virus Type 1, Herpes Simplex Wrus Type 1, Herpes 1, Herpes Simplex Wrus Type 1, Herpes 1, Herpes Simplex Wrus Type 1, Herpes 1,

FUNGICIDAL: Candida a bicans, Inichophyton interdigitale
In the presence of 5% blood serum and a contact time of 10 minutes, is effective against:

BACTERICIDAL: Acinetobacter baumannii VIRUCIDAL*; Canine Parvovirus (CPV), Poliovirus Type 1

TUBERCULOCIDAL: Effective against Mycobacterium bovis in 5 minutes at 20°C/68°F on previously cleaned hard non-porous inanimate surfaces.

NONFOOD CONTACT SANITIZER: Kiebsiella pneumoniae in 60 seconds.

FOOD CONTACT SANITIZER: Stap hylococcus aureus and Escherichia coli in 60 seconds.

SOFTCONTACT SANITIZER: ** Klebsiella aerogenes and ** Staphylococcus aureus in 60 seconds**.

ALLERGEMS: This product removes the following allergens: cockroach debris/matter/particles, dust mite debris/matter/particles, pet dander, pollen particles, grass.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its Jabeling. Product is ready to use, DO NOT DUILTE. Predemaranes with gross fifth and visible soil prior to disinfection.

To CLEAR Apply in Sal makes as received.

To CLEAR Apply in Formatic unditated to hand, non-porous surfaces by spraying, wiping with a doth or towel until dean. Spot check to test for compatibility.

FOR FORD CONTACT SAMITIZATION: Precision. With the surface. Let stand for 60 seconds (one minute) on hard, non-porous surfaces. Wipe or let air dry. No institution or winds its remained were not not contact understand.

FOR MONFOOD CONTACT SANTIZATION: Precieen. Wet the surface, Let stand for 60 seconds (one minute) on hard, non-porous, surfaces. Wipe or let air dry, No inising or wiping is required, exceed on food contact surfaces which require a potable water rinse after treatment.

rinsing or wiping is required, except on food contact surfaces which require a potable water rinse after treatment,

FOR SOFT SURFACE SAMITIZATION: Preclean. Spray this product 6-8 inches from soft surface until wet. Let stand for 60 seconds. Allow to air dry.

TO DISMFECT: Apply this product undiluted to hard, non-porous surfaces with a spayer, cloth, mop or brush, or by immersing equipment to be disinfected.

We all surfaces thoroughly. The surface must romain visibly were with this product for all least 10 minutes. Who er left air dry. No rinsing or wiging is required.

FUNGICIDAL DIRECTION: This product is effective against Trichophyton interdigitale (athlete's foot fungus and a cause of ringworm) on inanimate surfaces in locker rooms, direction grooms, exercise facilities, and shower and bath areas. Follow disinfection directions.

Veteriary Practice / Jainal Carry / Sainal Laboratory / Zoou / Pe Xboy / Examelh Disinfection Directions: For cleaning and disinfecting hard morphorus sourfaces copponent used for animal food or water, ceredit, present xis, cage, keennels, saintees, catteries, ext. Remove all intext, disease, catteries, ext. Remove all animals and referred from generaes, animal transportation vehicles, cattes, etc., Keennev all little, disease, pages and manuer from floors, walks and surfaces of stacilities counsiled in traversely sharines. It imply all regions, and watering spatials, compared in the other stacks and surfaces with sour post objects and surfaces with sour post objects and surfaces with source and surfaces with source of stacilities considered in the surface of the surfaces of stacks and surfaces with source of stacks and surfaces. The surface of stacks are surfaces and surfaces with surfaces and surfaces and surfaces and surfaces and surfaces and surfaces and surfaces. The surfaces are surfaces and surfaces and surfaces and surfaces are surfaces and surfaces and surfaces and surfaces and surfaces and surfaces and surfaces are surfaces. But not have animals or employ exponent unit of themselves and as or employee. Surfaces are surfaces and surfaces are surfaces and surfaces and surfaces and surfaces are surfaces. But not have a surfaces and surfaces and surfaces are surfaces and surfaces and surfaces are surfaces. The surfaces are surfaces and surfaces and surfaces are surfaces and surfaces are surfaces and surfaces and surfaces are surfaces. The surfaces are surfaces and surfaces are surfaces and surfaces are surfaces and surfaces are surfaces. The surfaces are surfaces are surfaces are surfaces and surfaces are surfaces are surfaces. The surfaces are surfaces are surfaces are surfaces are surfaces and surfaces are surfaces. The surfaces are surfaces. The surfaces are surfaces are surfaces are surfaces are surfaces are surfaces are sur

Decodaring and Cleaning of Carpstst Paints:

To Decodarine and Cleaning agents, Heinfirdt, and other Materials: This product can be used an ment abovic shall can be cleaned with water-based cleaness, Medit or use only word, silk or suched, Always test for bigit festness and material compatibility in an inconspicuous area prior to use. Apply by sprayer, to personare verif coverage and allow for Thimmate contact time. But not time, us not he water extraction waited to remove product from threated surfaces and them only their care of the format event.

The production of the contact format is the contact time. But not income, us not he water extraction waited to remove product from threated surfaces and them only the care of the format of the most head of the office of the most be used if notified reads for warmer quicks.

Sconstantiation of clinical observations of processing the state of th

"HIS PROPORT BALLS BY OF BYF-CLEARD ENVIRONMENTAL SUBSICISATIONS PREVIOUS SOLDS WHILE BOOK/BOOT RUBS — all settings in which the Bit can expect the following the distribution of the best and expected field fined for single glands, more pares surfaces below that bit does not have fluid and which the surfaces beginds talkey to be assisted with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type I (RW-I) and the surface of th

SPACIA INSTRUCTIONS FOR GLISIAMS, AND DECONSAMPATIONS INSTRUCTIONS WITH BLOOD AND BOOM TRUITS WHICH WAS COMMAN WHITH A WAY.

WHICH, PRISONAL PROTECTIONS: When handling objects solled with blood or body fluids used disposable lates gives, gowes, mask and eye coverings.

CLEARMS WANCEDWING Blood and other body fluids must be throughly cleaned from surfaces and objects before application of the distriction. CONNECT IMPLE to love Distails. Presidence must remain visibly well for the minutes using map, cleth or sponge to mitigate HIV-1 virus. Use a Diminute contact full will all bacteria; with a final fluid blood in the contact of the similar solid map.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other fluids should be autoclaved and disposed of according to Federal, State and Local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Store air tight at room temperature. Nonrefillable container. Do not reuse or refill this empty container. Offer empty container for recycling. If recycling is not available discard in trash

*Viruses

¹on hard, non-porous surfaces ²when used according to disinfection directionS

5100% cotton

⁶Drain pans must be pre-cleaned and dry before applying this product

0161.092420