

# DEFLECT

## Acid Replacement Urinal Cleaner

**Form:** Liquid

**Color:** Dark Green

**Odor:** Fresh

**pH:** < 1.0

**Solubility (in water):** Soluble  
**(in mineral spirits):** Insoluble

**VOC Content (% by weight):** < 0.5

**Flash Point (ASTM D-7821):** N/A

**Specific Gravity:** 1.04 g/cm<sup>3</sup>

**Density:** 8.64 lbs/gal

**Storage Stability (at 70°F):** 1 year

### Ingredients

### C.A.S. #

Water.....	7732-18-5
Organic Salt.....	506-89-8
Nonionic Surfactant .....	Proprietary
Anti-Staining Solution.....	Proprietary
Amphoteric Surfactant .....	Proprietary

### Use in...

- **Restrooms**
- **Offices**
- **Gyms**
- **Restaurants**
- **Hotels**
- **Schools**
- **Maintenance Departments**

**URINAL TREATMENT:** Remove waste debris, urinal screens and urinal blocks. Shut off automatic flush and remove as much standing water as possible. Pour 16 ounces into urinal and allow DEFLECT to work for 10-15 minutes while acid action takes place inside drain line. Place bowl swab over urinal and wet with DEFLECT. Clean vertical surfaces with special attention to areas behind and under flush rim. Flush urinal several times to rinse away dissolved scale. For urinals that have been completely clogged or very slow draining, repeated applications may be necessary to completely dissolve all urinary salts and scale deposits inside drain line.

**PLEASE NOTE:** This product may have an adverse effect on certain porcelain, ceramic or antique finishes, terrazzo, and polished metallic finishes. This product should not be used on colored grout, marble, or glazed surfaces. If uncertain, test on an inconspicuous area before using.

HMIS®			NFPA	
	Severe 4	Extreme		
Health.....2	Serious 3	High	Health.....2	
Flammability.....0	Moderate 2	Moderate	Flammability.....0	
Physical Hazard.....0	Slight 1	Slight	Reactivity.....0	
Personal Protection.....X	Minimal 0	Insignificant	Special Precautions.....None	