

**LUBRICANTS****SPECIAL ION-CHARGED FX FOAMING RUST PENETRANT with Teflon®\***

- Penetrates immediately to free rusted parts.
- Long lasting, super thick foam clings to surface.
- Exclusive ion-charged formula that bonds to rust.
- Multi-purpose moly additives prevent future corrosion.
- Removes without damage to your fasteners.
- Long lasting, residual lubrication.

\*Polytetrafluoroethylene  
E.I. Dupont Co.



Part No. 211108 (24)  
15 oz. net wt. (425g)

**OMNI L/P****Aggressive Lubricant/Penetrant**

- Blast through rust, grease and grime.
- Lubricates and quickly frees frozen nuts/bolts.
- Dries wet electrical and ignition systems.
- Non-flammable, non-conductive offers 5,000 volt dielectric strength per ASTMD1816.

(PSS100112)

- Reduces friction to prevent wear.
- Lubricant provides lasting protection.
- May be sprayed in an inverted position.
- Works better than PB Blaster and Torq CBII.

Part No. 211336  
15 oz. net wt.  
(PSS060310)

**KNOCK'ER LOOSE® TECHNICIAN Grade Lubricant/Penetrant**

- Concentrated heavy-duty formula penetrates rust and corrosion.
- Leaves behind a long-lasting, fine film lubricant to protect against future corrosion.



Part No. 211589  
9 oz. net wt. (255g)

**ULTRA SCREWLOOSE® Super Penetrant**

Penetrates through tough rust, gum and corrosion on contact.  
Loosens seized-up parts.



Part No. 211582 (12)  
11 oz. net wt. (CRC05330)

**PB BLASTER PENETRATING OIL****Super Concentrated PB Penetrating Catalyst**

- Powerful, concentrated penetrant frees rusted and frozen parts.
- Releases surface tension that causes parts to stick.
- Lubricates to protect against future rust and corrosion.
- Displaces moisture.



Part No. 211524 (12)  
12 oz. net wt. (339g)

**GEL-TAC EXTRA with Teflon**

A unique combination of natural & synthetic lubrication agents coupled with a high molecular weight polymer (PTFE).

- Thin like penetrating oil reaches where other can't.
- Quickly sets up to a clear tacky gel. Resists being thrown off, vibration, and being washed off.
- Prevents sticking/freezing of rubber and metal to keep parts moving smoothly & quietly.
- Protective coating prevents rust, corrosion, and resists steam and salt spray.
- Extreme temperature capabilities; (PSS031411)  
-30° F to over +600°F.

Part No. 213162 (12)  
13 oz. net wt. (368g)

**NEW 360° spray any way valve**

**IMMORTAL PREMIUM LUBRICANT**

Advanced formula 100% synthetic lubricant with PTFE Teflon

- Incredible capillary action - spray it on something rusted & it will work its way through the entire part.
- Will not attract dust or dirt.
- Resists other chemicals.
- Stands up to other chemicals and provides long term protection.
- Lubricates and displaces moisture.
- Immortal is guaranteed to outperform the competition!

Part No. 211584 (12)  
16 oz. net wt. (1lb.) (453g)

**AEROKROIL**

(PSS031118) **Loosens Frozen Metal Parts**

- An industry proven penetrating oil that has no equal.
- Quickly loosens rusted nuts and bolts - frees frozen studs, pulleys, shafts, bearings, pipes, valves and guides.
- Penetrates to 1 millionth inch spaces, dissolves rust, lubricates, cleans and prevents rust.
- Displaces moisture.
- The oil that creeps.



Part No. 211645  
10 oz. net wt. (284g)

**Industrial CRC 3-36®**

Petroleum-based organic compound.

- A micro-thin continuous film lubricates & protects all metal surfaces without leaving a sticky residue.
- Penetrates, loosening frozen parts.
- Cleans light soils from surfaces, leaving a corrosion-resistant barrier.
- Authorized by USDA for federally inspected meat and poultry plants.
- Equipped with the 360° spray valve for added convenience.

Part No. 211552 (12)  
CRC No. 03005  
11 oz. net wt. (312g)  
(Contents 16 fluid oz.)

**NOT for use on energized equipment**

**MULTI-LUBE 5 IN 1**

Outperforms CRC Power Lube,  
WD-40 and Permatex 5 Way.

High Powered Multi-Purpose Lubricant

- Non-flammable formula - safe for use on energized equipment.
- Lubricates all moving parts.
- Penetrates through rust and corrosion.
- Disperses moisture; dries wires & contacts.
- Prevents corrosion; seals out moisture.
- Cleans and degreases parts & assemblies.

(PSS060210)

Part No. 211333 (12)  
14.75 oz. net wt. (418g)

**NEW Non-flammable formula**



# LUBRICANTS

## FOOD GRADE SILICONE LUBE

For use in food processing and handling.



- USDA accepted, conforms to FDA requirements.
- Non-toxic, non-staining, non-corrosive.
- Prevents sticking of plastic parts, rubber, metal, etc.
- Lubricates, seals, protects.
- Does not attract dust or dirt.

Part No. 211309 (12)  
9.25 oz. net wt. (274g)



## INDUSTRIAL FOOD GRADE SILICONE

Multi-purpose silicone spray lubricant.



- NSF H1 registered for use in meat and poultry plants.
- Harmless to most rubbers and plastics.
- Effective temperature range (-40°F to 400°F).
- Excellent release agent and lubricant for all surfaces.
- Meets FDA regulation CFR 21-178.3570 for incidental food contact.

Part No. 211587 (12)  
CRC No. 03040  
10 oz. net wt. (284g)

## "STAY" NO-RUN SILICONE

It stays where you spray, even on vertical & metallic/non-metallic surfaces.



- STAY is a lubricating, waterproofing and rustproofing high viscosity gel agent for in-door and outdoor applications.
- Heat stable with rust inhibitor. Temperature range works from -58°F to +575°F.
- Reduces friction and galling, even on metal to metal surfaces.
- Clear, non-staining, odorless and moisture resistant.

Part No. 211458 (12)  
9.25 oz. net wt. (262g)

## HEAVY DUTY SILICONE LUBE

Lubricate locks, hinges, lids, cables, moldings, tracks and guides.



- Stops friction, squeaks and sticking.
- Won't attract dust or dirt.
- Protects & renews rubber mountings, bushings, weatherstripping & seals.
- Wide effective temperature range (-40°F to 400°F).
- Excellent release agent & lubricant for all surfaces.
- Color: Clear.

Part No. 13106 (24)  
12.25 oz. net wt. (347g)

## CHAIN AND CABLE FLUID

Thin film penetrating lubricant.



- Lubricates, penetrates and cleans.
- Maintains a moist lasting film.
- Reduces friction.
- Prevents rust and corrosion
- Does not pick up dust or dirt.

Part No. 711760 (12)  
11 oz. net wt. (312g)

## EXTRA HEAVY GEAR SHIELD

Extra thick film penetrating lubricant.



- Especially designed for exposed open gears.
- A superior 5th wheel lubricant.
- Lasts longer than conventional lubricants even at high temperatures - up to 370°F.
- Waterproof - will not wash or weather out.

Part No. 711759 (12)  
11 oz. net wt. (312g)

## LUBRIPLATE SPRAY LUBE "A"

Multi-Purpose White Lithium Grease



Excellent for latches, locks, hinges, battery terminals and other hardware.

- Sprays like a fluid, congeals to a grease.
- Unaffected by moisture, most chemicals and acids, won't run, wash off or dry up.
- Medium density.
- Excellent where no grease fittings exist, with close tolerance and longer lasting lubrication is desirable.
- Temperature ranges of from -10°F to 275°F.

Part No. 711766 (12)  
11 oz. net wt. (311.8g)

## CRC® WHITE LITHIUM GREASE with Teflon®

A high quality multi-purpose grease for automotive, shop, home or farm.



- Contains Teflon for extra lubricity.
- Fights corrosion.
- Any weather or temperature.
- Ideal for metal to metal lubrication.
- Protects machines, tools, and shop equipment.

Part No. 211573 (12)  
CRC No. 05037  
10 oz. net wt. (284g)

**NOT FOR USE ON ENERGIZED EQUIPMENT**

## MAXI - LUBE White Lithium Grease

Contains zinc oxide in a fine micron particle size and a high viscosity index oil which adds to the lubricity of the product.



- For use on automotive hinges and springs, industrial machinery and tools, marine linkages and cables and farm machinery.
- Sprays as a liquid, quickly air cures to a thick grease.
- Prevents rust and corrosion.
- Outstanding tenacity clings to metal and will not run.
- Heat resistant to +350°F.

Part No. 13113 (12)  
12 oz. net wt. (340g)

## SLIK N' KLEEN DRY LUBE with Teflon®\*



- Contains PTFE (Teflon®)
- Replaces "Wet" petroleum base lubricants. Non-oily & staining, will not attract dust or dirt, no residue, leaves a perfectly dry, colorless, solid lubrication film.
- Mold release agent.
- NO silicone.
- Withstands extreme temperatures - from -40°F to + 500°F.
- Lubricant for electronics, aerospace & video equipment, computers, instruments & delicate machinery electric motors.

Part No. 13133 (12)  
11 oz. net wt. (311g)

\*Polytetrafluoroethylene  
E.I. Dupont Co.

# LUBRICANTS

## MOLY GEAR AND CHAIN LUBE

- 50% more Moly (molybdenum disulfide).
- Specially formulated with New Hi-EP Grease.
- High degree of "tack" creates excellent adhesion as well as superior "film rupture" healing characteristics.
- Adheres w/o leaving the metal bare after release.
- Highly water resistant. Prevents rust and oxidation.

### Test Results

5% salt spray booth ASTM D-117      Falex load / wear test - ASTM D-3233  
Passes 3000+ hours & max load of 4500 lbs. - no failure      Torque reading 60.  
Superior lubrication - anti wear properties.

Part No. 13129 (12)  
14 oz. net wt. (396g)



## MOLY DRY FILM LUBRICANT

Excellent for casting molds, oven hardware, cams, followers, rollers, chain cable, open gears, threaded fasteners, slides, locks, latches, pins, bearings, press fits, and as a break-in lube.

- Lubricates in very high temperatures, to 750°F.
- Dry molybdenum disulfide fills metal pores, "valleys", scratches & other recesses in the metal surface to create tight adhesion.
- Contains no oil, grease, or graphite.
- Load capacity to 140,000 psi.
- Will not attract dust or dirt.

Part No. 211306 (12)  
13 oz. net wt. (368g)



## GEAR-KOTE - Heavy Load Lubricant

Outperforms typical HD greases & lubricants.  
Prevents wear, fretting and corrosion on heavy load gears & transportation equipment.

- High moly content provides outstanding EP (extreme pressure) lubrication.
- Extreme temperature protection from -40F to +700°F.
- NEW, "Thin Film" characteristics require less lubricant.
- Passes 1000 hours ASTM D-117 5% salt spray test.
- Will not wash out or attract dirt and grime.

Part No. 211460 (12)  
15 oz. net wt. (425g)



## RED GREASE

High temp, extreme pressure, red grease in an aerosol. Sprays like a liquid, penetrates deep & sets up to a full-bodied heavy-duty grease in seconds.

- Holds together under extreme pressures and high shock loads. Superior quality petroleum base, lithium complex grease.
- Adheres to hot surfaces - will not breakdown, harden or separate under heat, even up to +450°F.
- 100% waterproof.
- Outperforms all lithium greases.

Part No. 211313 (12)  
11 oz. net wt. (312g)



## INDUSTRIAL FOOD GRADE CHAIN LUBE

Blend of synthetic lubricants and mineral oil to keep roller drive and conveyor chains lubricated. Penetrates, lubricates and protects moving parts by reducing friction and wear.

- NSF H1 rated for incidental food contact.
- Transparent Water-White Liquid appearance with no odor.
- Working temperature 8 to 325°F.
- >370°F flash point.
- Non-drying film.



Part No. 211308 (12)  
CRC No. 03055  
12 oz. net wt. (340g)



## BLASTER GDL GARAGE DOOR LUBE

Powerful garage door lube - high performance formula.

- Use on commercial garage doors, fleet & tractor trailer door service, overhead doors, hinges, cables, chains, springs, bearings, bushings, door tracks, worm gears.
- Leaves a dry, tack-free film. Non-staining long lasting formula, will not evaporate.
- Prevents rust, corrosion, squeaking, & sticking problems. Lubricates & protects to extend the life of equipment.
- NO ozone depleting chemicals.

Part No. 211518 (12)  
9.3 oz. net wt. spray can



## PREMIUM GARAGE DOOR LUBE

- Advance, high-performance, corrosion-protecting lubricant generously fortified with silicone and PTFE for superior friction-reducing lubrication.
- Foaming action penetrates deep to promote smooth operation for rollup doors, automatic garage door, drive chains and any exposed metal surfaces subject to severe loading.
- 200°F flash point.
- Non-drying film.

Part No. 211640 (12)  
CRC No. 05032

10 oz. net wt.



## LIQUID WRENCH - LED TECHNOLOGY

Penetrant, lubricant & LED light in one.

- Built-In LED Flashlight Technology lets you see in dark tight spaces for the life of the product.
- Pro grade formula quickly penetrates rust, corrosion and grease & provides superior long lasting lubrication.
- Switch from precision spray with straw or fan spray without straw.
- Comfort grip and locking collar to prevent unintentional spraying.
- Zero VOC.

Part No. 211220 (12)  
(PSS041618)      11 oz. net wt. (311g)



## CRC® POWER LUBE

Multi-purpose lubricant.

- Plastic safe...will not damage modern plastics like ABS, NORYL and LEXAN that are found in cars, work shops, plants, offices and farms.
- Odor free...will not offend customers when sprayed inside vehicles.
- Contains no CFC's.
- Spray in any position valve.

Part No. 211571 (12)  
CRC No. 05005  
9 oz. net wt. (255g)



## GRIP-N-GREASE - Multi-Purpose Lubricant

Provides superior protection and lubrication.

- Lubricates a wide variety of applications.
- Contains corrosion & oxidation inhibitors.
- Excellent in both high & low temperatures.
- PTFE particles extend equipment life, reduces maintenance cost & lubrication intervals.
- Significantly reduces friction.

(PSS010417)



# LUBRICANTS

## TOOL COOLANT



A fast acting coolant that extends the life of drill bits, taps, mills and reamers.

- Quickly eliminates heat at it's source.
- Insures clean and smooth cuts.
- Does not burn and decompose.
- Non-flammable.
- No sticky residue.



Part No. 211226 **12**  
18 oz. (1 lb. 2 oz.) net wt. (510g)

## LUBRIPLATE AIR TOOL LUBRICANT



Recommended for rotor and reciprocating types of air tools.  
Apply daily, or use an automatic lubricator in air system.

- Prevents build-up of moisture, contaminants, sludge & varnish when used on a regular basis.

Part No. 711768  
32 fl. oz.

## BLASTER AIR TOOL CONDITIONER



Rejuvenates "DEAD" air tools.

- Dissolves sludge, varnish and calcium.
- Restores original RPM's.
- Reduces maintenance time.
- Extends air tool life.

Part No. 211104 **(12)**  
12 oz. net wt. Aerosol

## LOCK EASE Graphited Lock Fluid



- Seals out moisture, protects against freeze-up.
- Prevents sticking, guards against rust & corrosion
- Graphite formula will not gum up.
- Leaves a penetrating, protective coating.

Part No. 211343  
3.5 oz. net wt. Aerosol

## CUT-EASE STICK LUBRICANT



Use on grinding wheels, bandsaw blades, saw blades, end mills, and drills.

- Cut-Ease is a blended wax stick used where circulating lubricants are not used.
- Non-staining.
- No solvent waste disposal.
- Provides smoother cuts.
- Stops binding.
- Reduces loading.
- Extends wheel life.
- Eliminates heat build-up.
- Used on aluminum, ferrous and non-ferrous metals, plastic and more.
- Push button tube.

Part No. 211516  
1 lb.

## METAL-ICE CUTTING FOAM

Excellent when tapping, reaming, drilling & threading.

- Foaming action stays on cutting area - Foam runs up drills keeping them cool while continuing to feed cutting area.
- Eliminates dripping, messy oil and cleanup.
- Increases tool life up to 10 times longer than ordinary oils.
- Reduces thermal expansion creating more accurate hole sizes.



Part No. 811244 **(12)**  
16.75 oz. net wt. (474g)

**TOP ITEM SELLER**  
**NOT RECOMMENDED FOR ALUMINUM**

## CUTTING FLUID

Recommended for use on all types of metal cutting, tapping, drilling, reaming and associated applications.



Part No. 811250  
4 oz. net wt.

## TAPMATIC CUTTING FLUID



For tapping, drilling, reaming, threading, finishing and boring.

- Available in one formulation, for all metals including aluminum.
- Penetrates to the cutting edge of the tool.
- Produces finer chips and superior surface finish, without galling or friction.
- Built-in spout tops on both size cans.

PART NUMBER	CONTAINER SIZE	OZONE DEPLETING CHEMICALS
<b>811240</b>	4 oz. can	
<b>811241</b>	16 oz. can	

## WHITE LITHIUM GREASE

Recommended for gear shift mechanisms, chain and sprockets, motor assembly, tools, machinery, etc.



- Available in sizes to fit all shop needs.
- Keeps surfaces friction free.
- Non-toxic, non-flammable, non-staining.
- Temperature range, -30°F to +170°F.
- Withstands moisture, protects against rust.

PART NUMBER	NET WEIGHT	CONTAINER
<b>711756</b>	1-3/4 oz.	tube
<b>211131</b>	10 oz.	tube
<b>211132</b>	16 oz.	tub

## MULTI-PURPOSE LITHIUM GREASE

Recommended for chassis, universal joints and general purpose use.



- Long lasting, hard working formula.
- Delivers high performance in a wide range of heavy-duty applications.
- Best for lubricating rolling parts.

**Excellent for most metal to metal contact points!**

Part No. 211455 **10**  
14 oz. net wt. cartridge

# LUBRICANTS

## GRAPH-GUARD Dry Film Graphite Lubricant

- Provides superior, long-lasting performance where petroleum products must be avoided.
- Graphite anti-seize dry coating resists dust & abrasive particles.
- Forms a strong bond to metal, glass, rubber & most plastics - will not wipe off easily.
- Withstands water, oil, alkalies and most acids.
- Resists pressure up to 18,000 psi.
- Temp range -100°F to +850°F.
- May be used at higher temps than molybdenum disulfide based dry lubricants.

(PSS090519)  
Part No. 211370  
Net Wt. 12 oz. (340 g)



# LUBRICANTS

## LUBRIPLATE 630AA Multi-Purpose Lithium Grease

- High film strength.
- Exceptional resistance to water & steam.

Grease type: lithium Water resistant.  
NLGI grade: 1  
Worked penetration @ 77°F: 310/340  
ASTM drop point: 380°F  
Approx. cold test: 0°F  
Anti-wear / extreme pressure rated.  
Rust and oxidation & lubricity additives. Part No. 711751  
6 lb. can



## LUBRIPLATE 1200-2 Multi-Purpose Grease

An excellent, heavy-duty multi-purpose grease.

- Provides high film strength, great shear stability.
- Color: beige.

Grease type: lithium NLGI grade: 2  
Worked penetration @ 77°F: 265/295 Water  
resistant.  
ASTM drop point: 400°F  
Approx. cold test: -25°F  
Anti-wear / extreme pressure rated.  
Rust and oxidation & lubricity additives.

Part No. 711762 10  
14.5 oz. net wt. cartridge



## LUBRIPLATE 630-2 Multi-Purpose Grease

- Reduces need for wide range of grease inventories.
- Exceptional resistance to water, steam and adverse conditions.
- Color: Off White.

Grease type: lithium NLGI grade: 2  
Worked penetration @ 77°F: 265/295 Water  
resistant.  
ASTM drop point: 380°F  
Approx. cold test: 0°F  
Anti-wear / extreme pressure rated.  
Rust and oxidation & lubricity additives.

Part No. 711761 10  
14.5 oz. net wt. cartridge



## LUBRIPLATE FGL-1 Food Machinery Lubricant

USDA approved H-1 lubricant for use on equipment as a lubricant or anti-rust film.

- Multi-functional for high or low speed, high or low temperatures and a wide range of loads.
- Resistant to water, steam, corrosive acids.

Grease type: aluminum complex NLGI grade: 1  
Worked penetration @ 77°F: 310/340 Anti-wear  
ASTM drop point: 460°F rated.  
Approx. cold test: 0°F  
Rust and oxidation & lubricity additives.

Part No. 711776 10  
14.5 oz. net wt. cartridge



## LUBRIPLATE MO-LITH NO. 2

- Molybdenum Disulfide actually penetrates metal pores for long lasting protection.

Grease type: moly/lithium NLGI grade: 2  
Worked penetration @ 77°F: 265/295  
ASTM drop point: 360°F  
Approx. cold test: -10°F  
Anti-wear / extreme pressure rated.  
Water resistant.  
Rust and oxidation & lubricity additives.

Part No. 711763 10  
14.5 oz. net wt. cartridge



## LUBRIPLATE 1242 Extreme Pressure

For heavy pressure and shock loads.

- Extreme pressure grease.
- Non-corrosive.
- Highly water resistant & tacky.

Grease type: lithium polymer NLGI grade: 2  
Worked penetration @ 77°F: 265/295 Water  
resistant.  
ASTM drop point: 425°F  
Approx. cold test: 15°F  
Anti-wear / extreme pressure rated.  
Rust and oxidation & lubricity additives.

Part No. 711771 10  
14.5 oz. cartridge



## LUBRIPLATE 1444

### Heavy Duty Tacky Grease

Thick, tacky grease, specially formulated for use on heavy duty equipment.

- Creates a tight seal.

Grease type: aluminum complex / polymer NLGI grade: 2  
Worked penetration @ 77°F: 265/295 Water  
resistant.  
ASTM drop point: 500°F  
Approx. cold test: 10°F  
Anti-wear / extreme pressure rated.  
Rust and oxidation & lubricity additives.

Part No. 711775 10  
14.5 oz. net wt. cartridge



## LUBRIPLATE 3000

### Heavy Duty Tacky, Moly Grease

- Provides durable, tenacious, adhesive film to protect against water, rust and corrosive contaminants.
- Color: Black.

Grease type: moly / lithium NLGI grade: 2  
Worked penetration @ 77°F: 265/295 Water  
resistant.  
ASTM drop point: 450°F  
Approx. cold test: 0°F  
Anti-wear / extreme pressure rated.  
& lubricity additives.

Part No. 711769 10  
14.5 oz. net wt. cartridge



## LUBRIPLATE

### GEAR SHIELD EXTRA HEAVY

Designed for low speed open gears.

- Tacky.
- Temperature range 10°F to 275°F.

Grease type: lithium NLGI No.: 3  
Worked penetration @ 77°F: 235/260  
ASTM drop point: 370°F / 188°C  
Approx. cold test: 0°F/-18°C  
Mineral oil viscosity  
SUS @ 210°F: 200+  
cSt @ 100°C: 40+

Part No. 711767 (10)  
10 oz. net wt. caulk



## LUBRIPLATE HIGH-TEMP GREASE

Excellent for asphalt manufacturing and paving.

- This non-melt type grease is workable from approximately 40°F to 450°F and up to 550°F for short intervals.

Type of thickener: inorganic gelling agent Flash point:  
Worked penetration @ 77°F: 265/295 580°F/  
ASTM drop point: non-melt type (500+) 304°C  
Mineral oil viscosity  
SUS @ 100°F: 2600  
SUS @ 210°F: 155  
cSt @ 40°C: 497  
cSt @ 100°C: 32

Part No. 711773 (10)  
14.5 oz. net wt. cartridge



# LUBRICANTS

**DO NOT USE IN  
OXYGEN GAS SERVICE.**

## NEVER-SEEZ® ANTI-SEIZE COMPOUNDS



REGULAR GRADE

- Doesn't burn or wash off in water.
- Temperature resistance: -297° to 1800°F
- Particle size: 2 mil. maximum
- Specific gravity: 1.23 to 1.29
- Worked penetration: 260-350
- Coefficient of friction @ 167°F: .057-.063
- Coefficient of friction, k factor: .130

PART NUMBER	DESCRIPTION	QTY
211548	8 oz. net wt. brush top	12
211595	16 oz. net wt. brush top	12
211549	12.5 oz. net wt. aerosol	12

Pressure properties:  
32,000 psi  
Falex test:  
750 lbs.

## NON METALLIC ANTI-SEIZE



OXYGEN  
SENSOR  
SAFE

- Premium grease/calcium/graphite blend.
- Contains NO copper, lead, nickel, zinc or any other metals.
- Can safely be used on all types of metals including stainless steel & other sensitive alloys where copper is prohibited.
- Recommended by auto manufacturers for use on sensor threads to minimize false readings.
- Withstands temperatures up to 2000°F.

Part No. 211305 6  
8 oz. net wt. (227g) brush top container

## COPPER ANTI-SEIZE



OXYGEN  
SENSOR  
SAFE

Recommended for use on carbon steel, industrial and oil field connections, spark plugs, head bolts, exhaust bolts and slides.

- Premium copper/graphite blend.
- Contains NO lead, zinc or nickel.
- Withstands high torque and temperatures up to 2000°F.
- Excellent water and corrosion resistance.

Part No. 211307 6  
8 oz. net wt. (227g) brush top container

## PERMATEX® ANTI-SEIZE LUBRICANT



OXYGEN  
SENSOR  
SAFE

A highly refined blend of aluminum, copper and graphite lubricants. Use during assembly to prevent galling, corrosion and seizing. Anti-Seize assures easier disassembly. Temperature range: -60°F to 1600°F (-51°C to 871°C). Salt, corrosion and moisture resistant – ideal for marine use.

**Suggested Applications:**  
For easy removal of spark plugs, cylinder head and exhaust head bolts.

Part No. 812383  
8 oz. brush-top bottle

## GENERAL PURPOSE ANTI-SEIZE



OXYGEN  
SENSOR  
SAFE

For easy removal of all machinery and equipment fasteners.

- Highly refined blend of aluminum, copper and graphite.
- Contains no lead.
- Temperature range: -252°F to 2,100°F.
- Pressure rating: up to 15,000 p.s.i.
- Water & steam proof, non-flammable.
- Prevents rust, corrosion, seizing & galling.

Part No. 211318 (12)  
8 oz. net wt.  
brush top container

Part No. 211413 (12)  
15 oz. net wt. (368g)  
aerosol

## COPPER ANTI-SEIZE



- Premium quality lubricant, compatible w/others.
- Protects parts from galling, seizing and galvanizing action.
- Will not melt, gum or harden.
- High extreme pressure capability.
- High temperature to 2000°F.
- Provides a barrier to seal out water and protects against rust, corrosion & harsh environments.

(PSS021416)

### USE ON:

Nuts, bolts, studs, fittings, bushings, bearings, pistons, machine parts, flanges, threaded surfaces & more

## LUBRIPLATE MAG-1



- Multi-functional, non-corrosive grease.
- Provides long lasting, extreme pressure lubrication in extremely wide temperature range.

Part No. 711774 10  
14.5 oz. net wt. cartridge

Grease type:  
lithium / polymer  
NLGI grade: 1  
Worked penetration  
@ 77°F: 310/340  
ASTM drop point: 375 °F  
Approx. cold test: -60°F  
Anti-wear / extreme pressure rated.  
Water resistant.  
Rust & oxidation & lubricity additives.

## ULTRA-PLEX

### PREMIUM RED E.P. GREASE



Specially formulated all purpose grease with extreme pressure and anti-wear additives.

- Excellent adhesive and cohesive properties
- Resists acids, weather, dirt, saltspray, steam and oxidation.


Part No. 211332 24

Grease type: polymer  
NLGI grade: 2  
Worked penetration  
@ 77°F 250-270  
ASTM drop point: +550°F  
Timkin OK load: 65lb  
Water resistance: Excellent  
USDA category: H2

## "24 K" GOLD

### Non-Melt, All Purpose Grease

Outperforms ordinary greases  
Most fleet/industrial applications including 5th wheels.



Grease type: inorganic polymer  
NLGI grade: 2  
Worked penetration  
@ 77°F: 370/410  
Approx. cold test: 0°F

- Timken 65 lb. rating.
- Eliminates varied grease inventories.

## MOTOR ASSEMBLY GREASE

The motor grease recommended by mechanics



For engine bearings, cylinder walls, piston rings — all moving internal parts.

- Provides critical start-up lubrication until oil begins flowing.
- Prevents scoring and scuffing.
- Insures proper initial break-in.
- Temperature range: - 30°F to 170°F.

Part No. 711765 6  
10 oz. net wt. (28.3g) tube

**LUBRICANTS****DIELECTRIC SILICONE GREASE**

- Seals and lubricates electrical connections and contacts.
- Prevents boots from bonding to spark plug.
- Seals out moisture, prevents arcing.
- Lubricates and waterproofs from -70° F to +400° F.

PART NUMBER	DESCRIPTION
13149	.33 oz. Tube
13148	5 oz. Tube
13144	7.25 oz. Aerosol Piston-Pressurized Can

**SIL-GLYDE SILICONIZED GREASE**

## Hi-Temp Lubricating Compound

- Contains silicone.
- For use on rubber, metal, hinges, brake parts, etc.
- Excellent temperature resistance, -20°F to +400°F.
- Unlimited uses in shop, fleet, auto or home.
- Lubricates, silences, freezeproofs and weatherproofs.

Part No. 211367  
4 oz. net wt. tube

Part No. 211368  
8 oz. net wt. tube

**3M SILICONE PASTE CLEAR**

A non-hardening, water resistant, 100% solids, silicone based compound designed to serve as a dielectric compound.

- Lubricates & conditions rubber products.
- A high viscosity paste that remains in place.
- No potentially harmful solvents.
- It seals out contaminates & elements that lead to oxidation and corrosion or it can be spread out thin to leave behind a virtually unnoticeable film.

Part No. 908946  
(PSS070220) 8 oz. net wt. (227g) brush top container

**CERAMIC EXTREME BRAKE PARTS LUBRICANT**

Use on long and short bolts, caliper pins bushings, sleeves, pistons, inboard and outboard pad backing plates.

- Temperature range -65°F to +2,800°F.
- Outperforms ordinary caliper greases.
- 100% synthetic, environmentally safe.
- Prevents long bolt and sleeve seizing.

**100% SYNTHETIC FORMULA**

Part No. 813267 6  
Permatex No. 24125  
8 fl. oz. net wt. (236ml) brush top

**PERMATEX® DIELECTRIC TUNE-UP GREASE**

Marine and automotive electrical connections, spark plug boots, trailer hitches and battery terminals.

- Protection from salt, dirt and corrosion.
- Extends the life of bulb sockets.
- Prevents voltage leakage and spark plugs from fusing to boots.
- Required for modern high energy ignition systems.

Part No. 812229  
3 oz. net wt. tube

**PERMATEX®****ULTRA DISC BRAKE CALIPER LUBE**

- Environmentally - friendly.
- Non-melting, synthetic formula.
- Green color.
- Provides lubrication in the most adverse conditions.
- Use on caliper pins, sleeves, bushings and pistons.
- Pistons remain lubricated throughout pad life.


Part No. 812281 (6)  
8 fluid oz.

**SYNTHETIC BRAKE CALIPER GREASE**

- Prevents vibration and squeal.
- Stops rust and corrosion.
- Keeps sliding parts free and working.
- Will not harm rubber.
- Withstands high operating temperatures, to +500°F.
- Will not run, cake or cause build-up.
- Black color.



Part No. 211406 6  
12 oz. net wt. can with applicator brush

**LUBRIPLATE****WHEEL BEARING GREASE**

For use on cars, trucks, trailers, construction, farm and maintenance equipment.

- Water repellent.
- Suitable for disc or drum brake wheel bearings, axle and other shaft type bearings.
- Temperature range: -10°F to +400°F.

Part No. 711752  
14 oz. net wt. can (397g)

**LUBRIPLATE BOAT TRAILER WHEEL BEARING GREASE**

All marine applications: motors, shafts, winches, hitches, etc.

- Designed to withstand fresh and salt water.
- Extremely high film strength.
- Temperature range: -10°F to +400°F.
- Will not wash out of bearings.

Part No. 711770 10  
14 oz. net wt. can (397g)

**FOOD GRADE PENETRATING OIL with PERMA-LOCK®**

- An effective & efficient general purpose penetrant for use on food processing equipment.
- The highly refined white mineral oil is colorless, odorless & tasteless to meet NSF/FDA standards.
- Can be used to loosen rust, scale and corrosion around fasteners & hose fittings on food processing equipment.
- Working temp 32 to 300°F.
- 200°F flash point.
- Thin, oily, non-drying film.

Part No. 211638 12  
CRC No. 03086  
11 oz. net wt.



# LUBRICANTS

## FREEWHEEL LUBRICANT



- "Thin Film" laminated film lubricant.**  
**Outperforms all conventional 5th wheel grease.**
- Will not wash out, especially resistant to salt water, and will not attract dirt or gravel.
  - Resists squeeze-out under load, reduces wear on 5th wheels.
  - Penetrates and frees rusted sliders.
  - Creates a cleaner, safer, easier steering rig, makes lane switching and turns smooth.

Part No. 211461 (12)  
 15 oz. net wt. (425g)

COST LESS TO USE THAN GREASE

## VALVE / O-RING LUBE and SEAL



Part No. 711745  
 5.3 oz. net wt. tube



- For general o-ring/valve lubrication.
- A heavy translucent white coating paste with a high dielectric strength to block out moisture & oxidation.
- Used on sanitary, butterfly, gate, ball, automated valves and anywhere rubber or plastic o-rings are used for pump packing or vacuum or pressure systems.
- Temp. range -40°F to 400°F.
- **Authorization:** NSF5&61 FDA21 CFR175 300

## NO SMOKE TWO STROKE



PART NUMBER	FLUID OZ	DESCRIPTION	QTY
211212	2.6.	mix in 1 gal. of gas	24
211213	6.4	mix in 2.5 gal. of gas	24

## THE ORIGINAL ZOOM® SPOUT OILER



Part No. 211515  
 4 fl. oz.  
 (PSS112013)



## 3-IN-ONE MULTI-PURPOSE OIL



- Specially formulated lubricating oils.
- Lubricates, cleans & prevents rust.
- Easy-to-use drip spout provides exact application, no overspray or splatter.

6" Telescoping Spout,  
 Part No. 211545  
 4 fl. oz.



## SQUEAL MEDIC



- Use on every brake job.
- Use on disc, drum, ABS brakes & rotors.
- Delivers excellent noise suppression.
- Fills voids caused by harmonic vibrations.
- Will not effect or damage ABS sensors or rubber components.
- Prevent oxidation.
- No drying time.

Part No. 211297 (12)  
 11.25 oz. net wt. (318g)

(PSS122818)

## SNOW PLOW OIL



**Replaces:** Meyers®  
 15134 Western49311  
 Fisher® 28531,  
 Sno-Way® 96005029



Part No. 711797  
 32 oz. net wt.

## BRAKE CYLINDER ASSEMBLY FLUID



For reassembly of master cylinders, disc and drum brake cylinders & other hydraulic parts.

- Eases rebuilding, assembly and overhauling of hydraulic parts.
- Does not absorb moisture. Prevents rusting of cylinder walls and internal parts during storage.
- Apply to all surfaces; pistons, boots, seals, springs, rubber caps, shims and cylinder walls.

Part No. 211412  
 8 fluid oz.

**CAUTION:** Do not use as a brake fluid substitute or additive.

## WD-40® SMART STRAW



The can that has a 1,000 uses almost anywhere now has a flip up straw connected.

- Non-conductive and can be used to dry out electrical equipment.
- Loosens rusted parts & frees sticky mechanisms.
- Never lose the straw again.
- Stops squeaks.
- Cleans & protects.
- Drives out moisture.

Part No. 211556 (12)  
 WD No. 110078  
 11 oz. net wt. (311g)



## LUBE TUBE MULTI-PURPOSE LUBRICANT

Can be used on ferrous and non-ferrous metals, aluminum gates and risers, plates and extrusions.



- Biodegradable, non-toxic & non-staining.
- Extreme pressure lubricant - prevents the build-up of frictional heat.
- Designed to be applied to band saws and other cutting tools - improves overall tool life and productivity when sawing, drilling, milling, grinding, threading and tapping.

Part No. 211512  
 14.5 oz. (411.1 grams)

(PSS111817)

# LUBRICANTS

## RED "N" TACKY GREASE

- Smooth, tacky, high quality red lithium grease with rust, corrosion & oxidation additives.
- Use for sliding surfaces, open gears, chassis & wheel bearing protection.
- Effective & long lasting.
- Stays in place.
- Good temp. stability - tested to 540°F.
- Good water resistance.
- Good for all climates & seasons.



(PSS080219)

Part No. 211425

Net Wt. 16 oz.





**ADHESIVES and SEALANTS****FORM-A-GASKET NO. 2**

A non-hardening, heavy bodied, pliable sealant for semi-permanent assemblies.

- Pliable-setting sealant (black).
- Conforms to MIL-S-45180C(ORD) Type 1.
- Temp. range: -65°F to +400°F.
- Pressure to 5,000 psi.



PART NUMBER	PERMATEX NO.	SIZE
812254	2A	1-1/2 oz.
812255	2B	3 oz.
812256	2C	11 oz.

**FORM-A-GASKET NO. 3**

Excellent for sealing close fitting parts, water pumps, coolant and heating hose connections and threaded assemblies.

- A non-hardening liquid, brushable sealant.
- Conforms to MIL-45180C(ORD) Type III.



PART NUMBER	PERMATEX NO.	SIZE
812257	3H	1/4 Pt.

**3M SUPER 77 SPRAY ADHESIVE**

- Fast drying, aggressive tack for strong bonding.
- An extremely versatile clear multi-purpose adhesive.
- Low mist formula, spray on glue.
- Bonds plastics, foils, metals, papers & cardboards.



Part No. 211590 (12)  
16.75 net wt. (475g) (1lb. 3/4 oz)

**HIGH TACK BRUSHABLE NO. 98**

- A brushable adhesive-sealant.
- Sets up fast and remains extra tacky to hold the heaviest gaskets in place.
- Red color.
- Temp. range; -65°F to +500°F.
- Brush top can.



PART NUMBER	PERMATEX NO.	SIZE
812260	98H	1/4 Pt.
812269	98D	1 Pt.

**HIGH TACK SPRAY-A-GASKET NO. 99**

- Red color.
- A super sealant in aerosol form.
- Sets up fast, remains tacky to hold gaskets in place.



PART NUMBER	PERMATEX NO.	SIZE
812262	99MA	10 oz.

**COPPER SPRAY-A-GASKET**

Same properties as Copper Form-A-Gasket in a handy aerosol spray

- Seals metal and rubber gaskets in high temperature applications up to 550°F.
- Works on paper and cork as well as hard surfaces and non-absorbent and metal faced gaskets.
- Metallic Copper to help dissipate heat.



PART NUMBER	PERMATEX NO.	SIZE
812277	101MA	11 oz.

**OYLITE-STIK SEALANT**

- Temporary repair of gasoline leaks from the outside, no need to drain the tank or equipment first.
- Works on all types of oil, gasoline, plus water, dilute acids, and alkalies.
- Approved for government use under Fed. Stock No. 8030-935-5841.
- Holds pressure up to 15 psi.

Part No. 811155 1 oz.  
(PSS112013)



# ADHESIVES and SEALANTS

## INSTANTBOND 110



- General purpose instant adhesive.
- Strong (up to 5000 psi) bond.
- Works instantly.
- Used on rubber, glass, plastic, vinyl, aluminum, alloys, dissimilar metals and other non-porous surfaces.

Part No. 910776 (12)  
1 oz. bottle

## FUTURE GLUE

**Works on any oily & dirty surfaces**



- Stronger than regular instant adhesives and super glues.
- Bonds all surfaces, except polyethylene & polypropylene.
- Sets in seconds.

Part No. 812347 (12)  
Net Wt. .18 oz. (5g) bottle

## FUTURE GLUE GEL

**No-run formula**



- Stronger than super glue.
- Stays put, even on vertical surfaces.
- Bonds all surfaces, including porous.
- One drop holds over 2 tons.
- Non-clogging tip.

Part No. 812348 (12)  
(2g) tube

## SUPER GLUE

**The original one drop adhesive**



- Instantly bonds metal, rubber, ceramics and most plastics with non-porous surfaces.
- Forms super strong bond in seconds.

Part No. 811213 (12)  
(2g) tube

## LOCTITE® QUICKTITE® SUPER GLUE GEL

**Instant adhesive**



- Same superior performance as the liquid version, the no-run gel formula stays put for no-mess and precise application, even on vertical surfaces.
- Works on porous/non-porous applications.
- Typical applications: metal, most plastics, rubber, vinyl, paper, wood, textiles, ceramics, china & cork.

Part No. 812274 6  
(4g) tube  
Loctite 39123

## PLASTIX

**Guaranteed to repair any plastic**



- Bonds all plastics, even polyethylene and polypropylene.
- No mixing required.
- Prepare surface with activator, apply bonding agent and bond the parts.

Part No. 812232 (12)  
(2g) tube  
Permatex 82565

## PLASTIC WELD KIT

**High performance grade cyanoacrylate adhesive**



- Provides maximum bonding strengths of various plastics, elastomers and metals together or in combinations.
- Will not crack or craze.
- Penetrates between parts.
- Meets MIL-S-46050C Type 2 Class 1.

Part No. 811156

(PSS090214)

## PLASTIC WELD ADHESIVE



- Fast curing & super high strength.
- For use in repairs and tears in flexible & semi-rigid type plastics.
- Full cure 10 - 30 seconds.

Part No. 811157  
19 ml. (0.64 fl. oz.)

(PSS090214)

## PLASTIC WELD ACTIVATOR REFILL



- 2 oz size.
- Use with plastic weld adhesive & gap filler.
- Spray on - cures within 60 seconds.

Part No. 811158  
2 fl. oz.

(PSS090214)

## PLASTIC WELD DEBONDER



- Safely removes super high strength plastic weld repair kit material from misaligned parts.
- Removes accidentally glued together skin safely.
- Will remove & dissolve cured adhesive.

Part No. 811159  
20 g. (0.68 fl. oz.)

(PSS090214)

## POWER PATCH



- Bonds to virtually any surface.
- No mess! Peel & stick application.
- Easy, fast & long lasting.
- Use on plastic, metal, pipes, concrete, drywall, fiberglass, wood, rubber & gutters. (Except Polypropylene)
- Expose to sun or UV lighting to cure.

PART NUMBER	SIZE (INCHES)
312203	3 x 6
312204	6 x 9
312205	9 x 12

- Made in the USA.
- Cut to size, if desired.

(PSS042016)

## REPAIR ADHESIVE

### UNIVERSAL URETHANE FAST ADHESIVE

For use on all plastics. Use to bond, repair and fill bumper tabs, tears, brackets and also bond emblems, body side moldings and ground effects.  
1-2 minutes working time.



Part No. 444117 7 fl. oz. / 207 ml

### UNIVERSAL URETHANE BUMPER REPAIR

Medium material offers exceptional strength for any plastic repair, easy sanding.  
5-10 minutes working time.



Part No. 444118 7 fl. oz. / 207 ml

## RELATED PRODUCTS

(PSS113016)

**HD Caulking Gun, Part No. 444114**  
**Static Mixers, Part No. 444116-6**



# ADHESIVES and SEALANTS

## HEAVY DUTY GORILLA CONSTRUCTION ADHESIVE

All surface & all purpose.

- Tough, versatile, all-weather adhesive.
- Provides a long-lasting, heavy-duty bond.
- 100% waterproof formula.
- VOC compliant.
- Low odor, non-foaming formula.
- Gap filling.
- Made in U.S.A.
- Use with **Part No. 113130**, Caulk Gun.

(PSS111615)  
Part No. 813295  
9 oz.



## LOCTITE® THREAD TREATMENT STICKS

Solid performers with a twist. Same formula...new form

- Less mess - won't drip, spill or leak.
- Convenient and portable.
- Less waste.
- Rust and corrosion protection.
- Great for tough applications that are overhead and on components that can't be moved.
- Only 3" to 4" long.



## 248 MEDIUM STRENGTH THREADLOCKER

- More reliable than conventional mechanical fasteners.

*Color:  
BLUE*

Part No. 837087 19 gram stick  
Part No. 837684 9 gram stick



## 268 HIGH STRENGTH THREADLOCKER

- Need heat and hand tools to remove.

*Color:  
RED*

Part No. 837686 19 gram stick  
Part No. 837685 9 gram stick



## PST® 561 THREAD SEALANT with Teflon®

- Seals to 100 PSI.
- Will not contaminate or clog lines.

*Color:  
WHITE*

Part No. 837127 19 gram stick



## C5-A® COPPER ANTI-SEIZE

- Protects metal parts in high heat environments up to 1800°.

Part No. 837229 20 gram stick



## SILVER GRADE ANTI-SEIZE

- Protects metal parts in environments up to 1600°.

Part No. 837230 20 gram stick



## HEAT-SEAL STIK®

- Stick melts, seals & cures in one operation. (PSS112013) Requires only 250°F from torch or heat gun. Melt the stick into the hole or crack, heat cure for a few seconds and the job is done in 90 seconds.
- For aluminum, copper, other metals, glass & ceramics.
- Ideal on high and low side of refrigeration systems.
- One-part epoxy, no mixing or measuring.
- Durable epoxy remains flexible to expand & contract with the metal surface. Will not chip or crack like brittle epoxies.
- Sealing temp.: Up to 350°F (177°C). Part No. 811203
- Pressures: Up to 600 PSI (41 BAR).

*Works on  
R-410A type  
systems*

3/8 oz.



## LOCTITE® NEXT GENERATION STICKS

Two new Loctite® Stick products with the revolutionary applicator and semi-solid formulas.

- NO drips • NO spills • NO errors •

## LOCTITE® 39150 BEARING MOUNT STICK

- High temp./high strength.
- Replaces clamp rings, set screws, and snap rings.
- Great flexibility for tough applications.

*Color:  
GREEN*

Part No. 839150 9 gram stick



## LOCTITE® 39158 HI-TACK STICK

- Holds gasket in place during assembly.
- Low odor, solvent free formula.

*Color:  
PURPLE*

Part No. 839158 19 gram stick




## “DOUBLE-BUBBLE” PACKETS

Convenient 2-5/8" x 3" job-size packets eliminates excess waste.

PART NUMBER	DESCRIPTION	PACKAGE COLOR	QTY
204001	Extra Fast Setting Epoxy	Red	5
204002	Machineable Epoxy	Yellow	5
204003	Wet Surface Patch Epoxy	Purple	5
204004	Water Clear Epoxy	Green	5
204005	General Purpose Epoxy	Blue	5
204006	Regular Setting Epoxy	Black	5
204007	High Peel Strength Epoxy	Orange	5
204008	Extra Fast Set (Non Sag)	Red #2	5
204022	Urethane	Green/Beige	5
204023	Urethane	Blue/Beige	5
204024	Urethane	Purple/Beige	5
204030	Silicone	Brown	5
204040	Once-Hand Cleaner	Green/Yellow	5

(PSS112420)



Part No. 204000				
41 pieces • 13 items • 12050 steel tray				
204001	204004	204007	204023	204040
204002	204005	204008	204024	
204003	204006	204022	204020	204030

Numbers in assortment



***ADHESIVES and SEALANTS*****VIBRA-TITE® 125 BLUE  
MEDIUM STRENGTH GEL THREADLOCKER**

- A medium strength anaerobic gel threadlocker designed for locking threaded fasteners from 1/4" to 3/4" in diameter, that require disassembly with standard hand tools.
- Exhibits good temperature and solvent resistance.
- No-drip gel formula.

(PSS061219)

**Part No. 812292**  
Net Wt. 35ml. bottle**VIBRA-TITE® 135 RED  
HIGH STRENGTH GEL THREADLOCKER**


- A high strength anaerobic gel threadlocker designed to permanently lock fasteners up to 1" in diameter.
- Exhibits good temperature and solvent resistance.
- No-drip gel formulation makes it easy to apply.

(PSS061219)

**Part No. 812293**  
Net Wt. 35ml. bottle**VIBRA-TITE® 535  
GREEN RETAINING COMPOUND**

- A anaerobic retaining adhesive for all types of cylindrical assemblies.
- Cured performance shows controlled high strength with good temperature/solvent resistance against water & non-polar solvents.
- Cures rapidly on plated, oily metal surfaces or inactive surfaces.

(PSS090219)

**Part No. 812295**  
Net Wt. 35ml. bottle

**ADHESIVES and SEALANTS****RAPIDFIX UV®****Adhesive that sets only with UV light.**

- Fix broken or expensive items.
- Saves on replacement cost.
- High strength bond - dries clear.
- Can be drilled, sanded or painted.

**Repairs:**

Plastic  
Glass  
Metal  
Fiberglass  
& more!

Part No. 204055

UV Light &amp; 10ml Adhesive



(PSS020816)

Part No. 204056

REFILL - 1 Bottle  
10ml Adhesive**SUPERBOND 8000  
STRUCTURAL ADHESIVE****More than 8,000 lbs. tensile strength****• Industrial • Marine • Automotive •**

- Bonds plastics, metals, composites, wood, concrete and dissimilar substrates.
- Environment Friendly - 100% solids - low VOC.
- Rapid cure at room temp. - no heat or UV.
- Easy dispensing through hand held dispensers or meter mix equipment.
- May be drilled, tapped, sanded, machined and painted after cure.
- NO surface preparations such as sanding or grinding.
- Replaces mechanical fasteners - increased design freedom with reduced weight.
- Unused portions can be resealed and saved.
- Bonds thin or sheet metal where dimpling or scorching of the metal due to welding is not acceptable.

**• AVAILABLE IN KITS •****"3 CARTRIDGE KIT"**

(3) 50ml dual cartridge packages, (6) static mixers,  
(1) dispenser gun

Part No. 811245

**"6 CARTRIDGE KIT"**

(6) 50ml dual cartridge packages, (12) static mixers,  
(1) dispenser gun

Part No. 811246

**• OR AS INDIVIDUAL COMPONENTS •****50ml DUAL CARTRIDGE**

(includes one static mixer per cartridge)

Part No. 811247 (6)

**STATIC MIXER**

Part No. 811248 (12)

**DISPENSER GUN**

(PSS092616.811245-249)

Part No. 811249

**IMPORTANT: STORAGE AND SHELF LIFE.** Raelyn methacrylate adhesives should be stored in a cool dry area away from heat. A shelf life of one year is based on storage between 55-75° F. Long term storage above 75° F will reduce shelf life of the materials. Prolonged exposure above 100° F greatly diminishes the product reactivity and should be avoided. Shelf life can be optimized by refrigeration 45-60° F. This product should never be frozen or stored below 45° F.

**PIPE SEALANT with Teflon®  
- INDUSTRIAL GRADE -**

- Certified to ANSI/NSF Standard 61 for use in potable water systems.
- Formulated or metal, tapered pipe thread fittings.
- Cures rapidly to withstand 10,000 PSI.
- Excellent replacement for Vibra-Seal® pre-coated parts.
- Prevents galling, rust and corrosion.
- Contains no petroleum based ingredients.



Part No. 711796

50 ml tube (Permatex No. 56521)

**CRC MINUTE MEND EPOXY STICK**

- Hardens in 20 minutes, cures full strength in 24 hours.
- After 45 minutes, it can be tapped, sawed, drilled, machined, stained or painted.
- Bonds to damp/wet surfaces and works under water.
- Fast, convenient, easy to use.
- Ideal for use in areas where welding is impossible.
- Color: Black after cure.

**Technical data:**12,000 PSI compressive strength  
6,000 PSI tensile strength

USDA approved

Part No. 811150  
4 oz. Net Wt.  
7" long, 1" diameter**HI-TEMP FASTEEL EPOXY STICK**

- Withstands temps. up to 500°F, more than 150° higher than other epoxies.
- Steel filled formula creates extremely tough, durable, rock-hard bond to a wide range of metals and plastics.
- Cures in minutes - can be drilled, filed, tapped or machined in one hour.
- Simply tear off the amount required, knead until color changes completely & apply.

Practically any higher  
temperature usePart No. 811151 3  
2 oz. Net Wt.  
3" long, 1" diameter**GORILLA™ EPOXY**

- Impact resistant, water & solvent resistant.
- Incredibly strong and fastsetting.
- Bonds steel, wood, aluminum, ceramic, tile and 90 % of all plastics.
- Reusable easy to use syringe and mixing tray.
- Cured color: Clear.
- Gap filling.
- 3,300 PSI

 5 Sets in  
minutes!


Impact tough formula!

Part No. 813268  
.85 Fl oz. (25ml)**FAST CURE EPOXY 45****Bonds, seals, repairs door glass,  
channels, trim, broken plastic grills  
and cracked or broken castings.**

- Contains 10 premeasured mixer cups.
- No mess, no guess, no waste.
- Bonds in 5 to 15 minutes.
- Color - grey.



Part No. 812275

10 cups: net 2g each

Permatex No. 21425

# ADHESIVES and SEALANTS

## J-B WELD / J-B KWIK

Repairs iron, steel, aluminum, brass, bronze, pewter, wood, porcelain, ceramic and some plastics.



### ORIGINAL "J-B WELD"

- Metal filled cold welding compound withstands heat & vibration.
- Full cure in 12 hours.
- 3980 psi tensile strength & heat resistant to 500°F.

Part No. 811195 (12)  
2 fl. oz. Tool box size

Part No. 811197  
10 fl. oz. Industrial shop size

### "J-B KWIK"

- Sets in 4 minutes; full cure 4-6 hours.
- Ideal for general maintenance and emergency repairs.
- 2100 psi tensile strength & heat resistant to 300°F.

Part No. 811196 (12), 2 fl. oz.

## HI-TECH INDUSTRIAL EPOXY SYSTEMS

Exclusive dispenser features a patent pending design that makes it easy to dispense and mix the right amount of adhesive for any job. The snap off cap eliminates unsafe cutting of the tube ends, while the handy mixing paddle pops out when you push the plunger in. All units are a 25ml. syringe.

### 60 SECOND CURE EPOXY

Use for fast fix on most materials.



- The quickest setting epoxy you can buy.
- Waterproof, impact resistant and high strength.
- We've included a blue dye that after mixing quickly will disappear when it's ready (about 15 seconds).

**Ultra Fast Setting System**

### 5 MINUTE CURE EPOXY

Bonds metal and glass.



- When you need more working time and you need a strong crystal clear bond.
- The right choice.

**Rapid Cure System**

### 5 MINUTE CURE GEL EPOXY

Will not sag on vertical surfaces.



- Will not drip or sag.
- Ideal to use on vertical surfaces.
- Use to fill voids and cracks in metal, wood and concrete.

**Rapid Cure System**

### PERMATEX® HIGH TEMPERATURE

#### SLEEVE RETAINER



**OEM specified**

- High temp., up to 400°F (204°C), anaerobic adhesive that secures slip & press fit assemblies.
- Adds up to 3,000 PSI holding power.
- Restores fit to worn or out-of-tolerance assemblies and prevents surface corrosion.
- Conforms to ASTM D5363 AN0411 (Mil-R-46082. Type 11).

PART NUMBER	SIZE	PERMATEX
813286	6 36 ml. bottle, carded	64040

### HIGH STRENGTH CLEAR EPOXY

High strength. Water resistant.



- When 5 minutes is not enough working time, Clear Weld sets up in 30 minutes.
- Forms a high strength clear weld which resists most liquids and is waterproof.

**Clear Curing System**

PART	COLOR	SETS IN	FULL CURE	STRENGTH
811206	Crystal Clear	30 minutes	8 hours	2,500 psi

### HIGH STRENGTH STEEL FILLED EPOXY

Works great on all metals. Water resistant.



- Forms a high strength chemical weld on most metals.
- Steel Weld actually contains steel and works on steel, aluminum, brass, copper, glass, wood and concrete.

**Contains Steel**

PART	COLOR	SETS IN	FULL CURE	STRENGTH
811207	Dark Grey	2 hours	24 hours	2,600 psi

### HIGH STRENGTH PLASTIC BONDING EPOXY

Powerful bonding between all hard plastics.



- Simply the strongest product to use on most plastics.
- Made from space age methacrylate technology.
- Sets up in 15 minutes forming a super high strength bond (3500 psi). Excellent for bonding plastic or metal.

**OEM approved**

PART	COLOR	SETS IN	FULL CURE	STRENGTH
811208	Cream	15 minutes	24 hours	3,500 psi

### PERMATEX® PENETRATING GRADE

#### THREADLOCKER - GREEN



A low viscosity threadlocking liquid that wicks along the threads of preassembled fasteners to secure them in place. Since it is applied after assembly, preventive maintenance procedures are simplified. Ideal for fasteners ranging from #2 to 1/2" (2.2 to 12mm) in size. Localized heating and hand tools are needed for disassembly. Conforms to ASTM D5363 AN0261 (Mil-S-46163A, Type III, Grade R).

**Applications:** Bolts on alternators, a/c belts and distributor clamps, carburetor adjustment screws, hairline cracks.

PART NUMBER	SIZE	PERMATEX
813287	6 36 ml. bottle, carded	29040

**OEM specified**

# ADHESIVES and SEALANTS

## J-B WELD

World's strongest bond • Proudly made in the USA

### RADIATORWELD™

#### Plastic Tank & Radiator Repair Kit.

Works on plastic tanks & metal surfaces.  
Stops leaks. No removal required.

**GREAT FOR:** Radiators • Wash Fluid Tanks  
Storage Tanks • Water Tanks

**USE ON:** Automotive • Metal  
Plastic/Composite/PVC  
Specialty Products and More

PART	COLOR	SETS IN	FULL CURE	STRENGTH
812344	Grey	10-20 minutes	1 hour	1200 psi



### LEATHERWELD™

#### Leather & Vinyl Repair Kit.

Repairs tears, rips, cracks or holes.  
No heat required.

**GREAT FOR:** Car Interiors • Boats • Office  
Furniture • Leather Clothes  
Leather Accessories

**USE ON:** Automotive • Cloth/Carpet  
Specialty Products and More

PART	COLOR	SETS IN	FULL CURE	STRENGTH
812353	(7) colors	4 hours	20-24 hours	N/A



### MARINEWELD™ SYRINGE

#### Waterproof When Fully Cured.

Provides strong lasting repairs for bonding different or similar surfaces like metal, composites, fiberglass & others. At full cure it may be shaped, tapped, filed, sanded and drilled.

**GREAT FOR:** Boats • Personal Watercraft  
Deck & Hull Accessories

**USE ON:** Epoxy & Adhesives • Fiberglass  
Glass • Under Water/Wet and More

PART	COLOR	SETS IN	FULL CURE	STRENGTH
812354	White	20 minutes	15-24 hours	3,200 psi



### WATERWELD™ EPOXY PUTTY

Will plug or seal leaks and patch holes and cracks in almost anything. Ideal for repairing plumbing, fuel tanks, tub/shower, drains, pool and spa, boats & potable water tanks setup occurs even under water. After curing, it can be drilled, tapped, filed, sanded and painted. Withstands temperatures up to 300°F.

**GREAT FOR:** Plumbing, Tub, Shower & Drains  
Fuel Tanks • Marine/Boats • Potable Water Tanks

**USE ON:** Automotive • Ceramic • Epoxy Putty  
Sticks • Fiberglass • Metal • Plastic/Composite  
& PVC • Under Water/Wet and More

PART	COLOR	SETS IN	FULL CURE	STRENGTH
812355	Off White	25 minutes	1 hour	900 psi



# ADHESIVES and SEALANTS

## ULTRA BLACK R.T.V. SILICONE GASKET

- Fast-curing formula.
- Sensor-safe, low odor, non-corrosive.
- Retains high flexibility, oil resistance properties through use of a patented adhesion system.

PART NUMBER	SIZE	PERMATEX
812381	3.35 oz. tube	82180
812380	8.75 oz. aerosol	82080
812382	13 oz. cartridge	24105



## ULTRA GREY R.T.V. SILICONE GASKET

For high torque applications (predominantly Japanese designs).

- Exceeds manufacturers performance requirements.
- Outstanding oil resistance.
- Guaranteed not to leak.
- Temp. range -65°F to 650°F intermittent; resists auto and shop fluids and vibration.



## SENSOR SAFE - THE ORIGINAL BLUE R.T.V. SILICONE GASKET

- Will not foul oxygen sensors.
- Replaces almost any cut gaskets.
- Makes reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating.
- Coats pre-cut gaskets to increase reliability.
- Temp. range -65°F to 500°F intermittent; resists auto and shop fluids.
- First generation 1980-1970 gasket maker.

PART NUMBER	SIZE	PERMATEX
812259	3 oz. tube	6BR 80022



## ULTRA COPPER HI-TEMPERATURE R.T.V. SILICONE SEALANT

- The most advanced, high temp. RTV silicone gasket available.
- Sensor-safe, low odor and non-corrosive.
- Superior adhesion.
- 3X's more oil resistant than other silicones.
- 8X's more flexible than cut gaskets.
- Temp. range -75°F to 700°F intermittent; resists auto and shop fluids and vibration.

PART NUMBER	SIZE	PERMATEX
812360	3 oz. tube	101BR 81878



## ULTRA BLUE R.T.V. SILICONE GASKET

Seals valve covers, oil pans, timing covers, transmission pans and differential covers.

- Meets today's technology changes.
- Sensor-safe, low odor and non-corrosive.
- Outstanding oil resistance & joint movement values.
- 8X's more flexible than cork/composite gaskets.
- 3X's more oil resistant than conventional silicones.
- Temp. range -75°F to 500°F intermittent; resists auto and shop fluids and vibration.

PART NUMBER	SIZE	PERMATEX
812388	3.35 oz. tube	77BR 81724



## CLEAR R.T.V. SILICONE SEALANTS

Seals windshields, door frames, electrical connections, vinyl tops, seams and roofs.

- General purpose, indoor/outdoor sealant.
- Protects and repairs electrical wiring.
- Works on horizontal or vertical surfaces.
- Water-proof and flexible.
- Temp. range -80°F to 450°F; resists oil, water, weather, vibration and grease.



PART NUMBER	SIZE	PERMATEX
812271	3 oz. tube	66BR 80050

## SENSOR SAFE - ORANGE

### HI-TEMPERATURE R.T.V. SILICONE SEALANT

- Formulated for oxygen sensor equipped engines, hi-temp applications.
- Makes reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating caused by thermal cycling.
- Coats pre-cut gaskets to increase reliability.
- Temp. range -75°F to 650°F intermittent; resists auto and shop fluids.



PART NUMBER	SIZE	PERMATEX
812287	3 oz. tube	27BR 81422

## AUTOMOTIVE POWER CAN SILICONE SEALANTS

Bonds all types of joints & replaces gasket material including: rubber, paper, felt & cork, (unsuitable for head gaskets).

- Powerbead can.
- Easy to use.
- No more waste.
- Finger tip control.



Meets OEM Specs.

A silicone dispenser that stops silicone hardening in the tube.

PART NUMBER	SIZE	RESISTS TEMPS. UP TO	COLOR
810304	6.7 fl. oz.	400°F	Blue
810300	6.7 fl. oz.	450°F	Black
810298	6.7 fl. oz.	650°F	Hi-Temp Red

## AUTOMOTIVE / MARINE POWER CAN SILICONE SEALANTS

Flows easily making all caulking jobs easy and quick. It resists corrosion from oil, salt water and anti-freeze. It is a universal sealant for all caulking jobs around the boat and auto and can be used externally or internally.

N.B. Not suitable for under water line repairs.

- 100% silicone.
- Mildew proof.
- Adheres to fabric.
- Endures sunlight.
- Withstands salt water.
- Watertight seal.

PART NUMBER	SIZE	COLOR
810302	6.7 fl. oz.	Clear
810314	6.7 fl. oz.	White



## ANAEROBIC GASKET MAKER

- Non-corrosive gasketing material designed primarily for use on aluminum, iron, and steel flanged mating surfaces.
- Ideal for on-the-spot and emergency repairs, or when a conventional gasket is unavailable.
- Fills gaps up to .015". Cures to a solvent resistant seal that will not tear or decay during service.
- Parts disassemble easily even after extended service.

PART NUMBER	SIZE	PERMATEX
812387	50 ml. tube	51813



# ADHESIVES and SEALANTS

## RED HI-TEMPERATURE R.T.V. SILICONE GASKET MAKER



- OEM specified.
- Formulated for hi-temp applications, or heavy-duty use.
- Temp. range - 65°F to 650°F (-54°C to 343°C) intermittent; resists auto & shop fluids.
- Makes a reliable "formed-in-place" gaskets that resist cracking, shrinking & migrating caused by thermal cycling.
- Coats pre-cut gaskets to increase reliability.

PART NUMBER	SIZE	PERMATEX
813282	3 oz. tube	81160

## PERMATEX® THE "RIGHT STUFF"

- Fleet tested - no leaks in over a million miles of tests.
- Protects against leaks - makes gaskets that are more reliable and longer lasting than cut gaskets.
- No cure delay - vehicle can immediately be put in service.
- One container makes approx. 8 - 10 four cylinder valve cover gaskets at a fraction of the cost of cut gaskets.
- Temp. range to 550°F continuous, 600°F intermittent.
- Resists oil, coolant and ATF.
- Sensor-safe.
- Color: Black.

### Specified by:

Chrysler: GF44-A  
GM: 998-5990  
Ford: WSE-M4G323-A6



PART NUMBER	SIZE	PERMATEX	QTY
812358	4 oz. (113.4g) aerosol dispenser	25223	6
812357	5 oz. caulk gun cartridge	29208	6
813284	7.5 oz. powerbead can	85224	6
813272	10 oz. caulk gun cartridge	33694	6
213337	Right Stuff caulking gun	29247	

## PERMATEX® THE "RIGHT STUFF"

### for IMPORTS

- Instant - seals in one minute.
- Reliable - creates long lasting elastomeric rubber gasket.
- Resistant to hot oil, coolant and ATF.
- OEM approved by major import manufacturers including, Honda, Nissan, Hyundai, Mazda, and Mitsubishi.



PART NUMBER	SIZE	PERMATEX	QTY
813274	5 oz. caulk gun cartridge	34311	6
813273	10 oz. caulk gun cartridge	34310	6

## PERMATEX® SUPER GLUE

This formulation was specially designed for a faster, long-lasting bond.

- It is easily applied and works on non-porous materials including metal, plastics, rubber, vinyl, paper, wood and textiles.
- Permanent, transparent bond fills gaps to .004".

PART NUMBER	SIZE	PERMATEX
813269	2 g. tube	82190



## PERMATEX® SUPER GLUE GEL

Non drip gel formula "stays put" for precise application on hard-to-reach, overhead, or vertical surfaces.

- This permanent, transparent bond is easily applied and works on both porous and non-porous materials including metal, rubber, glass, aluminum, vinyl, ceramics, alloys and plastics.
- Fills gaps to .004".



PART NUMBER	SIZE	PERMATEX
813271	2 g. tube	82191

## 3M ULTRAPRO CLEAR TRIM & EMBLEM ADHESIVE



- Plastic top with brush applicator helps prevent lid from becoming stuck to the bottle.
- A clear, colorless adhesive for use on emblems, mouldings, weatherstrip, carpet, fabric, etc.
- Provides fast tack and excellent adhesion.
- No clotting or stringing.

Part No. 211351 • Sag resistant.  
1 pint bottle • Won't harm cured paint.  
3M No. 08063 • Waterproof.  
(Clear)

## 3M SUPER WEATHERSTRIP ADHESIVE



Part No. 908001 (12)  
5 oz. tube  
3M No. 08001 (Amber)

Part No. 908008 (12)  
5 oz. tube  
3M No. 08008 (Black)

## PERMATEX® SUPER WEATHERSTRIP ADHESIVE



Part No. 812129 (12)  
5 oz. tube  
Permatax No. 81731 (80)  
(Amber)

Part No. 812130 (12)  
5 oz. tube  
Permatax No. 81850 (82)  
(Black)

## SUPER WEATHERSTRIP ADHESIVE



- Handiest adhesive there is for bonding weatherstrip to doors or trunk lids.
- Thin bodied, spreads easily.
- Same top quality at a significant savings.



Part No. 812370 (12)  
5 oz. tube (Amber)

# ADHESIVES and SEALANTS

## ANAEROBIC FLANGE SEALANT

Used on water pumps, thermostat housings, transmission pan, transmission case cover, transaxle casings, o-ring replacement.

- Flexible, gasketing material for use on rigid machined flanges with less than .015" gap.
- OEM approved - use where OE's specify "anaerobic" gasket (cures in the absence of air).
- Eliminates preformed, pre-cut, paper, rubber and cork gaskets.
- Flexes with flanges that move in service.

Part No. 813275  
50 ml. tube

Permatex No. 51531



## 271 HIGH STRENGTH THREADLOCKER - RED

- Locks studs, bushings, and large fasteners against loosening & wear.
- Retains bearings, preventing spinout.
- Strengthens slip & light press fits.
- High strength: heat or special tools required for disassembly.



## 242 THREADLOCKER - BLUE

- Medium strength - removable - no lock washers or lock nuts needed.
- Positive locking of threaded fasteners - nuts, bolts, and screws.
- Seals against air, fuel, and hydraulic leaks.
- Restores fit to worn parts.

36ml.  
plastic bottle

PART NUMBER	PERMATEX NUMBER	SIZE	COLOR
812266	24240	36ml.	Blue
812285	24200	6ml.	Blue



## URETHANE AUTO GLASS SEALANT

A one part urethane adhesive sealant for bonding windshields, backlites and quarter windows.

- Substantially stronger than butyl.
- Cartridge will install (2) windshields.
- Easy handling and fast setting properties.
- For re-installation, urethane bonds & seals to original factory installed urethane sealant.
- Color: Black.

Part No. 211328 (6)  
Net. wt. 11 fl. oz. cartridge (Black)  
3M No. 08609



## 3M SINGLE STEP PRIMER

- Single Step Primer for auto body windshields to promote urethane adhesion to the windshield; can also be used to touch pinchweld scratches and to primer encapsulated glass.

Part No. 908681  
Net. wt. 125 ml.  
3M No. 08681



## 3M FAST 'N FIRM SEAM SEALER (Caulk Gun Cartridge)

- Adheres well to clean, bare, primed metal & painted surfaces.
- Skins over in quickly, can be painted in 30 minutes.
- Seals interior and exterior joints.
- Ideal as general purpose water and dust sealer.
- Will withstand mild forced drying.

- Has excellent tooling & sanding properties and exhibits low shrinkage and good resistance to weathering after cure.
- Part No. 908505  
Net wt. 10 oz. (Biege)  
Fits 1/10 gallon caulk gun  
3M No. 08505



## 3M STRIP CALK

For sealing openings in the car where a soft non-hardening material is needed.

- Good for use in seams, cracks in joints, trunks, cracks around pillar posts, cowling and windshields.
- Color: Black.



Part No. 908578  
1 ft. lengths, 60 per box  
3M No. 08578

## TACK & BOND (GASKET ADHESIVE)

- Super sticky, high strength, quick drying.
- Bonds to metal, cork, rubber, plastic and other automotive materials.
- Holds gaskets in place — Even overhead!
- Resists water, anti-freeze, gasoline, oil, transmission fluid, brake fluid and grease.
- Extension tube creates narrow spray — eliminates overspray and waste.



Part No. 211323 (12)  
Net Wt. 15.75 oz. (447g.)

## SUPER BOND (TRIM ADHESIVE)

High temperature rated to 200°F.

- Web-like spray pattern
- Adjustable spray valve.
- Heat, moisture & water resistant.
- Bonds carpets, urethane foam insulation, vinyl tops, kick pads, upholstery, headliners, runners, etc.



Outperforms or Exceeds:  
3M 8080, 8090 Crest AA-A  
Montana SA-360 Kent ST-A  
Rubber-Seal R5-505  
Talsol 3410, 3411


Part No. 211417 (12)  
Net Wt. 12 oz. (340g.)

## SEAL-UP — PERMANENT, METALLIC BLOCK and RADIATOR SEALER

- SEAL-UP is scientifically treated liquid glass (Sodium Silicate) that is enhanced with copper for maximum, permanent sealing strength.
- Seeks out low pressure points and flows into the hole or crack to from a permanent ceramic-metallic weld that is as permanent as a mechanical weld.
- Heat & pressure resistant.
- Expands & contracts.
- Use when rebuilding engines.
- Seals all types of metals.



Part No. 211475 (12)  
11.4 oz. net wt.

**ADHESIVES and SEALANTS****HEAVY DUTY RADIATOR STOP LEAK**

Unbeatable leak protection for: radiators, cylinder heads, freeze plugs, heater cores, hoses & more

- **Leak Stopper** is a Metallic sealer with a carrying agent that stays in suspension until carried to the leaking area. These metallic particles form activates when exposed to the atmosphere.
- Ten minutes of engine operation completes the sealing cycle.

Part No. 13123

Contains 24 tubes  
Net Weight .3/4 oz.  
(21g) per tube

- Mixes with any antifreeze.
- Compatible with all modern cooling system materials.

**DE-SQUEAK CONDITIONING TREATMENT**

Recommended for use on new, old or freshly cut (turned) brake rotors and drums. It is safe for use on all types of brake systems, including ABS.

- Eliminates harmonic vibrations...fills voids and imperfections.
- Quick drying...does not interrupt or lengthen brake job.
- Prevents rust and oxidation on drums, rotors and lug nuts.
- Will not harden due to incorporation of graphite and silica.

Part No. 211299

6 Net. Wt. 11.25 oz. (318g.)

**DISC BRAKE QUIET**

For sealing openings in the car where a soft non-hardening material is needed.



Part No. 13143

Spray-On  
9 oz. Net Weight

Permatex No. 127MA

**3M ALL-AROUND AUTOBODY SEALANT WHITE**

For sealing interior/exterior autobody joints & seams.




Part No. 908500  
10 fl. oz. Net Weight

3M No. 08500

Fits 1/10 gallon Cartridge Gun

**BAR'S LEAKS TABLETS**

**Bar's Leaks** has millions of tiny particles to permanently seal leaks in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Compatible with all brands of anti-freeze, including extended life. (Green and Orange) Lubricates water pump seal and inhibits the formation of rust and scale.



- Patented concentrate used world wide by car and truck manufacturers to protect against cooling system leaks.
- Use two tablets per gallon of coolant.
- 6 tablets per card, 12 cards per box.

Part No. 211537

**FUEL TANK REPAIR KIT**

- Makes quick, permanent repairs to leaks in all types of metal fuel tanks, without the dangerous welding.
- Repairs cracks up to 4" (10cm) long and holes up to 3/8" (9mm) in diameter.
- Ideal for cars, light trucks and commercial vehicles.
- **NOT FOR USE** on PLASTIC fuel tanks.

Part No. 812378

Net Wt. .09 oz.

**BULLSEYE™ WINDSHIELD REPAIR KIT**

Saves hundreds on unnecessary windshield replacement

- Repairs stone damage on most types of laminated windshield glass up to 1" diameter.
- Makes crystal clear repair in 30 minutes.
- No mixing or special tools required.
- Not recommended for severe star damages or cracks.
- Kit makes (1) repair.

Part No. 812352

.17 fl. oz.

Permatex No. 16067

**REAR VIEW MIRROR ADHESIVES**

- Remounts mirror brackets in seconds.
- 60% strength - 3,000 psi in two minutes.
- Kit makes (1) repair.
- Easy clean-up.

Net .03 fl. oz. also available  
Permatex No. 81844

Part No. 812230

Part No. 811214

Net .03 fl. oz.



Part No. 812265  
Net 6 ml bottle

Permatex No. 3346

**HEADLIGHT LENS RESTORER**

Rated #1 by the world's largest independent test lab.



- This Nano optical grade polish has been formulated to work on all plastic, lexan & glass auto lens covers.

- It will permanently remove yellowing, haze cloudiness, light scratches, bugs, road debris & micro pitting. Perfect finish every time.
- Improves & repairs damage - giving you clear sight of the road.
- Safe & chemical free, no coatings or fillers.

Part No. 812373

**MUFFLER CEMENT**

Used to seal regular and catalytic exhaust connections.

- Iron reinforced - spreads like putty - hardens like metal.
- 1 lb. shop size tube.
- Eliminates leaks and comebacks.
- Makes installations easier.

Part No. 211470

16 oz. net wt. tube

# ***ADHESIVES and SEALANTS***

## **PERMATEX® OPTIMUM GREY HIGH TEMP RTV GASKET MAKER**

- -65°F to 700°F assemblies where high temperature & high vibration exist.
- Maximum torque load resistance.
- Use on high performance and premium components.
- Sensor-safe, low odor & non-corrosive.
- Extra nozzle included.



Part No. 812371  
Net Wt. 3.35 oz. tube

## **PERMATEX® OPTIMUM BLACK HIGH FLEX RTV GASKET MAKER**

- -65°F to 500°F high flex assemblies where dissimilar metals meet.
- Maximum oil resistance.
- Use on newer lightweight and premium components.
- Sensor-safe, low odor & non-corrosive.
- Extra nozzle included.



Part No. 812400  
Net Wt. 3.35 oz. tube

## **PERMATEX® GEAR OIL GRAY RTV GASKET MAKER**

- OEM specified.
- Specially formulated to withstand the harsh gear oil environment found in differentials and transfer cases.
- Because gear oil has friction modifiers that break down normal RTV and cause leaking, this specialty silicone has been tested to OEM specifications to ensure complete sealing.
- As a gasket maker, it seeks and seals leak paths that cut gaskets cannot.
- It can also be used to seal cut gaskets.



Part No. 812361  
Net Wt. 3 oz. tube

## MRO CLEANERS

## CONQUEST CLEANER &amp; DEGREASER

- Contains D'Limonene - a safe, natural citrus based solvent.
  - Contains no acids, no caustics or corrosives. Non-carcinogenic.
  - Emulsifies in water. Totally biodegradable.
  - All-purpose cleaner. Dilute for normal use, or use straight for extra strength.
  - USDA accepted, C-1. 5 gallon container
- Part No. 211405G1 1 gallon container  
Part No. 211405G5 5 gallon container



## CITRA-CLEAN AEROSOL

- Natural citrus (D-Limonene) all purpose cleaner and degreaser with powerful degreasing formula, that can also clean and deodorize a variety of surfaces.



Citra Clean Aerosol  
Part No. 211451 (12)  
15 oz. net weight (425g)

Foaming Aerosol Citra Clean II  
Part No. 211452\* (12)  
18 oz. net weight (510g)

\*Does not contain D-Limonene



## PURPLE-PRO™ CONCENTRATE

Biodegradable • Noncombustible  
Nontoxic • Powerful

**VERSATILE** - can be used straight as an efficient wax stripper, garage bay floor cleaner etc., or mixed up to 15 to 1 for easy cleaning of linoleum, asphalt, rubber, vinyl, etc.

**POWERFUL** - contains premium-grade cleaning agents designed for fast & easy removal of dirt, grease & grime from all surfaces.

Part No. 211200 (12)  
32 fl. oz. (946 ml.)

Part No. 211200G1 (6)  
1 gallon container

Part No. 211200G5  
5 gallon container



## “PRESSURE MAX” HEAVY DUTY PRESSURE WASHING FORMULA

- Removes grease, grime & other deposits on all parts of engines, parts & vehicles.
- Excellent with high or low pressure, hot or cold water.
- Contains biodegradable surfactants, non-phosphate.
- Non-flammable, non-corrosive & non-butyl.
- Extremely safe for workers, surfaces & environment.
- Leaves surfaces free of residue.

Part No. 44438G5 | Part No. 44438G55  
5 gallon container | 55 gallon container



## DEOXIT® CLEANER &amp; SHIELD

For all electrical connections.

## DEOXIT® CLEANER

- Cleans and restores connections.
- Removes oxidation and corrosion.
- Enhances electrical contact points.
- Prevents electrical failure.
- Improves performance.



## DEOXIT® SHIELD SQUEEZE TUBE

- Forms a protective barrier on freshly cleaned connections.
- Long term protection.
- For severe environments.

(PSS050819)

Part No. 211034  
2 ml. squeeze tube



© Copyright 2021. All rights reserved.

No portion may be copied or reproduced in any manner.

## ZENASHEEN H2O

Cleans, polishes and protects stainless steel, chrome, brass, copper & aluminum.

- Maintains a bright spotless finish.
- Polishes as it cleans...leaves no greasy film.
- Unique coating repels further soiling.
- Removes tough oil based stains, water spots, spills & soils.
- Restores original luster, repels dust and seals & protects against future oxidation.

(PSS101414)



Part No. 211312 (12)  
18 oz. net weight

Water based

## FASTBALL

## ALKALINE CLEANER/DEGREASER

Rinses easily - Leaves no film • Non-hazardous

## Comes in two formulas:

Highly Concentrated Formula (the dilution depends on the job) and Ready-To-Use Formula for quick spray & go applications.

Don't use on Aluminum

(PSS100312)

- Industrial grade and formulated to quickly and effectively penetrate, break up and remove stubborn oil, grease and tough soils.
- Designed to work even in hard water.
- Great to use for equipment degreasing, vent hoods & ducts, oil spills, floor cleaning, garbage containers, concrete pads, floor drains, waste receptacles, asphalt pavements, floor wax stripping, pressure washing trucks, washing coils, detailing engines and more!
- A multi-purpose product for a wide variety of applications, eliminating the need to stock several different solvents and cleaners.



Part No. 44447  
1 qt. spray bottle

Part No. 44447G1  
1 gallon container

Part No. 44447G1-4  
4 gallon containers/case qty.

Part No. 44447G5  
5 gallon pail

Part No. 44447G55  
55 gallon drum

## CRYSTAL CLEAR

- Designed to remove dirt, grease & grime on hard surfaces.
- Heavy duty foam clings & penetrates soils.
- No dripping, running or build-up on surfaces.
- Especially great in body shops since it is ammonia & silicone free.
- Cleans, restores and shines.

Ammonia & Silicone FREE



Part No. 211629 (12)  
19 oz. net weight (538g)

(PSS070710)

## CLING ‘N CLEAN

- Non-ammoniated, clinging formula and ready to use.
- Multi-surface cleaner.
- Quickly removes dirt, grease and grime.
- Neutralizes and eliminates odors.
- Wipes off quickly without streaks or rainbows.
- Dries crystal clear.
- Prevents fingerprints & smudges.
- Leaves a pleasant citrus crème fragrance.

Ideal for vertical surface cleaning!



Part No. 211591 (12)  
Quart size (32 oz.)

# MRO CLEANERS

## GEL VANDAL MARK REMOVER

### Use to remove:

- Lipstick • spray paint • inks • scuff marks
- adhesives • decals • tape marks • glue • pencil
- Clings to vertical surfaces.
- Emulsifiable - wipe off with cloth or rinse off with water.
- Dries quick and residue free.
- Safe on most surfaces, porous and non-porous. May soften some plastics and paints, test first.



Part No. 211467 (12)  
14-3/4 oz. net weight (418g)

## PERFECT SOLUTION

### Concentrated Cleaner-Degreaser



- Biodegradable, non-toxic, non-abrasive, non-corrosive, non-flammable & pleasant fragrance.
- Safe to use on most washable surfaces.
- Emulsifies dirt to allow for easy rinsing.
- USDA C1 authorized for use in federally inspected meat packing plants.
- Can be sprayed, brushed or mopped on and can be used at a dilution ratio of 1 oz. per gallon to full strength.

Part No. PFS485 Available in quarts, gallons & bulk

## GLASS CLEAR



Part No. 211301 (12)  
19 oz. net weight (538g)

*Does not streak!*

- Cleans surfaces fast and easy through foaming action.
- Just spray it on & wipe it off immediately for sparkling clean surfaces every time.
- Leaves no sticky film to attract dirt and is non-staining.
- Contains ammonia for effective grease cutting.
- Cuts dirt and grime, removes smoke film.

## AIR JET DUST CLEANER



Removes dust, lint & all particulate matter from sensitive instruments, cameras, keyboards, computers and other precision equipment.

- An inert, dry gas - contains no CFCs.
- Safe on all plastics and elastomers.
- Non-toxic, odor free, leaves no residue, moisture free, non-flammable.
- Includes extension tube for hard-to-reach places.

Part No. 211125 (12)  
CRC No. 05185  
10 oz. net wt. (284g)

## GEL GRAFFITI REMOVER

### EXTRA STRONG!

Use only on unpainted porous surfaces.



Part No. 211103 6  
19 oz. net weight (538g)

- Quick acting.
- Highly concentrated.
- Removes what others won't.
- Thick gel formula clings and penetrates porous surfaces.
- Use on:** Brick • block • concrete • slate • terrazzo • marble • granite

## BIO FOAM

### Enzymatic Foaming Coil Cleaner

- Contains LIVE bio-enzymes.
- Increases air flow & unit efficiency - saving energy.
- Portable, non-acid, non-flammable spray.
- Helps keep drip pans and drain lines clean, free flowing and odor free.
- Flush off with water or leave on fins without rinsing.
- Deodorizes as it cleans, leaves a fresh clean scent.



Part No. 211627  
18 fl. oz. (1 lb. 2 oz.) (510 grams)



## "FAST FLUSH" COIL & FIN CLEANER

Blasts away dirt, grease & grime from coils, fins and filters found on air conditioners, refrigeration units, ice machines, cooling towers, heat pumps, heat exchangers, radiators & condensers.



- No need to disassemble.
- Spray on, walk away.
- No water rinse needed.
- Cleans both sides - condenser or evaporator.
- Non-acidic and non-corrosive.
- Clean units are more efficient, consume less energy & cool faster.

Part No. 211464 (12)  
18 oz. (510g) (1 lb. 2 oz.)

## MAGNUM

### Heavy Duty Industrial Foam Degreaser

Biodegradable • Water Soluble

- Heavy duty powerful "foam gun" spray clings to surfaces.
- Contains ultra fast, super powerful, grease dissolving agents and detergents.
- Provides extended degreasing contact time.
- Quickly breaks down grease and grime.
- Easy clean up - may be flushed away.



Part No. 211628  
Can Size 20 oz.  
Net Weight 16 oz. (453 g.)



## DE-SOLV-IT

### Engine and Equipment Degreaser



Part No. 13111 6  
1 lb. 2 oz. net wt. (510g)

## GREZ-OFF® HEAVY DUTY DEGREASER

A biodegradable, water based cleaner that effectively removes heavy duty grease and dirt.



- Ideal for:**
- Engines.
  - Machinery.
  - Workbenches.
  - Garage floors/walls.
  - Asphalt.
  - Condense coils.
- Part No. 211600 (12)  
32 oz. pump spray bottle

## MRO CLEANERS

**ELECTRO-SOLV**

Concentrated contact point cleaner

Restores and maintains original precision &amp; efficiency of contacts, electric switches &amp; relays.

- Instantly removes grease, dust, oil and oxidation.
- Eliminates noise and interference by dissolving oxidation & dirt on electronic equipment contacts.
- Cleans and penetrates surface pores and leaves a microscopic film for protection against future corrosion.
- **Not recommended for use on plastics.**

Part No. 13126 (12)  
1 lb. 4 oz. net wt. (567g)**ELECTRIC MOTOR DEGREASER**

New generation safety solvent degreaser removes dirt, grease &amp; grime. Use on motors, electronic equipment, generators, compressors, power tools, pumps, fans, relays, etc.

- Non-flammable & non-conductive.
- Powerful spray flushes away contaminants.
- Cleans and dries quickly, leaving no residue.
- Use on motors while running, will not harm wires or insulation.

Part No. 13125  
1 lb. 4 oz. net wt. (567g)**CRC® QUICK CLEAN Non-flammable (Safety Solvent) Cleaner/Degreaser**

Non-ozone depleting alternative to 1,1,1, trichloroethane that is just as effective.

- Authorized by the USDA for use in inspected meat & poultry plants.
- Non-staining and non-corrosive.
- Dissolves grease, oil & sludge quickly for more efficient operation & leaves no residue.
- For cleaning and degreasing dirty, corroded equipment.

Part No. 211551 (12)  
(CRC03180)  
19 oz. net wt. (539g)  
(Contents 20 fluid oz.)**LECTRA-MOTIVE®  
ELECTRIC PARTS CLEANER**

Non-Flammable Formula.

- Aggressive cleaner specifically for electric motors, transformers and machinery.
- Non-flammable formula dissolves grease, oil, dirt and wax.

Part No. 211580 (12)  
(CRC05018)  
19 oz. net weight**QD® CONTACT CLEANER**

Quick drying formula - leaves no residue.

- A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics.
- Safe to use on all plastics.
- Contains no Class I or Class II ozone depleting chemicals.
- 360° spray valve can be sprayed in the up or down position.
- <0°F flash point.

Part No. 211579 (12)  
(CRC No. 03130)  
16 oz. net weight**CRC QD™ ELECTRONIC CLEANER**

An excellent precision cleaning solvent that instantly penetrates hard-to-reach areas in electronic components and contacts.

- Instantly removes dirt, oil, grease, flux & other contaminants on contact.
- Helps prevent contact failure or malfunction.
- Evaporates quickly, leaves no residue.
- Harmless to most plastic & paper tapes.

Part No. 211553 (12)  
(CRC No. 05103)  
11 fl. oz. net wt. (312g)\*This product is EXTREMELY FLAMMABLE.  
Do not apply while equipment is energized.**CRC® HEAVY DUTY DEGREASER**

Dissolves grease, oil, corrosion and silicone on mechanical brake &amp; clutches, motors, dies &amp; molds, bearings, generators and compressors.

- Has no flash or fire point.
- Evaporates fast and leaves no residue.
- Non-conductive, non-corrosive, non-staining.
- Authorized by USDA for use in federally inspected meat and poultry plants.

Part No. 211570 (12)  
(CRC No. 03095)  
19 oz. net wt. (538g)**VELOUR & CARPET CLEANER  
and SPOT REMOVER**

Removes spots &amp; stains from carpet, velour and upholstery in minutes.

- Safe on all fibers.
- Leaves no circle or ring.
- For all automotive or industrial applications.

Part No. 211334 (12)  
18.75 oz. net weight (532g)**SURE SOLV**

Sure to solve all of your clean up needs.

- Easy to use, wipes on/off & leaves no residue.
- Safe & effective, will not damage most painted surfaces.
- Fast flashing formula leaves no lingering odors.

**Use it for:** removing sealants, adhesives, waxes, uncured urethanes, stains, grease spots, paint overspray, road tar, chewing gum, spot cleaning and surface prep.

(PSS041914)

Part No. 44491 (Aerosol 16 oz.)  
Part No. 44492 (32 oz. Liquid)

# MRO CLEANERS

## ANNIHILATOR Tar and Asphalt Remover

- A highly concentrated heavy duty tar and asphalt remover. Also can be used to remove mastics and adhesives.
- Non-chlorinated and will emulsify tar and asphalt with speed and ease.
- Formulated with safety in mind, it has a high flash point and is rated as non-flammable by DOT.
- Specifically formulated for cleaning equipment that comes in contact with tar and asphalt.
- Provides deep penetration and extra softening of tar and asphalt so that it can be easily removed with pressure washing.

(PSS070113)

Part No. 44466G5  
5 Gallon PailPart No. 44466G55  
55 Gallon Drum

- Where to Use:**
- Undercoating
  - Motors and chassis
  - Floors
  - Truck & bus exterior
  - Truck beds
  - Asphalt equipment
  - Shovels

### Key Features:

- 100% organic
- Fast acting
- Can be diluted
- Spray or brush on
- Easily rinsed off

## OIL VANISH™ Oil Stain Remover

Treats up to 10 times more than competitors' products.

- Instantly removes the toughest, stubborn oil stains - new or old.
- Provides immediate results - No waiting.
- Penetrates deeply into the surface to lift & eliminate stains.
- Outperforms degreaser and poultice type (stone) cleaners.

### Easy-to-Use: Apply, Scrub and Rinse.

(PSS021716)



Part No. 211223

32 oz. Container

Part No. 211223G5

5 Gallon Container

Part No. 211223G55

55 Gallon Container

### Removes:

- Motor Oil • Anti-Freeze • Brake Fluid
- Diesel Fuel • Grease • Hydraulic Fluid
- Power Steering Fluid • Trans Fluid
- Tar • Other oil-based stains

### Works On:

- Driveways
- Garage Floors
- Patios
- Parking Areas
- Drive-throughs
- Basement Floors

### Safe On:

- Concrete
- Asphalt / Blacktop
- Brick
- Pavers
- Masonry Surfaces

Part No. 211224

16 oz. Net Wt. Aerosol

## COIL FOAM - Non-Acid Coil Cleaner & Renovator

Highly concentrated, industrial strength, liquid coil cleaner.

Part No.  
44401  
E-Z Sprayer  
& Holster

Part No. 44402G1-4

(Case quantities of 4 ONLY)  
(PSS031511)

### DRAGON GRANULES

- Industrial strength granular cleaner.
- Dissolves grease, oil, dirt from concrete & other washable surfaces.
- Powerful cleaning & degreasing.
- Mild abrasive action for deep cleaning.
- Hard water tolerant.
- Fast acting, hard working & biodegradable.
- Deodorizes as it cleans, fresh orange scent.
- Free rinsing.

Part No. 444101-25

25 lb. container

Part No. 444101-50

50 lb. container

Part No. 444101-100

100 lb. container



(PSS121514)

## "SHOP MAGIC" HEAVY DUTY ALKALINE FLOOR CLEANER

Removes grease, oil, fats, carbon, wax, ink, tar, asphalt & other stubborn soils.

- Apply with auto scrubbers, mop, brush or pump sprayer.
- Low foaming, free rinsing, non-acid cleaner.
- Contains biodegradable surfactants.
- Dilute with hot or warm water for best results.



(PSS080414)

Part No. 44437G1 | Part No. 44437G5  
1 gallon container | 5 gallon container

## MARVALOSA MULTI-PURPOSE CLEANER and DEODORIZER

- Marvalosa commercial grade dirt eraser with fresh long lasting lavender fragrance.
- Clean & deodorize in a single time saving step.
- Highly concentrated.
- Rinses freely, leaves no residue.

(PSS080614)

Part No. 44499G1  
1 gallon container

Economical

**MRO CLEANERS****CLEAN-ALL FOAM**

**Heavy-duty all purpose foaming cleaner  
for most washable surfaces.** (PSS031018)

- Fast acting clinging foam.
- Penetrates & emulsifies dirt, grime, heavy soil build up, tar & oils.
- Keeps surfaces like new.
- Industrial strength formula.

**Use On:**

- Baseboards • Cabinets • Carpets
- Ceramics • Chrome • Enamel • Engines
- Fixtures • Formica • Grout • Leather
- Linoleum • Maintenance Equipment
- Metal • Plastic • Porcelain • Sinks
- Stainless Steel • Tile • Tubs
- Vinyl Upholstery • Walls and Wood



**Part No. 211624**  
18 oz. Net Wt. (510 grams)

**SALT RINSE**

**Removes white salt residue.**

- Cuts through dull, white, chalky residue left by ice melting chemicals.

**Use On:**

Snow Plows, Snowblowers, Graders, Front End Loaders, Truck Fleets, Emergency Vehicles, V-Box and Tailgate Spreaders, Truck Extensions, Truck Dump Beds, Cars, Carpet Stains and Floors

Use it to flush out liquid deicing systems to prevent clogging.

**Part No. 44488G1**  
1 Gallon Container

**Part No. 44488G30\***  
30 Gallon Container

**Part No. 44488G5\***  
5 Gallon Container

**Part No. 44488G55\***  
55 Gallon Container

\* ADDITIONAL TRUCK FREIGHT CHARGES APPLY.



(PSS120120.44488)

# HAND CLEANERS

## VERY CHERRY MULTI-PURPOSE Premoistened Waterless Hand & Surface Towels

Cherry scented formula will not irritate or dry out skin.  
Use anytime & anywhere.

**Cleans:**

Hands, tools, machinery, equipment, pipes, tough soils, metal surfaces, sealed wood, vinyl & ceramic tile & non-porous surfaces

**Removes:**

Grease, oil, dirt, tar & asphalt, brake dust, water based inks & grime

**Industries:**

Airports, construction, marine, automotive maintenance, machine operating, oil field drilling & transportation



Part No. 901033  
Size: 8" x 12"  
Count: 90 towels



(PSS092817)

## KAPOW TOWELS

### Knocks Out Those Tough Cleaning Jobs

Heavy duty pre-moistened cleaning towels that consists of specially formulated dissolving agents for grease and grime. They also have "Kapow" beads on one side to provide a slightly rough texture when more cleaning help is needed.

- No water needed – clean up anywhere.
- Convenient size package.
- Economical since it replaces cleaners & rags.
- Non-flammable .
- Safe on your skin – contains vitamin E & aloe
- Non-shredding.

**Solves these cleaning problems:**

Odors from hands	Tar & asphalt
Carpet spots	Gasket cement
Permanent marker	Paints & varnishes
Nail polish	Coffee stains
Labels & residue	Crayon marks
Most graffiti	Tree pitch
Caulking	Plumbers cement

\* Pre-testing is recommended on certain plastic surfaces. Do not use on any item with a protective finish.\*



(PSS101510)  
Part No. 901035  
Size: 9" x 12"  
Count: 80 towels

Dual textured:  
rough on one side  
and smooth on  
the other

## Rough Tough® SCRUBS® In-A-Bucket Waterless Hand Cleaner Towels

- Highly-absorbent, non-scratching, pre-moistened, heavy duty towel containing pumice scrubbing power.
- Loosens, dissolves, absorbs and holds residue without redepositing on hands, leaving hands clean & protected.

**Dissolves & Removes:**

Dirt, Sealants, Adhesives, Oils, Heavy Grease, Tar, Ink, Paint, Caulk, and much more.

Part No. 422072 6  
Towel size: 10-1/2" x 12-1/4"  
72 towels per container

Contains  
germ-fighting  
Triclosan



## E-Z WIPES HEAVY DUTY WATERLESS HAND CLEANER TOWELS

A combination of powerful cleaning agents with an absorbent, non-scratching hand towel.

- Quick cleaning at the work site.
- Course textured, deep cleaning wipes.
- Clean after-feel with no residue.
- Contains antiseptic agent.
- Natural citrus oil formula.
- U.S.D.A. authorized, E-4 (Pending).
- Fragrance: natural, light citrus.

**Best On Following Soils:**

- Grease
- Oils and lubricants
- Adhesives
- Inks and more

Keep a bucket  
close to your  
workplace



Part No. 13199 6  
wipe size: 10" x 12"  
90 wipes per container

• Portable • Convenient • Effective •

**Conditioning Agents:** Glycerin • Vitamin E • Aloe Vera

## GOJO FAST WIPES

GOJO Fast Wipes premoistened heavy duty hand cleaning towels are a one-step clean-up.

- Durable, absorbent, non-woven material.
- Impregnated with fast-acting orange cleaning formula.
- Fortified with vitamin E and aloe to protect hands.
- A "must" for remote work areas, mobile repair trucks, wreckers, utility crews, etc.



PART NUMBER	DESCRIPTION	QTY
GOJ6298	130 count bucket	4

## TARANTULA TOWELS

Heavy Duty, Multi-Purpose, Waterless, Disposable

- Use these for tough stubborn jobs, as well as everyday messes.
- Towel design has a rough texture on one side for scrubbing action and a smooth side for delicate surfaces.
- Get rid of old messy rags and cleaners and use this one product to replace them all.
- Safe on hands – contains skin conditioners.
- Take them anywhere you go to clean hands, tools, machinery, equipment, pipes, and a variety of non-porous, non-absorbent surfaces.



Part No. 901032  
Size: 8" x 12"  
Count: 110 towels  
(PSS100220)



**APPLICATIONS AND USES:** All metal surfaces, sealed wood, equipment, vinyl, & ceramic tile. We recommend testing on plastics, rubber, and latex paint in inconspicuous areas before use. Extremely useful in construction, transportation, utility maintenance, marine, oil drilling fields, maintenance vehicle repair, machining operating areas, airports, and warehouses.

# HAND CLEANERS

## CGB CHERRY GRIME BUSTER HAND CLEANER

Used by automotive, maintenance, tool & machine, print shops, truck & equipment repair facilities and construction areas.



Part No. 13182

120 fl. oz. 3.55 liters

Dispenser sold separately,

Part No. 13184

(PSS071416)

- Super thick concentrated formula stays on your hands during washing.
- Low solvent formula.
- Pumice based for tough grease, oil, dirt and grime.
- Contains superior emollients to reduce dry and cracked hands.
- Mild cherry scent effectively overcomes residual odors.
- Use 1/2 the soap, get twice the results.
- Similar to Zep Cherry Bomb.



Part No. 13178  
13.5 fl. oz. Portable Squeeze Bottle



Lifetime Dispenser  
Part No. 13184

## "WONDER" PREMIUM HAND CLEANER

Non-solvent formula eliminates drying & cracking of your skin



Part No. 13181 4

120 fl. oz. 3.55 liters

Dispenser sold separately,

Part No. 13184

(SMP111209)



Part No. 13183  
13.5 fl. oz. Portable Squeeze Bottle



Lifetime Dispenser  
Part No. 13184



## WORX ALL NATURAL HAND CLEANER

A super concentrated "hands-on" cleaning solution formula for removing mechanics grease, oil & grime, fresh paint/primers & wood stains, carbon & soot.

- 100% organic and 100% biodegradable.
- Cleans & conditions hands.
- Lasts longer and more economical.
- Ideal for repeated, daily use.
- Removes odors.

(PSS091717)

Contains  
NO petroleum  
solvents!



PART NUMBER	DESCRIPTION	QTY
111300	4-1/2 lb. Bottle, fits 119999 Dispenser	4
119999	Industrial Dispenser with Shelf	

When mixed with water it may be used to clean jewelry, golf grips/clubs, automobiles, showers, floors, sinks, glass mirrors, ceramics, as a bug remover, dish soap, degreaser & laundry detergent.

## GOJO HAND CLEANERS

### PRO 2000 Industrial Dispensing System

#### GOJ7200 PRO 2000™ Industrial Dispenser -

For shop floor wash stations.

For 2000 ml. refills

(sold below).

Black plastic

7w x 5-3/4d x 16-1/2h




#### GOJ7255 4 Natural

Orange Hand Cleaner - Economical waterless style. For moderate grease and medium soils. Fine Italian pumice enhances cleaning. Petroleum-free citrus formula 2000 ml.

GOJ7265 4 Multi Green™ Hand Cleaner - With scrubbing particles. Triple duty for light, medium, and heavy soils. Petroleum free. 2000 ml.

#### GOJ7272 PRO 2000 mL™ Supro Max™ Multi-Purpose

Heavy Duty Hand Cleaner - Fast and effective lotion hand cleaner removes tough or sticky soils and adhesives. Unique blend of cleaners, skin conditioners and gentle scrubbers. Ideal for plant-wide use, body shops or wherever difficult soils are found. Apply to dry hands, then rinse. Non-drying formula.



# HAND CLEANERS

## PUMICIZED HAND CLEANERS and UNIQUE DISPENSING SYSTEMS



Part No. 13300

You'll get 1000-ml more capacity  
with this system.  
For a total of 5000-ml

Waste-FREE  
profit stream



- Easy, quick-changing, no-mess Refill Tank empties 100% – NO WASTE.
- Reservoir back-up allows reloading at your convenience.
- System SAVES 30-40% over other systems.
- Time-tested, heavy-duty pump mechanism is guaranteed for life.
- See-through window lets user know when refill can be changed.
- Foil seal on refill locks in freshness and eliminates tampering.
- Snap-in/Snap-out features lock reservoir and refill tank in place.

**REFILL ALSO FITS ZEP MANUFACTURING CO.'S D-4000 DISPENSER  
(ALL MODELS)**

### ECONOMICAL DISPENSING OPTIONS

Part No. 13301

#### DISPOSABLE DISPENSER - FOR 4000-ML TANK

If you prefer not to use our Part No. 13300 Dispensing System for the 4000-ML container, you can use the **Part No. 13301 Pump Top Dispenser**.

It gives you a low-cost, portable option for use with our lotion hand cleaners available in the 4000-ML tank.



#### ZEP #D-4000 DISPENSER

With a 1 Gallon Container



#### 4000-ML CONTAINER

Also Fits Zep #D-4000  
Dispenser

Delivers  
1444  
applications



Our Part No. 13300  
Dispensing System  
is used with a  
4000-ML Container

### OUR HAND CLEANERS

PART NUMBER	DESCRIPTION	COLOR
13312	Gladiator Hand Cleaner	Cherry Vanilla
13313	Citra-Clean Hand Cleaner	Lime Green

Almost Twice As  
Many Applications  
As The  
Zep Dispenser and  
1 Gallon Container

10% More Soap  
Than Competitor's 1 Gallon



### PUMICIZED CHERRY GLADIATOR - Conditioner Enriched Hand Cleaner

A premium, heavy-duty lotion hand cleaner effective for removing the toughest soils.  
It can also be used with Zep Manufacturing's D-4000 dispenser.



Part No. 13312

- **FRAGRANCE:** Wild cherry
- **Color:** Cherry vanilla
- **Viscosity:** Lotion
- No petroleum odor
- Deep cleans with fine-ground, american pumice
- No nonylphenol ethoxylates (NPE)
- Contains an antimicrobial agent
- Complies with USA State VOC Regs
- Use 4000-ml with our 13300 dispensing system
- Outperforms competitor's cherry hand cleaners

#### SKIN CARE INGREDIENTS


- Almond Oil • Soy Oil • Glycerin • Lanolin
- Jojoba • Aloe Vera • Wheat Germ Extract
- Vitamin A, C and E

#### BEST ON FOLLOWING SOILS

- Greases • Oil and Lubricants • Inks
- Industrial Carbon • Asphalt and More

### PUMICIZED CITRA-CLEAN Conditioner Enriched Hand Cleaner

An all natural cleansing formula that deep cleans your hands, leaving skin moist & fresh smelling - not dry and chapped. Cleans up with or without water. No harsh solvents or toxins, non-irritating, biodegradable and safe to use. It can also be used with Zep Manufacturing's D-4000 dispenser.



Part No. 13313

- **FRAGRANCE:** Natural fresh citrus
- **Color:** Lime green
- **Viscosity:** Lotion
- Citrus oils / no petroleum solvents
- Contains an antimicrobial agent
- No nonylphenol ethoxylates (NPE)
- Enriched with 9 skin care ingredients
- Complies with USA State VOC Regs
- Use 4000-ml with our 13300 dispensing system

#### SKIN CARE INGREDIENTS

- Almond Oil • Soy Oil • Glycerin • Jojoba
- Aloe Vera • Wheat Germ Extract
- Vitamin A, C and E

#### BEST ON FOLLOWING SOILS

- Greases • Pipe Dope • Cutting Oil
- Undercoating • Inks and More

#### BEST ON FOLLOWING ODORS

- Fish • Onions • Gasoline • Garlic • Smoke

# HAND CLEANERS

## LIQUID HAND SOAP

- Rich lathering liquid soap with a fresh scent.
- Gently cleans soils, grease and stains without irritating skin.
- Contains emollients and conditioners that leave hands with a soft touch.
- Free rinsing, thick viscosity, pH neutral

PSS080320

Part No. 444126G1  
1 Gallon

Fits Plastic Jug Pump, Part No. 211578 (sold separately).



## PURELL INSTANT HAND SANITIZER

For use by healthcare, food service, hospitals, nursing homes, restaurants, police, emergency medical personnel, general office use.

- Kills 99.9% of germs that may cause illness in as little as 15 seconds.
- Use anytime, anywhere without water or towels.
- AQUELL™ moisturizing system leaves hands feeling soft & smooth; no stickiness or residue. Contains aloe and vitamin E.
- Hypoallergenic, dermatologist tested. Non-toxic.

GOJ9652 (12) 8 fl. oz.



## HANDY SAN-FOAMING HAND SANITIZER

- Kills 99.9% of many harmful germs in as little as 15 seconds.
- Alcohol-free formula will not burn or sting little cuts.
- Foaming action reduces the amount of product used to sanitize adequately.
- Foaming lather sanitizes hands without drips or spills.
- Non-flammable.
- Use with Dispenser, Part No. 13192 (sold separately).

**Dropshipped from the supplier.**

Part No. 444122G1-4  
1000 ml (34 oz.)

## HANDY SAN FOAMING DISPENSER

- Key lock for maximum security or optional universal access.
- Durable ABS construction.
- ADA compliant push bar; sight window indicates the level of soap remaining.
- 1000 ml (34 oz.) capacity; dispenses 0.7 ml of foamed liquid per stroke.
- Refillable bottle and sight window.

Part No. 13192



## GOJO HAND MEDIC

- GOJO guarantees hands will look and feel better in 14 days - when used as directed.
- Conditions, protects and heals rough cracked hands.
- Unique antiseptic formula.

PART NUMBER	DESCRIPTION	QTY
GOJ8142	2 oz. bottle	12



## GENT-L-KLEEN WATERLESS HAND CLEANERS

- Dissolves grime, keeps it in suspension and lifts it from the skin & pores.
- High grade synthetic solvents quickly remove grease, tar, paint, grime, ink, adhesives & more.
- Conditions the skin, leaves hands smooth & soft.
- Unique cans fit most other brand dispensers.




SMOOTH PART NO.	PUMICIZED PART NO.	DESCRIPTION (DISPENSER NOT INCLUDED)	QTY
13179	13176	4-1/2 lb. Can (Cream)	6

## WALL MOUNT DISPENSER

- Fits Part No.'s 13176 and 13179.

Part No. 13186  
Fits 4-1/2 lb. can



All natural, organic hand cleaner, with Di-Limonene

Part No. 13191 4  
1 Gallon Jug (Lotion)  
STANDARD PUMP INCLUDED



- Natural orange oils - no petroleum solvents.
- Biodegradable, fresh orange scent, environmentally safe.
- Removes grease, grime, oil, tar, ink and adhesives. Especially good for paint and urethanes, yet won't dry or chap hands.
- Cleans with or without water.

## O'KEEFFE'S WORKING HANDS & HEALTHY FEET

Soothes and protects severely dry, cracked, rough skin on hands & feet.

- Safe and effective with long lasting moisture.
- Guaranteed relief in days.
- Non-greasy.
- Unscented.
- Penetrates with a high level of glycerin.
- Forms a protective barrier to lock in moisture.
- Safe for diabetics.



Working Hands  
Part No. 813292  
3 oz. tube



(PSS111715) Healthy Feet  
Part No. 813293  
3 oz. tube

## INVISIBLE GLOVE™ BARRIER CREAM

Protects hands from grease, dirt, oil and paint.

- No need for gloves.
- Thin film protects pores, cracks and fingernails.
- Not greasy - actually improves grip on tools.
- Easy clean up - just soap and water.



Part No. 211476 (12)  
5 oz. tube

# AUTOMOTIVE CLEANERS

## BRAKE CLEANERS

Available in non-chlorinated or non-flammable formulas. Quickly removes brake fluid, grease, oil, and other contaminants instantly. Helps brakes last longer and perform more efficiently. Use on brake linings, pads, drums, rotors, cylinders, calipers, brake parts, clutch discs, cv joints and general purpose cleaning of parts & equipment.

### NON-CHLORINATED BRAKE CLEAN

- High strength cleaning action.
- Evaporates rapidly.
- Leaves no residue.
- Replaces 1,1,1 Trichloroethane and chlorinated solvent degreasers.
- Contains no known ozone depleting substances.
- Non-staining and non-corrosive.
- Use where compliance issues may require a chlorine-free product.



Part No. 13116 (24)  
15 oz. net weight (425g)

**NOTE:** This product is labeled extremely flammable. Read and observe the special usage warning on the label. Not for use on energized equipment.

### LOW VOC BRAKE & PARTS CLEANER

- No chlorinated solvents.
- Powerful spray.
- Instantly degreases.
- Compliant for use in OTC and LADCO states.
- No ozone depleting substances.
- No fouled waste oil.
- Leaves no residue.
- Safe for all metal parts.
- Removes brake fluid, grease and oil.
- Fast cleaning, high strength.
- Hexane & Toluene free.



Part No. 213116 (24)  
14.39 oz. net weight (408g)  
(PSS100610)

**Non-chlorinated solvents weigh less than equal amounts of chlorinated solvents.  
Both products featured on this page contain the same volume of liquid solvent.**

### NON-FLAMMABLE BRAKE CLEANER and PARTS DEGREASER

- Fast cleaning action.
- Degreasers instantly.
- Leaves no residue.
- Contains no CFC's, 1,1,1Trichloroethane or any ozone depleting solvents.
- No flash or fire point.
- Non-corrosive and non-staining.
- Safely cleans electric motors, starters and electrical terminals.



Part No. 211330 (24)  
20 oz. net weight (567g) (1.250 lb.)

**CAUTION:** May be harmful to some plastics and paints. Test on a small area before using.

### BRAKLEEN® NON-FLAMMABLE BRAKE PARTS CLEANER

#### Non-Flammable Formula.

- Quickly removes brake dust, brake fluid, grease, and other contaminants from all types of brake systems including ABS.
- Cleans fast and dries faster!



Part No. 211577 (12)  
(CRC05089)  
19 oz. net weight

### PERMATEX® NON-CHLORINATED BRAKE & PARTS CLEANER

All brake systems, c.v. joints, machinery, tools, farm equipment.

- Penetrates, dissolves and removes dirt and oil from brake systems and metal parts.
- Safer for aluminum.
- Leaves no contaminant - attracting residue or chlorinated solvent run-off.
- Helps manage EPA halide limits.
- Level 3 s flammability.



Part No. 211554 (12)  
Permatex No. 82220  
14.5 oz. net wt. (410g)

### PERMATEX® BRAKE CLEANING WIPES™

A water-based cleaner with no VOC's that cleans and protects rotors and drums against corrosion.

- Removes oil and impurities from the rotor surface.
- Promotes pad wear-in and improved performance.
- Cleans and protects rotors from corrosion.
- Contains no VOC's.
- Prevents brake squeal.
- Can be used to clean other brake parts such as cables, bolts, etc.



Part No. 812291  
50 Wipe Canister  
(PSS122115)

### BRAKLEEN® NON-CHLORINATED & LOW VOC BRAKE PARTS CLEANER

#### Contains no chlorinated solvents.

- Use where compliance calls for a chlorine-free product.
- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads.
- Cleans fast, dries fast, leaves no residue.
- Degreasers instantly.
- Works without disassembly.



Part No. 211576 (12)  
(CRC05084)  
14 oz. net weight

### PERMATEX® BRAKE & PARTS CLEANER

#### Non-Flammable

All brake systems, c.v. joints, machinery, tools, farm machinery.

- Penetrates, dissolves and removes oil, grease and brake fluids.
- Dries fast with no residue.
- Contains no ODC's.
- Pro-strength developed for brake professionals.
- Eliminates the need to disassemble.



Part No. 211566 (12)  
Permatex No. 82606  
19 oz. net wt. (538g)

# AUTOMOTIVE CLEANERS


## CLEAN-R-CARB

Designed to maximize carburetor performance.

- Meets all state & federal VOC regulations.
- Use on automatic chokes, carburetor components, crankcase breather element, exhaust gas recycling valve (EGR), general purpose cleaner for non-painted surfaces, heat risers, intake parts, positive crankcase ventilating system including PCV valve.



Part No. 211641 12  
(CRC No. 05381)  
16 oz. net weight (454g)



# AUTOMOTIVE CLEANERS

## AIR INTAKE SYSTEM CLEANER

Cleans air intake system of fuel injected cars without damaging special surface coatings or sensitive components.

- Especially formulated to safely clean sensitive components in the air intake system. Use in place of regular carburetor cleaners which can damage fuel injection system components.
  - Cleans, lubricates and provides anti-corrosion protection for throttle valves, throttle bodies & idle controls.
  - Safe on special surface coatings & delicate component materials.
- Will not harm oxygen sensor or catalytic converters.



Part No. 211415 (12) Aerosol  
14.75 oz. net weight (418g)

## MASS AIR FLOW SENSOR CLEANER

Proven to gain 4-10 horsepower at the wheel.

The safe and effective alternative to "underground" methods of MAF sensor cleaning.

- Plastic safe & leaves no residue.
- Increases horsepower.
- Decreases hesitation & ping.
- Improves fuel economy & MPG.
- Reduces rough idle.

Part No. 211588 (12)  
(CRC05110)  
11 oz. net wt. (312g)



PSS122215

## CRC® BATTERY CLEANER

For use on battery terminals, casing, cable connectors, and retainer frames.

- Spray on and rinse off with water.
- Reduces voltage leakage due to contaminants.
- Helps prevent corrosion.
- Assures maximum battery current flow.

Part No. 211567 (12)  
(CRC No. 05023)  
11oz. net wt. (312g)



## BATTERY CLEANER and PROTECTOR

Two products in one can, cleans & protects.

- Penetrates, dissolves and neutralizes corrosion and acid build-up on all storage batteries.
- Leaves protective seal against future corrosion.
- Increases electrical conductivity & prolongs battery life.
- Color: Red.



**NEW** EPA Compliant Formula  
No MCL, CFC's or Trichloroethane

Part No. 13139 (24)  
14oz. net wt. (397g)



## BERKEBILE 2 + 2 GUM CUTTER

Cleans carburetors, choke & PCV valves.

- Works instantly.
- Cleans metal parts.
- Safe for use with catalytic converters.
- Oxygen sensor safe.

Part No. 211558 (12)  
Berkebile No. B101  
13 oz. net wt. (368g)



## THROTTLE BODY & AIR-INTAKE CLEANER

Removes baked-on gaskets in minutes.

- Cleans air-intakes, throttle valves, throttle bodies and linkages on fuel-injected gasoline engines (both throttle body & multi-port).
- Safe for use on coated throttle bodies.
- Low VOC formula.
- <0°F flash point.
- Extremely flammable.
- Do not apply while equipment is energized.

Part No. 211639 (12)  
(CRC05078)  
12 oz. net wt.



## CRC® GDI IVD™ INTAKE VALVE CLEANER

PROVEN to remove up to 46% of carbon buildup on intake valves in the first hour after use.

- Excellent GDI (gasoline direct injection) valve deposit removal.
- Dissolves and lifts deposits from ALL TYPES of gasoline powered engines.
- Delivers concentrated COZOL® chemistry directly to the valves.
- Safe on turbos and intercoolers.
- Increases power and torque.
- Unique Dual-Action spray system.
- Improves fuel economy.
- Stabilizes rough idle.

Part No. 211602 (12) Aerosol  
(CRC05319)  
11 oz. net weight (312g)

150X more concentrated than premium fuel additives!



## PERMATEX® BATTERY CLEANER

- Spray it on and wash off.
- Works in just three minutes.

### Suggested applications:

Automotive, marine, farm machinery and motorcycle batteries.

Part No. 211586 (12)  
Permatex No. 80369  
5.75 oz. net weight



## CRC® BATTERY TERMINAL PROTECTOR

For any vehicle battery.

- This lead-free protective coating formula is designed to protect from corrosion, a leading cause of hard starting & battery failure.
- Formulated for aerosol applications.
- Dries quickly & protects instantly.
- Color: Red.

Part No. 211568 (12)  
(CRC No. 05046)  
7.5 oz. net wt. (213g)




## CARB-SOLV

Cleans carburetors, chokes and PCV valves.

- Works faster and better than ordinary carburetor cleaners by instantly dissolving gum, varnish, grease, carbon and oil. Prevents corrosion.
  - Available 2 ways:
- Power Pulsating aerosol spray**  
hammers away heavy build-up.  
**Hi-Delivery aerosol spray** to flush away large areas of deposits.

Part No. 211340 (24)  
Power Pulsating Aerosol  
14.75 oz. net weight (418g)



Part No. 211341 (24)  
Hi-Delivery Aerosol  
14.75 oz. net weight (418g)

# AUTOMOTIVE CLEANERS and APPEARANCE PRODUCTS

## GASKET REMOVER



Removes baked-on gaskets in minutes.

- Outperforms all others gasket removers & strippers.
- Our gasket remover is the better way to do a tough job faster & faster.

Part No. 13145 (12)  
19 oz. net weight (538g)

## LIQUID CAR & TRUCK WASH CONCENTRATE



- Non-streaking, fast rinsing, shine enhancing, biodegradable & outperforms all others.
- Costs less than powders, which contain 80% or more Carbonate of Soda or Sodium Sulfate.
- High foam, low viscosity that won't inhibit flow like the thick, high viscosity liquids.
- DON'T BE FOOLED. Concentrated doesn't always mean thick. Hand & machine use.
- Dilution rate: mix 1-2 oz. per bucket of water (2-1/2 to 3 gal).

Part No. 211206G1 4  
1 gallon container | Part No. 211206G55  
55 gallon container

## GOLDEN WASH & WAX



Super Concentrated Vehicle Wash & Wax.

- One step wash & wax.
- Hard water tolerant.
- High foaming properties.
- Powerful yet gentle detergents.
- Phosphate free. Non-toxic and earth friendly.
- Safe on glass, plastic & chrome.

Part No. 211246G1-4 | Part No. 211246G1  
4 gallon case | 1 gallon container

(PSS060218)

## GLASS CLEAR



Does not streak or stain!!

- Cleans surfaces fast and easy through foaming action.
- Just spray it on and wipe it off immediately for sparkling clean surfaces every time.
- Leaves no sticky film to attract dirt.
- Contains ammonia for effective grease cutting.
- Cuts dirt and grime, removes smoke film.

Part No. 211301 (12)  
19 oz. net weight (538g)



## GLASS MULTI-USE CLEANER



- Cleans glass, mirrors, acrylic, plastic, fiberglass, vinyl, chrome and stainless steel surfaces without leaving a hazy film.
- Perfect for use at home, on cars, trucks, boats, planes & recreational vehicles.
- Formulated without harsh chemicals.
- Streak FREE!

Part No. 211565 (12)  
(CRC05401)  
10 oz. net weight

© Copyright 2021. All rights reserved.

No portion may be copied or reproduced in any manner.

## DE-SOLV-IT - Engine and Equipment Degreaser

Degreasers engines and equipment.

- Specially formulated to remove dirt, grease and oil from all mechanical engines, machinery, tools and even greasy floors.
- Simply spray on DE-SOLV-IT - it penetrates through layers of dirt, grease and grime, down to the metal itself.
- Biodegradable formula emulsifies grease and oil.

Part No. 13111 6  
1 lb. 2 oz. net wt. (510g)

## GLASS MUSCLE 12:1 CONCENTRATE

Cleans glass, chrome, mirrors, plastic, stainless steel, hard non-porous surfaces.

- Professional quality shine.
- Streak & smear free.
- Concentrated formula.
- Non-toxic.
- Non-corrosive.
- Fast, safe and easy to use.

(PSS060118)

Part No. 211269G1-4 | Part No. 211269G1  
4 gallon case | 1 gallon container

## "SUPER SCRUB" TRUCK & BUS WASH CONCENTRATE



(PSS011914)

## CRYSTAL CLEAR



- Highly concentrated - should be diluted 1:50 prior to use.
- Penetrates and lifts dirt away without harming the surface.
- Rinses away with no streaks or residues.
- Helps protect vehicle surfaces from rust and corrosion.
- Phosphate Free - non-toxic formula is safe and earth friendly.

Part No. 44484G5 | Part No. 44484G55  
5 gallon container | 55 gallon container

## VINYL, LEATHER and PLASTIC CLEANER and CONDITIONER



Part No. 211629 (12)  
19 oz. net weight (538g)  
(PSS070710)

Cleans, brightens and restores the "New Look" in just one easy step.



Part No. 211335 (12)  
14.75 oz. net weight (418g)

- Safe - will not harm fabric, chrome or paint.
- Will not crack, peel or craze.
- Use on vinyl tops, convertible tops, dashboards, seats, floor panels etc.

# APPEARANCE PRODUCTS

## PRO-TECH "WET LOOK" HIGH GLOSS DETAIL DRESSING

A no-fuss brightener for vinyl, rubber & plastic. Use on tires, trim, bumpers, moldings and exterior surfaces. Also on interior vinyl & plastic surfaces.

- Works instantly, no wiping.
- Long lasting, clear, non-foaming formula provides a water resistant high gloss shine.
- Great for hard-to-reach places.
- Contains silicone.
- Watermelon scent.



Part No. 211453 (12)  
12 oz. net weight (340g)



## FOAMING TIRE CLEAN & SHINE

Cleans and shines tires, mud flaps and rubber bumpers. Excellent underhood cleaner and dressing.

- 1-Step Formula.
- Two products in one. Amazing foaming action, cleans and shines without washing or wiping.
- Easy to use. Simply spray it on and walk away.
- Large size aerosol can contains enough product to clean, shine and protect up to 30 tires.
- Will not harm tires, bumpers, aluminum wheels or paint.



Part No. 211337 (12)  
13 oz. net wt (368g)

## SPEED CLAY

Professional results without the clay bar mess!

- Removes debris, contaminates and dead pigments that washing and polishing can't.
- Will not harm paint.
- Easy one step process.
- Foam on – wipe off.
- Restores showroom shine.



Part No. 444108 12  
6 oz. net weight (170g)  
(PSS092415)

## "GLEAM BEAM" HEADLIGHT RESTORER

- Cleans and polishes in one step.
- Built in UV protector.
- Removes film, dirt, grime and UV damage, lines, acid rain and yellowing.
- Transforms cloudy headlights to like new.



### CLEANS 12 HEADLIGHTS

Part No. 444109  
6 fl. oz. Net Weight  
(PSS092315)



## "GLEAM BEAM" HEADLIGHT RESTORER KIT

- Cleans and polishes in one step.
- Built in UV protector.
- Removes film, dirt, grime and UV damage, lines, acid rain and yellowing.
- Transforms cloudy headlights to like new.



### CLEANS 4 HEADLIGHTS

Part No. 444110  
2.8 fl. oz. Net Weight  
(PSS092215)



## TOUCH SCREEN CLEANER

Safely removes oils, grime & other abrasive stains.

- Gently & effectively cleans touch screens.
- Wipes away fingerprints.
- Compact size bottle (approx. 4 oz.) fits anywhere.
- Comes with a microfiber cloth to prevent surface scratches (microfiber cloth 6-1/4" square).

**Use on:** vehicle DVD displays, GPS, navigation screens, tablets, laptops and cell phones



Part No. 211389  
100 ml net weight (3.28 oz.)  
(PSS060716)

## SPEEDY WAX

Sprays on in minutes to get a showroom shine. Provides protection, water beading and shine that lasts for weeks without buffing.

- Wax in minutes.
- No waiting.
- Showroom shine.
- No buffering necessary.
- No powder or dusting.



Part No. 211204 (12)  
16 oz. net weight (454g)  
(PSS052914)

## VELOUR & CARPET CLEANER and SPOT REMOVER

Removes spots & stains from carpet, velour and upholstery in minutes.

- Safe on all fibers.
- Leaves no circle or ring.
- For all automotive or industrial applications.



Part No. 211334 (12)  
18.75 oz. net weight (532g)

## ZORRO

### REJUVENATOR, PROTECTANT & TIRE DRESSING

- Safe for use in paint & body shops.
- Rich, satin like, non-oily, like new finish.
- Protects against harsh elements/ conditions, brake dust and UV damage.
- Prevents fading, drying & cracking.
- Use on rubber, vinyl, consoles, window, trims, bumpers, floormats, tire sidewalls, door panels, dash & running boards.

Part No. 444100 12  
32 oz. Quarts  
(with trigger sprayer)

Part No. 444100G1 4  
128 oz. Gallons  
(PSS080114)



## "GLEAM BEAM" HEADLIGHT RESTORER

- Cleans and polishes in one step.
- Built in UV protector.

- Removes film, dirt, grime and UV damage, lines, acid rain and yellowing.
- Transforms cloudy headlights to like new.



### CLEANS 4 HEADLIGHTS

Part No. 444110  
2.8 fl. oz. Net Weight  
(PSS092215)



## HEADLIGHT LENS RESTORER

Rated #1 by the world's largest independent test lab.

- This Nano optical grade polish has been formulated to work on all plastic, lexan & glass auto lens covers.
- It will permanently remove yellowing, haze cloudiness, light scratches, bugs, road debris & micro pitting. Perfect finish every time.
- Improves & repairs damage - giving you clear sight of the road.
- Safe & chemical free, no coatings or fillers.



Part No. 812373

# APPEARANCE PRODUCTS

## WIPE OFF/WAX ON Waterless Car Wash



Long lasting protection from acid rain, UV damage, everyday dirt & grime and oxidation.

- Cleans, protects & shines.
- Washes & waxes vehicle without water.
- Leaves a hard shell wax shine.
- Contains carnauba wax.
- No prewashing required.
- Use on metal, chrome and windows.
- No buckets, no hoses & no mess.
- Great for water restrictions, anytime uses, cold weather washing.

Part No. 124304 (12)  
17 oz. net weight (482g)



(PSS112717)

## ALUMINUM BRIGHTENER



Restores metal to new look.

- Industrial strength formula.
- Cleans & brightens aluminum\*, stainless steel, copper, brass and non-ferrous metals.
- Quickly & easily dissolves grease, oil stains, grime and road film.

**\*For use on all machined finished open pore case aluminum only**

Part No. 211217 (12)  
Quart size 32 oz. net weight (PSS011618)

## GUNK® ENGINE DEGREASER



Degreasers engines & equipment.

- Quickly removes grease & grime.
- The original self-emulsifying degreaser.
- Use on automobile, power mower, marine, industrial machinery and farm tractors.

Part No. 211564 (12)  
Gunk No. EB1  
16 oz. net wt. (453g)

## PROTECTANT WET WIPES

For vinyl, leather, plastic & rubber.



- Conditions, protects & beautifies.
- Premoistened waterbased silicone formula.
- Cleans & restores original luster.
- Anti-static ingredient repels dust for longer cleaning effect.
- UV blocker protects from sun exposure.
- Prevents drying, cracking & fading.
- Use on: side moldings, bumpers, cup holders, door & window seals, plastic hub caps & more.
- Use to clean: vinyl, rubber, leather & plastic in autos, offices, hotels & more.

Part No. 901036 6  
40 count, 7" x 11" disposable wipes (PSS080418)

## INSTA-SHINE Clear Non-Silicone Coating



Safe for use where the presence of silicone may interfere with coatings.

- Brightens plastic and vinyl surfaces.
- Works instantly, no wiping required.
- Provides a water-resistant high gloss shine.
- Protects against weathering, fading & cracking.
- Safe for paint & body shops.

Part No. 211519 (12)  
20 oz. Aerosol, net weight (11.5 oz.)



(PSS112817)

## BEACON WIPES



Spot & streak-free glass wipes.

- Ready to use wipes.
- Great for smudges, grime, oils, bugs, fingerprints and waterspots.
- Use on: windshields, mirrors, glass, plexiglass & more.

MADE IN USA with globally sourced materials.

Part No. 901037  
125 count, 8" x 9" Heavy Duty Towels (PSS041718)

## CHEWING GUM REMOVER

Removes chewing gum, candle wax, putty, gummy candy and more.



- Works great on carpets, upholstery, vinyl, leather, fabrics, plastics, glass and metal.
- Instantly freezes material to be removed.
- Will not harm or stain surfaces.
- Leaves no residue.
- Contains NO CFC'S or Ozone depleting ingredients.

Part No. 211466 12  
6-3/4 oz. net weight (191g)

# SPRAY PAINTS / ACCESSORIES and TOOLS

(PSS020216)

## COVER-ALL HIGH SOLIDS ENAMEL PAINT

For Automotive, Industrial & MRO Applications

Use on: vehicle frames, machinery, racks, bins, tanks, piping, ornamental iron, PVC, wood & more!

- The premium solids formula results in using less cans of product to get the job done right, the first time.
- COVER-ALL provides the highest coverage per ounce.
- One can is equivalent to using four cans of low solids, less expensive brands.
- Maximum protection to a wide variety of metal.
- Excellent spray characteristics.
- Protects against weathering, rust, oil, gasoline and corrosive chemicals.
- High opacity and great durability.
- Direct to metal.
- Tough and Effective.

(PSS020216)



DESCRIPTION	PART NUMBER	QTY
Lt. Gray Primer	124252	12
Gloss White	124251	12
Flat White	124257	12
New Equip. Yellow	124255	12
Safety Yellow	124260	12
School Bus Yellow	124269	6
Omaha Orange	124266	12
Safety Orange	124261	12
Red Iron Oxide	124253	12
Safety Red	124262	12
Dark Green	124267	12

20 fluid oz., 16 oz. net weight

DESCRIPTION	PART NUMBER	QTY
Safety Blue	124263	12
Deep Blue	124268	12
Aluminum	124264	12
Gray ANSI 61	124258	12
Lt. Machinery Gray	124256	12
ANSI 70		
Dk. Machinery Gray	124259	12
ANSI 49		
Gloss Black	124250	12
Flat Black	124254	12
Semi Gloss Black	124265	12

20 fluid oz., 16 oz. net weight

## GRASS & SHRUB RENEW

Use for: golf courses, grounds maintenance, businesses, hospitals, residential, commercial, property management, homeowner associations & universities.

- Renews lawns & shrubs that turn brown from the hot sun.
- Restores a lush green look.
- Covers bald and brown spots.
- Will not wash away from rain or water.
- Will not harm grass or shrubs.
- Allows new growth.
- Fast drying formula.

DESCRIPTION	PART NUMBER	QTY
Light Olive	124215	12

17 oz. net weight (482g)



(PSS060120)

## COVER-ALL STRIPE INVERTED TIP

- For ground marking applications where high visibility is required.

DESCRIPTION	PART NUMBER	QTY
White	124270	12
Utility Yellow	124275	12
Alert Orange	124273	12
Fluorescent Orange	124276	12
Safety Red	124274	12
Safety Green	124272	12
Precaution Blue	124271	12

20 fluid oz., 17 oz. net weight



## COVER-ALL STRIPE TRAFFIC

- Ideally suited for striping concrete, asphalt & other surfaces where high visibility is required.
- Fast drying & non clogging.
- Use on parking lots, construction sites, warehouse aisles, apartment complexes & fairgrounds.

DESCRIPTION	PART NUMBER	QTY
White	124280	12
Traffic Yellow	124281	12
Handicap Dk. Blue	124282	12

20 fluid oz., 18 oz. net weight



(PSS020216)

## COVER-ALL STRIPE ATHLETIC FIELD

- Use where high visibility is required.
- Durable enamel coating, provides vivid stripes.
- Specially formulated for athletic fields, golf courses, football, soccer & baseball fields.
- Inverted tip fits most athletic striping machines.
- Use on grass, dirt, clay & some synthetic turf surfaces.

DESCRIPTION	PART NUMBER	QTY
White	124285	12

20 fluid oz., 18 oz. net weight



(PSS020216)

## PEE GREEN INVERTED NOZZLE

- Sprays in an inverted position for easy application.
- Restores an instant lush green look.
- Allows existing grass & foliage to grow.
- Covers brown spots caused by pets or the hot sun.
- Eliminates eyesores until the grass grows back.
- Does not wash away with rain or irrigation.
- Fast drying formula.

DESCRIPTION	PART NUMBER	QTY
Kelly Green	124216	12

17 oz. net weight (482g)



(PSS060220)

## SPRAY PAINTS / ACCESSORIES and TOOLS

**STRIPE INVERTED TIP MARKER**

High quality, heavy duty, no-clog, fast drying formula that contains no CFC's, methylene chloride or lead. Water-base formula will not harm the grass & won't wash away since it is not water soluble. Full range of American Public Works Association approved colors for use in marking construction & excavation sites, underground utility or traffic safety. Exclusive spray tip/can are designed to operate in an inverted position.


**Applicator:**

Stripe Marking Gun Part No. 124172 or  
Marking Wand Part No. 124171

DESCRIPTION	PART NUMBER	QTY
White	124150	12
Utility Yellow	124155	12
Alert Orange	124153	12
Fluorescent Orange	124158	12

DESCRIPTION	PART NUMBER	QTY
Safety Red	124154	12
Safety Green	124152	12
Precaution Blue	124151	12


20 fluid oz., 17.7 oz. net weight

**MRO HIGH SOLIDS INDUSTRIAL PAINT**

✓ Using fewer cans of MRO saves you time and money: One 20 oz. can of MRO = Four 16 oz. cans of Low Solids Promotional Brand.

\*Meets OSHA safety color and ANSI specification Z53-1  
20 fluid oz., 16 oz. net wt

DESCRIPTION	PART NUMBER	QTY
Light Gray Primer	124169	12
Red Iron Oxide Primer	124168	12
Gloss White*	124113	12
Flat White	124109	12
New Cat Yellow	124159	12
Ryder Yellow	124160	12
Safety Yellow*	124114	12
School Bus Yellow	124225	6
Omaha Orange	124167	12
Safety Orange*	124115	12
Safety Red*	124116	12
Dark Green	124178	12
Safety Blue*	124118	12
Deep Blue	124183	12
Aluminum	124112	12
Stainless Steel	124146	12
Gray ANSI 61	124147	12
Light Gray ANSI 70	124110	12
Dark Gray ANSI 49	124148	12
Gloss Black*	124119	12
Flat Black	124157	12

**STRIPE GOLF COURSE MARKER**

For golf course/other porous surface apps. Water-base formula will not harm the grass & won't wash away since it is not water soluble. Contains no CFC's, methylene chloride and is VOC compliant. Exclusive spray tip design operates in the inverted position which allows less waste. Non-clogging formula. Long lasting, bright, vivid color.

**Applicator:**

Stripe Marking Gun  
Part No. 124172 or  
Marking Wand  
Part No. 124171

DESCRIPTION	PART NUMBER	QTY
White	124162	12
Red	124163	12

16 fluid oz., 13.5 oz. net weight

Universal Tip Works in almost all competitor's machines & marking wands

**STRIPE TRAFFIC MARKER**

Water based formula that won't wash away. Easy-to-apply, long lasting, high pigment solids that contains no CFC's, methylene chloride & less VOC solvents. Vivid colors for any surface, from concrete or blacktop to gravel or dirt. Non-clogging with one pass coverage.

**Applicator:**

Stripe Traffic  
Marking Machine  
Part No. 124130 or  
Curb Marking Wand  
Part No. 124180

DESCRIPTION	PART NUMBER	QTY
Traffic White	124132	12
Traffic Yellow	124131	12
Handicap Lt. Blue	124129	12
Handicap Dk. Blue	124127	12

20 fluid oz., 17.7 oz. net weight

**STRIPE ATHLETIC FIELD MARKER**

Safe on turf and the environment.

- Specially formulated, water-base paint.
- Will not harm grass.
- Not water soluble - will not wash away.

**Applicator:** Athletic Marker Machine Part No. 124179 or Curb Marker Wand Part No. 124180



DESCRIPTION	PART NUMBER	QTY
White	124164	12

20 fluid oz., 18 oz. net weight

**STRIPE APPLICATOR TOOLS (FOR STRIPE PAINT PRODUCTS)****TRAFFIC MACHINE**

Use with Stripe Traffic Paints.  
Easy-to-use and applies  
crisp, even 2" to 4" lines to  
concrete or asphalt.

Part No. 124130

**MARKING WAND**

Use with all Stripe Inverted  
Tip Marking Paints.  
Lightweight tool for a wide  
range of marking apps.

Part No. 124171

**CURB MARKING WAND**

Compact & lightweight  
for marking curbs,  
applying numbers & logos  
on concrete, asphalt  
and athletic fields.  
Use with Traffic Marker and  
Athletic Field Marker Paints.  
Features larger size turf wheel.

Part No. 124180

**MARKING GUN**

Compact & lightweight, ideal  
for free-hand marking with  
any Stripe Inverted Tip  
Marking Paint.

Part No. 124172

# SPRAY PAINTS

## HARDWARE PAINT

Economy grade spray paint for general purpose marking, touch-up, machinery & maintenance applications.

- Provides a long lasting finish.
- Fast drying.
- Non-smudging.

Engine Colors Available:

DESCRIPTION	PART NUMBER	QTY
International Red	124212	12
Universal Aluminum	124206	12
New Caterpillar Yellow / Autumn Gold	124199	12
Chevrolet Orange	124204	12
Detroit Green / Alpine Green	124200	12
Cummins Beige	124198	12
Universal Gray Engine	124210	12
Universal Black Engine	124209	12

16 fluid oz., 10 oz. net weight



DESCRIPTION	PART NUMBER	QTY
Clear	124211	12
Red Oxide Primer	124184	12
Gray Primer	124187	12
Gloss White	124188	12
Yellow	124193	12
Omaha Orange	124202	12
Bright Gold	124207	12
Red	124192	12

16 fluid oz., 10 oz. net weight

## STAINLESS STEEL

Corrosion resistant paint.

- Provides maximum protection.
- Looks exactly like, and is, stainless steel.
- Contains 100% stainless steel, type 316 pigment.



Part No. 124111 (12)  
16 fluid oz., 12.3 oz. net weight

## CAST BLAST

Cast iron gray spray paint.

Restores a new cast iron look to:

- Engine block heads.
- Intake manifolds.
- Transmission housings.
- Water pumps.
- Any cast iron.
- Temperature range to 350°F.



Part No. 124108 (12)  
16 fluid oz., 11.7 oz. net weight

## CEILING TILE - NEW WHITE

- A water based formulation for touching up stains that appear on both textured and acoustical ceiling tiles.
- Designed to spray in the upright position for easy overhead applications.
- Will not warp or sag tiles.



Part No. 124226 12  
20 fluid oz., 16 oz. net weight

## ZINC GALVANIZING COMPOUND

For apps. where metal is subjected to corrosion & rust.

- Protection equal to hot-dipped galvanizing.
- Highly resistant to salt corrosion & water.
- Epoxy resin binder.
- Can be top coated with conventional primers & finishes. Avoid lacquers & alkyds.



Part No. 211303 (12)  
16 fl. oz. / 13 oz. net weight (369g)  
Dark Gray Matte Finish

Part No. 211304 (12)  
16 fl. oz. / 12 oz. net weight (340g)  
Bright Metallic Silver Finish

## FLUORESCENT SPRAY PAINT

Four times brighter than conventional colors.

Use on boats, equipment and aircraft, anywhere that visibility is vital.

- Quick drying.
- Used in mines to mark all beams and rocks.
- Adheres well to damp surfaces in mines.

DESCRIPTION	PART NUMBER	QTY
Fluorescent Orange	12494	12

16 fluid oz., 10.9 oz. net weight



## ALUMI BLAST

A unique spray paint.

Makes restored, worn & pitted aluminum parts look brand NEW!

- Non-smudging, easy to apply.
- Won't rub off, keeps parts looking good longer.
- Gives aluminum and zinc die-cast parts such as alternators, calipers, water pumps, heads, transmission housings, etc. -that "fresh-from-the-factory" look!



Part No. 124107 (12)  
16 fluid oz., 11.9 oz. net weight

## CHROME-BRITE

The almost like chrome spray paint.

- Excellent for touch-up on chrome or almost any surface where a chrome-like finish is desired.
- Restores the new chrome appearance of bumpers, grills, furniture, light fixtures, hubcaps and wheels, etc.



Part No. 12495  
16 fluid oz., 12.1 oz. net weight

## FLEXIBLE BUMPER & TRIM PAINTS

- High solids, fast drying, flexible formula.
- Formulated to refinish plastic and metal bumpers and trim components.
- High quality refinish duplicates OE appearance.
- Contents 16 fluid oz., 12-3/4 oz. net wt.  
Available in single cans or six packs.

PART NUMBER	COLOR	DESCRIPTION
124135	6 Satin Black	Low gloss matches foreign and domestic bumpers & trim.



# SPRAY PAINTS / COATINGS

## HI-TECH ENGINE COATINGS



- Gasoline, rust and chemical resistant; heat resistant up to 300°F.
- High performance OEM colors.
- Superior durability under a variety of stress conditions.
- Excellent for automotive, above water marine and fleet applications.

### FORD BLUE

Part No. 12483 6  
16 fluid oz., 12 oz. net weight

## ANTI-SLIP EPOXY COATING



Synthetic grit for interior or exterior use on concrete, steel, wood, fiberglass, aluminum and other surfaces.

- Increases safety - maximum slip resistance.
- Stands up to heavy traffic under both wet and dry conditions.
- Stands up to oils, gasoline, and other solvents, dilute acids, deicing salts and more.
- Dries quickly: Dries in about an hour. Ready for traffic in 24 hours.

DESCRIPTION	PART NUMBER	QTY
Clear	124101	12
OSHA Yellow	124104	12

16 fluid oz., 12 oz. net weight

## SPRAY GUN PAINT REMOVER



Quickly dissolves paint with pinpoint spray.

- Spray Gun Paint Remover will keep paint guns running smoothly, saving time, labor and material.
- Spray Gun Remover is an easy to use economical product for removing paint from spray guns after painting.
- Designed to remove hard, cured paint build-up from spray guns, eliminating wear and tear on the equipment.

Part No. 444105  
15 oz. net weight (425g)

PSS081315

## SPECIALTY TOP COAT



### INSTANT CLEAR COAT

PSS113016

- Ready to use clear coat aerosol.
- Achieves a UV resistant, durable finish.
- Fast drying formula cures to a very high gloss and mirror image depth.

#### FOR USE ON:

Replacement parts, door jambs, hood & trunk jambs, cut ins, small spots and panel repairs.

Part No. 444115  
12 fl. oz. / 340g

**CONTAINS NO ISOCYANATES**

## PAINT STRIPPER

### SUPER STRENGTH - FAST ACTING

Use on acrylics, lacquers, polyurethanes and baked enamels.

- Efficiently removes finish from metal surfaces of cars, trucks, & equipment.
- Non-corrosive to all common metals under normal exposure.
- Works well on shellac and varnish covered wood surfaces.

Part No. 124120 (12)  
19 oz. (1 lb. 3 oz.) net weight (538g)

## TAMPER SEAL

Use to mark fasteners, plugs, seals, speedometer cables, locks, latches and closures.

- For lube shops, car rental agencies, new and used car dealerships, equipment rental, radio and TV repair shops, service contractors.
- Place a dab against the fastener. Any attempt to loosen, adjust or remove it will break the seal leaving evidence of tampering.
- Visible proof for warranty claims.



DESCRIPTION	PART NUMBER	QTY
Yellow 1.6 oz	211102	6
Red 1.6 oz	211102R	6
Blue 1.6 oz	211102B	6

## ONE STEP

### AUTOMOTIVE SELF ETCH PRIMER

- ONE STEP is a high build, easy to use self etch primer that provides excellent adhesion for additional topcoats, primers, and sealers to metal.
- Compatible with all primer surfacers for spot repair and refinishing.
- Apply to steel, aluminum, most metals and other substrates.
- Good filling characteristics.
- Fast drying.



PSS081415

COLOR	PART NUMBER
Grey	444103
Black	444104

15 oz. net weight (425 g)

## TRUCK BED COATING

Thick black sealant forms a protective skin that's both tough & flexible

- Durable textured coating.
- Can be applied directly to metal.
- Hides small imperfections.
- Fast cure time & excellent adhesion.
- Protects against corrosion & abrasion.
- Withstands impacts.
- Provides improved traction.
- Resists water.
- Greatly extends equipment & vehicle life expectancy.



Part No. 124303  
15 fl. oz. / 425g

PSS091217

**FOR USE ON:** Truck beds, trailers vehicle panels, wheel wells, bumpers, roll bars, running bars and repair liners.

# SPRAY PAINTS / COATINGS

(PSS121614)

**FLEX PROTECT****METAL PARTS PROTECTOR - CORROSION INHIBITOR**

- Provides indoor & outdoor protection with a long lasting anti-rust, anti-corrosion film that is resistant to salt sprays, harsh weather, humidity & chemical vapors. Seals out moisture, pollutants and air.
- Contains a unique amber flex dust that expands & contracts with all metal surfaces to prevent cracking & peeling.
- Meets Military Specifications: MIL-C-16173D & MIL-C-8393A
- For parts that require long term storage or transportation.



MADE IN THE U.S.A.

Part No.  
211331 (12)  
15 oz. net weight (425g)**"POWER GRIP" BELT DRESSING**

**Restores belt surfaces to "new" condition.  
Eliminates slippage and power loss.**

- Deep penetration to the innermost fibers. Renews and revitalizes all automotive and industrial V-belts.
- Prevents dry rot, reduces stretching and wear.
- Removes and prevents glazing and hardening.
- Leaves no gummy deposit to attract dirt and cause wear.

Part No. 13110 (12)  
12 oz. net weight (340g)**GRAVEL GUARD II****Premium quality, 100% rubber base undercoating.**

- Black OE coarse textured finish.
- Professional body shop formula.
- Adheres well to bare metal or painted surfaces.
- Resists salt spray, weathering and gravel abrasion.
- Prevents rust, deadens sound, seals and protects.
- Expands & contracts automatically with weather changes - will not harden & crack.

Part No. 211317 (12)  
17.25 oz. net weight (503g)
**Quick  
drying,  
paintable!**
**"EXTEND" RUST DESTROYING SANDABLE PRIMER**

**Used to restore highly finished autobody surfaces, decorative metals, etc.**

- Forms a protective polymer coating that prevents future rust when coated with oil-based paint or lacquer.
- Requires light surface sanding before applying.
- Can be dry-sanded to a featheredge.
- Is white when applied, then turns black.
- Cleans up easily with water.

Part No. 812356  
Permatex No. 79DA  
10.25 oz. net wt. (290g)**SP-400™ CORROSION INHIBITOR**

**SP-400™ is an easily removable film that will provide protection of all equipment subject to severely corrosive atmospheres.**

- Long term protection (up to 2 years outdoors) for all metals during shipment or extended storage.
- Firm, waxy film is highly resistant to heat, humidity, chemicals, salt spray and never becomes brittle.
- Seals out moisture completely.

**Patented  
MSDS(L)™  
Label!**
Part No. 211585 (12)  
(CRC03282)  
10 oz. net wt. (284g)**CRC® BELT DRESSING****Eliminates slippage on flat, round or V-belts.**

- Extends belt life by improving traction.
- Reduces belt tension.
- Tacky, non-drying film resists being washed off.
- Authorized by USDA for use in federally inspected meat and poultry plants.

Part No. 211572 (12)  
(CRC03065)  
10 oz. net wt. (284g)**PERMATEX® HEAVY DUTY RUBBERIZED UNDERCOATING****Now with an improved formula!**

**Rubberized for maximum durability, seals, protects and insulates. Excellent professional blend all-purpose coating.**

**Suggested Applications:**

Automotive frames, rocker panels and wheels. Other uses include sealing gutters, roofs, drain systems and tree pruning.

Part No. 813283 12  
20 oz. aerosol can, 16 oz. net weight (454g)**SEAL-IT****MULTI PURPOSE SEALANT**

**Use on skylights, flashings, air vents, PVC, concrete, shingles, gutters, driveway, sidewalk cracks, roofs of semi-trailers, campers & homes.**

- Protects against UV light and resists temperature extremes.
- Coating remains flexible & will not crack or peel.
- Impervious to water.
- Abrasion resistant.
- Seals out rust & corrosion.

(PSS022412)

DESCRIPTION	PART NUMBER	QTY
Black	44448	12
Clear	44459	12

15 oz. net weight (425g)

**FLEXI-FILM CORROSION PROTECTION**

- Comparable & similar product to: Fluid-Film.
- Enhanced OEM formula.
- Selected by a major OEM auto manufacturer.
- Protects all types of metal parts.
- Penetrating and coating action.
- Displaces & prevents moisture.
- Lubricates sliding surfaces to prevent binding.
- Will not dry up & flake off.

Part No. 211377 (12)  
(PSS071316) 11.99 oz. net weight (340g)

# COMPLETE LIST OF AVAILABLE PAINTS & COLORS

In all categories primer's are listed first, followed by colors listed in order from lightest to darkest shades.

## GENERAL USE ENAMELS PAINTS

PART NO.	DESCRIPTION	QTY
12415	Lt. Gray Primer .....	12
12428	Gloss Clear .....	12
12406	Gloss White .....	12
12496	Gloss Hunter Green .....	12
12405	Aluminum .....	12
124111	Stainless Steel Paint .....	6
12495	Chrome Paint .....	6
12407	Gloss Black .....	12
12412	Flat Black .....	12
12410	Semi Gloss Black .....	6

## SPECIALTY PAINTS

PART NO.	DESCRIPTION	QTY
12494	Orange Fluorescent .....	12
12483	Ford Blue Engine .....	6
12469	1200° Aluminum Hi-Heat .....	12
124107	AlumiBlast .....	6
124108	Cast Blast .....	6
211304	Bright Zinc Galvanizing Compound .....	12
211303	Zinc Galvanizing Compound .....	12
12425	Satin Black (Underhood) Lacquer .....	12
12471	1200° Black Hi-Heat .....	12
12417	Gloss Black - Lacquer .....	12
124226	Ceiling Tile - New White .....	12
124303	Truck Bed Coating - Black .....	12

## TRACTOR and IMPLEMENT PAINT (enamel)

PART NO.	DESCRIPTION	QTY
12497	New Deere Yellow .....	12
12487	IHC Red .....	12
12498	New Deere Green .....	12

## HARDWARE PAINT

PART NO.	DESCRIPTION	QTY
124184	Red Oxide Primer .....	12
124187	Gray Primer .....	12
124211	Clear .....	12
124188	Gloss White .....	12
124193	Yellow .....	12
124199	Autumn Gold / New CAT Yellow .....	12
124198	Cummins Beige .....	12
124202	Omaha Orange .....	12
124204	Chevrolet Orange .....	12
124207	Bright Gold .....	12
124192	Red .....	12
124200	Detroit Green .....	12
124194	Blue .....	12
124203	Bright Silver .....	12
124206	Universal Aluminum .....	12
124201	Dull Aluminum .....	12
124205	Light Gray .....	12
124208	Machinery Gray .....	12
124210	Universal Gray Engine .....	12
124190	Semi-Gloss Black .....	12
124189	Gloss Black .....	12
124191	Flat Black .....	12
124209	Universal Black Engine .....	12
124212	International Red .....	12

## SAFE-STEP COATING

PART NO.	DESCRIPTION	QTY
124101	Clear .....	12
124104	OSHA Yellow .....	12

## COVER-ALL HIGH SOLIDS ENAMEL PAINTS

PART NO.	DESCRIPTION	QTY
124252	Lt. Gray Primer .....	12
124251	Gloss White .....	12
124257	Flat White .....	12
124255	New Equipment Yellow .....	12
124260	Safety Yellow .....	12
124269	School Bus Yellow .....	6
124266	Omaha Orange .....	12
124261	Safety Orange .....	12
124253	Red Iron Oxide .....	12
124262	Safety Red .....	12
124267	Dark Green .....	12
124263	Safety Blue .....	12
124268	Deep Blue .....	12
124264	Aluminum .....	12
124258	Gray ANSI 61 .....	12
124256	Light Machinery Gray ANSI 70 .....	12
124259	Dark Machinery Gray ANSI 40 .....	12
124250	Gloss Black .....	12
124254	Flat Black .....	12
124265	Semi Gloss Black .....	12

## MRO HIGH SOLIDS INDUSTRIAL PAINTS

PART NO.	DESCRIPTION	QTY
124169	Lt. Gray Primer .....	12
124168	Red Iron Oxide Primer .....	12
124113	Gloss White* .....	12
124109	Flat White .....	12
124159	New Cat Yellow .....	12
124160	Ryder Yellow .....	12
124114	Safety Yellow* .....	12
124225	School Bus Yellow .....	6
124167	Omaha Orange .....	12
124115	Safety Orange* .....	12
124116	Safety Red* .....	12
124178	Dark Green .....	12
124118	Safety Blue* .....	12
124183	Deep Blue .....	12
124112	Aluminum .....	12
124146	Stainless Steel .....	12
124147	Gray ANSI 61 .....	12
124110	Light Machinery Gray ANSI 70 .....	12
124148	Dark Machinery Gray ANSI 49 .....	12
124119	Gloss Black* .....	12
124157	Flat Black .....	12

\*Meets OSHA/ANSI Specifications.

# COMPLETE LIST OF AVAILABLE PAINTS & COLORS

In all categories primer's are listed first, followed by colors listed in order from lightest to darkest shades.

## COVER-ALL STRIPE PAINTS

### COVER-ALL Stripe Athletic Field

PART NO.	DESCRIPTION	QTY
<b>124285</b>	White.	12

### COVER-ALL Stripe Inverted Tip

PART NO.	DESCRIPTION	QTY
<b>124270</b>	White.	12
<b>124275</b>	Utility Yellow	12
<b>124273</b>	Alert Orange	12
<b>124276</b>	Fluorescent Orange	12
<b>124274</b>	Safety Red	12
<b>124272</b>	Safety Green	12
<b>124271</b>	Precaution Blue	12

### COVER-ALL Stripe Traffic

PART NO.	DESCRIPTION	QTY
<b>124280</b>	White.	12
<b>124281</b>	Traffic Yellow	12
<b>124282</b>	Handicap Dark Blue	12

## STRIPE PAINTS

### Stripe Athletic Field Marker

PART NO.	DESCRIPTION	QTY
<b>124164</b>	White.	12

### Stripe Golf Course Marker

PART NO.	DESCRIPTION	QTY
<b>124162</b>	White.	12
<b>124163</b>	Red.	12

### Stripe Inverted Tip Marker

PART NO.	DESCRIPTION	QTY
<b>124150</b>	White.	12
<b>124155</b>	Utility Yellow	12
<b>124153</b>	Alert Orange	12
<b>124158</b>	Fluorescent Orange	12
<b>124154</b>	Safety Red	12
<b>124152</b>	Safety Green	12
<b>124151</b>	Precaution Blue	12

### Stripe Traffic Marker

PART NO.	DESCRIPTION	QTY
<b>124132</b>	Traffic White	12
<b>124131</b>	Traffic Yellow	12
<b>124129</b>	Handicap Light Blue	12
<b>124127</b>	Handicap Dark Blue	12

# INSECTICIDES & HERBICIDES SPECIALTY ITEMS

## WASP & HORNET KILLER PLUS™

**Wasp & Hornet Killer PLUS™** is a fast-acting, high strength insecticide that knocks down and kills wasps, hornets, fire ants, scorpions and black widow spiders on contact. It features a high dielectric strength of 40,100 volts.

- Non-Chlorinated formulation.
- Plastic safe.
- Reaches over 20 feet.
- "Material Safety Data Sheet" right on the label.



Part No. 211310

14 oz. net wt. (397g) (Contents 20 fluid oz.)

## ASSAULT II CRAWLING & FLYING INSECT KILLER

- Water-based.
- Residual up to 60 days.
- May be used as a fogger.
- May be used for mosquito control.

DUAL PURPOSE SPRAYER  
Cone spray for flying insects  
Stream spray for crawling insects



(PSS050111) Part No. 44420

17 oz. net wt. (482g) (Contents 20 fluid oz.)

## BUG OFF! (INSECT REPELLENT)

Repels mosquitos\*, chiggers, ticks, deer & stable flies, gnats, fleas and biting flies on exposed skin surfaces.

- Pleasant fragrance
- For personal use and clothing
- Highly effective
- Contains 25% deet
- Convenient travel size for those on-the-go and stores in small spaces

(PSS070913)



\* Repels Mosquitoes Which May Carry Diseases such as West Nile Virus Encephalitis and Dengue.

Part No. 44475

6 oz. net wt. (170g)

## ZENKILL III - LONG SHOT WASP & HORNET KILLER

- Long range - jet stream sprays up to 20 feet above ground.
- Fast acting, high strength formula instantly knocks down pest.
- Residual action continues to kill as insects return to nest.
- Non-conductive formula has a dielectric strength of 41,000 volts/cm.

(PSS063010)



Part No. 211635

13 oz. net wt. (368g) (Contents 20 fluid oz.)

## FAST KILL CRAWLING INSECT KILLER

- Protects for up to 3 months.
- Quick killing action.
- Residual control.
- Kills hidden bugs.
- Non-flammable spray
- VOC compliant formula.

*Recommended for commercial/industrial, household, food and non-food areas of industrial & institutional buildings, schools, warehouses, garages, office buildings, hotels/motels & more.*

(PSS050218)



Part No. 211636

15 oz. net wt. (425g) (Contents 20 fluid oz.)

## FLY AWAY WIPES

Water based insect repellent formula.

- No offensive odor.
- Leaves no sticky residue.
- Non-VOC formula.
- Repels mosquitoes that may carry / transmit the West Nile Virus.

*Provides up to 4 hours of protection from mosquitoes, black flies, stable flies, sand flies, gnats, chiggers, fleas & ticks. Active ingredient...25% Deet.*

(PSS050211)

Part No. 44441

Contains 40 6" x 8" premoistened Towelettes



## NON-SELECTIVE HERBICIDES

- **AQUA BROM** is a non-selective herbicide that provides bare ground weed control for extended periods. This potent blend contains 7.5% Lithium salt of Bromacil.
- Highly concentrated, water dilutable formula contains the proven ingredient Bromacil.
- Non-selective herbicide for controlling a wide range of annual and perennial weeds & grasses on non-cropland areas.
- **EPA Registration Number:** 10088-82-11547.



Part No. 44417G1

(case of 4)

1 gallon (Bromacil 7.5%)

Kill time: Approx. 1 week

Part No. 44418G1

(case of 4)

1 gallon (Bromacil 1.20%)

Kill time: 1 week

(PSS042512)

- **BANISH** is a non-selective weed killer concentrate.
- **Banish** is a water-based, non-selective, total kill herbicide with residual control, strong enough to eliminate hard-to-kill weeds.
- Use to control annuals & perennials.
- Long lasting residual action, soil sterilant.
- Recommended for use only on non-cropland area.
- Controls undesirable woody plants & brush.

**Excellent for use in areas such as:**

Ditches, around electrical equipment, fence rows, driveways, parking lots, patios, brick paths and railroad tracks

# AUTOMOTIVE SPECIALTY ITEMS

## WINDSHIELD DE-ICER



Quickly and effectively melts frost, frozen snow and ice coatings on windshield, other glass surfaces and locks.

- Melts ice on contact.
- Frees frozen locks.
- Will not harm rubber, metal or plastic surfaces.

Part No. 211404 (12)  
12 oz. net weight (340g)

## WINDSHIELD WASHER SOLVENT CONCENTRATE



Prevents freezing

De-ices

Part No.  
211271 24  
16 fl. oz. (1 pt.)

- Formulated with special de-icing compounds.
- Helps provide clear & safer vision.
- Contains cleaning compounds to remove dirt, oil & road film.
- For use year-round.

For protection to -5°F: 2:1 mix with water  
2 parts water / 1 part solvent  
For protection to -10°F: 1:1 mix with water  
1 part water / 1 part solvent  
For Spring & Summer:  
Add 4 ounces to reservoir and fill with water.

## STARTING FLUID with Lubricity



- Assures fast, economical starts in cold or humid conditions.
- Contains an upper cylinder lubricant to minimize wear during cold starts.
- Effective to -65°F below zero.
- For gasoline and diesel engines.
- Spray in air intake or air cleaner while engine is off.

Part No. 13117 (12)  
11 oz. (312g) net weight

Contains upper cylinder lubricant

## GAS LINE ANTI-FREEZE



Prevents freeze-up and fuel system icing.  
Recommended for carbureted, fuel injected and turbocharged engines.

- Absorbs moisture.
- Inhibits rust.
- Contains Isopropyl alcohol.
- Safe for fuel injection systems (OE manufacturers strongly advise against use of methanol which will damage injection components.)

Part No. 211456 (24)  
12 fl. oz.

## GAS STABILIZER (Store-It Start It)



- No need to drain gas from engines stored between seasons.
- Protects from gas deterioration that gums up fuel systems.

Part No. 211347  
6 oz. can w/measuring cap  
Ideal for lawnmowers, outboards, snowmobiles, chainsaws and small gas-fueled engines.

- Assures instant start-up. No messy cleanup & costly repairs.
- Ratio of 2 oz.: 1 gallon gasoline.

Part No. 211369  
20 oz. can w/measuring cap  
Cars, trucks, antique & classic autos, RV's, boats, farm equipment, large lawn & garden equipment.

## PHASEGUARD4™

### ETHANOL FUEL TREATMENT

Protects all 2 and 4 cycle vehicles and equipment from the damaging effects of ethanol in gasoline.



- Protects against corrosion.
- Cleans the entire fuel system.

- Stabilizes fuel for long-term storage.
- Restores power and mileage potential.

Provides the maximum corrosion protection available for E10 to E85 fuel

Prevents phase separation\*

Part No. 211517 12  
(CRC06142)  
16 fl. oz. net weight

1 oz. 10 gallons for in-season protection.  
1 oz. treats 5 gallons for storage.  
Stabilizes fuel for 12+ months.

\*Has been tested and proven highly effective in controlling phase separation, however once phase separation has occurred, fuel cannot be recombined. May not prevent phase separation under the most extreme environmental conditions.

## FUEL INJECTOR CLEANER

A must with every tune-up.



- Premium concentrated formula.
- Cleans intake valves, ports, fuel lines, fuel tanks, manifold & PCV valve.
- Disperses water, lubricates injectors.
- Contains no methanol.

Part No. 211401 (12)  
12 fl. oz. (355 ml.)

- Helps stop dieseling and engine run-on.
- For use in unleaded & leaded gasolines, gasohol and diesel fuel.
- Will not harm catalytic converter and all sensors.
- Meets BMW specs. part #88886900307.

## FUEL THERAPY™ FUEL INJECTOR CLEANER PLUS w/Anti-Gel

In weather below 50°F, start using to prevent diesel from waxing & clogging the fuel system.



All the benefits of Fuel Therapy Fuel Injector Cleaner Plus and:

- Prevents diesel fuel gelling.
- Lowers cold filter plug point by as much as 31°F.
- Reliquesifies gelled fuel.

Part No. 211618 12  
(CRC05412) 12 fl. oz. net wt.  
Treats 35 gallons

Part No. 211489  
(CRC05432) 1 qt. net wt.  
Treats 125 gallons

## QUICK FLOW™

### EMERGENCY FUEL-GEL RELIEF

Instantly works to dissolve gelled fuel.  
This product contains anti-gel - no additional products are needed for optimum performance.



- Reliquesifies gelled fuel in minutes.
  - Compare to Power Service Diesel 9•1•1™.
- Part No. 211522  
(CRC05911) 1 qt. net weight  
Treats 30 to 125 gallons

- Thaws frozen fuel filters.
- Totally disperses water.
- Lowers pour point by as much as 35°F.
- Keep in truck for emergencies.

# AUTOMOTIVE SPECIALTY ITEMS

## POWER STEERING FLUID

- Non-corrosive, non-foaming formula.
- Stops squealing, protects seals and helps prevent abnormal wear.
- Formulated with detergent additives to promote cleaner operating system.

Part No. 211532 6  
12 fl. oz. (355ml.)



Part No. 211599  
Quart, 32 fl. oz. (946ml.)

## POWER STEERING FLUID for HONDA® VEHICLES

- Specially developed for Honda® and Acura® vehicles.

Part No. 211533 6  
12 fl. oz. (355ml.)



## ICE-OFF® SPRAY DE-ICER

- Melts ice from windshields and lock cylinders.

Part No. 211523 (12)  
(CRC05346)  
12 oz. net weight



## LOCK DE-ICER

- Thaws frozen locks quickly and easily.
- Special tip fits into key holes. Simply squirt into lock.



Part No. 211344  
1/2 fl. oz.

## SNOW PLOW OIL

- Improved formula hydraulic fluid.
- Blue non foaming anti wear formula with anti-freeze additive protects to extreme conditions down to (-50°F).



Part No. 711797  
32 oz. net wt.

**Replaces:**  
Meyers® 15134  
Western49311  
Fisher® 28531  
Sno-Way® 96005029

## 10 MINUTE RADIATOR FLUSH

- Dual-action formula quickly removes grease and scum, plus loose rust and scale.
- Ideal for use when changing anti-freeze coolant.
- Contains no acids, requires no neutralizer.
- Safe for use in all cooling systems.

Part No. 211526 12  
11 fl. oz.



## DOT 3 and DOT 4 BRAKE FLUID

- DOT 3 heavy duty brake fluid meets SAE minimum boiling requirement of 401°F. Excellent for most types of systems, including disc or drum, front or rear wheel drive.
- DOT 4 advanced formula far exceeds SAE requirements of 446°F boiling point. High corrosion resistance. Ideal for high temperature braking systems. OEM specified for ABS brake systems.

TYPE	12 OZ. CONTAINER	QTY	32 OZ. CONTAINER	QTY
DOT 3	211527	24	211528	12
DOT 4	---	-	211531	12



## VALVE / O-RING LUBE and SEAL

- Used for general o-ring & valve lubrication.
- Goes on as a heavy translucent white coating paste with a high dielectric strength to block out moisture and oxidation.
- Used on sanitary, butterfly, gate, ball and automated valves. Also anywhere rubber or plastic o-rings are used for pump packing or vacuum or pressure systems.
- Temp. range -40°F to 400°F.
- **Authorization:** NSF5&61 FDA21 CFR175 300.




Part No. 711745  
5.3 oz. net wt. tube



## LQUITUBE

"The Original Liquid Inner Tube"

Premium, heavy duty, preventative maintenance tire sealant. Scientifically developed for Commercial and Industrial tires that are subject to hard and heavy use.



1 Gallon Pump dispenses  
1 ounce per stroke.



(PSS010716)

PART NUMBER	DESCRIPTION
211384	32 oz. Bottle
211384G1	1 Gallon
211384G5	5 Gallon Pail
211384G55	55 Gallon Drum
211385	5 Gallon Pump
211386	Installation Tool

Installation Tool  
fills outer tires  
on dual axles.

Part No.  
211386



5 Gallon Pump  
dispenses  
10 ounces  
per stroke.

Part No.  
211385


# DRAIN & RESTROOM SPECIALTY ITEMS

## PAN-STICKER GELTABS

- Gel tabs lock into place for long lasting cleaning action in condensate drain pans & lines.
- Cleans sludge, and other stale & musty water odors.
- Works immediately & is long lasting for up to 6 months.

**Used by:** hospitals, office buildings, schools, food prep areas, industrial plants & more.

- 100% biodegradable, nothing to throw away.
- Prevents costly repairs, computer room safe.



One Tablet Treats Up To 5 Tons

## STINKY DRAIN

Stinky Drain Solution is the long-lasting, time saving solution for underutilized drains (also known as dry drain syndrome). Works by blocking the odors in the p-trap.



Part No. 44474  
16 oz. bottle

BLOCKS NOXIOUS ODORS

- One bottle lasts for 12 months.
- Works with any fixture that drains.
- Non-Volatile, non-caustic and non-flammable.
- Biodegradable. (PSS052714)

## PAN TABLETS

Cleans & prevents build up from plugging condensate drain lines in A/C's

- Improves indoor air quality.
- Breaks up & removes dirt, grime & slime.
- Non-toxic & non-corrosive.
- Controls foul odors.
- Prevents overflows, water damage & maintenance cost.
- Approved for use in computer rooms & humidifiers.



Cleans Sludge & Scum!

Part No. 211626  
Contains 200 tablets  
(PSS072817.211626)

## DRAIN PUNCH - Industrial Strength, Odorless, Non-Acid Drain Opener & Line Maintainer

- Strongest alkaline drain opener on the market today. Contains NO acid, bleach, or other fillers.
- Fast acting: breaks down tough clogs formed by hair, algae, grease, fat, paper & organic matter quickly.
- Opens A/C condensate lines from slime build up.
- Ready to use & non-fuming.
- Harmless to cast iron, PVC, ABS, steel, rubber gaskets, grease traps & septic tanks.



- Penetrates through standing water.
- Non-acid with a PH level of 14.

(PSS121709)

## PAN BAR GOLD™

Wherever air conditioning/ refrigeration and dehumidifiers are used



PART NUMBER	TONNAGE	SIZE	QTY
211603	up to 1.5 Tons	3/4" x 4" x 1/4"	12
211604	up to 2.5 Tons	1-1/2" x 5" x 1/4"	12
211606	up to 5 Tons	1-1/2" x 12" x 1/4"	12
211607	up to 10 Tons	1-1/2" x 12" x 5/8"	12
211608	up to 20 Tons	3" x 12" x 5/8"	2
211609	up to 50 Tons	3" x 24" x 5/8"	1

## SEWER & DRAIN OPENER

Ready to use • Powerful professional strength

- Sulfuric acid drain opener, 95% virgin, odorless, red color.
- Reacts with organic stoppages to completely disintegrate residues, paper, sanitary napkins, hair & food greases.
- Intended for use by only trained personnel or professional plumbers.
- Will not harm septic systems or pipes.

Part No. 44455 12  
1 Quart (32fl. oz.)  
(PSS031913)

Do Not Use On Aluminum

Use With Cold Water Only

## HYZYMES - MULTI-ENZYME

### DIGESTANT & SPOTTER - Liquid Live Bacteria

Rapidly destroys organic matter, stains & noxious odors.

- Highly concentrated, non-pathogenic, non-toxic.
- Fast acting & powerful.
- Eliminates stains & odors.
- NON-HAZARDOUS.
- Pleasant bubblegum fragrance.
- Keeps drain free flowing & prevents future build ups.
- Helps eliminate sources of malodors & stains.
- Safe on plumbing including PVC & metal pipes.



(PSS052814)

## TYPICAL PROPERTIES

- pH: 10.0 • USDA: L2
- Appearance: white milky liquid
- Enzyme activity: Excellent breakdown of proteins, carbohydrates, fats, oils, greases, cellulose, detergents, sugars & starches
- Bacteria count: 100 billion/gallon
- Specific gravity: 1.0

PART NUMBER	DESCRIPTION
44476	1 Quart
44476G1	1 Gallon
44476G1-4	Gallons (4/case)
44476G5	5 Gallon Pail



**P-FREE Uratic Salt Remover**  
P-FREE is a labor saver, since it cleans, deodorizes and easily removes stains and soils with little or no effort.

- Powerful & special blend of acids.
- Fast acting and easy to use.
- Phosphate free.
- Non-flammable.

Part No. 211625  
Quart - 32 oz. (946ml)  
(PSS052810)

- Dissolves uric acid salt build-up, mineral scale & rust.
- Helps eliminate source of odors in urinals.
- Keeps drains free flowing & prevents future build-ups.
- Safe on all plumbing, including PVC plastics & metal pipes.






# DEODORIZ & DISINFECT SPECIALTY ITEMS

## PHENOMENAL AEROSOL

- Hospital grade EPA Registered product.
- Sanitizes, disinfects and deodorizes.
- Powerful phenolic germicides.
- Kills TB, E.coli, Herpes Simplex 1 & 2, Salmonella, Staphylococcus, MRSA, H1N1, Influenza A virus & more. Inactivates HIV 1 (AIDS virus) on pre-cleaned environmental surfaces/objects soiled with blood/body fluids, also destroys mildew.
- Citrus fragrance.

Part No. 211391 (12)  
(PSS090719) 16.5 oz. net wt. (468 g)



## GERM AWAY FOAMING GERMICIDAL CLEANER

- EPA Registered product, cleans, disinfects and deodorizes.
- Kills similar viruses and therefore can be used against SARS-CoV-2, Coronavirus disease (COVID-19) is caused by SARS-CoV-2.
- Water-based aerosol with butyl cleaners, surfactants and emulsifiers with a quaternary germicide for heavy-duty cleaning of surfaces.
- Kills Staphylococcus aureus, Influenza A H1N1, Pseudomonas aeruginosa, Salmonella enterica, Herpes simplex type 1 & 2, controls mold, mildew & fungus.
- Kills MRSA on treated surfaces.
- Safe for use on all bathroom surfaces. Will not harm chrome or metal surfaces.
- Excellent for use on tile, chrome, plastic, wood, porcelain, formica and metal surfaces.
- Use in bathrooms, bathtubs, floors, hospitals, nursing homes, shower stalls, medical facilities and locker rooms.
- Sprays from any angle.

Part No. 211397 (12)  
(PSS070120.211397) 18 oz. net wt. (510 g)




## SMELL AWAY

### Odor neutralizer & eliminator.

- Contains ORDENONE® – Instantly refreshes air.
- Eco-friendly solution.
- Attacks malodor molecules in the air and on hard surfaces with a fresh “LEMON ICE” scent.
- Chemical reaction instantly neutralizes & destroys offensive odors.
- Dry spray. Eliminates fallout, residue, wetting or staining.
- Long lasting effects.

Part No. 211642 (12)  
(PSS100420) 14 oz. net wt. (20 oz. Aerosol)



## FOAMING DRAIN CLEANER & ODOR ELIMINATOR

- DIGEST PLUS** contains non-pathogenic bacteria that produce enzymes to break down fats, oils & grease.
- Thick, rich foam expands into areas that are hard-to-reach.
- Contains no acid or caustics and is non-polluting.
- Reduces odors and organic material.
- 24" tube (included) allows the user to apply deep into drains & pipes.

Part No. 211387 (12)  
(PSS090619) 18 oz. net wt. (510 g)



## SMELL AWAY FOGGER

### Total release odor eliminator with 360° valve.

- Contains ORDENONE® – Works on contact.
- Great for musty smells in closed rooms or spaces.
- Unique formula attacks & breaks down the molecular structure of tough odors.
- Quick & effective method of odor removal for odors that linger & embed in cracks, crevasses, upholstery & carpets.
- Excellent for use in property management & auto detailing.
- Eliminate cigarette odors in cars.

“LEMON ICE”  
Part No. 211643 (12)  
(PSS100520) 5 oz. net wt.



## FRESH N' KOOL

### Freshens air for air conditioning systems.

- Spray directly into fresh air intake.
- Removes foul, musty odors from automobile and truck air conditioning systems. Eliminates stale tobacco smoke odor.
- Bactericidal formula eliminates odors caused by mildew and other odor producing organisms.

Part No. 211339 (12)  
(PSS111416.211339) 15 oz. net wt. (425g)



# MISCELLANEOUS SPECIALTY ITEMS

## GRAFFITI & PAINT REMOVAL



### Industrial strength disposable towels

- Loosens & dissolves paints, inks, tar, marker, petroleum based stains & tough heavy adhesive.
- Quick, easy & economical.
- Just wipe away & dispose of used towel.
- Ideal for removing permanent marker from school bus seats.

**Part No. 901020**

70 count / 12" x 9" towel (PSS012617)

## AIR & GAS LEAK DETECTOR



### Instantly identifies leaks in pressurized systems.

- Highly visible bubbles at leak site.
- Won't dissipate like soap and water.
- Water-based formula contains no oils, silicones or harmful solvents.
- Non-flammable, no odor.

**Great for detecting leaks in:** RV's, cars, trucks, boats, gas lines, refrigeration units, A/C systems, pipes, valves, compressors and more.

**Part No. 211601 (12)**

1 lb. 2 oz. net wt. (510g) (PSS122415)

## MICROLEAK DETECTOR

### Use to detect leaks on any pressurized gas system.



**Part No. 211356**

32 oz. sprayer (PSS110719)

## GRAFFITI BARRIER

Protects surfaces from graffiti marks by creating a protective wax-like barrier.



- One-of-a-kind product.

- Sets up quickly on surfaces dries in seconds, no runs.

- Will not harm plastic or hard, non-porous surfaces.

- Resists graffiti, scuff marks and other stains.

- Safe on metal, vinyl, formica, enamel & linoleum.

**Part No. 211298**

11 oz. net wt. (312 g) (PSS090419)

## MICROLEAK DETECTOR - BRUSH-ON

Great for spot leak applications.



**Part No. 211358**

8 oz. brush-on (PSS110719)