





SpillTech



The right tools for the job.

Maximize your spill response plan with new SpillTech products!

Potential leaks and spills are everywhere on the average plant floor. Being prepared for them requires careful planning, because there's no one-size-fits-all approach to spills. A machine with a slow oil drip? An overturned drum of hazardous chemicals? An oil spill on water or on the road? Sure, you could try to use the same absorbent for all three jobs. But is that the smartest choice? The most efficient, cost-effective solution for each of these problems is entirely different.

That's why we continue to introduce new products to our lineup of Smart Spill Solutions and why we love to help our customers pick out which ones are right for them.



Oil-Only
Contractor Mat
Pgs 12-13

NEW Maximizer pg 28-29

If you work with large volumes of liquid and have to prep for supersized spills, you'll want to check out our new **Maximizer** line of universal absorbents. The high-loft core with SmartSorb technology absorbs up to 14X its own weight! It also contains 75% recycled fibers, making it a great environmentally-friendly choice as well.

NEW Premium Booms pg 18-19

If oil on water is one of your concerns—especially if you're thinking about long-term use—you'll be interested in the benefits of our new **Premium Booms**. Its UV treated sleeve withstands 12 months of direct sunlight, and durable construction holds up well for long-term use. You won't waste any absorption on water with this boom, either, thanks to its 100% polypropylene construction.

NEW Contractor Grade pg 12-13; 30-31

Sometimes a job requires neither long-term durability nor heavy-duty strength. When you're looking to keep it quick, easy and economical, you'll love our new **Contractor Grade** absorbents. Choose from oil-only and universal pads and rolls and oil-only booms.

NEW Steel Containment Pallets pg 75

Finally, we've added **Steel Containment Pallets** to our catalog. They're the strongest on the market and if you're storing hazardous materials, there's no better choice. These pallets meet fire code requirements that containment be constructed of non-combustible materials.

HYC

Look for the "Helps You Comply" box throughout this catalog for SpillTech Products that can assist you with regulatory compliance.

Mat Selection Guide

Easily identify the best product for your needs


At SpillTech, we manufacture a wide range of mats, each designed to perform best in specific applications. Use this chart to help you select the optimal mats for keeping your facility clean and safe.



Oil Only Mats



Universal Mats



HazMat Mats



Oil Only Mats

Motor Oil, Hydraulic Oil, Gasoline, Diesel Fuel, Jet Fuel

| Mat Name | Primary Applications | Absorbency | Durability | Page |
|------------------|--|------------|------------|-------|
| RESPONDER | • Marine Spills • Economical | ★★★★★ | ★★★★★ | 4-5 |
| DEFENDER | • Overspray and Spills • General Use | ★★★★★ | ★★★★★ | 6-7 |
| COMMANDER | • Under Machines and Conveyors • Walkways | ★★★★★ | ★★★★★ | 8-9 |
| PROTECTOR | • Oily Tools and Parts • Demanding Environments | ★★★★★ | ★★★★★ | 10-11 |
| CONTRACTOR GRADE | • Economical • Versatile for Outdoor Spills | ★★★★★ | ★★★★★ | 12-13 |
| ARRESTOR | • Use Where Static Is a Problem • Aviation and Utility Industries | ★★★★★ | ★★★★★ | 14 |
| TRANSFORMER | • Use as Mat, Roll, Pad and Sock • Designed for Walkways | ★★★★★ | ★★★★★ | 15 |



Universal Mats

Hydraulic Oil, Ethanol, Gasoline, Kerosene, Water, Mineral Spirits, Turpentine

| Mat Name | Primary Applications | Absorbency | Durability | Page |
|------------------|--|------------|------------|--------------|
| DEFENDER | • Overspray and Spills • General Use | ★★★★★ | ★★★★★ | 22-23 |
| COMMANDER | • Under Machines and Conveyors • Walkways | ★★★★★ | ★★★★★ | 24-25, 33 |
| PROTECTOR | • Oily Tools and Parts • Demanding Environments | ★★★★★ | ★★★★★ | 26-27 |
| MAXIMIZER | • Highly Absorbent • Great for Large Leaks and Spills | ★★★★★ | ★★★★★ | 28-29 |
| CONTRACTOR GRADE | • Economical • Perfect for General Applications | ★★★★★ | ★★★★★ | 30-31 |
| SURVIVOR | • Use Where Static Is a Problem • Aviation and Utility Industries | ★★★★★ | ★★★★★ | 32 |
| TRANSFORMER | • Used as a Mat, Roll, Pad and Sock • Designed for Walkways | ★★★★★ | ★★★★★ | 33 |



HazMat Mats

Acetone, Toluene, Sylene, MEK (Methyl Ethyl Ketone), Hydrochloric Acid

| Mat Name | Primary Applications | Absorbency | Durability | Page |
|-----------|--|------------|------------|-------|
| DEFENDER | • Hazardous and unknown liquids • Lab and Hospital Spills | ★★★★★ | ★★★★★ | 40-41 |
| COMMANDER | • Hazardous and unknown liquids • Heavy Foot Traffic | ★★★★★ | ★★★★★ | 42-43 |

Oil-Only 4-21



| | |
|-----------------|-------|
| Mats | 4-16 |
| Socks | 17 |
| Pillows | 17 |
| Pans | 17 |
| Booms | 18-19 |
| Specialty | 20-21 |
| Mat Accessories | 46 |

Universal 22-39



| | |
|-----------------|-------|
| Mats | 22-35 |
| Socks | 36 |
| Booms | 37 |
| Pillows | 37 |
| Pans | 37 |
| Specialty | 38-39 |
| Mat Accessories | 46 |

HazMat 40-45



| | |
|-----------------|-------|
| Mats | 40-43 |
| Socks | 44 |
| Booms | 44 |
| Pillows | 44 |
| Specialty | 45 |
| Mat Accessories | 46 |

Spill Kits 47-64



| | |
|--------------------|-------|
| OverPack Kits | 48-51 |
| Duffle Kits | 52-53 |
| Portable Kits | 52-55 |
| Specialty Kits | 55-56 |
| Repair Kits | 57 |
| Customize Your Kit | 58-64 |

Stormwater Mgmt 65-69



| | |
|-----------------------|-------|
| Berms | 65-67 |
| DrainCovers | 68 |
| Conical DrainPlugs | 68 |
| Ultra-Dewatering Bag® | 69 |
| Ultra-GutterGuard® | 69 |
| Ultra-DrainGuard® | 69 |

Containment 70-81



| | |
|-----------------------|-----------|
| Leak Diverters | 70 |
| Prowler™ Pools | 71 |
| Burp-Free Funnels | 71 |
| Poly Waste Can | 71 |
| Spill Decks & Pallets | 72-75 |
| Portable Containment | 76, 80-81 |
| Sumps | 77 |
| Berms | 78-79 |

Product Resources 82-99

| | |
|-----------------------|-------|
| Product SpecSheet | 82-96 |
| Item Number Index | 97-98 |
| Regulation Compliance | 99 |

RESPONDER

Economical MeltBlown mat for effective oil spill response

- Highly Absorbent
- Quick Oil-Only Cleanup
- Effective for Marine Spills
- Economical

**Fluid:**

For oils,
not water.

**Application:**

- Marine Spills
- Economical

**Absorbency:****Durability:**



Features and Benefits

- Best performing pad on water due to fast-wicking fibers
- Highly absorbent MeltBlown polypropylene mat repels water and soaks up only oil and oil-based fluids
- Floats even when completely saturated — most effective for marine spills
- Bright white color makes it easy to locate in spill emergencies

RESPONDER Mat Construction

Single layer of hydrophobic (oil-only) polypropylene



Ideal for outdoor use — MeltBlown Mat provides quick, efficient cleanup to help protect the environment from contamination.

RESPONDER™ Mat

White Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|-----------------------|-----------|-----------|-------------|
| WP100H | HeavyWeight Pads | 15" x 19" | 100 | 33.4 gal. |
| WPK50H | HeavyWeight King Pads | 30" x 30" | 50 | 52.8 gal. |
| WP100M | MediumWeight Pads | 15" x 19" | 100 | 26.7 gal. |
| WP100S | LightWeight Pads | 15" x 19" | 100 | 17.9 gal. |
| WP200S | LightWeight Pads | 15" x 19" | 200 | 35.7 gal. |

White Oil-Only Rolls

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-------------------------|------------|-----------|-------------|
| WR150H | HeavyWeight Roll | 30" x 150' | 1 | 63.4 gal. |
| WRS150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 63.4 gal. |
| WR150M | MediumWeight Roll | 30" x 150' | 1 | 50.7 gal. |
| WR300S | LightWeight Roll | 30" x 300' | 1 | 67.9 gal. |
| WRS300S | LightWeight Split Rolls | 15" x 300' | 2 | 67.9 gal. |

**Oil-Only Booms also available.
See pages 12–13, 18–19.**

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.30(a), 40 CFR 263.31, 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

DEFENDER

Highly absorbent SonicBonded mat for oily spills and overspray

- Everyday Use
- Absorbs on Contact
- Perforated for Your Needs



Fluid:



For oils,
not water.



Application:

- Overspray and Spills
- General Use



Absorbency:



Durability:






Oil-Only

Features and Benefits

- Abrasion-resistant top layer gives pads and rolls strength for everyday cleanup jobs
- Perfect for medium-duty industrial, maintenance and general applications
- Quickly absorbs leaks, spills and overspray to keep floors dry
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Oil selective — repels water but absorbs oil and all oil-based fluids
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

DEFENDER™ Mat Construction

One layer of SpunBond fabric is ultrasonically bonded to a single layer of MeltBlown sorbent.



DEFENDER Mat has an abrasion-resistant top layer that's strong for everyday cleanup and general applications.



DEFENDER™ Mat

White Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-----------------------|-----------|-----------|-------------|
| WPB100H | HeavyWeight Pads | 15" x 19" | 100 | 29.1 gal. |
| WPB50H | HeavyWeight Pads | 15" x 19" | 50 | 14.6 gal. |
| WPKB50H | HeavyWeight King Pads | 30" x 30" | 50 | 45.3 gal. |
| WPB100M | MediumWeight Pads | 15" x 19" | 100 | 24.7 gal. |
| WPB50M | MediumWeight Pads | 15" x 19" | 50 | 12.4 gal. |
| WPB200S | LightWeight Pads | 15" x 19" | 200 | 31.1 gal. |
| WPB100S | LightWeight Pads | 15" x 19" | 100 | 15.6 gal. |

White Oil-Only Rolls

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|--------------------------|------------|-----------|-------------|
| WRB150H | HeavyWeight Roll | 30" x 150' | 1 | 55.2 gal. |
| WRSB150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 55.2 gal. |
| WRB150M | MediumWeight Roll | 30" x 150' | 1 | 46.1 gal. |
| WRSB150M | MediumWeight Split Rolls | 15" x 150' | 2 | 46.1 gal. |
| WRB300S | LightWeight Roll | 30" x 300' | 1 | 59.1 gal. |

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

COMMANDER

Durable FineFiber mat controls oil under machines and conveyors

- Most Popular
- Good for Foot Traffic
- Strong Enough for Heavy Spills



Blue color option is great in snowy areas where pad placement needs to be traced.



Fluid:



For oils,
not water.



Application:

- Under Machines and Conveyors
- Walkways



Absorbency:



Durability:






Features and Benefits

- Most popular mat used in industrial cleanup applications
- Use near machinery, in production areas and under assembly lines and conveyors
- 3-ply construction is strong and absorbent to take command of leaks and spills
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Two hi-viz color options — blue is great in snowy areas where pad placement needs to be traced
- Oil selective — repels water but absorbs oil and all oil-based fluids
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

COMMANDER Mat Construction

Two layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.



HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

COMMANDER™ Mat

White Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|------------|-----------------------------------|-----------|-----------|-------------|
| WPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. |
| WPF1014H | HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. |
| WPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. |
| WPKF50H | HeavyWeight King Pads | 30" x 30" | 50 | 41.6 gal. |
| WPF100M | MediumWeight Pads | 15" x 19" | 100 | 20.8 gal. |
| WPF200S | LightWeight Pads | 15" x 19" | 200 | 28.1 gal. |

White Oil-Only Rolls

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|------------|-----------------------------------|------------|-----------|-------------|
| WRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. |
| WRF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 19.3 gal. |
| WRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. |
| WRF150M | MediumWeight Roll | 30" x 150' | 1 | 39.5 gal. |

Blue Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|------------|-----------------------------------|-----------|-----------|-------------|
| BPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. |
| BPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. |
| BPF200S | LightWeight Pads | 15" x 19" | 200 | 28.1 gal. |

Blue Oil-Only Roll (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|------------------|------------|-----------|-------------|
| BRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. |


PROTECTOR

Tough MultiLaminate mat stands up to punishing, oily applications

- Durable for Rugged Applications
- Great for Cleaning Oily Tools and Parts
- Low-Lint



Fluid:



For oils,
not water.



Application:

- Oily Tools and Parts
- Demanding Environments



Absorbency:



Durability:






Features and Benefits

- Abrasion-resistant outer layers of SpunBond material are strong with low-lint benefits
- Mat is a great choice for lining tool benches, wiping down machinery or cleaning oily tools and parts
- Perfect for industrial applications in demanding environments where durability is most important
- In outdoor applications, the mat won't tear when pulled up from frozen ground
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

PROTECTOR Mat Construction

High-loft MeltBlown sorbent is ultrasonically bonded between two layers of lint-free SpunBond fabric.



PROTECTOR Mat is low-linting, which makes it the perfect choice for lining tool benches or cleaning oily tools and parts.



PROTECTOR™ Mat

White Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-------------------|-----------|-----------|-------------|
| WPL100H | HeavyWeight Pads | 15" x 19" | 100 | 28.9 gal. |
| WPL100M | MediumWeight Pads | 15" x 19" | 100 | 23.4 gal. |

White Oil-Only Rolls

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|--------------------------|------------|-----------|-------------|
| WRL150H | HeavyWeight Roll | 30" x 150' | 1 | 54.9 gal. |
| WRSL150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 54.9 gal. |
| WRL150M | MediumWeight Roll | 30" x 150' | 1 | 44.4 gal. |
| WRSL150M | MediumWeight Split Rolls | 15" x 150' | 2 | 44.4 gal. |

Blue Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|------------------|-----------|-----------|-------------|
| BPL100H | HeavyWeight Pads | 15" x 19" | 100 | 28.9 gal. |

When working outdoors in cold temperatures, PROTECTOR Mat won't tear when you pull it up from frozen ground.



HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

NEW



CONTRACTOR GRADE

The economical solution for fast cleanup of oil spills.

- Economical
- Good for General Applications
- Designed for Short-Term Use

ECONOMY YOU CAN COUNT ON

If your priority is economy and short-term use for oil spills, Contractor Grade absorbents are a good choice. These oil-only pads, rolls and booms are versatile enough for most outdoor uses.



Features and Benefits

- Absorbent MeltBlown polypropylene mat repels water and soaks up only oil and oil-based fluids
- Perfect for light-duty industrial and maintenance applications
- Absorbs leaks, spills and overspray
- Rolls are great for covering large surface areas, with perforations that allow you to tear rolls into different sizes
- Pads are great for general cleanup applications
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

CONTRACTOR GRADE Mat

Oil-Only Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------------|-------------------|-----------|-----------|-------------|
| NEW WP-H | HeavyWeight Pads | 15" X 18" | 100 | 22 gal. |
| NEW WP-M | MediumWeight Pads | 15" X 18" | 100 | 20 gal. |
| NEW WP-S | LightWeight Pads | 15" X 18" | 200 | 35 gal. |

Oil-Only Rolls



| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------------|--------------------|------------|-----------|-------------|
| NEW WR-H | HeavyWeight Rolls | 30" X 150' | 1 | 44 gal. |
| NEW WR-M | MediumWeight Rolls | 30" X 150' | 1 | 40 gal. |

NEW



CONTRACTOR GRADE Mat Construction

Single layer of MeltBlown polypropylene, dimpled for wicking power.



Fluid:
For oils,
not water.



Application:
- General Applications
- Economical



Absorbency:



Durability:

Features and Benefits

- Poly-blend filler repels water while absorbing oil and other hydrocarbons
- Connectors link booms together to create a containment system big enough to handle almost any spill size
- Provides quick, efficient cleanup to help protect the environment from contaminants; suited for short-term use

CONTRACTOR GRADE Booms

| Item # | Description | Size | Absorbs/Pkg | Qty/Pkg |
|---------|----------------|----------|-------------|---------|
| WB410SN | Sock/Net Booms | 4" X 10' | 19.5 gal. | 4 |
| WB510SN | Sock/Net Booms | 5" X 10' | 30 gal. | 4 |
| WB520SN | Sock/Net Booms | 5" X 20' | 30 gal. | 2 |
| WB810SN | Sock/Net Booms | 8" X 10' | 38 gal. | 4 |
| WB820SN | Sock/Net Booms | 8" X 20' | 38 gal. | 2 |



HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.30(a), 40 CFR 263.31, 40 CFR 122.26 and 33 CFR 154.1047 (c)(2). See page 99 for details.



ARRESTOR

Specially treated to dissipate static and safely absorb volatile fuels and other petroleum-based liquids

- Use where static electricity is a problem or where vapors can ignite
- A safer alternative for cold applications, low humidity climates or dry environments
- Mat has many applications in aviation industry where jet fuel is present and the utility industry for electrical work
- Single-layer polypropylene absorbs fast for quick response
- Oil selective — repels water but absorbs oil and all oil-based fluids
- Packaged in blue static-dissipative bag for quick identification

WRX150H



WRX150H

WPX100H

ARRESTOR™ Mat

White Static-Dissipative Pads (for oils, not water; deters static charges)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|------------------|-----------|-----------|-------------|
| WPX25H | HeavyWeight Pads | 15" x 19" | 25 | 8.4 gal. |
| WPX50H | HeavyWeight Pads | 15" x 19" | 50 | 16.8 gal. |
| WPX100H | HeavyWeight Pads | 15" x 19" | 100 | 33.6 gal. |
| WPX50S | LightWeight Pads | 15" x 19" | 50 | 8.9 gal. |

White Static-Dissipative Rolls (for oils, not water; deters static charges)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-------------------|------------|-----------|-------------|
| WRX150H | HeavyWeight Roll | 30" x 150' | 1 | 63.4 gal. |
| WRSX150H | HeavyWeight Rolls | 15" x 150' | 2 | 63.4 gal. |

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.1450(e), 29 CFR 1910.120(j)(1) and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

TRANSFORMER

Versatile mat that's a roll, a pad and a sock in one

- Perfed 3.75" vertically and 17" horizontally to tailor mat's dimensions to your applications
- 3-ply construction designed for walkways — tough SpunBond top, highly absorbent core and FineFiber bottom
- Packaged in a convenient dispenser box

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.1450(e), 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3), 49 CFR 173.12 (b)(2)(iv) and 29 CFR 1910.120(j)(1). See page 99 for details.



Tear at the perfs to
create the right mat size
for any area.



TRANSFORMER™ Mat

White Oil-Only Pads (for oils, not water; deters static charges)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------------|-----------------------------------|------------|-----------|-------------|
| WRSMF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 18.9 gal. |



DrumTop Pads

Eliminate messy drum tops with these Sorbent Oil-Only DrumTop Pads

- Absorb drips from leaking pumps and help keep drum storage areas looking clean
- Precut bung holes make for easy access to drum



DrumTop Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|-----------------------|----------|-----------|-------------|
| BTOP | Oil-Only DrumTop Pads | 23" Dia. | 25 | 8.6 gal. |

Rig Mats

Save your sites costly cleanups by stopping the mess before it starts

- Ideal for service rigs, sucker rod maintenance, wellhead maintenance, cleaner drilling and clean compressor houses
- Perfect for outdoor use — mat provides quick, efficient cleanup to help protect the environment from contamination
- MeltBlown hydrophobic fibers repel water while only absorbing oils and other hydrocarbons
- Blue color-coding designates oil-only sorbency and fits into many professional surroundings
- Impenetrable, chemical-resistant poly backing prevents liquids from seeping through (PBRIG48H only)


HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.1450(e), 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3) and 29 CFR 1910.120(j)(1). See page 99 for details.

Rig Mat Rolls


| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-----------------------------|------------|-----------|-------------|
| RIG160H | HeavyWeight Roll | 58" x 160' | 1 | 176.2 gal. |
| PBRIG48H | HeavyWeight PolyBacked Roll | 57" x 48" | 1 | 51.9 gal. |

TrackMat

Prevent ground contamination during railroad maintenance

- Economical choice for routine maintenance
- Clear impenetrable poly backing reveals saturation levels at a glance
- Heavy-duty SpunBond top layer adds strength and durability for long-term deployment in almost any weather conditions

TrackMat Construction



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.22(a)(2) and 40 CFR 122.26. See page 99 for details.



TrackMat Rolls (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|-------------------------|-----------|-----------|-------------|
| TMAT57 | HeavyWeight Roll | 57" x 80' | 1 | 63.2 gal. |
| TMAT19 | HeavyWeight Split Rolls | 19" x 80' | 2 | 41.7 gal. |

RailRoad Mat

Provides sorbency and spill protection in rail-specific applications


- A tier of sorbent material is top-layered with needlepunched felt for strength, and then poly-backed with a chemical-resistant material
- Sealed edges prevent leaching and ground contamination

RailRoad Mat Construction



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.22(a)(2) and 40 CFR 122.26. See page 99 for details.



RailRoad Mat (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|--------------------|------------|-----------|-------------|
| RRMAT60 | RailRoad Mat Roll | 59" x 100' | 1 | 63.0 gal. |
| RRMAT19 | RailRoad Mat Rolls | 19" x 100' | 2 | 42.0 gal. |

Oil-Only Socks

Oil-only socks absorb oils, repel water

- Soak up petroleum-based fluids quickly while repelling water
- Socks float for cleanup of waterborne hydrocarbons
- Flexible to conform around machine bases and offer a snug fit with no seepage
- Contain spills to keep fluids from spreading into larger areas and becoming slippery hazards
- White designates oil-only sorbency and makes it easy to identify when saturated



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 40 CFR 112.7(c)(1), 40 CFR 263.30(a), and 40 CFR 263.31. See page 99 for details.



WSO410

Oil-Only Socks (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|----------------|----------|-----------|-------------|
| WSO410 | Oil-Only Socks | 3" x 4' | 10 | 8.33 gal. |
| WSO430 | Oil-Only Socks | 3" x 4' | 30 | 25.0 gal. |
| WS0815 | Oil-Only Socks | 3" x 8' | 15 | 25.0 gal. |
| WS01210 | Oil-Only Socks | 3" x 12' | 10 | 25.0 gal. |

Oil-Only Pillows

Oil-only pillows are easy to place in hard-to-reach areas

- Absorb high-volume leaks and spills of oil and other petroleum-based liquids on land or water
- Use under machines and leaky hydraulic hoses or wedge in corners cramped for space
- Pulls liquids from the floor like a sock, catches leaks like a pan, and absorbs spills like a pad
- Large surface area speeds the absorption process and shortens the overall response time on land or water



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 263.30(a), 40 CFR 263.31 and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.



WPIL1818

Oil-Only Pillows (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|------------------|-----------|-----------|-------------|
| WPIL1818 | Oil-Only Pillows | 18" x 18" | 10 | 23.0 gal. |
| WPIL818 | Oil-Only Pillows | 8" x 18" | 20 | 23.0 gal. |
| WPIL1010 | Oil-Only Pillows | 10" x 10" | 40 | 30.0 gal. |

Oil-Only Pans

An economical solution to high-volume leaks and drips

- Each Oil-Only Pillow in a Pan absorbs and contains up to 3 quarts of oil or other oil-based liquid while actually repelling water
- Ideal choice for catching recurring or continuous high-volume leaks
- No preparation required — simply set it in place, and watch it go to work
- Use the high-capacity, low-profile Oil-Only Drip Pan under machines and leaky hydraulic hoses, or place one under any leak or drip that produces a high volume in a short time



HYC

Helps you comply with 29 CFR 1910.22(a)(2) and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.



WPIL1224

DPO-16

Pillow in a Pan & DripPans (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|--------------------------|-----------------|----------------------|-------------|
| WPIL1224 | Oil-Only Pillow in a Pan | 10.5" sq. x 3"H | 12 pans & 24 pillows | 18.0 gal. |
| WPIL1010 | Oil-Only Pillows Refill | 10" x 10" | 40 | 30.0 gal. |
| DPO-16 | Oil-Only DripPan | 10.5" sq. x 3"H | 16 | 12.0 gal. |

NEW

PREMIUM BOOM

Highest quality you can buy for long-term use on water.

- UV Resistant
- Great for Long-Term Deployment
- Best Choice for Oil on Water

CONQUER CONTAINMENT ON WATER

Whether aiming for long-term control or short-term spill response, Premium Booms are the smart choice for oil on water. The 100% polypropylene construction won't absorb water, guaranteed. And the UV-treated sleeve withstands 12 months of direct sunlight, making it ideal for continual deployment.





- Durable construction makes it ideal for continuous, long-term deployment — stays on the job up to 12 months!



- UV-treated sleeve withstands 12 months of direct sunlight for successful long-term use.



- Polypropylene construction is guaranteed not to take on water. Save all of your absorbency for oil!

Features and Benefits

- 100% polypropylene boom repels water so you use all of your absorbency on oil, guaranteed
- UV-treated sleeve withstands 12 months of direct sunlight
- Ideal for long-term deployment on open water; also good for immediate spill response
- Integrated connectors link booms together to create a containment system big enough to handle almost any spill size



PREMIUM Oil-Only Booms

| Item # | Description | Size | Absorbs/Pkg | Qty/Pkg |
|--------------------|--------------|----------|-------------|---------|
| NEW PREM510 | Premium Boom | 5" X 10' | 30 gal. | 4 |
| NEW PREM810 | Premium Boom | 8" X 10' | 38 gal. | 4 |

HYC

Helps you comply with 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 122.26 and 40 CFR 263.31. See page 99 for details.



PomPoms

- Heavy oils adhere but water is repelled so PomPoms won't become weighed down, allowing you to leave them in place longer for maximum effectiveness

- PomPoms float on the water's surface to absorb oily spills and even surface sheen

PomPoms (for oils, not water)

| Item # | Description | Absorbs/Pkg | Qty/Pkg |
|---------|------------------------|-------------|---------|
| APMPM | PomPoms/30 individual | 11.6 gal. | 30 |
| APMPM-R | PomPoms/30 on 50' rope | 11.6 gal. | 1 |



Bilge Booms

- Removes oils without emptying your bilges and sumps, no matter how deep they are
- Booms won't shed or sink, even when saturated with oil

Oil-Only Bilge Booms (for oils, not water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|-------------|----------|-----------|-------------|
| WBB318 | Bilge Booms | 3" x 18" | 20 | 6.25 gal. |
| WBB818 | Bilge Booms | 8" x 18" | 10 | 18.0 gal. |



Folded Sweep

- Attach a Folded Sweep to your sorbent boom for maximum on-the-water cleanup
- Floats on water to absorb oily spills and even surface sheen
- Sturdy webbing and hardware for easy deployment and retrieval

PROTECTOR™ Folded Sweep (for oils, not water)

| Item # | Description | Size | Absorbs/Pkg | Qty/Pkg |
|----------|--------------|--------------|-------------|---------|
| WSWL100F | Folded Sweep | 19"W x 100'L | 25.3 gal. | 1 |

Net Bags

- Loose poly-blend filler encased in a nylon mesh bag
- Net Bags absorb oily spills and even surface sheen on water
- Floats for easy retrieval — even when saturated



Net Bags (for oils, not water)

| Item # | Description | Size | Absorbs/Pkg | Qty/Pkg |
|--------|-------------|----------------|-------------|---------|
| WPIL10 | Net Bags | 6" x 16" x 21" | 37.0 gal. | 10 |

Loose PeatMoss

- PEAT2 is made of biodegradable peat moss, which has a natural affinity for oils and will not absorb water; incinerable



Loose Sorbents (for oils, not water)

| Item # | Description | Size | Absorbs/Pkg | Qty/Pallet |
|--------|----------------|-----------|-------------|------------|
| PEAT2* | Loose PeatMoss | 2 cu. ft. | 16.0 gal. | 54 |

*Sold only in pallet quantities.

Containment Boom and Anchor System

Non-absorbent boom contains spills above and below water; anchor system keeps in place for optimum containment

- Quickly contain spills and debris in water
- Boom floats to keep oil from spreading into or out of a contained area; skirt hangs below the surface to help prevent spills from creeping underneath
- Ballast chain adds weight to help keep skirt taut
- Ideal in water intakes, channels, API separators, ponds, lakes, streams, marinas, canals, ditches and other shallow areas


HYC





Helps you comply with 33 CFR 154.1047(c)(2),
40 CFR 112.7(c)(1). (Applies to C-BOOM only.)
See page 99 for details

Containment Booms and Anchor System

| Item # | Description | Size | Units/Pkg |
|----------------|-----------------------------------|---------------------------------------|-----------|
| † C-BOOM10-50 | Containment Boom | 50'L x 10"H (4" float, 6" skirt) | 1 |
| † C-BOOM10-100 | Containment Boom | 100'L x 10"H (4" float, 6" skirt) | 1 |
| † C-BOOM18-50 | Containment Boom | 50'L x 18"H (6" float, 12" skirt) | 1 |
| † C-BOOM18-100 | Containment Boom | 100'L x 18"H (6" float, 12" skirt) | 1 |
| † C-BOOM24-50 | Containment Boom | 50'L x 24"H (8" float, 16" skirt) | 1 |
| † C-BOOM24-100 | Containment Boom | 100'L x 24"H (8" float, 16" skirt) | 1 |
| C-ANCHOR2 | Containment Boom Anchor System | 88 lb. anchor system | 1 |

*Final product may be yellow or orange based on availability at time of order.

† These Items drop ship from vendor



DEFENDER

General-Purpose SonicBonded mat for overspray and everyday use

- Everyday Use
- Absorbs on Contact
- Perforated for Your Needs

**Fluid:**

For oils,
coolants,
solvents
& water.

**Application:**

- Overspray and Spills
- General Use

**Absorbency:****Durability:**




Universal

Features and Benefits

- Abrasion-resistant top layer gives pads and rolls strength for everyday cleanup jobs
- Perfect for medium-duty industrial, maintenance and general applications
- Quickly absorbs leaks, spills and overspray to keep floors dry
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Universal absorbency means one product for multiple liquids
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

DEFENDER Mat Construction

One layer of SpunBond fabric is ultrasonically bonded to one layer of MeltBlown sorbent.



Fast-acting DEFENDER Mat starts absorbing on contact. It's the best choice for overspray and soaking up spills.



DEFENDER™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-----------------------|-----------|-----------|-------------|
| GPB100H | HeavyWeight Pads | 15" x 19" | 100 | 29.1 gal. |
| GPB50H | HeavyWeight Pads | 15" x 19" | 50 | 14.6 gal. |
| GPKB50H | HeavyWeight King Pads | 30" x 30" | 50 | 45.3 gal. |
| GPB100M | MediumWeight Pads | 15" x 19" | 100 | 24.7 gal. |
| GPB200S | LightWeight Pads | 15" x 19" | 200 | 31.1 gal. |
| GPB100S | LightWeight Pads | 15" x 19" | 100 | 15.6 gal. |

Gray Universal Rolls (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-------------------------|------------|-----------|-------------|
| GRB150H | HeavyWeight Roll | 30" x 150' | 1 | 55.2 gal. |
| GRSB150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 55.2 gal. |
| GRB150M | MediumWeight Roll | 30" x 150' | 1 | 46.1 gal. |
| GRB300S | LightWeight Roll | 30" x 300' | 1 | 59.1 gal. |


HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

COMMANDER

Durable FineFiber mat performs all around the workplace

- Most Popular
- Good for Moderate Foot Traffic
- Strong Enough for Heavy Spills



Sturdy 3-ply construction gives COMMANDER Mat durability and absorbing power for longer wear and fewer changeouts.



Fluid:

For oils,
coolants,
solvents
& water.



Application:

- Moderate Foot Traffic
- All-Around Performer



Absorbency:



Durability:





Universal

Features and Benefits

- Most versatile mat used in industries with wet processes
- Best used around machinery, in production areas and under assembly lines and conveyors
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally


COMMANDER™ Mat

| Gray Universal Pads (for oils, coolants, solvents & water) | | | | |
|--|-----------------------------------|-----------|-----------|-------------|
| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
| GPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. |
| GPF1014H | HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. |
| GPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. |
| GPKF50H | HeavyWeight King Pads | 30" x 30" | 50 | 41.6 gal. |
| GPF100M | MediumWeight Pads | 15" x 19" | 100 | 20.8 gal. |
| GPF200S | LightWeight Pads | 15" x 19" | 200 | 28.1 gal. |

| Gray Universal Rolls (for oils, coolants, solvents & water) | | | | |
|---|--|------------|-----------|-------------|
| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
| GRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. |
| GRF24150H | HeavyWeight Roll | 24" x 150' | 1 | 39.8 gal. |
| GRF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 19.3 gal. |
| GRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. |
| GRFF50H | HeavyWeight Folded Roll in Dispenser Box | 5" x 50' | 1 | 8.4 gal. |
| GRF150M | MediumWeight Roll | 30" x 150' | 1 | 39.5 gal. |
| GRSF150M | MediumWeight Split Rolls | 15" x 150' | 2 | 39.5 gal. |
| GRF300S | LightWeight Roll | 30" x 300' | 1 | 53.4 gal. |
| GRSF300S | LightWeight Split Rolls | 15" x 300' | 2 | 53.4 gal. |

COMMANDER Mat Construction

Two layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.



Green Universal Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-------------|-----------------------------------|-----------|-----------|-------------|
| GNPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. |
| GNPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. |
| GNPF100M | MediumWeight Pads | 15" x 19" | 100 | 20.8 gal. |

Green Universal Rolls (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------|-------------------------|------------|-----------|-------------|
| GNRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. |
| GNRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. |

Drip, Rip and Go™ Tablet

Gray Universal Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|------------------|-----------|---------------------------------|-------------|
| GPF20S | LightWeight Pads | 15" x 19" | 20 pads/tablet 9 tablets/pkg | 25.2 gal. |

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

PROTECTOR

Tough MultiLaminate mat stands up to punishing applications

- Durable for Rugged Applications
- Great for Cleaning Oily Tools and Parts
- Low-Lint

**Fluid:**

For oils,
coolants,
solvents
& water.

**Application:**

- Demanding Environments
- Low Linting

**Absorbency:****Durability:**




Universal

Features and Benefits

- Abrasion-resistant outer layers of SpunBond material add durability for long life
- Low-linting mat is a great choice for lining tool benches, wiping down machinery or cleaning oily tools and parts
- Perfect for industrial applications in demanding environments where durability is most important
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

PROTECTOR Mat Construction

MeltBlown sorbent is ultrasonically bonded between two layers of lint-free SpunBond fabric.



Great for use in rugged applications near machinery.



PROTECTOR™ Mat


Gray Universal Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-------------------|-----------|-----------|-------------|
| GPL100H | HeavyWeight Pads | 15" x 19" | 100 | 28.9 gal. |
| GPL100M | MediumWeight Pads | 15" x 19" | 100 | 23.4 gal. |

Gray Universal Rolls (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|--------------------------|------------|-----------|-------------|
| GRL150H | HeavyWeight Roll | 30" x 150' | 1 | 54.9 gal. |
| GRSL150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 54.9 gal. |
| GRL150M | MediumWeight Roll | 30" x 150' | 1 | 44.4 gal. |
| GRSL150M | MediumWeight Split Rolls | 15" x 150' | 2 | 44.4 gal. |

Use low-linting PROTECTOR Mat as a liner for oily parts and tools.



HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49 CFR 173.12 (b)(2) (iv). See page 99 for details.

NEW

MAXIMIZER

Get tremendous absorbency with our thickest mat.

- Great for Large Leaks and Spills
- Highly Absorbent
- Environmentally-Friendly

GO BIG ON SPILLS

Work around high volumes of liquid? You need high-loft mat as an essential component of your spill response stash. SpillTech's Maximizer line of absorbents is designed especially for large spills and high-volume leaks. The Maximizer's SmartSorb technology features a superabsorbent high-loft core that's strong enough to hold together, even when fully saturated.




SmartSorb technology

Super-absorbent core fuses natural and synthetic fibers to enhance absorbency, strength and loft.

Lofty inner core for super-absorbency

Fused layers create strength and enhance absorbency.



Maximum loft, maximum absorbency, maximum performance! The Maximizer soaks up more liquid with less mat, saving you money.

Absorbs
14X
ITS OWN WEIGHT



MAXIMUM
LOFT



MAXIMUM
ABSORBENCY



MAXIMUM
PERFORMANCE



Features and Benefits

- Highest absorbency for everyday applications; takes in up to 14X its own weight in liquids
- Absorbs oils, coolants, solvents and water
- SmartSorb Technology creates a mat that absorbs evenly throughout for superior liquid retention
- Contains 75% recycled fibers, making it a great choice when environmentally-friendly products are desired

- Maximizer mats are fire retardant for added safety
- Pads are ideal for catching leaks and soaking up spills
- Rolls are great for covering large surface areas, with perforations that allow you to create different sizes
- Pads are perforated at 7.5" up the center. Rolls are perforated every 15" vertically and cross-perforated at every 19" horizontally.

MAXIMIZER Pads

Universal Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------------------|------------------|-----------|-----------|-------------|
| NEW GPC75H | HeavyWeight Pads | 15" x 19" | 75 | 27.5 gal. |
| NEW GPC100S | LightWeight Pads | 15" x 19" | 100 | 24 gal. |

MAXIMIZER Rolls

Universal Rolls

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------------------|------------------|------------|-----------|--------------|
| NEW GRC150H | HeavyWeight Roll | 30" X 150' | 1 | 69 gal./pkg. |
| NEW GRC150S | LightWeight Roll | 30" X 150' | 1 | 44 gal./pkg. |

HYC

Helps you comply with 29 CFR 1910.22(a)(2). See page 99 for details.

NEW

CONTRACTOR GRADE

The economical choice for quick, easy cleanup

- Economical
- Perfect for General Applications
- Fast-Wicking

BUDGET FRIENDLY BASICS

Part of making smart spill decisions is not buying more absorbent than you need. Not every job requires long-term durability or heavy-duty strength. Sometimes you need an absorbent that will let you get in, do the job, and get out. These absorbents are versatile enough to use for just about any challenge that pops up on your job site.





NEW

Universal



Fluid:
For oils, coolants,
solvents & water.



Application:
- General Applications
- Economical



Absorbency:




Durability:

Features and Benefits

- Universal absorbency — used for both oil-and water-based liquids
- Perforations allow you to use only what you need
- Dimples add fast-wicking power
- Quickly absorbs leaks, spills and overspray to keep floors dry
- Perfect for light-duty industrial, maintenance and general applications
- Pads are ideal for catching leaks and soaking up spills; rolls are great for covering large surface areas
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

CONTRACTOR GRADE Mat Construction

Single layer of MeltBlown polypropylene, dimpled for added wicking power.



MeltBlown

CONTRACTOR GRADE Mat

Universal Pads

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------------|-------------------|-----------|-----------|-------------|
| NEW GP-H | HeavyWeight Pads | 15" X 18" | 100 | 22 gal. |
| NEW GP-M | MediumWeight Pads | 15" X 18" | 100 | 20 gal. |
| NEW GP-S | LightWeight Pads | 15" X 18" | 200 | 35 gal. |

Universal Rolls

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------------|-------------------|------------|-----------|-------------|
| NEW GR-H | HeavyWeight Roll | 30" X 150' | 1 | 44 gal. |
| NEW GR-M | MediumWeight Roll | 30" X 150' | 1 | 40 gal. |

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 29 CFR 1910.107(b)(3), 49 CFR 173.12 (b)(2)(iv) and 29 CFR 1910.107(g)(2). See page 99 for details.




SURVIVOR

The absorbency of a mat and the durability of a rug — hides the grunge to stay on the job longer

- Camouflage pattern makes leaks and drips disappear
- Five-star durability withstands foot traffic in production areas, near machines and in walkways
- Innovative 3-ply construction combines our toughest SpunBond top layer, highly absorbent core and a bottom layer designed to grip floors
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

SURVIVOR Mat Construction

Top SpunBond and bottom FineFiber layers of polypropylene are ultrasonically bonded around a MeltBlown core.



SURVIVOR™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|------------------|-----------|-----------|-------------|
| SVP100H | HeavyWeight Pads | 15" x 19" | 100 | 17.9 gal. |

Gray Universal Rolls (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|------------|-------------------------|------------|-----------|-------------|
| SVR150H | HeavyWeight Roll | 30" x 150' | 1 | 35.8 gal. |
| SVRS150H-1 | HeavyWeight Roll | 15" x 150' | 1 | 17.9 gal. |
| SVRS150H-2 | HeavyWeight Split Rolls | 15" x 150' | 2 | 35.8 gal. |

HYC

Helps you comply with 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

**HYC**

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

TRANSFORMER

Versatile mat is a roll, a pad and a sock

- Perfed 3.75" vertically and 17" horizontally to tailor the mat to your application
- Durable, 3-layer construction keeps the mat on the job longer
- Packaged in a convenient dispenser box



TRANSFORMER™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------------|-----------------------------------|------------|-----------|-------------|
| GRSMF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 18.9 gal. |

PolyBacked Universal COMMANDER

Added protection for your floors

- Impenetrable, chemical-resistant poly backing keeps floors liquid- and stain-free
- 3-ply construction resists wear and tear
- COMMANDER layers quickly soak up liquids before they can spread

**HYC**

Helps you comply with 29 CFR 1910.22(a)(2). See page 99 for details.

PolyBacked Universal COMMANDER™ Mat Pads and Roll (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------|------------------|------------|-----------|-------------|
| PBGPF50H | HeavyWeight Pads | 15" x 19" | 50 | 8.1 gal. |
| PBGRF100H | HeavyWeight Roll | 30" x 100' | 1 | 18.0 gal. |



TUFF Rug

Tough StitchBonded mat handles heavy wear and foot traffic

- Strongest mat stands up to heavy abuse — leave down much longer than regular mat and save money
- Place in busy aisles, walkways and workstations where slippery floors are a concern
- Zigzag stitching adds extra strength so mat won't fray or come apart
- Absorbent polypropylene fibers pull in liquids to keep floors dry
- Absorbs most common industrial liquids: oils, coolants, solvents and water

HYC

Helps you comply with 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2) and 29 CFR 1910.22(a)(2). See page 99 for details.

TUFF Rug™ (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|----------------------|------------|-----------|-------------|
| MR2069 | HeavyWeight Mat Roll | 33" x 150' | 1 | 23.0 gal. |



Traffic TUFF Rug

Super-durable Needlepunch mat even stands up to equipment traffic

- Absorbs light fluids and overspray to keep walkways safe and slip-resistant
- Tough enough to withstand even heavy equipment traffic
- Ideal for lining walkways, replacing rental rugs, and stopping dirt and debris from tracking into clean areas
- Gray color signifies universal sorbency; hides grunge so it stays down longer and saves you money
- PolyBacking gives mat non-skid characteristics (PBR100 only)

HYC

Helps you comply with 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2) and 29 CFR 1910.22(a)(2). See page 99 for details.

Traffic TUFF Rug™ (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|------------|------------------|------------|-----------|-------------|
| NPR150H-GR | HeavyWeight Roll | 36" x 150' | 1 | 54.0 gal. |
| NPR300S-GR | LightWeight Roll | 36" x 300' | 1 | 54.0 gal. |
| PBR100 | PolyBacked Roll | 36" x 100' | 1 | 13.0 gal. |



DrumTop Pads

Say goodbye to messy drum tops

- Absorb drips from leaking pumps to help keep drum storage areas looking good
- Precut bung holes make for easy access to drum
- Pads can be removed and replaced with pumps and valves installed
- Grunge-hiding gray signifies universal sorbency for oils, coolants, solvents and water
- Made from top-quality COMMANDER Mat



DrumTop Pads (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|------------------|----------|-----------|-------------|
| GTOP | HeavyWeight Pads | 22" dia. | 25 | 8.6 gal. |

Recycled TUFF Rug

Highly absorbent recycled-fiber mat has walk-on durability

- Recycled polypropylene and acrylic fibers absorb up to 84.6 gallons per regular roll or two split rolls.
- High tensile strength stands up to jobs with steady foot traffic
- Dark, multicolored mat looks cleaner longer as fluids are absorbed



HYC

Helps you comply with 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2) and 29 CFR 1910.22(a)(2). See page 99 for details.

Recycled TUFF Rug™ (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|-----------|-------------------------|------------|-----------|-------------|
| RRUG36H | HeavyWeight Roll | 36" x 150' | 1 | 84.6 gal. |
| RRUG18H | HeavyWeight Split Rolls | 18" x 150' | 2 | 84.6 gal. |
| RRUGP100H | HeavyWeight Pads | 18" x 18" | 100 | 38.9 gal. |





CornCob Socks

An affordable alternative to messy clay

- Economical and highly efficient for even the toughest jobs
- Absorb $\frac{1}{2}$ gallon of oil, coolants, solvents and water — nearly twice as much as clay, but without the dust or the mess to clean up afterward; incinerable
- Ideal for surrounding spilled fluids or wrapping around leaky machines
- USDA BioPreferred approved



CornCob Socks (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|---------------|----------|-----------|-------------|
| CCS040 | CornCob Socks | 3" x 42" | 40 | 20.0 gal. |



Cellulose Socks

Soak up more than one gallon for every four feet

- A single 4' sock can absorb more than a gallon of oils, coolants, solvents or water, making it a true top performer
- Very flexible to conform around machine bases and offers a snug fit with no seepage
- Easy and convenient to put into place



Cellulose Socks (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-----------------|----------|-----------|-------------|
| GCS0430 | Cellulose Socks | 3" x 4' | 30 | 34.0 gal. |
| GCS0815 | Cellulose Socks | 3" x 8' | 15 | 34.0 gal. |
| GCS01210 | Cellulose Socks | 3" x 12' | 10 | 34.0 gal. |

Universal Sock/Net Boom

Fast, efficient response for large spills

- Just one of these high-capacity booms can contain and soak up 5.8 gallons of oils, coolants, solvents or water
- Booms won't shed, even when saturated
- A nylon rope and sturdy hardware ensure long-lasting durability and easy retrieval
- Use boom connectors to create a containment system big enough to handle almost any size spill



Universal Sock/Net Boom (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-----------------|----------|-----------|-------------|
| GB510SN | Universal Booms | 5" x 10' | 4 | 23.3 gal. |

Universal Pillows

Absorb high-volume leaks and spills of oils, coolants, solvents or water

- Easy to place in hard-to-reach areas — use under machines and leaky hydraulic hoses or wedge in corners cramped for space
- Pulls liquids from the floor like a sock, catches leaks like a pan, and absorbs spills like a pad
- Large surface area speeds the absorption process and shortens overall response time




Universal Pillows (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-------------------|-----------|-----------|-------------|
| GPIL1818 | Universal Pillows | 18" x 18" | 10 | 23.0 gal. |
| GPIL818 | Universal Pillows | 8" x 18" | 20 | 23.0 gal. |
| GPIL1010 | Universal Pillow | 10" x 10" | 40 | 30.0 gal. |

Universal Pans

Economical solution to high-volume leaks and drips

- Easy to place in hard-to-reach areas — use under machines and leaky hydraulic hoses
- **GPIL1224** Universal Pillow absorbs up to 3 quarts of oils, coolants, solvents or water
- **DPU-16** High-capacity, low-profile Universal DripPan is perfect for heavy leak areas and tight spaces



Universal Pans (for oils, coolants, solvents & water)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|---------------------------|----------------|----------------------|-------------|
| GPIL1224 | Universal Pillow in a Pan | 10.5"sq. x 3"H | 12 pans & 24 pillows | 18.0 gal. |
| GPIL1010 | Universal Pillow Refill | 10" x 10" | 40 | 30.0 gal. |
| DPU-16 | Universal DripPans | 10.5"sq. x 3"H | 16 | 16.0 gal. |



Gran-sorb® Loose Sorbent

Loose Cellulose Absorbent soaks up oils, coolants, solvents, water, fuels and antifreeze

- Paper waste is completely safe, non-toxic and non-hazardous
- Absorbs its own weight in liquid
- Great alternative to clay



Gran-sorb® Loose Sorbent (for oils, coolants, solvents & water)

| Item # | Description | Size | Qty/Pallet | Absorbs/Pkg |
|--------|--------------------------|------------|------------|-------------|
| CELL30 | Gran-sorb® Loose Sorbent | 30-lb. Bag | 65 | 4.0 gal. |

Loose CornCob

Great all-purpose sorbent soaks up a variety of fluids

- Takes in oils, coolants, solvents and water
- Made from all-natural coarse corncob
- Much lighter than clay



Lite-Zorb Loose Sorbent

Recycled paper waste absorbs five times as much as clay, without the dust

- Fast wicking, non-abrasive and non-toxic
- Great for efficient, fast leak and spill response



Lite-Zorb Loose Sorbent (for oils, coolants, solvents & water)

| Item # | Description | Size | Qty/Pallet | Absorbs/Pkg |
|--------|-------------------------|------------|------------|-------------|
| MR1020 | Lite-Zorb Loose Sorbent | 25-lb. Bag | 80 | 5.4 gal. |

SuperSorb® Loose Sorbent

Instantly soak up liquids to leave surfaces totally dry

- Concentrated formula absorbs 10 to 12 times more than clay



Fluidloc™ Sorbent

Solidify bodily fluids for safer, easier cleanup

- Sorbent for biohazards like blood, vomit and urine
- FL12 absorbs a whopping 780 gal./package



Fluidloc™ Sorbent (absorbs water-based liquids)

| Item # | Description | Size | Qty/Pallet | Absorbs/Pkg |
|--------|-------------------|----------------|------------|-------------|
| FL1 | Fluidloc™ Sorbent | 48-oz. Shaker | 720 | 65.0 gal. |
| FL12 | Fluidloc™ Sorbent | 48-oz. Shakers | 60 | 780.0 gal. |



Universal Specialty


WaterWick

Maintain peak performance and prevent engine failure with WaterWick sorbent in your fuel tank

- Helps preserve engine life and prevent frozen lines by removing water from fuel stores
- Minimizes filter-clogging rust and algae
- Pulls in water but repels gas and diesel fuel
- Tough nylon line for easy deployment and retrieval



Ballast forces the WaterWick to the bottom of your fuel tank and the highly absorbent filler pulls in water while repelling gas and diesel fuel.



WaterWick

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|-------------|------------------|-----------|-------------|
| WW10 | WaterWick | 1" Dia. x 9'L | 1 | 3 oz. |
| WW15 | WaterWick | 1.5" Dia. x 12'L | 1 | 8 oz. |
| WW20 | WaterWick | 2" Dia. x 12'L | 1 | 12 oz. |
| WW35 | WaterWick | 3.5" Dia. x 12'L | 1 | 36 oz. |

DEFENDER

Economic choice for quick, efficient response to spills of hazardous or unknown liquids

- Absorbs Acids, Bases and Unknown Liquids
- Color-Coded for Quick Identification
- Highly Absorbent



Fluid:

For acids,
bases &
unknown
liquids.



Application:

- Hazardous and Unknown Liquids
- Lab and Hospital Spills



Absorbency:



Durability:



Acid Neutralizing Loose Sorbent also available.
See page 45.




Features and Benefits

- Economical mat for aggressive chemical spills or unknown liquids
- 100% polypropylene mat is chemically compatible with most liquids
- Color-coded in cautionary yellow for quick identification
- Use for spill cleanup in university and research labs, hospitals, chemical or pharmaceutical plants and other facilities that use hazardous liquids
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally

DEFENDER Mat Construction

One layer of SpunBond fabric is ultrasonically bonded to one layer of MeltBlown sorbent.



DEFENDER Mat absorbs caustic, hazardous or unknown liquids quickly and efficiently, before they spread.



HazMat DEFENDER™ Mat

Yellow SonicBonded Mat Pads (for acids, bases & unknown liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|-------------------|-----------|-----------|-------------|
| YPB100H | HeavyWeight Pads | 15" x 19" | 100 | 29.1 gal. |
| YPB50H | HeavyWeight Pads | 15" x 19" | 50 | 14.6 gal. |
| YPB100M | MediumWeight Pads | 15" x 19" | 100 | 24.7 gal. |
| YPB50M | MediumWeight Pads | 15" x 19" | 50 | 12.4 gal. |
| YPB200S | LightWeight Pads | 15" x 19" | 200 | 31.1 gal. |
| YPB100S | LightWeight Pads | 15" x 19" | 100 | 15.5 gal. |

Yellow SonicBonded Mat Rolls (for acids, bases & unknown liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-------------------------|------------|-----------|-------------|
| YRB150H | HeavyWeight Roll | 30" x 150' | 1 | 55.2 gal. |
| YRSB150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 55.2 gal. |
| YRB150M | MediumWeight Roll | 30" x 150' | 1 | 46.1 gal. |

HYC

Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.31, and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

COMMANDER

Durable, quick and efficient response to spills of hazardous or unknown liquids

- Absorbs Acids, Bases and Unknown Liquids
- High Durability and Low Lint
- Color-Coded for Quick Identification


**Fluid:**

For acids,
bases &
unknown
liquids.

**Application:**

- Hazardous and Unknown Liquids
- Heavy Foot Traffic

**Absorbency:****Durability:**



**HazMat Socks, Pillows
and Booms also available.
See page 44.**

Features and Benefits

- 3-ply construction won't fall apart when responding to spill emergencies
- Used most often for aggressive liquid control in chemical or pharmaceutical plants
- Color-coded in cautionary yellow for quick identification
- 100% polypropylene mat is chemically compatible to most liquids
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Pads perforated at 7.5" up the center
- Rolls perforated every 7.5" vertically and cross-perforated at 17" horizontally



Ultrasonically bonded "dimples" on the COMMANDER Mat give it fast-wicking power.

HazMat COMMANDER™ Mat

Yellow SonicBonded Mat Pads (for acids, bases & unknown liquids)


| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|------------------|-----------|-----------|-------------|
| YPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. |
| YPF1014H | HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. |

Yellow SonicBonded Mat Rolls (for acids, bases & unknown liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|-------------------------|------------|-----------|-------------|
| YRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. |
| YRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. |

COMMANDER Mat Construction

Two layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.31, and 49 CFR 173.12 (b)(2)(iv). See page 99 for details.

HazMat Socks

Keep fluids from spreading to larger areas

- Contain and absorb hazardous or unknown spills
- Fits snugly around the bases of leaky drums and containers
- Color-coded cautionary yellow for fast identification



YS0410



HazMat Poly Blend Socks (for acids, bases & unknown liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|--------------|----------|-----------|-------------|
| YS0410 | HazMat Socks | 3" x 4' | 10 | 8.33 gal. |
| YS0430 | HazMat Socks | 3" x 4' | 30 | 25.0 gal. |
| YS0815 | HazMat Socks | 3" x 8' | 15 | 25.0 gal. |
| YS01210 | HazMat Socks | 3" x 12' | 10 | 25.0 gal. |

HazMat Sock/Net Booms

Contain and absorb large-volume spills

- Strong mesh outer sleeve encases a poly sock skin filled with a highly sorbent poly blend that won't shed
- Color-coded in hi-viz yellow for quick identification
- Durable, easy-to-use connectors link Sock/Net Booms together to create a containment system big enough to handle almost any size spill
- A nylon rope and sturdy hardware ensure durability and easy retrieval



HazMat Sock/Net Booms (for acids, bases & unknown liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------|--------------|----------|-----------|-------------|
| HZ510SN | HazMat Booms | 5" x 10' | 4 | 23.3 gal. |
| HZ810SN | HazMat Booms | 8" x 10' | 4 | 33.9 gal. |

HazMat Pillows


Easy to deploy, quick to absorb

- Able to hold over a gallon of liquid each
- Surface area and sizable amount of sorbent filler lets you attack large spills with speed and efficiency
- Pulls liquids from the floor like a sock, catches leaks like a pan and absorbs spills like a pad
- Color-coded in cautionary yellow for quick identification



HazMat Poly Blend Pillows (for acids, bases & unknown liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------|----------------|-----------|-----------|-------------|
| YPIL818 | HazMat Pillows | 8" x 18" | 20 | 26.8 gal. |
| YPIL1818 | HazMat Pillows | 18" x 18" | 10 | 29.1 gal. |



Acid Neutralizing Sorbent

Changes color when absorbed acids have been neutralized and are safe to clean up

- Visible color change signifies complete neutralization of acids
- Handy 32 oz. shaker makes it easy to transport and dispense sorbent
- Absorbs and solidifies liquids
- Environmentally friendly

NOTE: Not for use with hydrofluoric acid



HYC

Helps you comply with 29 CFR 1910.22(a)(2). See page 99 for details.

Acid Neutralizing Sorbent (for acids, bases & unknown liquids)

| Item # | Description | Size | Qty/Pkg | Absorbs/Pkg |
|--------|---------------------------|---------------|---------|-------------|
| ANS1 | Acid Neutralizing Sorbent | 32 oz. Shaker | 1 | .2 gal. |
| ANS12 | Acid Neutralizing Sorbent | 32 oz. Shaker | 12 | 2.4 gal. |
| ANS5 | Acid Neutralizing Sorbent | 5-gal. Pail | 1 | 2.5 gal. |

Universal Neutralizing Sorbent

Neutralizes, solidifies and indicates safe pH in one easy step

- Universal Neutralizing Sorbent (UNS) is the most efficient method to clean up battery acids and bases — even hydrofluoric acid (HF)!
- pH color indicator shows when a safe pH has been achieved
- Solidifiers totally encapsulate the liquids preventing further mitigation or reacting with other liquids
- Buffered formula prevents “overdosing” to another hazardous pH level
- Non-toxic to humans, animals, marine and plant life
- Amphoteric molecules power UNS to neutralize everything



Universal Neutralizing Sorbent (UNS)

| Item # | Description | Size | Absorbs/Pkg | Qty/Pkg |
|----------|--------------------------------|---------------|--------------|---------|
| NEW UNS1 | Universal Neutralizing Sorbent | 48 oz. Shaker | .75 gal. | 1 |
| NEW UNS4 | Universal Neutralizing Sorbent | 48 oz. Shaker | up to 3 gal. | 4 |





Sorbent Mat Wringer

Wringer reclaims up to 90% of absorbed fluid

- All-steel, rustproof frame is virtually indestructible
- Adjustable screws balance pressure over the length of the roller

Sorbent Mat Wringer

| Item # | Description | Size | Units/Pkg |
|-----------|---------------------|-------------|-----------|
| A-WRINGER | Sorbent Mat Wringer | 15"W x 12"H | 1 |



Pad Box

Slash shipping costs and protect your sorbents while in transit

- Cardboard Pad Box perfectly fits one bale of pads to both protect your sorbents and eliminate any shipping concerns
- Ships in broken-down format to your location for convenience and compact storage

Pad Box

| Item # | Description | Size | Units/Pkg |
|----------|-------------|-------------------------|-----------|
| A-PADBOX | Pad Box | 15.5"L x 19.25"W x 16"H | 1 |



Free-standing metal frame adjusts to accept a wide variety of rolls

Free-Standing RollRack

Dispense rolls the convenient way with this adjustable holder

- Folds for storage; locks open for easy moving
- Adjusts from 16", to save space, up to 33" to accommodate larger rolls

Free-Standing RollRack

| Item # | Description | Size | Units/Pkg |
|-------------|------------------------|----------------------|-----------|
| A-ROLLRACK2 | Free-Standing RollRack | For rolls up to 32"W | 1 |



Vertical RollRack

Move vertical mat rolls with ease

- Swivel-wheel casters allow free movement in any direction with no tipping
- Steel construction features a top handle for easy maneuvering
- Made for rolls up to 36 inches wide

Vertical RollRack

| Item # | Description | Size | Units/Pkg |
|-------------|-------------------|----------------------|-----------|
| NEW A-VRACK | Vertical RollRack | For rolls up to 36"W | 1 |



Spill Kits for Quick Response

The right products for quick response to any spill, anywhere

Spills happen no matter how hard you try to avoid them. Forklifts knock over drums, tanks are punctured and transporters leak and drip. A quick response is your best weapon in the fight against spills.

Whether you need to clean up a dangerous chemical spill or eliminate a slip-and-fall hazard, you'll be prepared with SpillTech Spill Kits. Over the next 17 pages, you'll find a wide range of Spill Kits and accessories to meet your needs. These quality SpillTech products will help you comply with the regulations below. If you don't see what you're looking for, page 58 explains how we can customize a kit to your exact specifications.

HYC

Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), *33 CFR 154.1047(c)(2), 40 CFR 263.30 (A), 40 CFR 263.31 and 49 CFR 173.3(c). See page 99 for details.

* Applies to Oil-Only Spill Kits only

See all spill kits on the next 10 pages.

See pages 82-96 for Complete Product SpecSheet. • 47



95-Gallon Recycled Spill Kit

Packed with sorbents made with 100% recycled filler

- 150 – 15" x 19" Pads
- 6 – 3" x 8' Socks
- 12 – 3" x 4' Socks
- 7 – 18" x 18" Pillows
- 4 – Yellow Disposal Bags & Ties
- 1 – Emergency Response GuideBook
- 1 – Spill Kit Label
- 3 – Tubs Plug & Dike
- 1 – Pair Goggles
- 2 – Pairs Nitrile Gloves
- 6 – Tamper-Proof Labels

Absorbs
up to
87.0
Gallons



SPKU-95-RC

95-Gallon Recycled Spill Kits

| Item # | Description | Refill Kit (contents only) |
|------------|---|----------------------------|
| SPKU-95-RC | 95-Gallon Recycled Kit/Universal | RSPKU-95-RC |
| SPKO-95-RC | 95-Gallon Recycled Kit/Oil-Only | RSPKO-95-RC |
| A950VER-RC | Empty 95-Gallon Recycled OverPack (see pg. 59) | n/a |

95-Gallon Spill Kit

Pre-packed in an X-rated DOT-approved 95-Gallon OverPack

- 150 – 15" x 19" Pads
- 12 – 3" x 4' Socks
- 2 – Pairs Nitrile Gloves
- 3 – Tubs Plug & Dike
- 4 – Yellow Disposal Bags & Ties
- 1 – Emergency Response GuideBook
- 6 – 3" x 8' Socks
- 7 – 18" x 18" Pillows
- 1 – Spill Kit Label
- 1 – Pair Goggles
- 6 – Tamper-Proof Labels

Absorbs
up to
84.0
Gallons



SPKU-95

95-Gallon Spill kits

| Item # | Description | Refill Kit (contents only) |
|----------|---------------------------------------|----------------------------|
| SPKU-95 | 95-Gallon Kit/Universal | RSPKU-95 |
| SPKO-95 | 95-Gallon Kit/Oil-Only | RSPKO-95 |
| SPKHZ-95 | 95-Gallon Kit/HazMat | RSPKHZ-95 |
| A950VER | Empty 95-Gallon OverPack (see pg. 59) | n/a |

95-Gallon Spill Kit with Wheels

X-rated DOT-approved 95-Gallon OverPack rolls to the spill

- 150 – 15" x 19" Pads
- 12 – 3" x 4' Socks
- 2 – Pairs Nitrile Gloves
- 3 – Tubs Plug & Dike
- 4 – Yellow Disposal Bags & Ties
- 1 – Emergency Response GuideBook
- 6 – 3" x 8' Socks
- 7 – 18" x 18" Pillows
- 1 – Spill Kit Label
- 1 – Pair Goggles
- 6 – Tamper-Proof Labels

Absorbs
up to
84.0
Gallons



SPKU-95-WD

95-Gallon Spill Kits with Wheels

| Item # | Description | Refill Kit (contents only) |
|-------------|--|----------------------------|
| SPKU-95-WD | 95-Gal. Kit/Universal w/Wheels | RSPKU-95 |
| SPKO-95-WD | 95-Gal. Kit/Oil-Only w/Wheels | RSPKO-95 |
| SPKHZ-95-WD | 95-Gal. Kit/HazMat w/Wheels | RSPKHZ-95 |
| A950VER-WD | Empty 95-Gal. OverPack w/ Wheels (see pg. 59) | n/a |

65-Gallon Spill Kit

Pre-packed in an X-rated DOT-approved 65-Gallon OverPack

- 40 – 15" x 19" Pads
- 6 – 3" x 8' Socks
- 10 – 3" x 4' Socks
- 6 – 18" x 18" Pillows
- 2 – Pairs Nitrile Gloves
- 3 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label
- 6 – Tamper-Proof Labels

Absorbs
up to
47.4
Gallons



SPKO-65

65-Gallon Spill Kits

| Item # | Description | Refill Kit (contents only) |
|----------|--------------------------------------|----------------------------|
| SPKU-65 | 65-Gallon Kit/Universal | RSPKU-65 |
| SPKO-65 | 65-Gallon Kit/Oil-Only | RSPKO-65 |
| SPKHZ-65 | 65-Gallon Kit/HazMat | RSPKHZ-65 |
| A65OVER | Empty 65-Gallon OverPack (see pg.59) | n/a |

55-Gallon Spill Kit

Pre-packed in an X-rated DOT-approved 55-Gallon OverPack

- 100 – 15" x 19" Pads
- 10 – 3" x 4' Socks
- 5 – 18" x 18" Pillows
- 2 – Pairs Nitrile Gloves
- 2 – Pairs Safety Goggles
- 1 – Emergency Guide Book
- 4 – Disposal Bags & Ties
- 6 – Tamper Proof Seals

Absorbs
up to
48.9
Gallons



SPKO-55

55-Gallon Spill Kits

| Item # | Description | Refill Kit (contents only) |
|----------|--|----------------------------|
| SPKU-55 | 55-Gallon Kit/Universal | RSPKU-55 |
| SPKO-55 | 55-Gallon Kit/Oil-Only | RSPKO-55 |
| SPKHZ-55 | 55-Gallon Kit/HazMat | RSPKHZ-55 |
| A55DRUM | Empty 55-Gallon Open-Head Poly Drum w/Ring (see pg. 59 & 60) | n/a |

50-Gallon Spill Kit

X-rated DOT-approved 50-Gallon OverPack with wheels

- 100 – 15" x 19" Pads
- 6 – 3" x 4' Socks
- 4 – 18" x 18" Pillows
- 2 – Pairs Nitrile Gloves
- 5 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Emergency Response GuideBook
- 1 – 7" Epoxy Putty Stick
- 1 – 6" Light Stick
- 1 – Spill Kit Label
- 6 – Tamper-Proof Labels

Absorbs
up to
45.7
Gallons



SPKHZ-50-WD

50-Gallon Spill Kits with Wheels

| Item # | Description | Refill Kit (contents only) |
|-------------|--|----------------------------|
| SPKU-50-WD | 50-Gal. Kit/Universal w/wheels | RSPKU-50 |
| SPKO-50-WD | 50-Gal. Kit/Oil-Only w/wheels | RSPKO-50 |
| SPKHZ-50-WD | 50-Gal. Kit/HazMat w/wheels | RSPKHZ-50 |
| A500VER-WD | Empty 50-Gal. OverPack w/wheels (see pg. 59) | n/a |



SPKO-CART5



Spill Cart Kit

Easy-to-locate container rolls quickly to a spill site

Universal

- 160 – 15" x 19" Pads
- 10 – 3" x 8' Socks
- 4 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label

Absorbs up to 88.2 gallons

- 30 – 3" x 4' Socks
- 112 – Wipers
- 1 – Pair Nitrile Gloves
- 1 – Emergency Response GuideBook
- 6 – Tamper Proof Labels

Oil-Only

- 100 – 15" x 19" Pads
- 2 – 8" x 20' Sock/Net Booms
- 2 – 6" x 16" x 21" Net Pillows
- 1 – Pair Nitrile Gloves
- 1 – Emergency Response GuideBook
- 6 – Tamper Proof Labels

Absorbs up to 109.9 gallons

- 4 – 5" x 10' Socks
- 4 – 8" x 18" Pillows
- 4 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label

HazMat

- 100 – 15" x 19" Pads
- 3 – 3" x 8' Socks
- 7 – 18" x 18" Pillows
- 1 – Pair Nitrile Gloves
- 1 – Emergency Response GuideBook
- 6 – Tamper Proof Labels
- 15 – 3" x 4' Socks

Absorbs up to 82 gallons

Spill Cart Kits

| Item # | Description | Refill Kit (contents only) |
|---------------|--|----------------------------|
| SPKU-CART5 | Spill Cart Kit/Universal w/ 5" Wheels | RSPKU-CART |
| SPKU-CART8 | Spill Cart Kit/Universal w/ 8" Wheels | RSPKU-CART |
| SPKO-CART5 | Spill Cart Kit/Oil-Only w/ 5" Wheels | RSPKO-CART |
| SPKO-CART8 | Spill Cart Kit/Oil-Only w/ 8" Wheels | RSPKO-CART |
| SPKHZ-CART5 | Spill Cart Kit/HazMat w/ 5" Wheels | RSPKHZ-CART |
| SPKHZ-CART8 | Spill Cart Kit/HazMat w/ 8" Wheels | RSPKHZ-CART |
| A-UTILITYBOX5 | Empty Utility Box w/ 5" Wheels (pg.59) | n/a |
| A-UTILITYBOX8 | Empty Utility Box w/ 8" Wheels (pg.59) | n/a |



Packed with absorbents to handle large spills.

30-Gallon Spill Kit

Pre-packed in an X-rated DOT-approved 30-Gallon OverPack

- 25 – 15" x 19" Pads
- 4 – 3" x 4' Socks
- 4 – 18" x 18" Pillows
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 5 – Yellow Disposal Bags & Ties
- 6 – Tamper-Proof Labels
- 1 – Spill Kit Label
- 1 – Emergency Guidebook

30-Gallon Spill Kit

| Item # | Description | Refill Kit (contents only) |
|----------|---------------------------------------|----------------------------|
| SPKU-30 | 30-Gallon Kit/Universal | n/a |
| SPKO-30 | 30-Gallon Kit/Oil-Only | n/a |
| SPKHZ-30 | 30-Gallon Kit/HazMat | n/a |
| A300VER | Empty 30-Gallon OverPack (see pg. 59) | n/a |



Absorbs
up to
25.6
Gallons

20-Gallon Spill Kit

Pre-packed in an X-rated DOT-approved 20-Gallon OverPack

- 25 – 15" x 19" Pads
- 4 – 3" x 4' Socks
- 2 – 18" x 18" Pillows
- 1 – Pair Nitrile Gloves
- 4 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label
- 6 – Tamper-Proof Labels

20-Gallon Spill Kits

| Item # | Description | Refill Kit (contents only) |
|----------|---------------------------------------|----------------------------|
| SPKU-20 | 20-Gallon Kit/Universal | RSPKU-20 |
| SPKO-20 | 20-Gallon Kit/Oil-Only | RSPKO-20 |
| SPKHZ-20 | 20-Gallon Kit/HazMat | RSPKHZ-20 |
| A200VER | Empty 20-Gallon OverPack (see pg. 59) | n/a |



Absorbs
up to
16.4
Gallons

Spill Kaddie Kit

Interior shelves and compartments keep supplies organized

- 100 – 10" x 14" Pads
- 6 – 3" x 4' Socks
- 4 – 8" x 18" Pillows
- 2 – Pairs Nitrile Gloves
- 5 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Emergency Response GuideBook
- 1 – 7" Epoxy Putty Stick
- 1 – 6" Light Stick
- 1 – Spill Kit Label

Spill Kaddie Kits

| Item # | Description | Refill Kit (contents only) |
|------------|---------------------------------|----------------------------|
| SPKU-KAD2 | Spill Kaddie Kit/Universal | RSPKU-KAD |
| SPKO-KAD2 | Spill Kaddie Kit/Oil-Only | RSPKO-KAD |
| SPKHZ-KAD2 | Spill Kaddie Kit/HazMat | RSPKHZ-KAD |
| A-KADDIE | Empty Spill Kaddie (see pg. 59) | n/a |

Absorbs
up to
28.5
Gallons



SPKHZ-KAD2

DUFFLE BAG SPILL KITS

Packed for on-the-go spill response



Store everything you need for
on-the-go spill response
conveniently in your vehicle.

SPKU-BLK-BG

Duffle Bag Spill Kits

Ideal for use in fleet vehicles

- 60 – 15" x 19" Pads
- 8 – 3" x 4' Socks
- 2 – 18" x 18" Pillows
- 2 – Epoxy Putty Stick
- 2 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 4 – Yellow Disposal Bags & Ties
- 1 – Emergency Guidebook

Duffle Bag Spill Kits

| Item # | Description | Refill Kit (contents only) |
|---------------|---|----------------------------|
| NEW SPKU-DUFF | Duffle Bag/Universal | n/a |
| NEW SPKO-DUFF | Duffle Bag/Oil-Only | n/a |
| NEW A-DUFFLE | Empty Yellow Duffle Bag (see pg. 59) | n/a |

SPKU-DUFF



NEW

Absorbs
up to
31.1
Gallons

Compact nylon duffle bag in highly visible yellow color

Camo Bag Spill Kits

Large soft-sided duffle bag offers grab-and-go convenience

- 15 – 10" x 14" Pads
- 2 – 3" x 4' Socks
- 2 – 18" x 18" Pillows
- 1 – Epoxy Putty Stick
- 1 – Glow Light Stick
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 2 – Yellow Disposal Bags & Ties

Camo Bag Spill Kits

| Item # | Description | Refill Kit (contents only) |
|------------------|-----------------------------|----------------------------|
| NEW SPKU-CAMO-BG | Camo Bag/Universal | n/a |
| NEW SPKO-CAMO-BG | Camo Bag/Oil-Only | n/a |
| NEW A-CAMOBAG | Empty Camo Bag (see pg. 59) | n/a |

Absorbs
up to
9.6
Gallons



NEW

SPKU-CAMO-BG

Compact duffle bag with camouflage pattern

Black Bag Spill Kits

Store sorbents for easy access during a spill emergency

- 15 – 10" x 14" Pads
- 2 – 3" x 4' Socks
- 2 – 18" x 18" Pillows
- 1 – Epoxy Putty Stick
- 1 – Glow Light Stick
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 2 – Yellow Disposal Bags & Ties

Black Bag Spill Kits

| Item # | Description | Refill Kit (contents only) |
|-----------------|------------------------------|----------------------------|
| NEW SPKU-BLK-BG | Black Bag/Universal | n/a |
| NEW SPKO-BLK-BG | Black Bag/Oil-Only | n/a |
| NEW A-BLACKBAG | Empty Black Bag (see pg. 59) | n/a |


Absorbs
up to
9.6
Gallons



NEW

SPKU-BLK-BG

Compact polyester duffle bag in grime-hiding black color



SPKU-TOTE

Tote Spill Kits

Compact design keeps you prepared for fast response

- Durable, water-resistant vinyl bag with zipper keeps contents clean and dry
- Packed with a variety of quality SpillTech® sorbents
- Bright green kit stands out, even in low light conditions
- Compact design is perfect for use in trucks or other equipment
- 20 – 15" x 19" Pads
- 2 – 3" x 4' Socks
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 2 – Yellow Disposal Bags & Ties



Absorbs
up to
8.09
Gallons

SPKO-TOTE



Absorbs
up to
8.09
Gallons

SPKHZ-TOTE

Tote Spill Kits

| Item # | Description | Refill Kit (contents only) |
|----------------|--------------------------|----------------------------|
| NEW SPKU-TOTE | Universal Tote Spill Kit | n/a |
| NEW SPKO-TOTE | Oil-Only Tote Spill Kit | n/a |
| NEW SPKHZ-TOTE | HazMat Tote Spill Kit | n/a |
| NEW A-GTOTE | Empty Tote Bag (green) | n/a |

5-Gallon Spill Kit

Be prepared for fast response with a variety of sorbents

- 10 – 15" x 19" Pads
- 2 – Yellow Disposal Bag & Tie
- 1 – Pair Safety Goggles
- 1 – Vinyl Spill Kit Label
- 1 – White 5-Gallon OverPack (1H2/Y1.5/30)
- 6 – Tamper Proof Seals
- 2 – 3" x 4' Socks
- 1 – Pair Nitrile Gloves



SPKU-5

Absorbs
up to
4.6
Gallons

5-Gallon Spill Kits

| Item # | Description | Refill Kit (contents only) |
|---------|---------------------------------|----------------------------|
| SPKU-5 | 5-Gallon Kit/Universal | n/a |
| SPKO-5 | 5-Gallon Kit/Oil-Only | n/a |
| SPKHZ-5 | 5-Gallon Kit/HazMat | n/a |
| A50VER | Empty 5-Gallon Pail (see pg.59) | n/a |

Fleet Kit

Handle small spills on the road — perfect for fleet vehicles

- 50 – 10" x 14" Pads
- 1 – 1 lb. Plug & Dike Epoxy Putty
- 2 – Yellow Disposal Bags & Ties
- 2 – Pairs Nitrile Gloves
- 1 – Yellow Nylon "Spill Responder" Zippered Tote Bag
- 2 – 3" x 4' Socks
- 9 – Assorted Wooden Plugs
- 1 – Safety Goggles



Fleet Kit

| Item # | Description | Refill Kit (contents only) |
|-------------|------------------------------------|----------------------------|
| SPKU-FLEET | Fleet Kit/Universal | n/a |
| SPKO-FLEET | Fleet Kit/Oil-Only | n/a |
| SPKHZ-FLEET | Fleet Kit/HazMat | n/a |
| A-YTOTE | Empty Tote Bag (yellow; see pg.59) | n/a |

Fluidloc Kit

Solidify bodily fluids for safer, easier cleanup

- 1 – Pair Nitrile Gloves
- 1 – Pair Shoe Covers
- 1 – Disposable Apron
- 1 – Encapsulating Fluidloc
- 1 – Surface Disinfecting Wipe
- 1 – Scraper/Scoop Cleanup Tool
- 1 – Biohazard Disposal Bag
- 1 – Antibacterial Wipe
- 1 – Face Shield
- 1 – Mask



Fluidloc™ Kit (for water-based liquids)

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|--------|---------------|---------------|-----------|-------------|
| FLKIT | Fluidloc™ Kit | 36-oz. Shaker | 12 | 48. gal. |

Trucker Spill Kit

Tackle smaller spills that truckers encounter on a regular basis

- 20 – 15" x 19" Pads
- 1 – Yellow Disposal Bag & Tie
- 1 – Safety Goggles
- 1 – Clear Vinyl Zippered Bag
- 3 – 3" x 4' Socks
- 1 – Pair Nitrile Gloves
- 1 – Vinyl Spill Kit Label



Trucker Spill Kit

| Item # | Description | Refill Kit (contents only) |
|-----------|-----------------------|----------------------------|
| SPKU-TRK | Trucker Kit/Universal | n/a |
| SPKO-TRK | Trucker Kit/Oil-Only | n/a |
| SPKHZ-TRK | Trucker Kit/HazMat | n/a |

Personal Protection Kit



Keep safe at the site of the spill using this convenient grab-and-go Personal Protection Kit

- 3 – Tyvek Coveralls
- 3 – Pairs Latex Boots
- 3 – Pairs Nitrile Gloves
- 3 – Goggles
- 3 – Disposal Bags & Ties
- 1 – Emergency GuideBook
- 1 – Yellow Zip Closure Bag



Personal Protection Spill Kit

| Item # | Description | Refill Kit (contents only) |
|-------------|-------------------------------|----------------------------|
| NEW PPE-KIT | Personal Protection Spill Kit | n/a |

Mercury Kit

Clean up hazardous mercury spills and suppress harmful vapors with this specialized Mercury Spill Kit

- 1 – Mercury Absorbent Powder
- 1 – Mercury Cleanup Wipers
- 4 – Disposal Bags
- 1 – Goggles
- 1 – Dustpan & Hand Broom
- 1 – 18 mil. Latex Gloves

Absorbs up to
35.3
Gallons



Mercury Kit

| Item # | Description | Refill Kit (contents only) |
|-----------|-------------------|----------------------------|
| MERC-KIT2 | Mercury Spill Kit | n/a |

Wall Cabinet Spill Kit



Store spill supplies where you need them

Universal Spill Kit includes a variety of sorbents to handle spills of oils, coolants, solvents or water. Pre-packed in a wall-mountable steel cabinet.

- 75 – 10" x 14" Pads
- 2 – 3" x 4' Socks
- 10 – 10" x 10" Pillows
- 56 – 14.4" x 12.5" Wipers
- 4 – Disposal Bags & Ties
- 1 – Yellow Steel Wall Mounted Cabinet with two adjustable shelves

Universal Wall Mount Cabinet Spill Kit

| Item # | Description | Refill Kit (contents only) |
|---------------|----------------------------------|----------------------------|
| NEW SPKU-WCAB | Universal Wall Cabinet Spill Kit | RSPKU-WCAB |
| NEW A-WCAB | Empty Wall Mount Cabinet | n/a |

Battery Acid Kit

Get everything you need to handle a battery acid spill in this pre-packed, X-rated DOT-approved 20-Gallon OverPack

- 40 – 15" x 19" Pads
- 3 – 3" x 4' Socks
- 3 – 18" x 18" Pillows
- 2 – 2-lb. shaker Acid Neutralizing Sorbent Powder
- 2 – Disposal Bags & Ties
- 1 – Pair Neoprene Gloves
- 1 – Safety Goggles
- 1 – Vinyl Spill Kit Label
- 1 – Yellow 20-Gallon OverPack (1H2/X75/S)
- 6 – TamperProof Seals

SPKHZ-BATT



Battery Acid Kit

| Item # | Description | Refill Kit (contents only) |
|------------|--------------------------------------|----------------------------|
| SPKHZ-BATT | HazMat Battery Acid Spill Kit | RSPKHZ-BATT |
| A200VER | Empty 20-Gallon OverPack (see pg.59) | n/a |



Drum Repair Kit

Repair punctures, cracks, gashes or surface rot

- Covers cracks, hairline cracks and small holes in any type of low-pressure vessel
- Kit features screw and "T" patches, ball and taper surface plugs, epoxy putty, lead wool, barrier tape, wood plugs and all tools and hardware

Drum Repair Kit

| Item # | Description | Units/Pkg |
|--------|-----------------------------|-----------|
| R-DRUM | Drum Repair Kit (35 pieces) | 1 |

[†] These Items drop ship from vendor

Pipe Repair Kit

Keep this kit on standby to control leaks in large pipes

- Contains a complete set of external pipe bandages as well as extra hard and soft neoprene rubber external pipe bandages for help where you may need it
- Typical applications include water pipes, gas lines, air lines, fuel transfer pipes, chemical transfer lines and sewer pipes
- Kit includes all necessary tools and a carrying case for easy handling and usage
- Unlimited uses in municipal departments, chemical plants, manufacturing facilities, hospitals, oil fields, water and sewer treatment plants and anywhere a pipe or line is used
- Covers pipe sizes from 5" – 8"



R-PIPE-L



R-PIPE-S

Leak Control Kit

Punctures are nothing to our most advanced Leak Control Kit

- Quick-application "T" patch and proven ladder patch design tackle the average forklift-caused puncture
- Contains various plugs and patches for smaller holes and all necessary tools and hardware for effective leak control

Leak Control Kit

| Item # | Description | Units/Pkg |
|--------|------------------------------|-----------|
| R-LEAK | Leak Control Kit (44 pieces) | 1 |

[†] These Items drop ship from vendor



Just wrap bandage around pipe and tighten the clamp.

Pipe Repair Kit

| Item # | Description | Size | Units/Pkg |
|----------|-----------------|---------------------|-----------|
| R-PIPE-L | Pipe Repair Kit | For 5" to 8" pipes | 1 |
| R-PIPE-S | Pipe Repair Kit | For .5" to 4" pipes | 1 |

[†] These Items drop ship from vendor

Build a Custom Spill Kit with Just What You Need!

Get the perfect Spill Kit for your application

If you can't find exactly what you need in our selection of pre-packed kits, we'll be glad to build one to your specifications. Answer five simple questions (at right) to help choose the type and quantity of sorbents you require, the accessories to make the response safer and the container that will work best. There's no extra charge for this service, so it's an easy way to customize your spill response plan and stock only the sorbents and PPE you really need. After you've made your list, just contact your local Distributor and we'll do the rest!



1. How much do you need to absorb?

What is your worst-case scenario? You'll need enough sorbents to clean up the maximum amount, whether it's one gallon or one hundred.



2. What liquid are you absorbing?

For multiple everyday liquids, use Universal. To soak up oil and repel water, choose Oil-Only. To alert workers to a dangerous spill, use HazMat.



3. What type of spills do you deal with?

Slops and spills use pads for quick wiping and cleanup. Drum/tank leaks need more socks for diking and Plug & Dike epoxy to stop the flow. Large-volume spills require booms for containment and pillows for more sorbency.



4. What type of PPE and accessories will you need?

Most spills call for boots, gloves and goggles. Will you need coveralls? How much chemical protection do you need? How often will you have to replace disposable items?



5. What type of container will you need?

For removing saturated sorbents, use a UN-rated Overpack/Salvage Drum. Stationary Kits can go in a flat-bottom Overpack. Movable kits require a kaddie or wheeled overpack.



A-KADDIE

A-YTOTE



A95OVER-WD



OverPack Salvage Drums

DOT-approved for salvage, ship with confidence

All OverPacks are DOT-approved and X-rated for use as salvage drums. They help companies conform to federal regulations when shipping damaged or leaking containers of hazardous materials, or absorbents contaminated with hazardous substances.

OverPacks are sturdy and chemical resistant for years of use. Integrated forklift ledges and handles (on containers with wheels) make them easy to lift, move or carry. Avoid the extra expense of a dolly when you buy a wheeled OverPack, which provides you with great versatility in a single integrated product.



Spill Cart

Roll your sorbents right to a spill in this heavy-duty cart

- Fits easily through doorways and aisles and can also be moved with a forklift
- UV-inhibited polyethylene can be used outdoors and is durable to withstand rough handling



Tote Bag

Fill this sturdy nylon Tote Bag with sorbents for on-the-go spill security

- Small soft-sided duffle bag offers grab-and-go convenience and is ideal for use in fleet vehicles



Spill Kaddie

For quick response through narrow aisles and doorways

- Wheels accelerate transport while interior shelves and easy-view compartments keep supplies at-hand and organized


HYC

Helps you comply with 49 CFR 173.3(c), 49 CFR 173.12(b) and 49 CFR 173.12(b)(2)(iv). See page 99 for details.

OverPacks & Containers

| Item # | Description | Size |
|----------------|---|--------------------------|
| A-KADDIE | Empty Spill Kaddie | 40"H x 20"W x 20"D |
| A-UTILITYBOX5 | Utility Box w/ 5" Wheels | 38"H x 48"W x 31"D |
| A-UTILITYBOX8 | Utility Box w/ 8" Wheels | 48"H x 48"W x 31"D |
| A95OVER | Empty 95-Gal. OverPack | 32" Dia., 41.5"H |
| A95OVER-RC | Empty 95-Gallon Recycled OverPack | 32" Dia., 41.5"H |
| A95OVER-WD | Empty 95-Gallon OverPack w/ Wheels | 32" Dia., 47.5"H |
| A65OVER | Empty 65-Gal. OverPack | 28.25" Dia., 37.5"H |
| A55DRUM | Empty 55-Gal. Open-Head Poly Drum w/ Ring | 24" Dia., 40"H |
| A50OVER-WD | Empty 50-Gal. OverPack w/ Wheels | 24.5" Dia., 45.5"H |
| A30OVER | Empty 30-Gal. OverPack | 23" Dia., 30.75"H |
| A20OVER | Empty 20-Gal. OverPack | 22" Dia., 18"H |
| A5OVER | Empty 5-Gal. Pail w/ Screw-Top Lid | 12" Dia., 16.75"H |
| A-GTOTE | Empty Tote Bag | 20"L x 15"W x 4"D |
| A-YTOTE | Empty Tote Bag | 20"L x 17"W x 8"D |
| NEW A-DUFFLE | Empty Yellow Duffle Bag | 40)L x 12"W x 12"H |
| NEW A-BLACKBAG | Empty Black Bag | 18)L x 11"W x 11"H |
| NEW A-CAMOBAG | Empty Camo Bag | 18)L x 11"W x 11"H |
| NEW A-WCAB | Empty Wall Mount Cabinet | 12.75)L x 13.75"W x 30"H |

Economy OverPack Drums

Stock an Economy OverPack with sorbents for emergency spill response, or use it to ship containers

You'll find dozens of uses for this affordable OverPack container around your workplace. Fill it with your own supply of SpillTech sorbents and position it as a spill kit. The screw-top closure lets you use it for safe storage, handling and transportation of non-leaking hazardous materials. Keep one on-hand for biowaste disposal and incineration. You can even use it as an original shipping container.

- Blow-molded HDPE construction resists extreme weather conditions and most chemicals
- 100% recyclable and completely incinerable
- United Nations (UN) Certified to HM-181; approved for use with Packing Groups I, II and III
- UV Protection Package; UL 94HB Flammability Rating; FDA 21 CFR 177.1520 Food Grade Quality
- Operating temperature range -30° F to 130° F
- Stack-tested three high at maximum weight capacity (24 hrs.); drop-tested at max weight at 0° F (48 hrs.)
- Nestable for convenient storage



Economy OverPacks

| Item # | Description | Size |
|---------|---|--------------------|
| A55DRUM | 55 Gallon Economy Open Head Poly Drum w/ Ring | 24" Dia. x 40"H |
| ECON65 | 65 Gallon Economy OverPack | 31" Dia. x 33.75"H |
| ECON95 | 95 Gallon Economy OverPack | 31" Dia. x 41.25"H |

OverPacks vs. Salvage Drums

What's the difference?

An **OverPack** is an outer packaging that holds and protects one or more intact, undamaged smaller containers of hazardous materials.

A **Salvage Drum** is a metal or plastic open-head drum, tested to DOT requirements, used to transport damaged, defective, leaking or non-conforming hazardous materials packages, or hazardous materials that have spilled or leaked.



Tyvek Coversalls

- Keep out dust, particulates and moisture with these lightweight, durable coveralls
- Ideal for working around gasoline, electrical equipment, chemicals, paint, printing presses and even nuclear contaminants
- Effectively block asbestos, lead, radioactive dust and more
- Flexible and strong in wet or dry environments and in temperatures up to 100°F



A-TYVEK



A-APRON-WH

Endurosaf Apron

- Get light protection from chemicals, oils and abrasion
- Composite fabric is better than neoprene, nitrile, or vinyl for use around food, chemicals and sensitive equipment
- Lightweight, 8-oz. construction offers all-day comfort
- Liquid-repellent finish makes cleaning simple

Dust Mask

- Economical and disposable
- Great for nuisance dusts such as animal dander, pollen or powders at exposures below OSHA limits



A-MASK



A-GOG

Safety Goggles

- Lightweight, comfortable design
- ANSI-compliant for impact protection
- Frame made from sturdy PVC plastic

Latex Boots

- Wear over work boots or shoes in spill response or around hazardous and toxic waste
- Disposable 0.70 mm gauge yellow latex rubber
- Easy on/off; non-skid sole



A-LATEXBOOTS

Spill Kit Accessory Items

| Item # | Description | Size | Units/Pkg |
|--------------|-----------------------------|-------------------|-----------|
| A-TYVEK-M | Coveralls | M | 1 |
| A-TYVEK-L | Coveralls | L | 1 |
| A-TYVEK-XL | Coveralls | XL | 1 |
| A-APRON-WH | Apron - Enduro 2000™ Fabric | One Size Fits All | 1 |
| A-MASK | Dust Mask | One Size Fits All | 1 |
| A-GOG | Safety Goggles | One Size Fits All | 1 |
| A-LATEXBOOTS | Latex Boots | XL | 1 |

Neoprene Gloves

- Fully-coated Neoprene Gloves won't fail when exposed to chemicals — even when completely submerged



Nitrile Gloves

- More chemical resistant than rubber gloves, with better puncture and abrasion resistance than PVC gloves

Epoxy Putty

- Versatile putty adheres to steel, glass, metals, masonry, wood and many plastics; sets in 20 minutes



A-EPOXY

Plug & Dike Epoxy



A-PND

- Non-toxic, non-flammable epoxy blend forms an immediate seal when applied
- Works with solvents, paints and water-based chemicals

Wooden Plugs

- Cover with a sorbent pad to plug a leak
- Wood and pad expand together to fill holes

A-WOODPLUGS



Acid Neutralizing Sorbent

- Sorbent's visible color change tells you when absorbed acids have been neutralized and are safe to clean up

SuperSorbent Loose Sorbent



- Instantly soak up liquids to leave surfaces completely dry and reduce slip and fall injuries
- Super-concentrated formula absorbs 10 to 12 times more than clay
- 300% increased absorption capacity reduces cleanup time

Spill Kit Accessory Items

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|----------------|----------------------------|-------------------------|-----------|-------------|
| A-GLV-NEO | Gloves - Neoprene | L | 1 | n/a |
| A-GLV-NIT | Gloves - Nitrile | One Size Fits All | 1 | n/a |
| A-GLV-NIT-CS | Gloves - Nitrile | One Size Fits All | 144 | n/a |
| A-EPOXY | Epoxy Putty | 7" Stick | 1 | n/a |
| A-EPOXY-CS | Epoxy Putty | 7" Stick | 24 | n/a |
| A-PND | Plug & Dike Epoxy | 3.5" Dia., 2.5"H, 1 lb. | 1 | n/a |
| A-WOODPLUGS-SM | Wooden Plugs Small | Assorted .5" to .75" | 9 | n/a |
| A-WOODPLUGS-LG | Wooden Plugs Large | Assorted .5" to 1.75" | 9 | n/a |
| ANS1 | Acid Neutralizing Sorbent | 32 oz. Shaker | 1 | .2 gal. |
| SS1 | SuperSorbent Loose Sorbent | 28-oz. Shaker | 1 | .6 gal. |

COMMANDER Mat



WPF1014H

Repel water and absorb oily spills or overspray quickly

- Naturally water-resistant, absorbs high volumes of oil — but not water — fast
- Low-profile sorbent can be used wherever you need to catch oil leaks, spills or overspray

Wipers

Handle routine industrial cleaning with ease

- General-purpose quarterfold Wiper provides cloth-like softness and excellent liquid absorption that's ideal for most tasks



A-WIPER



OverPack Cover

Protect spill response supplies indoors and out

- Blocks water, dust and debris, as well as damaging UV light

A-COVER-LG

Wall-Mount Bracket

Save floor space and reduce response time

- Made for 20- and 30-Gallon OverPack Spill Kits




A-BRACKET

Light Stick

Just bend a Light Stick to activate hours of illumination for spill response in dark areas

- Requires no batteries or electricity and contains no toxic chemicals



A-LIGHTSTICKS

pH Tester Kit

Get instant pH checks over the entire range with general-purpose pH paper

- Changes to 14 brilliant, distinct colors on one paper to cover the full pH range
- Kit includes color chart, dispenser and polyethylene case




A-PHTEST

Spill Kit Accessory Items

| Item # | Description | Size | Units/Pkg | Absorbs/Pkg |
|---------------|---------------------------------------|-----------------------------|-----------|-------------|
| WPF1014H | COMMANDER™/Oil-Only HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. |
| GPF1014H | COMMANDER™/Universal HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. |
| YPF1014H | COMMANDER™/HazMat HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. |
| A-WIPER | WypAll L40 Wipers | 13" x 12.5" | 56 | n/a |
| A-COVER-SM | OverPack Cover | for 20- & 30-gal. OverPacks | 1 | n/a |
| A-COVER-LG | OverPack Cover | for 65- & 95-gal. OverPacks | 1 | n/a |
| A-BRACKET | Wall-Mount Bracket | 21.75" L x 12.5" W x 6" H | 1 | n/a |
| A-PHTEST | pH Tester Kit | 50'L Tape | 1 | n/a |
| A-LIGHTSTICKS | Light Stick | 6"L | 1 | n/a |

Emergency Response GuideBook



A-EGB

Identify hazards in all types of accidents or spills

- A great source of information for responding quickly to spills of all types
- Color-coded and indexed so it's easy to find information
- Updated every four years



Temporary Disposal Bag

Ideal for 55-gallon drums

- Printed with "Caution Handle with Care"
- 3-mil thick to resist punctures
- Also available in roll of 125 bags (A-DISPBAG-ROLL)

A-DISPBAG

Tamper-Proof Seal

Discourage tampering and remember to restock using adhesive labels

- If workers open a sealed kit, this label breaks, alerting you that the kit has been opened and may no longer contain a full supply of absorbents



A-SEAL

Hazard Labels Set

Mark your hazardous materials with durable adhesive labels

- Labels read: "Flammable Liquid," "Flammable Solid," "Corrosive," "Oxidize" and "Hazardous Waste"
- Labels are 4"x4", "Hazardous Waste" is 6"x6"; set includes one of each label



A-LABELS



Spill Station Sign

Identify spill kit locations so they can be found easily in the event of an emergency

- Vinyl construction with adhesive backing sticks to smooth, curved and irregular surfaces

A-SIGN



Non-Sparking Shovel

Prevent sparking with anti-static shovel

- Collapsible Non-Sparking Shovel is specifically designed for spill kits and industrial cleanup applications
- Constructed of rugged polypropylene for chemical resistance; will not rust or corrode

A-SHOVNS




Spill Kit Accessory Items

| Item # | Description | Size | Units/Pkg |
|----------------|------------------------------|---|-----------|
| A-EGB | Emergency Response GuideBook | 384 Pages 4"W x 5.5"H | 1 |
| A-SEAL | TamperProof Seals | 2"W x 6"L | 6 |
| A-SIGN | Spill Control Station Sign | 7"H x 10"W | 1 |
| A-LABELS | Hazardous Labels | Assorted | 5 |
| A-DISPBAG | Temporary Disposal Bag | 30"L x 6"D x 60"H | 1 |
| A-DISPBAG-ROLL | Temporary Disposal Bags | 30"L x 6"D x 60"H | 125 |
| A-SHOVNS | Non-Sparking Shovel | Blade: 10.5"W x 14"H Overall: 43.5"H | 1 |

SpillBerm Plus Containment Barrier

Non-absorbent polyurethane deploys fast to prevent spills and leaks from spreading or contaminating drains

- Sturdy, flexible 100% polyurethane barrier stands up to oils, coolants, solvents and water
- Tacky bottom grips smooth surfaces and keeps liquids from seeping underneath
- Built-in dovetail connectors create a leakproof seal and let you combine lengths of SpillBerm to fit any area — without extra parts



The 4.5" height is great for containing deeper pools of liquid. Once a spill is under control, cleanup or reclamation is simple.

HYC

Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 99 for details.

SpillBerm Plus Containment Barrier

| Item # | Description | Size | Units/Pkg |
|--------|----------------|-------------------|-----------|
| PBL253 | SpillBerm Plus | 5'L x 4"W x 4.5"H | 1 |

SpillCurb Containment Berm

Divert or contain liquids without absorbing them using a customizable polyurethane SpillCurb Containment Berm

- Sturdy, flexible 100% polyurethane berm stands up to oils, coolants, solvents and water
- Combine 10' lengths of SpillCurb with Corners and Connectors to fit any area
- Tacky bottom grips smooth surfaces
- Store near spill-prone areas since it's quick and easy to deploy
- Cleans easily with soap and water for reuse



HYC

Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 99 for details.

SpillCurb Containment Berm

| Item # | Description | Size | Units/Pkg |
|--------|---------------------|------------------------|-----------|
| MR8014 | SpillCurb | 10'L x 3.75"W x 2.25"H | 1 |
| MR8018 | SpillCurb Corner | 4"L x 3.75"W x 2.25"H | 1 |
| MR8019 | SpillCurb Connector | 4"L x 2.25"H | 1 |

Connectable Spill Berm

A tacky bottom helps create a tight seal to confine leaks around machines or guard drains

- Easily bends to fit any angle or curve
- Quick-connect interlocking ends "snap" individual sections together to create longer lengths, so you can contain almost any spill
- Flexible 100% polyurethane elastomer is non-absorbent and resistant to a wide variety of chemicals and fluids
- Just clean it with soap and water, then it's ready to reuse

HYC

Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 99 for details.


Connectable Spill Berm

| Item # | Description | Size | Units/Pkg |
|--------|------------------------|-------------------------|-----------|
| SPB10C | Connectable Spill Berm | 10'L x 2.25"W x 1.375"H | 1 |



BUILD YOUR OWN BERM

Build your own custom-sized barrier around equipment, indoors or out





Features and Benefits

- Semi-permanent, highly visible berm that's customizable to your desired size and shape
- Vinyl-covered foam barrier resists oils, coolants and most chemicals
- Contains liquids around leaky machinery or storage areas
- Easy to cut with utility knife
- Recovers its shape under foot traffic or light, wheeled equipment
- **BYOB-KIT** includes four straight sections, four corners and Sili-Thane sealant to create a customized shape suitable to your needs

Installation Accessories to build your Build-A-Berm.

- Use vinyl cement (BYOB-CEMENT) to connect Build-A-Berm sections at seams
- Use sealant (BYOB-SEAL) to secure your Build-A-Berm Barriers to the floor; forms a one-part hybrid seal that is flexible and liquidtight.

BYOB-SEAL

NEW



BYOB-CEMENT

Build Your Own Berm Installation Tools

| Item # | Description | Size | Units/Pkg |
|--------------|-----------------------|------------------------|-----------|
| NEW BYOB-KIT | BYOB Kit | 60'L x 5.5"W x 2"H Kit | 1 |
| NEW BYOB-2S | BYOB Straight Section | 15'L x 5.5"W x 2"H | 1 |
| NEW BYOB-2C | BYOB Corners | 7.25"L x 5.5"W x 2"H | 2 |
| NEW BYOB-2VC | BYOB Vented Corners | 7.25"L x 5.5"W x 2"H | 2 |
| NEW BYOB-2WE | BYOB Wall Ends | 3"L x 5.5"W x 2"H | 2 |

Build Your Own Berm Components

| Item # | Description | Size | Units/Pkg |
|--------------|-----------------------|------------------------|-----------|
| NEW BYOB-KIT | BYOB Kit | 60'L x 5.5"W x 2"H Kit | 1 |
| NEW BYOB-2S | BYOB Straight Section | 15'L x 5.5"W x 2"H | 1 |
| NEW BYOB-2C | BYOB Corners | 7.25"L x 5.5"W x 2"H | 2 |
| NEW BYOB-2VC | BYOB Vented Corners | 7.25"L x 5.5"W x 2"H | 2 |
| NEW BYOB-2WE | BYOB Wall Ends | 3"L x 5.5"W x 2"H | 2 |



Simple installation

1. Cut to desired length with scissors or utility knife
2. Fit pieces together and secure to floor with silicone sealant (BYOB-SEAL sold above; use one tube per approx. 25 ft. of barrier)
3. Seal seams with industrial-strength vinyl cement (BYOB-CEMENT sold above; installs approx. 10 connections)





Your DrainCover fits inside this optional hi-viz case to protect it from weather, abrasion, puncture, UV and more, so it's ready to use when you need it.



A Conical DrainPlug fits discreetly under the grate to prevent spilled oil and other pollutants from getting into your drains without disrupting traffic or creating a trip hazard.



DrainCovers

Tough, reversible drain covers in three sizes

- Solid polyurethane covers are tacky on both sides so either can form a tight seal to block contaminants
- More chemical resistant than rubbers or plastics, covers stand up to a wide range of chemicals, solvents and oils
- Reusable; can be washed then stored in the handy, portable box
- Transport and store your drain covers in optional polypropylene cases to better protect them from damage

HYC

Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 99 for details.

DrainCovers

| Item # | Description | Size | Units/Pkg |
|------------|--------------------|---------------------|-----------|
| ADC12-CIR | 12" DrainCover | 12"Dia. x .25"H | 1 |
| ADC36-R | 36" DrainCover | 36"L x 36"W x .25"H | 1 |
| ADC36-CASE | Case for 36" Cover | 7.25"Dia. x 38"L | 1 |
| ADC42-R | 42" DrainCover | 42"L x 42"W x .25"H | 1 |
| ADC42-CASE | Case for 42" Cover | 7.25"Dia. x 50"L | 1 |
| † ADC48-R | 48" DrainCover | 48"x 48"W x .25"H | 1 |

† This item drop ships from vendor

Conical DrainPlugs

Confidently block pollution without a permanent seal

- Reusable Conical DrainPlug fits conveniently under a drain's grate and pulls out easily to allow normal flow
- Chemical-resistant polyurethane reliably seals drain to keep out unwanted liquids
- Easy to install — just lift grate, press tapered Conical Plug into drain and replace grate; to remove, pull up on metal ring using hand tools
- Cleans easily with soap and water for reuse

HYC

Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 99 for details.

Conical DrainPlugs

| Item # | Description | Size | Units/Pkg |
|--------|-------------------|-----------------|-----------|
| DP2 | 2" Dia. DrainPlug | 2"Dia. x 4.75"H | 1 |
| DP3 | 3" Dia. DrainPlug | 3"Dia. x 5"H | 1 |
| DP4 | 4" Dia. DrainPlug | 4"Dia. x 5.75"H | 1 |
| DP6 | 6" Dia. DrainPlug | 6"Dia. x 5.5"H | 1 |



Ultra-Dewatering Bag

Contain sediment and oil during dewatering operations

- Captures both sediment and oil, offering a combination of benefits not available in alternative dewatering bags
- Can be used as a Best Management Practice in a Stormwater Pollution Prevention Plan



Ultra-Dewatering Bag accepts up to a 6" discharge hose for high-volume pumpouts of sumps, lagoons, ponds and more.

Ultra-Dewatering Bag®

| Item # | Description | Size | Units/Pkg |
|------------|-----------------------|-------------|-----------|
| ULT9729-OS | Ultra-Dewatering Bag® | 3'L x 4'W | 1 |
| ULT9724-OS | Ultra-Dewatering Bag® | 6'L x 6'W | 1 |
| ULT9725-OS | Ultra-Dewatering Bag® | 10'L x 15'W | 1 |



Ultra-GutterGuard

Prevent pollutants and debris from entering curb inlets

- Multi-dimensional outer filter combined with rigid inner frame maintains a low profile to prevent damage from vehicular traffic
- Allow 12" overlap on each side of gutter

HYC

Helps you comply with 40 CFR 122.26. See page 99 for details.

Ultra-GutterGuard®

| Item # | Description | Size | Units/Pkg |
|-----------|--------------------|---------------|-----------|
| † ULT9320 | Ultra-GutterGuard® | 9"Dia. x 8'L | 1 |
| † ULT9321 | Ultra-GutterGuard® | 9"Dia. x 10'L | 1 |
| † ULT9322 | Ultra-GutterGuard® | 9"Dia. x 12'L | 1 |

[†] These items drop ship from vendor

Ultra-DrainGuard

Removes waste from stormwater before it's a problem

- Removes up to 0.87 gallons of hydrocarbons as well as dirt, sand and other contaminants
- Designed for use in industrial facilities, construction sites, retail facilities and parking lots

HYC

Helps you comply with 40 CFR 122.26. See page 99 for details.

Ultra-DrainGuard®

| Item # | Description | Size | Units/Pkg |
|---------|---|--------------------|-----------|
| ULT9217 | Ultra-DrainGuard® Oil & Sediment Filter | 48"L x 36"W x 18"H | 1 |
| ULT9218 | Ultra-DrainGuard® Oil & Sediment Filter | 48"L x 36"W x 18"H | 10 |



LD55

Roof and Pipe Leak Diverters

Keep fluid leaks off the floor while eliminating slip hazards and chemical exposure

- Large openings capture pipe and roof leaks and channel them away from plant personnel, offices and machinery
- **LDHOSE** allows you to monitor liquid flow and blend into industrial environments
- **LDSTRAPS** help you hang your leak diverter almost anywhere

Roof and Pipe Leak Diverters

| Item # | Description | Size | Units/Pkg |
|----------|-----------------------|---------------|-----------|
| LD1818 | Pipe Leak Diverter | 18" L x 18" W | 1 |
| LD55 | Roof Leak Diverter | 5' L x 5' W | 1 |
| LD1010 | Roof Leak Diverter | 10' L x 10' W | 1 |
| LDHOSE | Clear Drainage Hose | 25' L | 1 |
| LDSTRAPS | Rubber Hanging Straps | 19" L | 4 |



LD1818

Installation is easy – simply hang from overhead pipes.

Prowler Spill Containment Pools



Step 1: Remove and open Prowler Pool.



Step 2: Position pool underneath spill source.



Step 3: Pool contains up to 150 gallons of liquid.

Ideal for containing spills when you're on the road or anywhere you spring a leak

- This lightweight, portable pool quickly unfolds to become a self-supporting containment unit; excellent for immediate spill response
- Superior resistance to many chemicals for long life



ENP5966

ENP5920

HYC

Helps you comply with 40 CFR 263.30(a). See page 99 for details.

Prowler™ Pop-Up Spill Containment Pools

| Item # | Description | Size | Capacity |
|---------|---------------|-----------------------------|------------|
| ENP5920 | Prowler™ Pool | 28"base x 13"H x 18"opening | 20.0 gal. |
| ENP5966 | Prowler™ Pool | 48"base x 14"H x 36"opening | 66.0 gal. |
| ENP5900 | Prowler™ Pool | 48"base x 18"H x 32"opening | 100.0 gal. |
| ENP5950 | Prowler™ Pool | 60"base x 18"H x 44"opening | 150.0 gal. |



ULT0651

Eliminating "burps" means you can pour flammables or chemicals faster and more safely.

Ultra-Burp-Free Funnels

No more splashing or "burping" when pouring liquids

- Threaded brass insert screws into 2" drum bung
- All-polyethylene construction won't rust or corrode; provides excellent chemical resistance
- Hinged, lockable lid prevents unauthorized access

Poly Oily Waste Can

Firesafe, temporary storage for combustible materials

- Good for storing solvent rags, waste rags, shavings and other materials subject to spontaneous combustion
- Black high-density polyethylene (HDPE) oily waste cans will not rust or dent and resist most chemical compounds
- Seamless design offers leakproof storage
- Self-closing lid with foot lever and flared base for added stability


NEW

Ultra-Burp-Free Funnel®

| Item # | Description | Size | Units/Pkg | Weight/Pkg |
|---------|------------------------|--------------------|-----------|------------|
| ULT0651 | Ultra-Burp-Free Funnel | 13.375"Dia. x 11"H | 1 | 6 lbs. |
| ULT0656 | Ultra-Burp-Free Funnel | 22"Dia. x 11.5"H | 1 | 8 lbs. |

Poly Oily Waste Can

| Item # | Description | Size | Units/Pkg |
|----------------|---------------------|--------------------|-----------|
| NEW A-OILWASTE | Poly Oily Waste Can | 18"L x 22"W x 21"H | 1 |



Create Custom Drum Storage with Ultra-Spill Decks

Low-profile, modular Spill Decks let you design and create a containment system that meets your specific needs

- 1-, 2- and 4-Drum Ultra-Spill Decks can be used alone or are easily connected together with Bulkhead Fittings (**ULT1073**) and T-Strips (**ULT1131**) to allow a virtually unlimited number of customized configurations
- Bulkhead Fittings lock Spill Decks together while allowing spills to flow between decks; can help you meet containment regulations depending on the size of container stored and the total sump capacity of the deck system
- All-polyethylene construction meets a wide range of chemical compatibility needs
- Low height offers safe and convenient loading/unloading of drums
- Optional Loading Ramp (**ULT1089**) provides added drum handling safety and convenience

Ultra-Spill Decks®

| Item # | Description | Size | Load Cap. | Sump Cap. |
|---------|------------------|-------------------------|------------|-----------|
| ULT1321 | 1-Drum Section | 26" L x 26" W x 5.75" H | 3,000 lbs. | 11.0 gal. |
| ULT1086 | 2-Drum Section | 52" L x 26" W x 5.75" H | 3,000 lbs. | 22.0 gal. |
| ULT1072 | 4-Drum Section | 52" L x 52" W x 5.75" H | 6,000 lbs. | 44.0 gal. |
| ULT1073 | Bulkhead Fitting | .75" Dia. | n/a | n/a |
| ULT1089 | Loading Ramp | 24" L x 32" W x 5.75" H | n/a | n/a |
| ULT1131 | T-Strips | 26" | n/a | n/a |

Assembly is fast and easy!



First, drill holes for the Bulkhead Fittings (sold separately).



Next, connect the decks with the Bulkhead Fittings.



Insert T-Strips (sold separately) between deck sections and you're done!



1-Drum Bladder System

Hidden containment bladder automatically unfurls to capture large spills or drum leaks

- Low-profile, single-drum containment unit helps you meet EPA and UFC Containment Regulations
- Compact footprint saves valuable floor space; perfect for single-drum waste collection
- Protective trap door opens automatically to allow bladder to unfurl and fill up in the event of large leaks and spills

Ultra-Spill Deck P1 Bladder System®

| Item # | Description | Size | Load Cap. | Sump Cap. |
|-----------|-----------------------|---------------------------|------------|-----------|
| + ULT1320 | 1-Drum Bladder System | 26" L x 30.5" W x 5.75" H | 1,500 lbs. | 66.0 gal. |

[†] These Items drop ship from vendor

IBC Spill Pallets

Economical and portable containment for IBCs

- 1-IBC Pallets feature low height and small footprint
- 2-IBC Pallets have a continuous, high-capacity sump
- All-polyethylene for chemical resistance
- Five inner support columns easily hold a fully loaded IBC



ULT1157

IBC Spill Pallets

| Item # | Description | Size | Load Cap. | Sump Cap. |
|-----------|-----------------|------------------------------|---------------------|------------|
| + ULT1140 | 2-IBC w/o Drain | 124.5" L x 61.625" W x 22" H | 8,000 lbs. per side | 535.0 gal. |
| + ULT1144 | 2-IBC w/ Drain | 124.5" L x 61.625" W x 22" H | 8,000 lbs. per side | 535.0 gal. |
| ULT1157 | 1-IBC w/o Drain | 62" L x 62" W x 28" H | 8,500 lbs. | 360.0 gal. |
| ULT1158 | 1-IBC w/ Drain | 62" L x 62" W x 28" H | 8,500 lbs. | 360.0 gal. |
| ULT1160 | Bucket Shelf | 19.5" L x 16" W x 14.5" H | n/a | 3.0 gal. |

[†] These Items drop ship from vendor

Ultra-SpillPallets/Economy Model



HYC

Helps you comply with 40 CFR 264.175. See page 99 for details.

Store drums and spill-prone containers to help you comply with regulations

- Low profile and heavy load capacity; 4-drum pallets hold up to 3,000 pounds, 2-drum pallets up to 1,500
- 66-gallon sump to keep you in compliance in the event of a small leak or complete drum failure
- Lightweight polyethylene construction is resistant to chemicals



ULT2505

Ultra-SpillPallets® / Economy Model

| Item # | Description | Size | Load Cap. | Sump Cap. |
|-----------|------------------|---------------------------|------------|-----------|
| ULT2505 | 2-Drum w/ Drain | 53" L x 29" W x 16.5" H | 1,500 lbs. | 66.0 gal. |
| ULT2504 | 2-Drum w/o Drain | 53" L x 29" W x 16.5" H | 1,500 lbs. | 66.0 gal. |
| ULT1113 | 4-Drum w/ Drain | 53" L x 53" W x 11.75" H | 3,000 lbs. | 66.0 gal. |
| ULT1112 | 4-Drum w/o Drain | 53" L x 53" W x 11.75" H | 3,000 lbs. | 66.0 gal. |
| + ULT0678 | Loading Ramp | 68.5" L x 28.5" W x 12" H | N/A | N/A |

[†] These Items drop ship from vendor



Ultra-Hard Top Plus for Drums

Store hazardous drums outdoors with pumps and funnels in place

- Extra headspace easily accommodates rotary drum pumps and large conical funnels
- Low-profile pallet positions drum tops at a safe level to pour wastes into funnels
- 100% polyethylene construction will not rust or corrode



A lightweight poly ramp lets you load units using a drum truck. Stores inside when not in use.

Ultra-Hard Top Plus® / Drums

| Item # | Description | Size | Load Cap. | Sump Cap. |
|-----------|-----------------------|------------------------|------------|-----------|
| † ULT9636 | 4-Drum w/o Drain | 64.5 x 62"W x 79"H | 9,000 lbs. | 75.0 gal. |
| † ULT9637 | 4-Drum w/ Drain | 64.5 x 62"W x 79"H | 9,000 lbs. | 75.0 gal. |
| † ULT9612 | 2-Drum w/o Drain | 67.25 x 41.25"W x 74"H | 4,500 lbs. | 66.0 gal. |
| † ULT9613 | 2-Drum w/ Drain | 67.25 x 41.25"W x 74"H | 4,500 lbs. | 66.0 gal. |
| † ULT0676 | Hard Top Loading Ramp | 46" x 28"W x 8.75"H | n/a | n/a |

[†] These Items drop ship from vendor

Ultra-Hard Top Plus for IBC Tanks

Comply with regulations while storing IBC tanks outdoors

- Upper roll-top cover and swing-out lower doors combine to allow easy and convenient access to IBC
- Low-profile containment pallet allows safe material handling and dispensing
- Forkliftable, lockable, all-polyethylene design will not rust or corrode




When closed, the roll-top cover and swing-out lower doors effectively keep rain, snow and debris away from stored containers and out of the sump.

Ultra-Hard Top Plus® / IBC Tanks

| Item # | Description | Size | Load Cap. | Sump Cap. |
|-----------|---------------|--------------------|------------|------------|
| † ULT1161 | IBC w/ Drain | 64.5 x 62"H x 96"H | 8,500 lbs. | 360.0 gal. |
| † ULT1162 | IBC w/o Drain | 64.5 x 62"H x 96"H | 8,500 lbs. | 360.0 gal. |

[†] These Items drop ship from vendor



Steel Containment Pallets

These 14-gauge galvanized steel containment pallets are the strongest on the market!

- Each pallet has a 250 PSF loading capacity and a 68 gallon sump capacity
- Noncombustible pallets meet spill control and containment regulations required by NFPA 30 & NFC 2010
- Pallets will not melt under fire exposure or fail from normal material handling activities
- 100% leak-free tested

Why choose steel?

Plastic pallets have the potential to melt under fire exposure and fail to meet fire codes. Steel Pallets have a longer life cycle and meet fire code requirements for containment be constructed of non-combustible materials. Perfect for the storage of flammable materials!

Steel Containment Pallets

| Item # | Description | Size | Load Cap. | Sump Cap. |
|-------------|----------------|-----------------------|------------|-----------|
| NEW QTX0812 | 2-Drum Section | 50" L x 33" W x 17" H | 2,866 lbs. | 68.0 gal. |
| NEW QTX1212 | 4-Drum Section | 50" L x 50" W x 13" H | 4,340 lbs. | 68.0 gal. |

HYC

Helps you comply with 40 CFR 264.175, 40 CFR 122.26 and 40 CFR 112.7. See page 99 for details.



QTX0812
2-Drum Pallet

Poly-Collector and Accessories



Funnel prevents overspills while allowing multiple filters, pails and cans to drain at once

- Fits both closed-head and open-head 55-gallon drums and other containers
- High sidewall prevents splashout

Poly-Collector is the economical choice for containment of 55-gallon drums

- Strong, tough, 100% polyurethane outer shell has a 66-gallon capacity — holds a 55-gallon drum, even if ruptured or leaking
- UV-stabilized for a long, productive work life

Mobilize your Poly-Collector for convenient point-of-use dispensing or collection

- Castered wheels support the Poly-Collector even when it's fully loaded; easy movement for dispensing and emptying

Funnel/Poly-Collector™/Dolly

| Item # | Description | Size | Units/Pkg |
|-----------|-----------------------------|--------------------|-----------|
| † ENP3004 | Universal Poly-Drum Funnel™ | 26"Dia., x 5.5"H | 1 |
| † ENP8075 | Poly-Collector™ | 32.5"Dia., x 31"H | 1 |
| † ENP8050 | Drum Dolly | 27.5"Dia., x 5.5"H | 1 |

[†] These Items drop ship from vendor

Poly-Dolly Portable Dispensing Station



A dolly, dispensing rack and containment sump — all in one

- Safe and easy way to transport and dispense from 55-gallon drums
- Built-in 80-gallon sump

HYC

Helps you comply with 40 CFR 264.175 . See page 99 for details.

Poly-Dolly® Portable Dispensing Station

| Item # | Description | Size | Load Cap. | Sump Cap. |
|---------|-------------|------------------------|-----------|-----------|
| ENP5300 | Poly-Dolly® | 69"L x 32.5"W x 26.5"H | 600 lbs. | 80.0 gal. |

Poly-Edge

Perfect for storing your Prowler Pool, Spill Kit or any other supplies

- Can be used as a truck-mounted spill response unit or mounted to a wall where it doubles as a 20-gallon sump
- Lockable large-capacity unit offers versatile storage for tools, absorbents and other equipment
- Special weather- and water-resistant gasket keeps stored items dry



Poly-Edge®

| Item # | Description | Size | Sump Cap. |
|-----------|-------------|-----------------------|-----------|
| † ENP1601 | Poly-Edge® | 34.75"L x 20"W x 15"H | 20.0 gal. |

[†] These Items drop ship from vendor

Poly-Rack Drum Storage System

Create a storage system for up to six drums

- The centerpiece of the Poly-Rack System is the Poly Racker (**ENP6000**), a unique one-piece polyethylene rack that secures two 55-gallon drums
- Deep dispensing well holds 5-gallon pails and contains incidental spills and splashes without contaminating the sump
- Dispensing wells have a scalloped edge so pails can be easily removed
- Add up to two Poly Stackers (**ENP6002**) to your Poly Racker to increase drum storage
- Each Poly Stacker holds two 55-gallon drums and can be quickly stacked with a forklift
- Increase safety and productivity when you add the Poly Shelf (**ENP6003**) to your Poly-Rack System
- Poly Shelf attaches easily to a Poly Stacker and holds containers for simultaneous dispensing from all drums

NEW



Poly-Rack Drum Storage System

| Item # | Description | Size | Load Cap. | Sump Cap. |
|---------------------------------|--------------|-------------------------|-----------|------------|
| [†] NEW ENP6000 | Poly Racker | 49" L x 23" W x 53" H | 3000 lbs. | 103.0 gal. |
| [†] NEW ENP6002 | Poly Stacker | 49" L x 41" W x 13" H | 2400 lbs. | n/a |
| [†] NEW ENP6003 | Poly Shelf | 17" L x 22" W x 17.5" H | 60 lbs. | n/a |

[†] These Items drop ship from vendor



ULT2820

Containment Sumps

Sump offers secondary containment for oval tanks

- Eliminate costly spills while storing fuels, oils and other hazardous liquids
- 100% polyethylene construction will not rust or corrode
- Provides superior chemical and weather resistance
- Offers best protection for non-monitored containment sites
- Choose with or without drain

Ultra Containment Sump®

| Item # | Description | Size | Sump Cap. |
|----------------------|--------------------|-----------------------------|------------|
| [†] ULT2800 | 275 Sump w/o Drain | 84.5" L x 43.75" W x 29" H | 360.0 gal. |
| [†] ULT2801 | 275 Sump w/ Drain | 84.5" L x 43.75" W x 29" H | 360.0 gal. |
| [†] ULT2820 | 550 Sump w/ Drain | 87" L x 62.25" W x 32.75" H | 605.0 gal. |
| [†] ULT2823 | 550 Sump w/o Drain | 87" L x 62.25" W x 32.75" H | 605.0 gal. |

[†] These Items drop ship from vendor



PAC1250

Containment Berms and Accessories

Ideal for large-scale spill containment beneath tanker trucks, roll-off containers and more

- Portable design permits immediate response, compact storage and transport
- Fold down the sidewalls and drive right in for instant containment
- Simply clean and store after use
- Excellent rip, tear and puncture resistance for demanding applications and rough terrain
- Compatible with acids, water, oils and solvents
- Berm is repairable and portable
- Constructed of chemical-resistant materials; durable and sturdy
- Customization is available

HYC

Helps you comply with 40 CFR 263.30(a) and 40 CFR 264.175). See page 99 for details.

Ground Covers, Track Guards and Repair Tape

• GC1212-1250

Reusable ground cover protects berms from sharp objects or rough terrain

• TG3612-3650

Placed inside the berm, track guards protect berm from punctures and tears from truck traffic



TG3650

Accessories

| Item # | Description | Size | Sump Cap. |
|-------------|--------------------------------|-------------|-----------|
| † GC1212 | Ground Cover for 12' x 12' | 12'L x 12'W | n/a |
| † GC1225 | Ground Cover for 12' x 25' | 12'L x 25'W | n/a |
| † GC1250 | Ground Cover for 12' x 50' | 12'L x 50'W | n/a |
| † TG3612 | 2 - Track Guards for 12' x 12' | 36"L x 12'W | n/a |
| † TG3625 | 2 - Track Guards for 12' x 25' | 36"L x 25'W | n/a |
| † TG3650 | 2 - Track Guards for 12' x 50' | 36"L x 50'W | n/a |
| † BERM-TAPE | Containment Berm Repair Tape | 4" x 50' | n/a |

† These Items drop ship from vendor

Choose From Four Containment Berm Styles

Economy Containment Berm with L Bracket

- 40-mil LLDPE construction is lightweight for easy handling, storage and transportation
- Sidewalls are supported by sturdy L-shaped composite brackets



Economy Containment Berm with L Bracket

| Item # | Description | Size | Sump Cap. |
|-------------|------------------------------|-------------------|------------|
| BERM68E | Containment Berm - L Bracket | 8'L x 6'W x 1'H | 359 gal. |
| † BERM1212E | Containment Berm - L Bracket | 12'L x 12'W x 1'H | 1,077 gal. |
| † BERM1250E | Containment Berm - L Bracket | 12'L x 50'W x 1'H | 4,488 gal. |

† These Items drop ship from vendor

Containment Berm with L Bracket

- Reinforced Coolguard® fabric resists rips, tears and punctures; highly durable for demanding applications
- Sidewalls are supported by sturdy L-shaped composite brackets



Containment Berm with L Bracket

| Item # | Description | Size | Sump Cap. |
|-----------|------------------------------|-------------------|------------|
| BERM48L | Containment Berm - L Bracket | 8'L x 4'W x 1'H | 239 gal. |
| BERM88L | Containment Berm - L Bracket | 8'L x 8'W x 1'H | 478 gal. |
| BERM1212L | Containment Berm - L Bracket | 12'L x 12'W x 1'H | 1,077 gal. |
| BERM1225L | Containment Berm - L Bracket | 12'L x 25'W x 1'H | 2,244 gal. |
| BERM1250L | Containment Berm - L Bracket | 12'L x 50'W x 1'H | 4,488 gal. |

Containment Berm with H Bracket

- Reinforced Coolguard® fabric resists rips, tears and punctures; highly durable for demanding applications
- Sidewalls are supported by wide-base hurdle brackets; larger support area offers maximum rigidity and stability



Containment Berm with H Bracket

| Item # | Description | Size | Sump Cap. |
|-------------|-----------------------------------|-------------------|------------|
| † BERM48H | Containment Berm - Hurdle Bracket | 8'L x 4'W x 1'H | 239 gal. |
| † BERM88H | Containment Berm - Hurdle Bracket | 8'L x 8'W x 1'H | 478 gal. |
| † BERM1212H | Containment Berm - Hurdle Bracket | 12'L x 12'W x 1'H | 1,077 gal. |
| † BERM1225H | Containment Berm - Hurdle Bracket | 12'L x 25'W x 1'H | 2,244 gal. |
| † BERM1250H | Containment Berm - Hurdle Bracket | 12'L x 50'W x 1'H | 4,488 gal. |

† These Items drop ship from vendor

Instaberm Containment Berm

- One-piece design permits immediate response, compact storage and transport; just fold down the sidewalls and drive right in for instant containment



Instaberm Containment Berm

| Item # | Description | Size | Sump Cap. |
|-----------|------------------|-------------------|------------|
| † PAC1212 | Containment Berm | 12'L x 12'W x 1'H | 1,077 gal. |
| † PAC1225 | Containment Berm | 25'L x 12'W x 1'H | 2,244 gal. |
| † PAC1250 | Containment Berm | 50'L x 12'W x 1'H | 4,488 gal. |

† These Items drop ship from vendor

Duck Pond

Perfect when storage space is limited

- Reusable Duck Pond provides affordable, reliable secondary containment for oils and other liquids
- Built to withstand extreme cold to -55°F/-48°C
- Easy to handle for quick response in small areas
- Great for leaking machines, preventative maintenance, drips and as a low-sidewall pop-up pool alternative
- Bright green color for high visibility
- Complies with EPA, SPCC and NPDES regulations

Duck Pond Secondary Containment


| Item # | Description | Size | Sump Cap. |
|------------|-------------|-----------------|-----------|
| NEW DPK2X2 | Duck Pond | 2'L x 2'W x 4"H | 10.0 gal. |
| NEW DPK2X3 | Duck Pond | 2'L x 3'W x 4"H | 15.0 gal. |
| NEW DPK2X4 | Duck Pond | 2'L x 4'W x 4"H | 20.0 gal. |
| NEW DPK3X3 | Duck Pond | 3'L x 3'W x 4"H | 22.0 gal. |
| NEW DPK4X4 | Duck Pond | 4'L x 4'W x 4"H | 40.0 gal. |
| NEW DPK4X6 | Duck Pond | 4'L x 6'W x 4"H | 60.0 gal. |



Folding Duck Pond

Higher sidewalls and easier-to-fold design

- Reusable Folding Duck Pond provides reliable secondary containment for oils and other liquids
- Thinner 2"-wide sidewall has straps to secure the folded pond for compact storage; fits easily in a cabinet or on a shelf
- Extended 6" sidewall creates 30% additional spill capacity
- Built to withstand extreme cold to -55°F/-48°C
- Great for leaking machines, preventative maintenance, drips and as a low-sidewall pop-up pool alternative
- Bright green color for high visibility
- Complies with EPA, SPCC and NPDES regulations



Folding Duck Pond

| Item # | Description | Size | Sump Cap. |
|-------------|-------------------|-----------------|-----------|
| NEW FDKP2X2 | Folding Duck Pond | 2'L x 2'W x 6"H | 15.0 gal. |
| NEW FDKP2X3 | Folding Duck Pond | 2'L x 3'W x 6"H | 22.0 gal. |
| NEW FDKP2X4 | Folding Duck Pond | 2'L x 4'W x 6"H | 30.0 gal. |
| NEW FDKP3X3 | Folding Duck Pond | 3'L x 3'W x 6"H | 34.0 gal. |
| NEW FDKP4X4 | Folding Duck Pond | 4'L x 4'W x 6"H | 60.0 gal. |
| NEW FDKP4X6 | Folding Duck Pond | 4'L x 6'W x 6"H | 74.0 gal. |



SpillPal Portable Spill Containment

Flexible sidewalls provide quick, portable spill containment

- Great alternative to hard poly pallets that must be moved with a forklift
- Provides versatile, portable spill control during temporary storage of drums, machine parts, tanks and generators
- Light, foam sidewalls spring back to their original shape after any pressure is applied
- Can also be used as a washdown pad or pumping station
- Affordable, portable and easy to set up
- Reusable containment can be folded and stored to save floor space
- No ramps or other accessories are required for usage



Foam sidewalls allow easy access for driveovers from handtrucks and forklifts.

SpillPal™ Portable Spill Containment

| Item # | Description | Size | Sump Cap. |
|---------------------|--------------------------|-----------------|-----------|
| NEW SPAL1 | 1-Drum SpillPal™ | 2'L x 2'W x 3"H | 7.5 gal. |
| NEW SPAL2 | 2-Drum SpillPal™ | 2'L x 4'W x 3"H | 15.0 gal. |
| NEW SPAL4 | 4-Drum SpillPal™ | 4'L x 4'W x 3"H | 30.0 gal. |
| NEW SPAL4-IN | 4-Drum In-Line SpillPal™ | 2'L x 8'W x 3"H | 30.0 gal. |
| NEW SPAL6 | 6-Drum SpillPal™ | 4'L x 6'W x 3"H | 45.0 gal. |
| NEW SPAL8 | 8-Drum SpillPal™ | 4'L x 8'W x 3"H | 60.0 gal. |
| NEW ENP7006 | Optional Grates | n/a | n/a |

A-Aggressive

S-Solvents

O-Oil

W-Water

Compatibility:

Complete Product SpecSheet

| Oil-Only RESPONDER™ Mat Pads | | White Oil-Only (for oils, not water) | | | | | | Pages 4-5 | |
|------------------------------|-----------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| WP100H | HeavyWeight Pads | 15" x 19" | 100 | 33.4 gal. | 30 | 0 | yes | 4-5 | |
| WPK50H | HeavyWeight King Pads | 30" x 30" | 50 | 52.8 gal. | 15 | 0 | yes | 4-5 | |
| WP100M | MediumWeight Pads | 15" x 19" | 100 | 26.7 gal. | 36 | 0 | yes | 4-5 | |
| WP100S | LightWeight Pads | 15" x 19" | 100 | 17.9 gal. | 48 | 0 | yes | 4-5 | |
| WP200S | LightWeight Pads | 15" x 19" | 200 | 35.7 gal. | 30 | 0 | yes | 4-5 | |

| Oil-Only RESPONDER™ Mat Rolls | | White Oil-Only (for oils, not water) | | | | | | Pages 4-5 | |
|-------------------------------|-------------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| WR150H | HeavyWeight Roll | 30" x 150' | 1 | 63.4 gal. | 15 | 0 | yes | 4-5 | |
| WRS150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 63.4 gal. | 15 | 0 | yes | 4-5 | |
| WR150M | MediumWeight Rolls | 30" x 150' | 1 | 50.7 gal. | 21 | 0 | yes | 4-5 | |
| WR300S | LightWeight Roll | 30" x 300' | 1 | 67.9 gal. | 15 | 0 | yes | 4-5 | |
| WRS300S | LightWeight Split Rolls | 15" x 300' | 2 | 67.9 gal. | 15 | 0 | yes | 4-5 | |

| Oil-Only DEFENDER™ Mat Pads | | White Oil-Only (for oils, not water) | | | | | | Pages 6-7 | |
|-----------------------------|-----------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| WPB100H | HeavyWeight Pads | 15" x 19" | 100 | 29.1 gal. | 30 | 0 | yes | 6-7 | |
| WPB50H | HeavyWeight Pads | 15" x 19" | 50 | 14.6 gal. | 48 | 0 | yes | 6-7 | |
| WPKB50H | HeavyWeight King Pads | 30" x 30" | 50 | 45.3 gal. | 15 | 0 | yes | 6-7 | |
| WPB100M | MediumWeight Pads | 15" x 19" | 100 | 24.7 gal. | 36 | 0 | yes | 6-7 | |
| WPB50M | MediumWeight Pads | 15" x 19" | 50 | 12.4 gal. | 48 | 0 | yes | 6-7 | |
| WPB200S | LightWeight Pads | 15" x 19" | 200 | 31.1 gal. | 30 | 0 | yes | 6-7 | |
| WPB100S | LightWeight Pads | 15" x 19" | 100 | 15.6 gal. | 48 | 0 | yes | 6-7 | |

| Oil-Only DEFENDER™ Mat Rolls | | White Oil-Only (for oils, not water) | | | | | | Pages 6-7 | |
|------------------------------|--------------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| WRB150H | HeavyWeight Roll | 30" x 150' | 1 | 55.2 gal. | 15 | 0 | yes | 6-7 | |
| WRSB150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 55.2 gal. | 15 | 0 | yes | 6-7 | |
| WRB150M | MediumWeight Roll | 30" x 150' | 1 | 46.1 gal. | 21 | 0 | yes | 6-7 | |
| WRSB150M | MediumWeight Split Rolls | 15" x 150' | 2 | 46.1 gal. | 21 | 0 | yes | 6-7 | |
| WRB300S | LightWeight Roll | 30" x 300' | 1 | 59.1 gal. | 15 | 0 | yes | 6-7 | |

| Oil-Only COMMANDER™ Mat Pads | | White Oil-Only (for oils, not water) | | | | | | Pages 8-9 | |
|------------------------------|-----------------------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| WPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. | 30 | 0 | yes | 8-9 | |
| WPF1014H | HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. | 60 | 0 | yes | 8-9 | |
| WPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. | 30 | 0 | yes | 8-9 | |
| WPKF50H | HeavyWeight King Pads | 30" x 30" | 50 | 41.6 gal. | 15 | 0 | yes | 8-9 | |
| WPF100M | MediumWeight Pads | 15" x 19" | 100 | 20.8 gal. | 36 | 0 | yes | 8-9 | |
| WPF200S | LightWeight Pads | 15" x 19" | 200 | 28.1 gal. | 30 | 0 | yes | 8-9 | |

| Oil-Only COMMANDER™ Mat Rolls | | White Oil-Only (for oils, not water) | | | | | | Pages 8-9 | |
|-------------------------------|-----------------------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| WRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. | 15 | 0 | yes | 8-9 | |
| WRF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 19.3 gal. | 30 | 0 | yes | 8-9 | |
| WRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. | 15 | 0 | yes | 8-9 | |
| WRF150M | MediumWeight Roll | 30" x 150' | 1 | 39.5 gal. | 21 | 0 | yes | 8-9 | |

| Oil-Only COMMANDER™ Mat Pads | | Blue Oil-Only (for oils, not water) | | | | | | Pages 8-9 | |
|------------------------------|-----------------------------------|-------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| BPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. | 30 | 0 | yes | 8-9 | |
| BPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. | 30 | 0 | yes | 8-9 | |
| BPF200S | LightWeight Pads | 15" x 19" | 200 | 28.1 gal. | 30 | 0 | yes | 8-9 | |

| Oil-Only COMMANDER™ Mat Roll | | Blue Oil-Only (for oils, not water) | | | | | | Pages 8-9 | |
|------------------------------|------------------|-------------------------------------|---------------|---------------------|-------------|---------------|--------------|-----------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| BRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. | 15 | 0 | yes | 8-9 | |

| Oil-Only PROTECTOR™ Mat Pads | | White Oil-Only (for oils, not water) | | | | | | | Pages 10-11 | |
|-------------------------------------|-----------------------------------|--------------------------------------|---------------|---------------------|-------------|---------------|--------------|--------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WPL100H | HeavyWeight Pads | 15" x 19" | 100 | 28.9 gal. | 30 | 0 | yes | 10-11 | | |
| WPL100M | MediumWeight Pads | 15" x 19" | 100 | 23.4 gal. | 36 | 0 | yes | 10-11 | | |
| Oil-Only PROTECTOR™ Mat Rolls | | White Oil-Only (for oils, not water) | | | | | | | Pages 10-11 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WRL150H | HeavyWeight Roll | 30" x 150' | 1 | 54.9 gal. | 15 | 0 | yes | 10-11 | | |
| WRSL150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 54.9 gal. | 15 | 0 | yes | 10-11 | | |
| WRL150M | MediumWeight Roll | 30" x 150' | 1 | 44.4 gal. | 21 | 0 | yes | 10-11 | | |
| WRSL150M | MediumWeight Split Rolls | 15" x 150' | 2 | 44.4 gal. | 21 | 0 | yes | 10-11 | | |
| Oil-Only PROTECTOR™ Mat Pads | | Blue Oil-Only (for oils, not water) | | | | | | | Pages 10-11 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| BPL100H | HeavyWeight Pads | 15" x 19" | 100 | 28.9 gal. | 30 | 0 | yes | 10-11 | | |
| Oil-Only CONTRACTOR GRADE Mat Pads | | White Oil-Only (for oils, not water) | | | | | | | Pages 12-13 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| NEW WP-H | HeavyWeight Pads | 15" x 18" | 100 | 22.0 gal. | 36 | 0 | yes | 12-13 | | |
| NEW WP-M | MediumWeight Pads | 15" x 18" | 100 | 30.0 gal. | 42 | 0 | yes | 12-13 | | |
| NEW WP-S | LightWeight Pads | 15" x 18" | 200 | 35.0 gal. | 30 | 0 | yes | 12-13 | | |
| Oil-Only CONTRACTOR GRADE Mat Rolls | | White Oil-Only (for oils, not water) | | | | | | | Pages 12-13 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| NEW WR-H | HeavyWeight Roll | 30" x 150' | 1 | 44.0 gal. | 21 | 0 | yes | 12-13 | | |
| NEW WR-M | MediumWeight Roll | 30" x 150' | 1 | 40.0 gal. | 21 | 0 | yes | 12-13 | | |
| Oil-Only CONTRACTOR GRADE Booms | | White Oil-Only (for oils, not water) | | | | | | | Pages 12-13 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WB410SN | Sock/Net Booms | 4" x 10' | 4 | 19.5 gal. | 24 | 0 | yes | 12-13 | | |
| WB510SN | Sock/Net Booms | 5" x 10' | 4 | 30.0 gal. | 20 | 0 | yes | 12-13 | | |
| WB520SN | Sock/Net Booms | 5" x 20' | 2 | 30.0 gal. | 16 | 0 | yes | 12-13 | | |
| WB810SN | Sock/Net Booms | 8" x 10' | 4 | 38.0 gal. | 12 | 0 | yes | 12-13 | | |
| WB820SN | Sock/Net Booms | 8" x 20' | 2 | 38.0 gal. | 12 | 0 | yes | 12-13 | | |
| Oil-Only ARRESTOR™ Mat Pads | | White Oil-Only (for oils, not water) | | | | | | | Page 14 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WPX25H | HeavyWeight Pads | 15" x 19" | 25 | 8.4 gal. | 120 | 0 | yes | 14 | | |
| WPX50H | HeavyWeight Pads | 15" x 19" | 50 | 16.8 gal. | 60 | 0 | yes | 14 | | |
| WPX100H | HeavyWeight Pads | 15" x 19" | 100 | 33.6 gal. | 30 | 0 | yes | 14 | | |
| WPX50S | LightWeight Pads | 15" x 19" | 50 | 8.9 gal. | 120 | 0 | yes | 14 | | |
| Oil-Only ARRESTOR™ Mat Rolls | | White Oil-Only (for oils, not water) | | | | | | | Page 14 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WRX150H | HeavyWeight Roll | 30" x 150' | 1 | 63.4 gal. | 15 | 0 | yes | 14 | | |
| WRSX150H | HeavyWeight Rolls | 15" x 150' | 2 | 63.4 gal. | 15 | 0 | yes | 14 | | |
| Oil-Only TRANSFORMER™ Mat | | White Oil-Only (for oils, not water) | | | | | | | Page 15 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WRSMF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 18.9 gal. | 30 | 0 | yes | 15 | | |
| Oil-Only DrumTop Pads | | Blue Oil-Only (for oils, not water) | | | | | | | Page 15 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| BTOP | Oil-Only Drum Top Pads | 22"Dia. | 25 | 8.6 gal. | 72 | 0 | yes | 15 | | |
| Rig Mats | | Blue Oil-Only (for oils, not water) | | | | | | | Page 15 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| RIG160H | HeavyWeight Roll | 58" x 160' | 1 | 176.2 gal. | 6 | 0 | yes | 15 | | |
| PBRIG48H | HeavyWeight Roll PolyBacked Roll | 57" x 48' | 1 | 51.9 gal. | 18 | 0 | yes | 15 | | |

| TrackMat and Railroad Mat | | Black Oil-Only (for oils, not water) | | | | | | Page 16 |
|----------------------------------|----------------------------------|--|----------------------|---------------------|---------------|---------------|--------------|-------------|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| TMAT57 | HeavyWeight TrackMat Roll | 57" x 80' | 15 | 63.2 gal. | 6 | 0 | yes | 16 |
| TMAT19 | HeavyWeight TrackMat Split Rolls | 19" x 80' | 15 | 41.7 gal. | 12 | 0 | yes | 16 |
| RRMAT60 | RailRoad Mat Roll | 59" x 100' | 1 | 63.0 gal. | 15 | 0 | yes | 16 |
| RRMAT19 | RailRoad Mat Rolls | 19" x 100' | 2 | 42.0 gal. | 6 | 0 | yes | 16 |
| Oil-Only Socks | | White Oil-Only (for oils, not water) | | | | | | Page 17 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WS0410 | Oil-Only Socks | 3" x 4' | 10 | 8.33 gal. | 30 | 0 | yes | 17 |
| WS0430 | Oil-Only Socks | 3" x 4' | 30 | 25.0 gal. | 16 | 0 | yes | 17 |
| WS0815 | Oil-Only Socks | 3" x 8' | 15 | 25.0 gal. | 16 | 0 | yes | 17 |
| WS01210 | Oil-Only Socks | 3" x 12' | 10 | 25.0 gal. | 16 | 0 | yes | 17 |
| Oil-Only Pillow | | White Oil-Only (for oils, not water) | | | | | | Page 17 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WPIL1818 | Oil-Only Pillows | 18" x 18" | 10 | 23.0 gal. | 35 | 0 | yes | 17 |
| WPIL818 | Oil-Only Pillows | 8" x 18" | 20 | 23.0 gal. | 35 | 0 | yes | 17 |
| WPIL1010 | Oil-Only Pillows | 10" x 10" | 40 | 30.0 gal. | 35 | 0 | yes | 17 |
| Oil-Only Pillow in a Pan | | Oil-Only (for oils, not water) | | | | | | Page 17 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WPIL1224 | Oil-Only Pillow in a Pan | 10.5" sq. x 3"H | 12 pans & 24 pillows | 18.0 gal. | 35 | 0 | yes | 17 |
| WPIL1010 | Oil-Only Pillows Refills | 10" x 10" | 40 | 30.0 gal. | 35 | 0 | yes | 17 |
| DPO-16 | Oil-Only DripPan | 10.5" sq. x 3"H | 16 | 12.0 gal. | 20 | 0 | yes | 17 |
| Oil-Only Premium Booms | | White Oil-Only (for oils, not water) | | | | | | Pages 18-19 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| NEW PREM510 | Premium Boom | 5" x 10' | 4 | 30.0 gal. | 20 | 0 | yes | 18-19 |
| NEW PREM810 | Premium Boom | 8" x 10' | 4 | 38.0 gal. | 12 | 0 | yes | 18-19 |
| PomPoms | | White Oil-Only (for oils, not water) | | | | | | Page 20 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| APMPM | PomPoms/30 individual | n/a | 30 | 11.6 gal. | 30 | 0 | yes | 20 |
| APMPM-R | PomPoms/30 on 50' rope | n/a | 1 | 11.6 gal. | 30 | 0 | yes | 20 |
| Bilge Booms | | White Oil-Only (for oils, not water) | | | | | | Page 20 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WBB318 | Bilge Booms | 3" x 18" | 20 | 6.25 gal. | 30 | 0 | yes | 20 |
| WBB818 | Bilge Booms | 8" x 18" | 10 | 18.0 gal. | 20 | 0 | yes | 20 |
| Net Bags | | White Oil-Only (for oils, not water) | | | | | | Page 20 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WPIL10 | Net Bags | 6"D x 16"W x 21"H | 10 | 37.0 gal. | 15 | 0 | yes | 20 |
| Folded Sweep | | White Oil-Only (for oils, not water) | | | | | | Page 20 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WSWL100F | Folded Sweep | 19"W x 100'L | 1 | 25.3 gal. | 36 | 0 | yes | 20 |
| Loose Sorbents | | Oil-Only (for oils, not water) | | | | | | Page 20 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| PEAT2 | Loose PeatMoss | 2 cu. ft. | 1 | 16.0 gal. | 54 | 0 | yes | 20 |
| Containment Booms | | Containment & Anchor System (non-absorbent) | | | | | | Page 21 |
| Item # | Description | Size | Units/Package | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| C-BOOM10-50 | Containment Boom | 50'L x 10"H (4" float, 6" skirt) | 1 | 20 | N/A | no | 21 | |
| C-BOOM10-100 | Containment Boom | 100'L x 10"H (4" float, 6" skirt) | 1 | 10 | N/A | no | 21 | |
| C-BOOM18-50 | Containment Boom | 50'L x 18"H (6" float, 12" skirt) | 1 | 16 | N/A | no | 21 | |
| C-BOOM18-100 | Containment Boom | 100'L x 18"H (6" float, 12" skirt) | 1 | 6 | N/A | no | 21 | |
| C-BOOM24-50 | Containment Boom | 50'L x 24"H (8" float, 16" skirt) | 1 | 12 | N/A | no | 21 | |
| C-BOOM24-100 | Containment Boom | 100'L x 24"H (8" float, 16" skirt) | 1 | 6 | N/A | no | 21 | |
| C-ANCHOR2 | Containment Boom Anchor System | 88 lb. anchor system | 1 | 3 | N/A | no | 21 | |

| Universal DEFENDER™ Mat Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 22-23 | |
|------------------------------------|-------------------------------------|--|---------------------------------|---------------------|-------------|---------------|--------------|--------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GPB100H | HeavyWeight Pads | 15" x 19" | 100 | 29.1 gal. | 30 | W, O, S | yes | 22-23 | | |
| GPB50H | HeavyWeight Pads | 15" x 19" | 50 | 14.6 gal. | 48 | W, O, S | yes | 22-23 | | |
| GPKB50H | HeavyWeight King Pads | 30" x 30" | 50 | 45.3 gal. | 15 | W, O, S | yes | 22-23 | | |
| GPB100M | MediumWeight Pads | 15" x 19" | 100 | 24.7 gal. | 36 | W, O, S | yes | 22-23 | | |
| GPB200S | LightWeight Pads | 15" x 19" | 200 | 31.1 gal. | 30 | W, O, S | yes | 22-23 | | |
| GPB100S | LightWeight Pads | 15" x 19" | 100 | 15.6 gal. | 48 | W, O, S | yes | 22-23 | | |
| Universal DEFENDER™ Mat Rolls | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 22-23 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GRB150H | HeavyWeight Roll | 30" x 150' | 1 | 55.2 gal. | 15 | W, O, S | yes | 22-23 | | |
| GRSB150H | HeavyWeight Split Roll | 15" x 150' | 2 | 55.2 gal. | 15 | W, O, S | yes | 22-23 | | |
| GRB150M | MediumWeight Roll | 30" x 150' | 1 | 46.1 gal. | 21 | W, O, S | yes | 22-23 | | |
| GRB300S | LightWeight Roll | 30" x 300' | 1 | 59.1 gal. | 15 | W, O, S | yes | 22-23 | | |
| Universal COMMANDER™ Mat Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 24-25 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. | 30 | W, O, S | yes | 24-25 | | |
| GPF1014H | HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. | 60 | W, O, S | yes | 24-25 | | |
| GPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. | 30 | W, O, S | yes | 24-25 | | |
| GPKF50H | HeavyWeight King Pads | 30" x 30" | 50 | 41.6 gal. | 15 | W, O, S | yes | 24-25 | | |
| GPF100M | MediumWeight Pads | 15" x 19" | 100 | 20.8 gal. | 36 | W, O, S | yes | 24-25 | | |
| GPF200S | LightWeight Pads | 15" x 19" | 200 | 28.1 gal. | 30 | W, O, S | yes | 24-25 | | |
| Universal COMMANDER™ Mat Rolls | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 24-25 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. | 15 | W, O, S | yes | 24-25 | | |
| GRF24150H | HeavyWeight Roll | 24" x 150' | 1 | 39.8 gal. | 18 | W, O, S | yes | 24-25 | | |
| GRF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 19.3 gal. | 30 | W, O, S | yes | 24-25 | | |
| GRSF150H | HeavyWeight Split Roll | 15" x 150' | 2 | 49.8 gal. | 15 | W, O, S | yes | 24-25 | | |
| GRFF50H | HeavyWeight Folded Roll in Disp Box | 5" x 50" | 1 | 8.4 gal. | 42 | W, O, S | yes | 24-25 | | |
| GRF150M | MediumWeight Roll | 30" x 150' | 1 | 39.5 gal. | 21 | W, O, S | yes | 24-25 | | |
| GRSF150M | MediumWeight Split Roll | 15" x 150' | 2 | 39.5 gal. | 21 | W, O, S | yes | 24-25 | | |
| GRF300S | LightWeight Roll | 30" x 300' | 1 | 53.4 gal. | 15 | W, O, S | yes | 24-25 | | |
| GRSF300S | LightWeight Split Rolls | 15" x 300' | 2 | 53.4 gal. | 15 | W, O, S | yes | 24-25 | | |
| Universal COMMANDER™ Mat Pads | | Green Universal (for oils, coolants, solvents & water) | | | | | | | Pages 24-25 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GNPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. | 30 | W, O, S | yes | 24-25 | | |
| GNPF100H-BX | HeavyWeight Pads in Dispenser Box | 15" x 19" | 100 | 26.3 gal. | 30 | W, O, S | yes | 24-25 | | |
| GNPF100M | MediumWeight Pads | 15" x 19" | 100 | 20.8 gal. | 36 | W, O, S | yes | 24-25 | | |
| Universal COMMANDER™ Mat Rolls | | Green Universal (for oils, coolants, solvents & water) | | | | | | | Pages 24-25 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GNRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. | 15 | W, O, S | yes | 24-25 | | |
| GNRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. | 15 | W, O, S | yes | 24-25 | | |
| Universal Drip, Rip and Go™ Tablet | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 24-25 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GPF20S | LightWeight Pads | 15" x 19" | 20 pads/tablet 9 tablets/pkg | 25.2 gal. | 24 | W, O, S | yes | 24-25 | | |
| Universal PROTECTOR™ Mat Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 26-27 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GPL100H | HeavyWeight Pads | 15" x 19" | 100 | 28.9 gal. | 30 | W, O, S | yes | 26-27 | | |
| GPL100M | MediumWeight Pads | 15" x 19" | 100 | 23.4 gal. | 36 | W, O, S | yes | 26-27 | | |
| Universal PROTECTOR™ Mat Rolls | | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Pages 26-27 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| GRL150H | HeavyWeight Roll | 30" x 150' | 1 | 54.9 gal. | 15 | W, O, S | yes | 26-27 | | |
| GRSL150H | HeavyWeight Split Roll | 15" x 150' | 2 | 54.9 gal. | 15 | W, O, S | yes | 26-27 | | |
| GRL150M | MediumWeight Roll | 30" x 150' | 1 | 44.4 gal. | 21 | W, O, S | yes | 26-27 | | |
| GRSL150M | MediumWeight Split Roll | 15" x 150' | 2 | 44.4 gal. | 21 | W, O, S | yes | 26-27 | | |

| Universal MAXIMIZER Mat Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Pages 28-29 | |
|-------------------------------------|------------------|---|---------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW GPC75H | HeavyWeight Pads | 15" x 19" | 75 | 27.5 gal. | 18 | 0 | yes | 28-29 | |
| NEW GPC100S | LightWeight Pads | 15" x 19" | 100 | 24.0 gal. | 24 | 0 | yes | 28-29 | |

| Universal MAXIMIZER Mat Rolls | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Pages 28-29 | |
|--------------------------------------|------------------|---|---------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW GRC150H | HeavyWeight Roll | 30" x 150' | 1 | 69.0 gal. | 8 | 0 | yes | 28-29 | |
| NEW GRC150S | LightWeight Roll | 30" x 150' | 1 | 44.0 gal. | 12 | 0 | yes | 28-29 | |

| Universal CONTRACTOR GRADE Mat Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Pages 30-31 | |
|--|-------------------|---|---------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW GP-H | HeavyWeight Pads | 15" x 19" | 50 | 22.0 gal. | 36 | 0 | yes | 30-31 | |
| NEW GP-M | MediumWeight Pads | 15" x 19" | 100 | 20.0 gal. | 42 | 0 | yes | 30-31 | |
| NEW GP-S | LightWeight Pads | 15" x 19" | 100 | 35.0 gal. | 30 | 0 | yes | 30-31 | |

| Universal CONTRACTOR GRADE Mat Rolls | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Pages 30-31 | |
|---|-------------------|---|---------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW GR-H | HeavyWeight Roll | 30" x 150' | 1 | 44.0 gal. | 21 | 0 | yes | 30-31 | |
| NEW GR-M | MediumWeight Roll | 30" x 150' | 1 | 40.0 gal. | 21 | 0 | yes | 30-31 | |

| Universal SURVIVOR™ Mat Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 32 | |
|-------------------------------------|------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SVP100H | HeavyWeight Pads | 15" x 19" | 100 | 17.9 gal. | 30 | W, O, S | yes | 32 | |

| Universal SURVIVOR™ Mat Rolls | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 32 | |
|--------------------------------------|-------------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SVR150H | HeavyWeight Roll | 30" x 150' | 1 | 35.8 gal. | 15 | W, O, S | yes | 32 | |
| SVRS150H-1 | HeavyWeight Roll | 15" x 150' | 1 | 17.9 gal. | 30 | W, O, S | yes | 32 | |
| SVRS150H-2 | HeavyWeight Split Rolls | 15" x 150' | 2 | 35.8 gal. | 15 | W, O, S | yes | 32 | |

| Universal PolyBacked COMMANDER™ Mat | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 33 | |
|--|------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| PBGPF50H | HeavyWeight Pads | 15" x 19" | 50 | 8.1 gal. | 42 | W, O, S | yes | 33 | |
| PBGRF100H | HeavyWeight Roll | 30" x 100' | 1 | 18.0 gal. | 20 | W, O, S | yes | 33 | |

| Universal TRANSFORMER™ Mat Roll | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 33 | |
|--|-----------------------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| GRSMF100H-BX | HeavyWeight Roll in Dispenser Box | 15" x 100' | 1 | 18.9 gal. | 30 | W, O, S | yes | 33 | |

| Universal TUFF™ Rug | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 34 | |
|----------------------------|----------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| MR2069 | HeavyWeight Mat Roll | 33" x 150' | 1 | 23.0 gal. | 24 | W, O, S | yes | 34 | |

| Universal Traffic TUFF™ Rug | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 34 | |
|------------------------------------|------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NPR150H-GR | HeavyWeight Roll | 36" x 150' | 1 | 54.0 gal. | 12 | W, O, S | yes | 34 | |
| NPR300S-GR | LightWeight Roll | 36" x 300' | 1 | 54.0 gal. | 12 | W, O, S | yes | 34 | |
| PBR100 | PolyBacked Roll | 36" x 100' | 1 | 13.0 gal. | 20 | W, O, S | yes | 34 | |

| Universal Recycled TUFF™ Rug | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 35 | |
|-------------------------------------|-------------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| RRUG36H | HeavyWeight Roll | 36" x 150' | 1 | 84.6 gal. | 12 | W, O, S | yes | 35 | |
| RRUG18H | HeavyWeight Split Rolls | 18" x 150' | 2 | 84.6 gal. | 12 | W, O, S | yes | 35 | |
| RRUGP100H | HeavyWeight Pads | 18" x 18" | 100 | 38.9 gal. | 24 | W, O, S | yes | 35 | |

| Universal DrumTop Pads | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 35 | |
|-------------------------------|------------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| GTOP | HeavyWeight Pads | 22"Dia. | 25 | 8.6 gal. | 72 | W, O, S | yes | 35 | |

| Universal CornCob Socks | | Gray Universal (for oils, coolants, solvents & water) | | | | | | Page 36 | |
|--------------------------------|---------------|---|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| CCS040 | CornCob Socks | 3" x 42" | 40 | 20.0 gal. | 16 | W, O, S | yes | 36 | |

| | | | | | | | | |
|-----------------------------------|---|---------------------|----------------------|---------------------|-------------|---------------|--------------|-------------|
| Universal Cellulose Socks | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Page 36 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| GCS0430 | Cellulose Socks | 3" x 4" | 30 | 34 gal. | 16 | W, O, S | yes | 36 |
| GCS0815 | Cellulose Socks | 3" x 8' | 15 | 34 gal. | 16 | W, O, S | yes | 36 |
| GCS01210 | Cellulose Socks | 3" x 12' | 10 | 34 gal. | 16 | W, O, S | yes | 36 |
| Universal Boom | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Page 37 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| GB510SN | Universal Booms | 5" x 10' | 4 | 23.3 gal. | 20 | W, O, S | yes | 37 |
| Universal Pillows | Gray Universal (for oils, coolants, solvents & water) | | | | | | | Page 37 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| GPIL1818 | Universal Pillows | 18" x 18" | 10 | 23.0 gal. | 35 | W, O, S | yes | 37 |
| GPIL818 | Universal Pillows | 8" x 18" | 20 | 23.0 gal. | 35 | W, O, S | yes | 37 |
| GPIL1010 | Universal Pillows | 10" x 10" | 40 | 30.0 gal. | 35 | W, O, S | yes | 37 |
| Universal Pans | Universal (for oils, coolants, solvents & water) | | | | | | | Page 37 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| GPIL1224 | Universal Pillow in a Pan | 10.5" sq. x 3"H | 12 pans & 24 pillows | 18.0 gal. | 35 | W, O, S | yes | 37 |
| GPIL1010 | Universal Pillows Refill | 10" x 10" | 40 | 30.0 gal. | 35 | W, O, S | yes | 37 |
| DPU-16 | Universal DripPans | 10.5" sq. x 3"H | 16 | 12.0 gal. | 20 | W, O, S | no | 37 |
| Gran-sorb® Loose Sorbent | Universal (for oils, coolants, solvents & water) | | | | | | | Page 38 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| CELL30 | Gran-sorb® Loose Sorbent | 30-lb. Bag | 65 | 4.0 gal. | 65 | W, O, S | yes | 38 |
| Loose CornCob | Universal (for oils, coolants, solvents & water) | | | | | | | Page 38 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| COB40 | Loose CornCob | 40-lb. Bag | 50 | 8.5 gal. | 50 | W, O, S | yes | 38 |
| Lite-Zorb Loose Sorbent | Universal (for oils, coolants, solvents & water) | | | | | | | Page 38 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| MR1020 | Lite-Zorb Loose Sorbent | 25-lb. Bag | 1 | 5.4 gal. | 80 | W, O, S | yes | 38 |
| SuperSorbent Loose Sorbent | Universal (for oils, coolants, solvents & water) | | | | | | | Page 38 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| SS1 | SuperSorb Loose Sorbent | 28-oz. Shakers | 1 | .6 gal. | 720 | W, O, S | yes | 38 |
| SS12 | SuperSorb Loose Sorbent | 28-oz. Shakers (12) | 60 | 7.0 gal. | 60 | W, O, S | yes | 38 |
| SS5 | SuperSorb Loose Sorbent | 5-gal. Pail | 40 | 6.0 gal. | 60 | W, O, S | yes | 38 |
| Fluidloc™ Sorbent | (for water-based liquids) | | | | | | | Page 38 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| FL1 | Fluidloc™ Sorbent | 48-oz. Shakers | 1 | 65.0 gal. | 720 | W, O, S | yes | 38 |
| FL12 | Fluidloc™ Sorbent | 48-oz. Shakers | 12 | 780.0 gal. | 60 | W, O, S | yes | 38 |
| WaterWick | (for water, not oils) | | | | | | | Page 39 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| WW10 | WaterWick | 1"Dia. x 9'L | 1 | 3 oz. | n/a | W | yes | 39 |
| WW15 | WaterWick | 1.5"Dia. x 12'L | 1 | 8 oz. | n/a | W | yes | 39 |
| WW20 | WaterWick | 2"Dia. x 12'L | 1 | 12 oz. | n/a | W | yes | 39 |
| WW35 | WaterWick | 3.5"Dia. x 12'L | 1 | 36 oz. | n/a | W | yes | 39 |
| HazMat DEFENDER™ Mat Pads | Yellow HazMat (for acids, bases & unknown liquids) | | | | | | | Pages 40-41 |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| YPB100H | HeavyWeight Pads | 15" x 19" | 100 | 29.1 gal. | 30 | A, W, O, S | yes | 40-41 |
| YPB50H | HeavyWeight Pads | 15" x 19" | 50 | 14.6 gal. | 48 | A, W, O, S | yes | 40-41 |
| YPB100M | MediumWeight Pads | 15" x 19" | 100 | 24.7 gal. | 36 | A, W, O, S | yes | 40-41 |
| YPB50M | MediumWeight Pads | 15" x 19" | 50 | 12.4 gal. | 48 | A, W, O, S | yes | 40-41 |
| YPB200S | LightWeight Pads | 15" x 19" | 200 | 31.1 gal. | 30 | A, W, O, S | yes | 40-41 |
| YPB100S | LightWeight Pads | 15" x 19" | 100 | 15.5 gal. | 48 | A, W, O, S | yes | 40-41 |

| HazMat DEFENDER™ Mat Rolls | | Yellow HazMat (for acids, bases & unknown liquids) | | | | | | Pages 40-41 | |
|---|--------------------------------|--|---------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| YRB150H | HeavyWeight Roll | 30" x 150' | 1 | 55.2 gal. | 15 | A, W, O, S | yes | 40-41 | |
| YRSB150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 55.2 gal. | 15 | A, W, O, S | yes | 40-41 | |
| YRB150M | MediumWeight Roll | 30" x 150' | 1 | 46.1 gal. | 21 | A, W, O, S | yes | 40-41 | |
| HazMat COMMANDER™ Mat Pads | | Yellow HazMat (for acids, bases & unknown liquids) | | | | | | Pages 42-43 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| YPF100H | HeavyWeight Pads | 15" x 19" | 100 | 26.3 gal. | 30 | A, W, O, S | yes | 42-43 | |
| YPF1014H | HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. | 60 | A, W, O, S | yes | 42-43 | |
| HazMat COMMANDER™ Mat Rolls | | Yellow HazMat (for acids, bases & unknown liquids) | | | | | | Pages 42-43 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| YRF150H | HeavyWeight Roll | 30" x 150' | 1 | 49.8 gal. | 15 | A, W, O, S | yes | 42-43 | |
| YRSF150H | HeavyWeight Split Rolls | 15" x 150' | 2 | 49.8 gal. | 15 | A, W, O, S | yes | 42-43 | |
| HazMat Poly Blend Socks | | (for acids, bases & unknown liquids) | | | | | | Page 44 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| YS0410 | HazMat Socks | 3" x 4' | 10 | 8.33 gal. | 30 | A, W, O, S | yes | 44 | |
| YS0430 | HazMat Socks | 3" x 4' | 30 | 25.0 gal. | 16 | A, W, O, S | yes | 44 | |
| YS0815 | HazMat Socks | 3" x 8' | 15 | 25.0 gal. | 16 | A, W, O, S | yes | 44 | |
| YS01210 | HazMat Socks | 3" x 12' | 10 | 25.0 gal. | 16 | A, W, O, S | yes | 44 | |
| HazMat Sock/Net Booms | | Yellow HazMat (for acids, bases & unknown liquids) | | | | | | Page 44 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| HZ510SN | HazMat Booms | 5" x 10' | 4 | 23.3 gal. | 20 | A, W, O, S | yes | 44 | |
| HZ810SN | HazMat Booms | 8" x 10' | 4 | 33.9 gal. | 12 | C | yes | 44 | |
| HazMat Poly Blend Pillows | | Yellow HazMat (for acids, bases & unknown liquids) | | | | | | Page 44 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| YPIL818 | HazMat Pillows | 8" x 18" | 20 | 26.8 gal. | 35 | A, W, O, S | yes | 44 | |
| YPIL1818 | HazMat Pillows | 18" x 18" | 10 | 29.1 gal. | 35 | A, W, O, S | yes | 44 | |
| Acid Neutralizing Sorbents | | Yellow HazMat Acid Neutralizing Sorbents | | | | | | Pages 45 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| ANS1 | Acid Neutralizing Sorbent | 32 oz. Shaker | 1 | .2 gal. | 720 | A | yes | 45 | |
| ANS12 | Acid Neutralizing Sorbent | 32 oz. Shaker | 12 | 2.4 gal. | 60 | A | yes | 45 | |
| ANS5 | Acid Neutralizing Sorbent | 5-gal. Pail | 1 | 2.5 gal. | 40 | A | yes | 45 | |
| Universal Neutralizing Sorbent (UNS) | | Universal Neutralizing Sorbent | | | | | | Page 45 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW UNS1 | Universal Neutralizing Sorbent | 48 oz. Shaker | 1 | .75 gal. | 256 | A, W, O, S | yes | 45 | |
| NEW UNS4 | Universal Neutralizing Sorbent | 48 oz. Shaker | 4 | 3 gal. | 64 | A, W, O, S | yes | 45 | |
| Sorbent Mat Wringer | | Sorbent Wringer | | | | | | Page 46 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| A-WRINGER | Sorbent Mat Wringer | 15"W x 12"H | 1 | n/a | 1 | n/a | no | 46 | |
| Pad Box | | Flat Pad Box | | | | | | Page 46 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| A-PADBOX | Pad Box | 15.5"L x 19.25"W x 16"H | 1 | n/a | 150 | n/a | yes | 46 | |
| Free-Standing RollRack | | Free-Standing RollRack | | | | | | Page 46 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| A-ROLLRACK2 | Free-Standing RollRack | For rolls up to 32"W | 1 | n/a | 72 | n/a | no | 46 | |
| Vertical RollRack | | Vertical RollRack | | | | | | Page 46 | |
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW A-VRACK | Vertical RollRack | For rolls up to 36"W | 1 | n/a | 100 | n/a | no | 46 | |

A-Aggressive

S-Solvents

O-Oil

W-Water

Compatibility:

Complete Product SpecSheet

| SPILL KIT / 95-Gallon Recycled | | 95-Gallon Recycled Spill Kits | | | | | | | Page 48 |
|---------------------------------------|--|-------------------------------|--------------|---------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-95-RC | 95-Gallon Recycled Kit/Universal | 31.75"Dia. x 41.5"H | RSPKU-95-RC | 87.0 gal. | 1 | W, O, S | no | 48 | |
| RSPKU-95-RC | Refill Kit for 95-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 87.0 gal. | 1 | W, O, S | no | 48 | |
| SPKO-95-RC | 95-Gallon Recycled Kit/Oil-Only | 31.75"Dia. x 41.5"H | RSPKO-95-RC | 87.0 gal. | 1 | 0 | no | 48 | |
| RSPKO-95-RC | Refill Kit for 95-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 87.0 gal. | 1 | 0 | no | 48 | |
| A95OVER-RC | 95-Gallon Empty OverPack | 31.75"Dia. x 41.5"H | n/a | n/a | Nest 4 High | n/a | no | 48 | |

| SPILL KIT / 95-Gallon | | 95-Gallon Spill Kits | | | | | | | Page 48 |
|------------------------------|--|-------------------------------|--------------|---------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-95 | 95-Gallon Kit/Universal | 31.75"Dia. x 41.5"H | RSPKU-95 | 84.0 gal. | 1 | W, O, S | no | 48 | |
| RSPKU-95 | Refill Kit for 95-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 84.0 gal. | 10 | W, O, S | no | 48 | |
| SPKO-95 | 95-Gallon Kit/Oil-Only | 31.75"Dia. x 41.5"H | RSPKO-95 | 84.0 gal. | 1 | 0 | no | 48 | |
| RSPKO-95 | 95-Gallon Recycled Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 84.0 gal. | 10 | 0 | no | 48 | |
| SPKHZ-95 | 95-Gallon Kit/HazMat | 31.75"Dia. x 41.5"H | RSPKHZ-95 | 84.0 gal. | 1 | A, W, O, S | no | 48 | |
| RSPKHZ-95 | Refill Kit for 95-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 84.0 gal. | 10 | A, W, O, S | no | 48 | |
| A95OVER | 95-Gallon Empty OverPack | 32"Dia. x 41.5"H | n/a | n/a | Nest 4 High | n/a | no | 48 | |

| SPILL KIT / 95-Gallon Wheeled | | 95-Gallon Spill Kits with Wheels | | | | | | | Page 48 |
|--------------------------------------|--|----------------------------------|--------------|---------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-95-WD | 95-Gallon Kit/Universal w/Wheels | 32"Dia. x 47"H | RSPKU-95 | 84.0 gal. | 1 | W, O, S | no | 48 | |
| RSPKU-95 | Refill Kit for 95-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 84.0 gal. | 10 | W, O, S | no | 48 | |
| SPKO-95-WD | 95-Gallon Kit/Oil-Only w/Wheels | 32"Dia. x 47"H | RSPKO-95 | 84.0 gal. | 1 | 0 | no | 48 | |
| RSPKO-95 | 95-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 84.0 gal. | 10 | 0 | no | 48 | |
| SPKHZ-95-WD | 95-Gallon Kit/HazMat w/Wheels | 32"Dia. x 47"H | RSPKHZ-95 | 84.0 gal. | 1 | A, W, O, S | no | 48 | |
| RSPKHZ-95 | Refill Kit for 95-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 84.0 gal. | 10 | A, W, O, S | no | 48 | |
| A95OVER-WD | Empty 95-Gallon OverPack w/ Wheels | 32"Dia. x 47.5"H | n/a | n/a | Nest 4 High | n/a | no | 48 | |

| SPILL KIT / 65-Gallon | | 65-Gallon Spill Kits | | | | | | | Page 49 |
|------------------------------|--|-------------------------------|--------------|---------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-65 | 65-Gallon Kit/Universal | 28.25"Dia. x 37.37"H | RSPKU-65 | 47.4 gal. | 2 | W, O, S | no | 49 | |
| RSPKU-65 | Refill Kit for 65-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 47.4 gal. | 12 | W, O, S | no | 49 | |
| SPKO-65 | 65-Gallon Kit/Oil-Only | 28.25"Dia. x 37.37"H | RSPKO-65 | 47.4 gal. | 2 | 0 | no | 49 | |
| RSPKO-65 | Refill for 65-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 47.4 gal. | 12 | 0 | no | 49 | |
| SPKHZ-65 | 65-Gallon Kit/HazMat | 28.25"Dia. x 37.37"H | RSPKHZ-65 | 47.4 gal. | 2 | A, W, O, S | no | 49 | |
| RSPKHZ-65 | Refill Kit for 65-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 47.4 gal. | 12 | A, W, O, S | no | 49 | |
| A65OVER | 65-Gallon Empty OverPack | 28.25"Dia. x 37.5"H | n/a | n/a | 6 | n/a | no | 49 | |

| SPILL KIT / 55-Gallon | | 55-Gallon Spill Kits | | | | | | | Page 49 |
|------------------------------|--|-------------------------------|--------------|---------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-55 | 55-Gallon Kit/Universal | 24"Dia. x 40"H | RSPKU-55 | 48.9 gal. | 2 | W, O, S | no | 49 | |
| RSPKU-55 | Refill Kit for 55-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 48.9 gal. | 16 | W, O, S | yes | 49 | |
| SPKO-55 | 55-Gallon Kit/Oil-Only | 24"Dia. x 40"H | RSPKO-55 | 48.9 gal. | 2 | 0 | no | 49 | |
| RSPKO-55 | Refill for 55-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 48.9 gal. | 16 | 0 | yes | 49 | |
| SPKHZ-55 | 55-Gallon Kit/HazMat | 24"Dia. x 40"H | RSPKHZ-55 | 48.9 gal. | 2 | A, W, O, S | no | 49 | |
| RSPKHZ-55 | Refill Kit for 55-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 48.9 gal. | 16 | A, W, O, S | yes | 49 | |
| A55DRUM | 55-Gallon Empty OverPack | 24"Dia. x 40"H | n/a | 48.9 gal. | 36 | n/a | no | 49 | |

| SPILL KIT / 50-Gallon Wheeled | | 50-Gallon Spill Kits with Wheels | | | | | | | Page 49 |
|--------------------------------------|--|----------------------------------|--------------|---------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-50-WD | 50-Gallon Kit/Universal w/wheels | 24.5"Dia. x 39.5"H | RSPKU-50 | 45.7 gal. | 4 | W, O, S | no | 49 | |
| RSPKU-50 | Refill Kit for 50-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 45.7 gal. | 10 | W, O, S | no | 49 | |
| SPKO-50-WD | 50-Gallon Kit/Oil-Only w/wheels | 24.5"Dia. x 39.5"H | RSPKO-50 | 45.7 gal. | 4 | 0 | no | 49 | |
| RSPKO-50 | Refill for 50-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 45.7 gal. | 10 | 0 | no | 49 | |
| SPKHZ-50-WD | 50-Gallon Kit/HazMat w/wheels | 24.5"Dia. x 39.5"H | RSPKHZ-50 | 45.7 gal. | 4 | A, W, O, S | no | 49 | |
| RSPKHZ-50 | Refill Kit for 50-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 45.7 gal. | 10 | A, W, O, S | no | 49 | |
| A50OVER-WD | 50-Gallon Empty OverPack w/wheels | 24.5"Dia. x 45.5"H | n/a | n/a | 6 | n/a | no | 49 | |

A-Aggressive

S-Solvents

O-oil

W-Water

Compatibility:

Complete Product SpecSheet

| SPILL CART KITS | | Spill Cart Kits | | | | | | Page 50 | |
|-----------------|---------------------------------------|-------------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-CART5 | Spill Cart Kit/Universal w/ 5" Wheels | 48"H x 31"W x 31.5"D | RSPKU-CART | 88.2 gal. | 1 | W, O, S | no | 50 | |
| SPKU-CART8 | Spill Cart Kit/Universal w/ 8" Wheels | 48"H x 31"W x 31.5"D | RSPKU-CART | 88.2 gal. | 1 | W, O, S | no | 50 | |
| RSPKU-CART | Refill Kit for Cart Kit/Universal | <i>Call for shipping info</i> | n/a | 96.6 gal. | 6 | W, O, S | no | 50 | |
| SPKO-CART5 | Spill Cart Kit/Oil-Only w/ 5" Wheels | 48"H x 31"W x 31.5"D | RSPKO-CART | 109.9 gal. | 1 | O | no | 50 | |
| SPKO-CART8 | Spill Cart Kit/Oil-Only w/ 8" Wheels | 48"H x 31"W x 31.5"D | RSPKO-CART | 109.9 gal. | 1 | O | no | 50 | |
| RSPKO-CART | Refill for Cart Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 124.2 gal. | 6 | O | no | 50 | |
| SPKHZ-CART5 | Spill Cart Kit/HazMat w/ 5" Wheels | 48"H x 31"W x 31.5"D | RSPKHZ-CART | 82.0 gal. | 1 | A, W, O, S | no | 50 | |
| SPKHZ-CART8 | Spill Cart Kit/HazMat w/ 8" Wheels | 48"H x 31"W x 31.5"D | RSPKHZ-CART | 82.0 gal. | 1 | A, W, O, S | no | 50 | |
| RSPKHZ-CART | Refill Kit for Cart Kit/HazMat | <i>Call for shipping info</i> | n/a | 85.5 gal. | 7 | A, W, O, S | no | 50 | |
| A-UTILITYBOX5 | Empty Utility Box w/ 5" Wheels | 48"H x 31"W x 31.5"D | n/a | 15 Cu. Ft Capacity | Nest 5 High | n/a | no | 50 | |
| A-UTILITYBOX8 | Empty Utility Box w/ 8" Wheels | 48"H x 31"W x 31.5"D | n/a | 15 Cu. Ft Capacity | Nest 5 High | n/a | no | 50 | |

| SPILL KIT / 30-Gallon | | 30-Gallon Spill Kits | | | | | | Page 51 | |
|-----------------------|--|-------------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-30 | 30-Gallon Kit/Universal | 23"Dia. x 30"H | RSPKU-30 | 25.6 gal. | 8 | W, O, S | no | 51 | |
| RSPKU-30 | Refill Kit for 30-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 25.6 gal. | 30 | W, O, S | no | 51 | |
| SPKO-30 | 30-Gallon Kit/Oil-Only | 23"Dia. x 30"H | RSPKO-30 | 25.6 gal. | 8 | O | no | 51 | |
| RSPKO-30 | Refill for 30-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 25.6 gal. | 30 | O | no | 51 | |
| SPKHZ-30 | 30-Gallon Kit/HazMat | 23"Dia. x 30"H | RSPKHZ-30 | 25.6 gal. | 8 | A, W, O, S | no | 51 | |
| RSPKHZ-30 | Refill Kit for 30-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 25.6 gal. | 30 | A, W, O, S | no | 51 | |
| A300VER | 30-Gallon Empty OverPack | 23"Dia. x 30.75"H | n/a | n/a | 24 | n/a | no | 51 | |

| SPILL KIT / 20-Gallon | | 20-Gallon Spill Kits | | | | | | Page 51 | |
|-----------------------|--|-------------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-20 | 20-Gallon Kit/Universal | 23"Dia. x 19"H | RSPKU-20 | 16.4 gal. | 16 | W, O, S | no | 51 | |
| RSPKU-20 | Refill Kit for 20-Gallon Kit/Universal | <i>Call for shipping info</i> | n/a | 16.4 gal. | 32 | W, O, S | no | 51 | |
| SPKO-20 | 20-Gallon Kit/Oil-Only | 23"Dia. x 19"H | RSPKO-20 | 16.4 gal. | 16 | O | no | 51 | |
| RSPKO-20 | Refill for 20-Gallon Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 16.4 gal. | 32 | O | no | 51 | |
| SPKHZ-20 | 20-Gallon Kit/HazMat | 23"Dia. x 19"H | RSPKHZ-20 | 16.4 gal. | 16 | A, W, O, S | no | 51 | |
| RSPKHZ-20 | Refill Kit for 20-Gallon Kit/HazMat | <i>Call for shipping info</i> | n/a | 16.4 gal. | 32 | A, W, O, S | no | 51 | |
| A200VER | 20-Gallon Empty OverPack | 23"Dia. x 19"H | n/a | n/a | 40 | n/a | no | 51 | |

| SPILL KADDIE KITS | | Spill Kaddie Kits | | | | | | Page 51 | |
|-------------------|---|-------------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-KAD2 | Spill Kaddie Kit/Universal | 40"H x 20"W x 20"D | RSPKU-KAD | 28.5 gal. | 8 | W, O, S | no | 51 | |
| RSPKU-KAD | Refill Kit for Spill Kaddie Kit/Universal | <i>Call for shipping info</i> | n/a | 28.5 gal. | 30 | W, O, S | no | 51 | |
| SPKO-KAD2 | Spill Kaddie Kit/Oil-Only | 40"H x 20"W x 20"D | RSPKO-KAD | 28.5 gal. | 8 | O | no | 51 | |
| RSPKO-KAD | Refill for Spill Kaddie Kit/Oil-Only | <i>Call for shipping info</i> | n/a | 28.5 gal. | 30 | O | no | 51 | |
| SPKHZ-KAD2 | Spill Kaddie Kit/HazMat | 40"H x 20"W x 20"D | RSPKHZ-KAD | 28.5 gal. | 8 | A, W, O, S | no | 51 | |
| RSPKHZ-KAD | Refill Kit for Spill Kaddie Kit/HazMat | <i>Call for shipping info</i> | n/a | 28.5 gal. | 30 | A, W, O, S | no | 51 | |
| A-KADDIE | Empty Spill Kaddie | 40"H x 20"W x 20"D | n/a | n/a | 8 | n/a | no | 51 | |

| DUFFLE BAG KITS | | Duffle Bag Kits | | | | | | Pages 52-53 | |
|-----------------|----------------------|--------------------|--------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW SPKU-DUFF | Duffle Bag/Universal | 40"L x 12"W x 12"H | n/a | 28.8 gal. | 18 | W, O, S | no | 53 | |
| NEW SPKO-DUFF | Duffle Bag/Oil-Only | 40"L x 12"W x 12"H | n/a | 28.8 gal. | 18 | O | no | 53 | |
| NEW A-DUFFLE | Empty Yellow Bag | 40"L x 12"W x 12"H | n/a | n/a | 400 | n/a | no | 53 | |

| CAMO BAG KITS | | Camo Bag Kits | | | | | | Pages 52-53 | |
|------------------|--------------------|--------------------|--------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW SPKU-CAMO-BG | Camo Bag/Universal | 18)L x 11"W x 11"H | n/a | 8.9 gal. | 35 | W, O, S | no | 53 | |
| NEW SPKO-CAMO-BG | Camo Bag/Oil-Only | 18)L x 11"W x 11"H | n/a | 8.9 gal. | 35 | O | no | 53 | |
| NEW A-CAMOBAG | Empty Camo Bag | 18)L x 11"W x 11"H | n/a | n/a | 400 | n/a | no | 53 | |

A-Aggressive

S-Solvents

O-oil

W-Water

Compatibility:

Complete Product SpecSheet

| BLACK BAG KITS | | Duffle Bag Kits | | | | | | Pages 52-53 | |
|-----------------------|---------------------|------------------------|--------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW SPKU-BLK-BG | Black Bag/Universal | 18" L x 11" W x 11" H | n/a | 8.9 gal. | 35 | W, O, S | no | 53 | |
| NEW SPKO-BLK-BG | Black Bag/Oil-Only | 18" L x 11" W x 11" H | n/a | 8.9 gal. | 35 | O | no | 53 | |
| NEW A-BLACKBAG | Empty Black Bag | 18" L x 11" W x 11" H | n/a | n/a | 400 | n/a | no | 53 | |

| TOTE KITS | | Tote Spill Kits | | | | | | Page 54 | |
|------------------|----------------|------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW SPKU-TOTE | Tote/Universal | 20" L x 15" W x 4" H | n/a | 8.09 gal. | 32 | W, O, S | no | 54 | |
| NEW SPKO-TOTE | Tote/Oil-Only | 20" L x 15" W x 4" H | n/a | 7.49 gal. | 32 | O | no | 54 | |
| NEW SPKHZ-TOTE | Tote/HazMat | 20" L x 15" W x 4" H | n/a | 7.49 gal. | 32 | A, W, O, S | no | 54 | |
| NEW A-GTOTE | Empty Tote Bag | 20" L x 15" W x 4" H | n/a | n/a | 2016 | n/a | no | 54 | |

| SPILL KITS / 5-Gallon | | 5-Gallon Spill Kits | | | | | | Page 55 | |
|------------------------------|---------------------------|----------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-5 | 5-Gallon Kit/Universal | 12" Dia. x 16.75" H | n/a | 4.6 gal. | 24 | W, O, S | no | 55 | |
| SPKO-5 | 5-Gallon Kit/Oil-Only | 12" Dia. x 16.75" H | n/a | 4.6 gal. | 24 | O | no | 55 | |
| SPKHZ-5 | 5-Gallon Kit/HazMat | 12" Dia. x 16.75" H | n/a | 4.6 gal. | 24 | A, W, O, S | no | 55 | |
| A5OVER | Empty Spill 5-Gallon Pail | 12" Dia. x 16.75" H | n/a | n/a | 72 | n/a | no | 55 | |

| Fluidloc™ Sorbent | | (for water-based liquids) | | | | | | Page 55 | |
|--------------------------|-----------------------|----------------------------------|---------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Package | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| FLKIT | Fluidloc™ Sorbent Kit | 36-oz. Shakers | 12 | 48.0 gal. | 40 | W, O, S | yes | 55 | |

| Fleet Kits | | Fleet Kits | | | | | | Page 55 | |
|-------------------|---------------------|----------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-FLEET | Fleet Kit/Universal | 20" H x 17" W x 8" D | n/a | 10.7 gal. | 32 | W, O, S | no | 55 | |
| SPKO-FLEET | Fleet Kit/Oil-Only | 20" H x 17" W x 8" D | n/a | 10.7 gal. | 32 | O | no | 55 | |
| SPKHZ-FLEET | Fleet Kit/HazMat | 20" H x 17" W x 8" D | n/a | 10.7 gal. | 32 | A, W, O, S | no | 55 | |
| A-YTOTE | Empty Tote Bag | 20" H x 17" W x 8" D | n/a | n/a | 1000 | n/a | no | 55 | |

| Trucker Spill Kits | | Fleet Kits | | | | | | Page 55 | |
|---------------------------|-----------------------|----------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPKU-TRK | Trucker Kit/Universal | 18" H x 15" W x 6" D | n/a | 8.3 gal. | 60 | W, O, S | no | 55 | |
| SPKO-TRK | Trucker Kit/Oil-Only | 18" H x 15" W x 6" D | RSPKO-30 | 8.3 gal. | 60 | O | no | 55 | |
| SPKHZ-TRK | Trucker Kit/HazMat | 18" H x 15" W x 6" D | RSPKHZ-30 | 8.3 gal. | 60 | A, W, O, S | no | 55 | |

| Specialty Spill Kits | | Specialty Spill Kits | | | | | | Page 56 | |
|-----------------------------|----------------------------------|-----------------------------|--------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Refill Kit # | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW PPE-KIT | Personal Protection Spill Kit | 17" L x 23" W x 2" D | n/a | n/a | 90 | n/a | no | 56 | |
| NEW SPKU-WCAB | Universal Wall Cabinet Spill Kit | 12.75" L x 13.75" W x 30" H | RSPKU-WCAB | 22.7 gal. | 12 | W, O, S | no | 56 | |
| NEW A-WCAB | Empty Cabinet | 12.75" L x 13.75" W x 30" H | n/a | n/a | 12 | n/a | no | 56 | |
| MERC-KIT2 | Mercury Spill Kit | 110" L x 7" W x 9" H | n/a | 35.27 oz. | 120 | Only Mercury | no | 56 | |
| SPKHZ-BATT | Battery Acid Spill Kit | 23" Dia. x 19" H | RSPKHZ-BATT | 23.3 gal. | 16 | A, W, O, S | no | 56 | |
| A20OVER | Empty 20-Gallon OverPack | 23" Dia. x 19" H | n/a | n/a | 40 | n/a | no | 56 | |

| Repair Kits | | Repair Kits | | | | | | Page 57 | |
|--------------------|-----------------|----------------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| R-DRUM | Drum Repair Kit | 8" H x 18" W x 8" D | 1 | n/a | 40 | W, O, S | no | 57 | |
| R-LEAK | Leak Repair Kit | 14" H x 24" W x 5" D | 1 | n/a | 30 | W, O, S | no | 57 | |
| R-PIPE-L | Pipe Repair Kit | For 5" to 8" pipes | 1 | n/a | 40 | W, O, S | no | 57 | |
| R-PIPE-S | Pipe Repair Kit | For .5" to 4" pipes | 1 | n/a | 30 | W, O, S | no | 57 | |

| OverPacks and Containers | | OverPacks and Containers | | | | | | | Pages 58-59 | |
|--------------------------|-----------------------------------|--------------------------|------------|-----------------|-------------|---------------|--------------|--------|-------------|--|
| Item # | Description | Size | Units/Pkg. | Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| A-KADDIE | Empty Spill Kaddie | 40"H x 20"W x 20"D | 1 | n/a | 8 | n/a | no | 58-59 | | |
| A-UTILITYBOX5 | Empty Spill Cart w/ 5" Wheels | 48"L x 31"W x 36.5"H | 1 | 15 Cu. Ft. | 1 | n/a | no | 58-59 | | |
| A-UTILITYBOX8 | Empty Spill Cart w/ 8" Wheels | 48"L x 31"W x 39.5"H | 1 | 15 Cu. Ft. | 1 | n/a | no | 58-59 | | |
| A95OVER | Empty 95-Gal. OverPack | 32"Dia. x 41.5"H | 1 | 95.0 gal | 3 | n/a | no | 58-59 | | |
| A95OVER-RC | Empty 95-Gal. Recycled OverPack | 32"Dia. x 41.5"H | 1 | 95.0 gal | 3 | n/a | no | 58-59 | | |
| A95OVER-WD | Empty 95-Gal. OverPack w/ Wheels | 32"Dia. x 47.5"H | 1 | 95.0 gal | 3 | n/a | no | 58-59 | | |
| A65OVER | Empty 65-Gal. OverPack | 28.25"Dia. x 37.5"H | 1 | 95.0 gal | 6 | n/a | no | 58-59 | | |
| A55DRUM | Empty 55-Gal. Drum | 24"Dia. x 40"H | 1 | 55.0 gal | 36 | n/a | no | 58-59 | | |
| A50OVER-WD | Empty 50-Gal. OverPack w/ Wheels | 24.5"Dia. x 45.5"H | 1 | 50.0 gal | 6 | n/a | no | 58-59 | | |
| A30OVER | Empty 30-Gal. OverPack | 23"Dia. x 30.75"H | 1 | 30.0 gal | 24 | n/a | no | 58-59 | | |
| A20OVER | Empty 20-Gal. OverPack | 22"Dia. x 18"H | 1 | 20.0 gal | 40 | n/a | no | 58-59 | | |
| A50VER | Empty 5-Gal. Pail w/Screw-Top Lid | 12"Dia. x 16.75"H | 1 | 5.0 gal | 72 | n/a | no | 58-59 | | |
| A-YTOTE | Empty Tote Bag | 20)L x 17"W x 8"D | 1 | n/a | 1,000 | n/a | no | 58-59 | | |
| NEW A-DUFFLE | Empty Yellow Bag | 40)L x 12"W x 12"H | 1 | n/a | 400 | n/a | no | 58-59 | | |
| NEW A-BLACKBAG | Empty Black Bag | 18)L x 11"W x 11"H | 1 | n/a | 400 | n/a | no | 58-59 | | |
| NEW A-CAMOBAG | Empty Camo Bag | 18)L x 11"W x 11"H | 1 | n/a | 400 | n/a | no | 58-59 | | |
| NEW A-WCAB | Wall Mount Cabinet | 12.75)L x 13.75"W x 30"H | 1 | n/a | 12 | n/a | no | 58-59 | | |

| Economy OverPacks | | Economy OverPacks | | | | | | | Page 60 | |
|-------------------|------------------------------------|-------------------|------------|-----------------|-------------|---------------|--------------|--------|---------|--|
| Item # | Description | Size | Units/Pkg. | Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| A55DRUM | 55-Gal. Open Head Poly Drum w/Ring | 24"Dia. x 40"H | 1 | 55.0 gal | 36 | n/a | no | 60 | | |
| ECON65 | 65-Gal. Economy OverPack | 31"Dia. x 33.75"H | 1 | 65.0 gal | 3 | n/a | no | 60 | | |
| ECON95 | 95-Gal. Economy OverPack | 31"Dia. x 41.25"H | 1 | 95.0 gal | 3 | n/a | no | 60 | | |

| Spill Kit Accessory Items | | Spill Kit Accessory Items | | | | | | | Pages 61-62 | |
|---------------------------|-----------------------------|---------------------------|------------|---------------------|-------------|---------------|--------------|--------|-------------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| A-TYVEK-M | Coveralls | M | 1 | n/a | 1,000 | A, W, O, S | no | 61 | | |
| A-TYVEK-L | Coveralls | L | 1 | n/a | 1,000 | A, W, O, S | no | 61 | | |
| A-TYVEK-XL | Coveralls | XL | 1 | n/a | 1,000 | A, W, O, S | no | 61 | | |
| A-APRON-WH | Apron - Enduro 2000™ Fabric | One Size Fits All | 1 | n/a | 5,000 | A, W, O, S | no | 61 | | |
| A-MASK | Dust Mask | One Size Fits All | 1 | n/a | n/a | A, W, O, S | no | 61 | | |
| A-GOG | Safety Goggles | One Size Fits All | 1 | n/a | n/a | n/a | no | 61 | | |
| A-LATEXBOOTS | Latex Boots | XL | 1 | n/a | n/a | A, W, O, S | no | 61 | | |
| A-GLV-NEO | Gloves - Neoprene | L | 1 | n/a | n/a | A, W, O, S | no | 62 | | |
| A-GLV-NIT | Gloves - Nitrile | One Size Fits All | 1 | n/a | n/a | A, W, O, S | no | 62 | | |
| A-GLV-NIT-CS | Gloves - Nitrile | One Size Fits All | 144 | n/a | n/a | A, W, O, S | no | 62 | | |
| A-EPOXY | Epoxy Putty | 7" Stick | 1 | n/a | n/a | A, W, O, S | no | 62 | | |
| A-EPOXY-CS | Epoxy Putty | 7" Stick | 24 | n/a | n/a | A, W, O, S | no | 62 | | |
| A-PND | Plug & Dike Epoxy | 3.5"Dia. x 2.5"H, 1 lb. | 1 | n/a | 1,000 | A, W, O, S | no | 62 | | |
| A-WOODPLUGS-SM | Wooden Plugs Small | Assorted .5" to .75" | 9 | n/a | n/a | n/a | no | 62 | | |
| A-WOODPLUGS-L | Wooden Plugs Large | Assorted .5" to 1.75" | 9 | n/a | n/a | n/a | no | 62 | | |
| ANS1 | Acid Neutralizing Sorbent | 32 oz. Shaker | 1 | .2 | 720 | A | no | 62 | | |
| SS1 | SuperSorbent Loose Sorbent | 28-oz. Shaker | 1 | .6 | 720 | A | no | 62 | | |

| Spill Kit Accessory Items | | Spill Kit Accessory Items | | | | | | | Page 63 | |
|---------------------------|--------------------------------------|-----------------------------|------------|---------------------|-------------|---------------|--------------|--------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | | |
| WPF1014H | Commander Oil-Only HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. | 60 | 0 | yes | 63 | | |
| GPF1014H | Commander Universal HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. | 60 | A, W, O, S | yes | 63 | | |
| YPF1014H | Commander HazMat HeavyWeight Pads | 10" x 14" | 100 | 18.1 gal. | 60 | A, W, O, S | yes | 63 | | |
| A-WIPER | WypAll L40 Wipers | 13" x 12.5" | 56 | n/a | 432 | W, O, S | yes | 63 | | |
| A-COVER-SM | OverPack Cover | for 20- & 30-gal. OverPacks | 1 | n/a | 100 | n/a | no | 63 | | |
| A-COVER-LG | OverPack Cover | for 65- & 95-gal OverPacks | 1 | n/a | 100 | n/a | no | 63 | | |
| A-BRACKET | Wall-Mount Bracket | 21.75)L x 12.5"W x 6"H | 1 | n/a | 72 | n/a | no | 63 | | |
| A-PHTEST | pH Tester Kit | 50'L Tape | 1 | n/a | n/a | n/a | no | 63 | | |
| A-LIGHTSTICKS | Light Stick | 6)L Stick | 1 | n/a | n/a | n/a | no | 63 | | |

| Spill Kit Accessory Items | | Spill Kit Accessory Items | | | | | | Page 64 | |
|---------------------------|----------------------------|---|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| A-EGB | Emergency GuideBook | 384 Pages | 1 | n/a | n/a | n/a | yes | 64 | |
| A-SEAL | TamperProof Seals | 2"W x 6"L | 6 | n/a | n/a | n/a | yes | 64 | |
| A-SIGN | Spill Control Station Sign | 7"H x 10"W | 1 | n/a | n/a | n/a | no | 64 | |
| A-LABELS | Hazardous Labels | Assorted Sizes | 5 | n/a | n/a | n/a | no | 64 | |
| A-DISPBAG | Temporary Disposal Bag | 30"L x 6"D x 60"H | 1 | n/a | n/a | W, O, S | no | 64 | |
| A-DISPBAG-ROLL | Temporary Disposal Bags | 30"L x 6"W x 60"H | 125 | n/a | n/a | W, O, S | no | 64 | |
| A-SHOVNS | Non-Sparking Shovel | Blade: 10.5"W x 14"H Overall: 43.5"H | 1 | n/a | n/a | A, W, O, S | no | 64 | |

| SpillBerm Plus | | SpillBerm Plus | | | | | | Page 65 | |
|----------------|----------------|-------------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| PBL253 | SpillBerm Plus | 5'L x 4'W x 4.5"H | 1 | n/a | 32 | A, W, O, S | no | 65 | |

| Connectable Spill Berm | | Connectable Spill Berm | | | | | | Page 65 | |
|------------------------|------------------------|-------------------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| SPB10C | Connectable Spill Berm | 10'L x 2.25"W x 1.375"H | 1 | n/a | 28 | A, W, O, S | no | 65 | |

| SpillCurb | | SpillCurb | | | | | | Page 65 | |
|-----------|---------------------|------------------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| MR8014 | SpillCurb | 10'L x 3.75"W x 2.25"H | 1 | n/a | 32 | A, W, O, S | no | 65 | |
| MR8018 | SpillCurb Corner | 4"L x 3.75"W x 2.25"H | 1 | n/a | 100 | A, W, O, S | no | 65 | |
| MR8019 | SpillCurb Connector | 4)L x 2.25"H | 1 | n/a | 500 | A, W, O, S | no | 65 | |

| Build Your Own Berm | | Build Your Own Berm | | | | | | Pages 66-67 | |
|------------------------|-----------------------|----------------------|------------|---------------------|-------------|---------------|--------------|-------------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW BYOB-KIT | BYOB Kit | 60'L x 5.5"W x 2"H | 1 | n/a | 12 | W, O, S | no | 66-67 | |
| NEW BYOB-2S | BYOB Straight Section | 15'L x 5.5"W x 2"H | 1 | n/a | 24 | W, O, S | no | 66-67 | |
| NEW BYOB-2C | BYOB Corners | 7.25)L x 5.5"W x 2"H | 2 | n/a | 230 | W, O, S | no | 66-67 | |
| NEW BYOB-2VC | BYOB Vented Corners | 7.25)L x 5.5"W x 2"H | 2 | n/a | 230 | W, O, S | no | 66-67 | |
| NEW BYOB-2WE | BYOB Wall Ends | 3)L x 5.5"W x 2"H | 2 | n/a | 230 | W, O, S | no | 66-67 | |
| NEW BYOB-SEAL | Sili-Thane Sealant | 2"Dia. x 11.25"H | 6 | n/a | 72 | W, O, S | no | 66-67 | |
| NEW BYOB-CEMENT | BYOB Cement | 8 oz. | 1 | n/a | 100 | W, O, S | no | 66-67 | |

| DrainCovers | | DrainCovers | | | | | | Page 68 | |
|-------------|--------------------|---------------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| ADC12-CIR | 12" DrainCover | 12"Dia. x .25"H | 1 | n/a | 40 | W, O, S | no | 68 | |
| ADC36-R | 36" DrainCover | 36)L x 36"W x .25"H | 1 | n/a | 18 | W, O, S | no | 68 | |
| ADC36-CASE | Case for 36" Cover | 7.25)"Dia. x 38)L | 1 | n/a | 40 | n/a | no | 68 | |
| ADC42-R | 42" DrainCover | 42)L x 42"W x .25"H | 1 | n/a | 10 | W, O, S | no | 68 | |
| ADC42-CASE | Case for 42" Cover | 7.25)"Dia. x 50)L | 1 | n/a | 25 | n/a | no | 68 | |
| ADC48-R | 48" DrainCover | 48)L x 48"W x .25"H | 1 | n/a | 25 | W, O, S | no | 68 | |

| Conical DrainPlugs | | DrainPlugs | | | | | | Page 68 | |
|--------------------|-------------------|-----------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| DP2 | 2" Dia. DrainPlug | 2"Dia. x 4.75"H | 1 | n/a | 500 | A, W, O, S | no | 68 | |
| DP3 | 3" Dia. DrainPlug | 3"Dia. x 5"H | 1 | n/a | 500 | A, W, O, S | no | 68 | |
| DP4 | 4" Dia. DrainPlug | 4"Dia. x 5.75"H | 1 | n/a | 500 | A, W, O, S | no | 68 | |
| DP6 | 6" Dia. DrainPlug | 6"Dia. x 5.5"H | 1 | n/a | 500 | A, W, O, S | no | 68 | |

| Ultra-Dewatering Bag® | | Ultra-Dewatering Bag® | | | | | | Page 69 | |
|-----------------------|-----------------------|-----------------------|------------|---------------------|-------------|---------------|--------------|---------|--|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| ULT9729-OS | Ultra-Dewatering Bag® | 3' x 4' | 1 | n/a | 200 | W, O | no | 69 | |
| ULT9724-OS | Ultra-Dewatering Bag® | 6' x 6' | 1 | n/a | 80 | W, O | no | 69 | |
| ULT9725-OS | Ultra-Dewatering Bag® | 10' x 15' | 1 | n/a | 10 | W, O | no | 69 | |

| Ultra-GutterGuard® | | Ultra-GutterGuard® | | | | | | Page 69 |
|--------------------|--------------------|--------------------|------------|---------------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ULT9320 | Ultra-GutterGuard® | 9"Dia. x 8'L | 1 | n/a | 10 | W, O | no | 69 |
| ULT9321 | Ultra-GutterGuard® | 9"Dia .x 10'L | 1 | n/a | 10 | W, O | no | 69 |
| ULT9322 | Ultra-GutterGuard® | 9"Dia. x 12'L | 1 | n/a | 10 | W, O | no | 69 |

| Ultra-DrainGuard® | | Ultra-GutterGuard® | | | | | | Page 69 |
|-------------------|----------------------------------|--------------------|------------|---------------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ULT9217 | Ultra-DrainGuard® Oil & Sediment | 48"L x 36"W x 18"H | 1 | n/a | 36 | W, O | no | 69 |
| ULT9218 | Ultra-DrainGuard® Oil & Sediment | 48"L x 36"W x 18"H | 10 | n/a | 20 | W, O | no | 69 |

| Roof and Pipe Leak Diversers | | Roof and Pipe Leak Diversers | | | | | | Page 70 |
|------------------------------|-----------------------|------------------------------|------------|---------------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Units/Pkg. | Absorbs/Pkg. (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| LD1818 | Pipe Leak Diverter | 18"L x 18"W | 1 | n/a | 192 | W | no | 70 |
| LD55 | Roof Leak Diverter | 5'L x 5'W | 1 | n/a | 480 | W | no | 70 |
| LD1010 | Roof Leak Diverter | 10'L x 10'W | 1 | n/a | 192 | W | no | 70 |
| LDHOSE | Clear Drainage Hose | 25'L | 1 | n/a | 288 | W | no | 70 |
| LDSTRAPS | Rubber Hanging Straps | 19)L | 4 | n/a | 999 | W | no | 70 |

| Prowler™ Pools | | Prowler™ Pools | | | | | | Page 71 |
|----------------|---------------|-----------------------------|------------|---------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Units/Pkg. | Sump Capacity | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ENP5920 | Prowler™ Pool | 28"Base x 13"H x 18"Opening | 1 | 20.0 gal. | 160 | A, W, O, S | no | 71 |
| ENP5966 | Prowler™ Pool | 48"Base x 14"H x 36"Opening | 1 | 66.0 gal. | 48 | A, W, O, S | no | 71 |
| ENP5900 | Prowler™ Pool | 48"Base x 18"H x 32"Opening | 1 | 100.0 gal. | 48 | A, W, O, S | no | 71 |
| ENP5950 | Prowler™ Pool | 60"Base x 18"H x 44"opening | 1 | 150.0 gal. | 60 | A, W, O, S | no | 71 |

| Ultra Burp-Free Funnels | | Burp-Free Funnels | | | | | | Page 71 |
|-------------------------|-----------------------|--------------------|------------|------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Units/Pkg. | Weight/Pkg | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ULT0651 | Funnel | 13.375"Dia. x 11"H | 1 | 6 lbs. | 40 | A, W, O, S | no | 71 |
| ULT0656 | Large-Diameter Funnel | 22"Dia. x 11.5"H | 1 | 8 lbs. | 20 | A, W, O, S | no | 71 |

| Poly Oily Waste Can | | Poly Oily Waste Can | | | | | | Page 71 |
|---------------------|---------------------|----------------------|------------|---------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Units/Pkg. | Sump Capacity | Qty./Pallet | Compatibility | Incinerable? | Page # |
| NEW A-OILWASTE | Poly Oily Waste Can | 18)L x 22" W x 21" H | 1 | 14.0 gal. | 18 | n/a | no | 71 |

| Ultra-Spill Decks® | | Ultra-Spill Decks® | | | | | | Page 72 |
|--------------------|------------------|----------------------|---------------|---------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ULT1321 | 1-Drum Section | 26)L x 26"W x 5.75"H | 3,000 lbs. | 11.0 gal. | 20 | A, W, O, S | no | 72 |
| ULT1086 | 2-Drum Section | 52)L x 26"W x 5.75"H | 3,000 lbs. | 22.0 gal. | 20 | A, W, O, S | no | 72 |
| ULT1072 | 4-Drum Section | 52)L x 52"W x 5.75"H | 6,000 lbs. | 44.0 gal. | 10 | A, W, O, S | no | 72 |
| ULT1073 | Bulkhead Fitting | .75" Dia. | n/a | n/a | 5,000 | A, W, O, S | no | 72 |
| ULT1089 | Loading Ramp | 24)L x 32"W x 5.75"H | n/a | n/a | 25 | A, W, O, S | no | 72 |
| ULT1131 | T-Strips | 26" | n/a | n/a | 5,000 | A, W, O, S | no | 72 |

| Ultra-Spill Deck P1 Bladder System® | | 1-Drum Bladder System | | | | | | Page 73 |
|-------------------------------------|-----------------------|------------------------|---------------|----------------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ULT1320 | 1-Drum Bladder System | 26)L x 30.5"W x 5.75"H | 1,500 lbs. | 66.0 gal. | 20 | A, W, O, S | no | 73 |

| IBC Spill Pallets® | | IBC Spill Pallets | | | | | | Page 73 |
|--------------------|-----------------|---------------------------|--------------------|----------------------|-------------|---------------|--------------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # |
| ULT1140 | 2-IBC w/o Drain | 124.5)L x 61.625"W x 22"H | 8,000 lbs.per side | 535.0 gal. | 1 | A, W, O, S | no | 73 |
| ULT1144 | 2-IBC w/ Drain | 124.5)L x 61.625"W x 22'H | 8,000 lbs.per side | 535.0 gal. | 1 | A, W, O, S | no | 73 |
| ULT1157 | 1-IBC w/o Drain | 62)L x 62"W x 28"H | 8,500 lbs. | 360.0 gal. | 1 | A, W, O, S | no | 73 |
| ULT1158 | 1-IBC w/ Drain | 62)L x 62"W x 28'H | 8,500 lbs. | 360.0 gal. | 1 | A, W, O, S | no | 73 |
| ULT1160 | Bucket Shelf | 19.5)L x 16"W x 14.5"H | n/a | 3.0 gal. | 20 | A, W, O, S | no | 73 |

| Ultra-SpillPallets® / Economy Model | | Ultra-Spill Pallets® / Economy Model | | | | | | | Page 73 |
|-------------------------------------|------------------|--------------------------------------|---------------|---------------|------------------|-------------|---------------|--------|---------|
| Item # | Description | Size | Units/Package | Load Capacity | Sump Cap. (gal.) | Qty./Pallet | Compatibility | Page # | |
| ULT2505 | 2-Drum w/ Drain | 53" L x 29" W x 16.5" H | 1 | 1,500 lbs. | 66.0 gal. | 5 | A, W, O, S | 73 | |
| ULT2504 | 2-Drum w/o Drain | 53" L x 29" W x 16.5" H | 1 | 1,500 lbs. | 66.0 gal. | 5 | A, W, O, S | 73 | |
| ULT1113 | 4-Drum w/ Drain | 53" L x 53" W x 11.75" H | 1 | 3,000 lbs. | 66.0 gal. | 7 | A, W, O, S | 73 | |
| ULT1112 | 4-Drum w/o Drain | 53" L x 53" W x 11.75" H | 1 | 3,000 lbs. | 66.0 gal. | 7 | A, W, O, S | 73 | |
| ULT0678 | Loading Ramp | 68.5" L x 28.5" W x 12" H | 1 | n/a | n/a | 10 | A, W, O, S | 73 | |

| Ultra-Hard Top Plus® / Drums | | Ultra-Hard Top Plus® / Drums | | | | | | | Page 74 |
|------------------------------|------------------|------------------------------|---------------|----------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| ULT9636 | 4-Drum w/o Drain | 64.5" L x 62" W x 79" H | 9,000 lbs. | 75.0 gal. | 1 | A, W, O, S | no | 74 | |
| ULT9637 | 4-Drum w/ Drain | 64.5" L x 62" W x 79" H | 9,000 lbs. | 75.0 gal. | 1 | A, W, O, S | no | 74 | |
| ULT9612 | 2-Drum w/o Drain | 67.25" L x 41.25" W x 74" H | 4,500 lbs. | 66.0 gal. | 1 | A, W, O, S | no | 74 | |
| ULT9613 | 2-Drum w/ Drain | 67.25" L x 41.25" W x 74" H | 4,500 lbs. | 66.0 gal. | 1 | A, W, O, S | no | 74 | |
| ULT0676 | Loading Ramp | 46" L x 28" W x 8.75" H | n/a | n/a | 10 | A, W, O, S | no | 74 | |

| Ultra-Hard Top Plus® / IBC Tanks | | Ultra-Hard Top Plus® / IBC Tanks | | | | | | | Page 74 |
|----------------------------------|---------------|----------------------------------|---------------|----------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| ULT1161 | IBC w/ Drain | 64.5" L x 62" W x 96" H | 8,500 lbs. | 360.0 gal. | 1 | A, W, O, S | no | 74 | |
| ULT1162 | IBC w/o Drain | 64.5" L x 62" W x 96" H | 8,500 lbs. | 360.0 gal. | 1 | A, W, O, S | no | 74 | |

| Steel Containment Pallets | | Steel Containment Pallets | | | | | | | Page 75 |
|---------------------------|----------------|---------------------------|---------------|----------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| NEW QTX0812 | 2-Drum Section | 50" L x 33" W x 17" H | 2,866 lbs. | 68.0 gal. | 1 | A, W, O, S | no | 75 | |
| NEW QTX1212 | 4-Drum Section | 50" L x 50" W x 13" H | 4,340 lbs. | 68.0 gal. | 1 | A, W, O, S | no | 75 | |

| Funnel/Poly-Collector™ / Dolly | | Funnel/Poly-Collector™ / Dolly | | | | | | | Page 76 |
|--------------------------------|-----------------------------|--------------------------------|---------------|---------------|----------------------|-------------|---------------|--------|---------|
| Item # | Description | Size | Units/Package | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Page # | |
| ENP3004 | Universal Poly-Drum Funnel™ | 26" Dia. x 5.5" H | 1 | n/a | n/a | 50 | A, W, O, S | 76 | |
| ENP8075 | Poly-Collector™ | 32.5" Dia. x 31" H | 1 | n/a | 66 gal. | Stack of 5 | A, W, O, S | 76 | |
| ENP8050 | Drum Dolly | 27.5" Dia. x 5.5" H | 1 | n/a | n/a | 50 | A, W, O, S | 76 | |

| Poly-Dolly® Portable Dispensing Station | | Poly-Dolly | | | | | | | Page 76 |
|---|-------------|---------------------------|---------------|---------------|----------------------|-------------|---------------|--------|---------|
| Item # | Description | Size | Units/Package | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Page # | |
| ENP5300 | Poly-Dolly® | 69" L x 32.5" W x 26.5" H | 1 | 600 lbs. | 80.0 gal. | 1 | A, W, O, S | 76 | |

| Poly-Edge® | | Poly-Dolly | | | | | | | Page 76 |
|------------|-------------|--------------------------|---------------|----------------------|-------------|--------------|---------------|--------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Incinerable? | Compatibility | Page # | |
| ENP1601 | Poly-Edge® | 34.75" L x 20" W x 15" H | 1 | 20.0 gal. | 18 | No | A, W, O, S | 76 | |

| Poly-Rack System | | Poly-Rack System | | | | | | | Page 77 |
|------------------|--------------|-------------------------|---------------|---------------|----------------------|-------------|---------------|--------|---------|
| Item # | Description | Size | Units/Package | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Page # | |
| NEW ENP6000 | Poly Racker | 49" L x 23" W x 53" H | 1 | 3,000 lbs. | 103.0 gal. | 4 | n/a | 77 | |
| NEW ENP6002 | Poly Stacker | 49" L x 41" W x 13" H | 1 | 2,400 lbs. | n/a | 7 | n/a | 77 | |
| NEW ENP6003 | Poly Shelf | 17" L x 22" W x 17.5" H | 1 | 60 lbs. | n/a | 16 | n/a | 77 | |

| Ultra Containment Sumps® | | Containment Sumps | | | | | | | Page 77 |
|--------------------------|--------------------|-----------------------------|---------------|----------------------|-------------|---------------|--------------|--------|---------|
| Item # | Description | Size | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Incinerable? | Page # | |
| ULT2800 | 275 Sump w/o Drain | 84.5" L x 43.75" W x 29" H | n/a | 360.0 gal. | 6 | n/a | no | 77 | |
| ULT2801 | 275 Sump w/ Drain | 84.5" L x 43.75" W x 29" H | n/a | 360.0 gal. | 6 | n/a | no | 77 | |
| ULT2820 | 550 Sump w/ Drain | 87" L x 62.25" W x 32.75" H | n/a | 605.0 gal. | 6 | n/a | no | 77 | |
| ULT2823 | 550 Sump w/o Drain | 87" L x 62.25" W x 32.75" H | n/a | 605.0 gal. | 6 | n/a | no | 77 | |

| Containment Berms and Accessories | | Drive-In Berm and Portable Containment | | | | | | | Pages 78-79 | |
|--------------------------------------|--------------------------|--|--------------------|---------------|----------------------|--------------|---------------|------------|-------------|--|
| | | Size | Units/Package | Load Capacity | Sump Capacity (gal.) | Qty./Pallet | Compatibility | Page # | | |
| | GC1212 | Ground Cover for 12' x 12' | 12'L x 12'W | 1 | n/a | n/a | 10 | n/a | 78 | |
| | GC1225 | Ground Cover for 12' x 25' | 12'L x 25'W | 1 | n/a | n/a | 10 | n/a | 78 | |
| | GC1250 | Ground Cover for 12' x 50' | 12'L x 50'W | 1 | n/a | n/a | 4 | n/a | 78 | |
| | TG3612 | 2 - Track Guards for 12' x 12' | 36"L x 12'W | 2 | n/a | n/a | 30 | n/a | 78 | |
| | TG3625 | 2 - Track Guards for 12' x 25' | 36"L x 25'W | 2 | n/a | n/a | 30 | n/a | 78 | |
| | TG3650 | 2 - Track Guards for 12' x 50' | 36"L x 50'W | 2 | n/a | n/a | 20 | n/a | 78 | |
| | BERM-TAPE | Containment Berm Repair Tape | 5'L x 4'W | 1 | n/a | n/a | 500 | n/a | 78 | |
| | BERM68E | Containment Berm - L Bracket | 8'L x 6'W x 1'H | 1 | n/a | 359.0 gal. | 12 | n/a | 79 | |
| | BERM1212E | Containment Berm - L Bracket | 12'L x 12'W x 1'H | 1 | n/a | 1,077.0 gal. | 8 | n/a | 79 | |
| | BERM1250E | Containment Berm - L Bracket | 12'L x 50'W x 1'H | 1 | n/a | 4,488.0 gal. | 4 | n/a | 79 | |
| | BERM48L | Containment Berm - L Bracket | 8'L x 4'W x 1'H | 1 | n/a | 239.0 gal. | 10 | n/a | 79 | |
| | BERM88L | Containment Berm - L Bracket | 8'L x 8'W x 1'H | 1 | n/a | 478.0 gal. | 10 | n/a | 79 | |
| | BERM1212L | Containment Berm - L Bracket | 12'L x 12'W x 1'H | 1 | n/a | 1,077.0 gal. | 8 | n/a | 79 | |
| | BERM1225L | Containment Berm - L Bracket | 12'L x 25'W x 1'H | 1 | n/a | 2,244.0 gal. | 6 | n/a | 79 | |
| | BERM1250L | Containment Berm - L Bracket | 12'L x 50'W x 1'H | 1 | n/a | 4,488.0 gal. | 4 | n/a | 79 | |
| | BERM48H | Containment Berm - Hurdle Bracket | 8'L x 4'W x 1'H | 1 | n/a | 239.0 gal. | 10 | n/a | 79 | |
| | BERM88H | Containment Berm - Hurdle Bracket | 8'L x 8'W x 1'H | 1 | n/a | 478.0 gal. | 10 | n/a | 79 | |
| | BERM1212H | Containment Berm - Hurdle Bracket | 12'L x 12'W x 1'H | 1 | n/a | 1,077.0 gal. | 8 | n/a | 79 | |
| | BERM1225H | Containment Berm - Hurdle Bracket | 12'L x 25'W x 1'H | 1 | n/a | 2,244.0 gal. | 125 | n/a | 79 | |
| | BERM1250H | Containment Berm - Hurdle Bracket | 12'L x 50'W x 1'H | 1 | n/a | 4,488.0 gal. | 4 | n/a | 79 | |
| | PAC1212 | Containment Berm | 12'L x 12'W x 12"H | 1 | n/a | 1,077.0 gal. | 1 | A, W, O, S | 79 | |
| | PAC1225 | Containment Berm | 25'L x 12'W x 12"H | 1 | n/a | 2,244.0 gal. | 1 | A, W, O, S | 79 | |
| | PAC1250 | Containment Berm | 50'L x 12'W x 12"H | 1 | n/a | 4,488.0 gal. | 1 | A, W, O, S | 79 | |
| Duck Pond | | Duck Pond | | | | | | | Page 80 | |
| Item # | Description | Size | Units/Package | Load Capacity | Sump Cap. (gal.) | Qty./Pallet | Compatibility | Page # | | |
| NEW DPK2X2 | Duck Pond | 2'L x 2'W x 4'H | 1 | n/a | 10.0 gal. | 30 | n/a | 80 | | |
| NEW DPK2X3 | Duck Pond | 2'L x 3'W x 4'H | 1 | n/a | 15.0 gal. | 25 | n/a | 80 | | |
| NEW DPK2X4 | Duck Pond | 2'L x 4'W x 4'H | 1 | n/a | 20.0 gal. | 20 | n/a | 80 | | |
| NEW DPK3X3 | Duck Pond | 3'L x 3'W x 4'H | 1 | n/a | 22.0 gal. | 20 | n/a | 80 | | |
| NEW DPK4X4 | Duck Pond | 4'L x 4'W x 4'H | 1 | n/a | 40.0 gal. | 20 | n/a | 80 | | |
| NEW DPK4X6 | Duck Pond | 4'L x 6'W x 4'H | 1 | n/a | 60.0 gal. | 20 | n/a | 80 | | |
| Folding Duck Pond | | Folding Duck Pond | | | | | | | Page 80 | |
| Item # | Description | Size | Units/Package | Load Capacity | Sump Cap. (gal.) | Qty./Pallet | Compatibility | Page # | | |
| NEW FDKP2X2 | Folding Pond | 2'L x 2'W x 6'H | 1 | n/a | 15.0 gal. | 100 | n/a | 80 | | |
| NEW FDKP2X3 | Folding Pond | 2'L x 3'W x 6'H | 1 | n/a | 22.0 gal. | 60 | n/a | 80 | | |
| NEW FDKP2X4 | Folding Pond | 2'L x 4'W x 6'H | 1 | n/a | 30.0 gal. | 60 | n/a | 80 | | |
| NEW FDKP3X3 | Folding Pond | 3'L x 3'W x 6'H | 1 | n/a | 34.0 gal. | 50 | n/a | 80 | | |
| NEW FDKP4X4 | Folding Pond | 4'L x 4'W x 6'H | 1 | n/a | 60.0 gal. | 50 | n/a | 80 | | |
| NEW FDKP4X6 | Folding Pond | 4'L x 6'W x 6'H | 1 | n/a | 74.0 gal. | 50 | n/a | 80 | | |
| SpillPal™ Portable Spill Containment | | SpillPal™ Portable Spill Containment | | | | | | | Page 81 | |
| Item # | Description | Size | Units/Package | Load Capacity | Sump Cap. (gal.) | Qty./Pallet | Compatibility | Page # | | |
| NEW SPAL1 | 1-Drum SpillPal™ | 2'L x 2'W x 3"H | 1 | n/a | 7.5 gal. | 48 | n/a | 81 | | |
| NEW SPAL2 | 2-Drum SpillPal™ | 2'L x 4'W x 3"H | 1 | n/a | 15.0 gal. | 36 | n/a | 81 | | |
| NEW SPAL4 | 4-Drum SpillPal™ | 4'L x 4'W x 3"H | 1 | n/a | 30.0 gal. | 28 | n/a | 81 | | |
| NEW SPAL4-IN | 4-Drum In-Line SpillPal™ | 2'L x 8'W x 3"H | 1 | n/a | 30.0 gal. | 28 | n/a | 81 | | |
| NEW SPAL6 | 6-Drum SpillPal™ | 4'L x 6'W x 3"H | 1 | n/a | 45.0 gal. | 14 | n/a | 81 | | |
| NEW SPAL8 | 8-Drum SpillPal™ | 4'L x 8'W x 3"H | 1 | n/a | 60.0 gal. | 14 | n/a | 81 | | |
| NEW ENP7006 | Optional Grates | 48"L x 23"W x 1.75"H | 1 | n/a | n/a | 14 | n/a | 81 | | |

Product Information - All information provided about SpillTech® Products is based upon testing and data believed to be accurate. However, the reliability of this information is not subject to any guarantee.

Handling and Disposal - Liquids absorbed by SpillTech® Products are not rendered less hazardous, less toxic or less flammable by absorption; liquids remain in their original states. Therefore, caution in the handling, storage, disposal or cleaning of SpillTech® Products after use should be in accordance with the original liquids absorbed. Consult the Material Safety Data Sheet of each liquid absorbed for proper handling. SpillTech® Products must be transported and disposed of in compliance with local, state and federal regulations. SpillTech does not recommend specific procedures due to variances in regulations, applications and liquids used.

Warranty - SpillTech will replace any product found to be defective in material or workmanship. This warranty shall only apply where the buyer has issued written notice to SpillTech within thirty (30) days of purchase; it does not extend to product abuse, misuse, neglect or accident, nor to product repaired or altered by any other than SpillTech. This warranty is exclusive and in lieu of all other warranties, expressed or implied.

Limitation of Liability - In no event will SpillTech's liability for its Products exceed the purchase price paid for its Products. SpillTech will not be liable under any circumstances for any special, indirect, consequential, or punitive damages, including, but not limited to loss of profits, loss of business opportunities, or loss of goodwill, even if advised of the possibility of such damages.

Item Listing

Need to find a product by its item number? Look it up fast with this easy-to-use alphanumeric index.

| ITEM# | PAGE# |
|-------|-------|
|-------|-------|

A

| | |
|----------------------|---------------|
| A-APRON-WH..... | 61 |
| A-BLACKBAG..... | 53, 58-59 |
| A-BRACKET..... | 63 |
| A-CAMOBAG..... | 53, 58-59 |
| A-COVER-LG..... | 63 |
| A-COVER-SM..... | 63 |
| A-DISPBAG..... | 64 |
| A-DISPBAG-ROLL..... | 64 |
| A-DUFFLE..... | 53, 58-59 |
| A-EGB | 64 |
| A-EPOXY | 62 |
| A-EPOXY-CS..... | 62 |
| A-GLV-NEO..... | 62 |
| A-GLV-NIT..... | 62 |
| A-GLV-NIT-CS | 62 |
| A-GOG | 61 |
| A-GTOTE | 58, 59, 54 |
| A-KADDIE | 51, 58-59 |
| A-LABELS..... | 64 |
| A-LATEXBOOTS..... | 61 |
| A-LIGHTSTICKS..... | 63 |
| A-MASK | 61 |
| A-OILWASTE | 71 |
| A-PADBOX..... | 46 |
| A-PHTEST | 63 |
| A-PND | 62 |
| A-ROLLRACK2..... | 46 |
| A-SEAL..... | 64 |
| A-SHOVNS..... | 64 |
| A-SIGN | 64 |
| A-TYVEK-L | 61 |
| A-TYVEK-M | 61 |
| A-TYVEK-XL | 61 |
| A-UTILITYBOX5 | 50, 58-59 |
| A-UTILITYBOX8 | 50, 58-59 |
| A-VRACK | 46 |
| A-WCAB | 56, 58-59 |
| A-WIPER..... | 63 |
| A-WOODPLUGS-L..... | 62 |
| A-WOODPLUGS-SM | 62 |
| A-WRINGER | 46 |
| A-YTOTE | 55, 58-59 |
| A200VER..... | 51, 56, 58-59 |
| A300VER..... | 51, 58-59 |
| A500VER-WD..... | 58-59 |
| A55DRUM | 49, 58-59, 60 |
| A50VER | 55, 58-59 |
| A650VER | 49, 58-59 |
| A950VER | 48, 58-59 |
| A950VER-RC..... | 48, 58-59 |
| A950VER-WD..... | 48, 58-59 |
| ADC12-CIR..... | 68 |
| ADC36-CASE..... | 68 |

| ITEM# | PAGE# |
|-------|-------|
|-------|-------|

| | |
|-----------------|--------|
| ADC36-R..... | 68 |
| ADC42-CASE..... | 68 |
| ADC42-R..... | 68 |
| ADC48-R..... | 68 |
| ANS1 | 45, 62 |
| ANS12 | 45 |
| ANS5 | 45 |
| APMPM | 20 |
| APMPM-R | 20 |

B

| | |
|-------------------|-------|
| BERM48L..... | 79 |
| BERM68E..... | 79 |
| BERM88H..... | 79 |
| BERM88L..... | 79 |
| BERM1212E..... | 79 |
| BERM1212H..... | 79 |
| BERM1212L..... | 79 |
| BERM1225H..... | 79 |
| BERM1225L..... | 79 |
| BERM1250E..... | 79 |
| BERM1250H..... | 79 |
| BERM1250L..... | 79 |
| BERM48H..... | 79 |
| BERM-TAPE | 78 |
| BPF100H..... | 8-9 |
| BPF100H-BX..... | 8-9 |
| BPF200S..... | 8-9 |
| BPL100H..... | 10-11 |
| BRF150H..... | 8-9 |
| BTOP | 15 |
| BYOB-2C | 66-67 |
| BYOB-2S | 66-67 |
| BYOB-2VC | 66-67 |
| BYOB-2WE | 66-67 |
| BYOB-CEMENT | 66-67 |
| BYOB-KIT | 66-67 |
| BYOB-SEAL | 66-67 |

C

| | |
|--------------------|----|
| C-ANCHOR2 | 21 |
| C-BOOM10-100 | 21 |
| C-BOOM10-50 | 21 |
| C-BOOM18-100 | 21 |
| C-BOOM18-50 | 21 |
| C-BOOM24-100 | 21 |
| C-BOOM24-50 | 21 |
| CCS040 | 36 |
| CELL30 | 38 |
| COB40 | 38 |

D

| | |
|--------------|--------|
| DKP2X2..... | 80 |
| DKP2X3..... | 80 |
| DKP2X4..... | 80 |
| DKP3X3..... | 80 |
| DKP4X4..... | 80 |
| DKP4X6..... | 80 |
| DP2 | 68 |
| DP3 | 68 |
| DP4 | 68 |
| DP6 | 68 |
| DPO-16 | 17, 37 |

| ITEM# | PAGE# |
|-------|-------|
|-------|-------|

E

| | |
|---------------|----|
| ECON65 | 60 |
| ECON95 | 60 |
| ENP1601 | 76 |
| ENP3004 | 76 |
| ENP5300 | 76 |
| ENP5900 | 71 |
| ENP5920 | 71 |
| ENP5950 | 71 |
| ENP5966 | 71 |
| ENP6000 | 77 |
| ENP6002 | 77 |
| ENP6003 | 77 |
| ENP7006 | 81 |
| ENP8050 | 76 |
| ENP8075 | 76 |

F

| | |
|--------------|----|
| FDKP2X2..... | 80 |
| FDKP2X3..... | 80 |
| FDKP2X4..... | 80 |
| FDKP3X3..... | 80 |
| FDKP4X4..... | 80 |
| FDKP4X6..... | 80 |
| FL1 | 38 |
| FL12 | 38 |
| FLKIT | 55 |

G

| | |
|-------------------|-----------|
| GB510SN | 37 |
| GC1212 | 78 |
| GC1225 | 78 |
| GC1250 | 78 |
| GCS01210 | 36 |
| GCS0430 | 36 |
| GCS0815 | 36 |
| GNPPF100H | 24-25 |
| GNPPF100H | 24-25 |
| GNPF100H | 24-25 |
| GNPF100H-BX | 24-25 |
| GNPF100M | 24-25 |
| GNRF150H | 24-25 |
| GNRSF150H | 24-25 |
| GP-H | 30-31 |
| GP-M | 30-31 |
| GP-S | 30-31 |
| GPB100H | 22-23 |
| GPB100M | 22-23 |
| GPB100S | 22-23 |
| GPB200S | 22-23 |
| GPB50H | 22-23 |
| GPC100S | 28-29 |
| GPC75H | 28-29 |
| GPF100H | 24-25 |
| GPF100H-BX | 24-25 |
| GPF100M | 24-25 |
| GPF1014H | 24-25, 63 |
| GPF200S | 24-25 |
| GPF202S | 24-25 |
| GPIL1010 | 37 |
| GPIL1224 | 37 |
| GPIL1818 | 37 |
| GPIL818 | 37 |
| GPKB50H | 22-23 |
| GPKF50H | 24-25 |
| GPL100H | 26-27 |
| GPL100M | 26-27 |
| GR-H | 30-31 |

H

| | |
|---------------|----|
| HZ510SN | 44 |
| HZ810SN | 44 |

L

| | |
|----------------|----|
| LD1010 | 70 |
| LD1818 | 70 |
| LD55 | 70 |
| LDHOSE | 70 |
| LDSTRAPS | 70 |

M

| | |
|-----------------|----|
| MERC-KIT2 | 56 |
| MR1020 | 38 |
| MR2069 | 34 |
| MR8014 | 65 |
| MR8018 | 65 |
| MR8019 | 65 |

N

| | |
|------------------|----|
| NPR150H-GR | 34 |
| NPR300S-GR | 34 |

P

| | |
|-----------------|-------|
| PAC1212 | 79 |
| PAC1225 | 79 |
| PAC1250 | 79 |
| PBGPF50H | 33 |
| PBGRF100H | 33 |
| PBL253 | 65 |
| PBR100 | 34 |
| PBRIG48H | 15 |
| PEAT2 | 20 |
| PPE-KIT | 56 |
| PREM510 | 18-19 |
| PREM810 | 18-19 |

Q

| | |
|---------------|----|
| QTX0812 | 75 |
| QTX1212 | 75 |

| ITEM# | PAGE# | ITEM# | PAGE# | ITEM# | PAGE# | ITEM# | PAGE# |
|-------------------|-------|--------------------|--------|------------------|---------|--------------------|-----------|
| R | | SPKO-95 | 48 | ULT2504 | 73 | WRB150M | 6-7 |
| R-DRUM | 57 | SPKO-95-RC | 48 | ULT2505 | 73 | WRB300S | 6-7 |
| R-LEAK | 57 | SPKO-95-WD | 48 | ULT2800 | 77 | WRF100H-BX | 8-9 |
| R-PIPE-L | 57 | SPKO-BLK-BG | 53 | ULT2801 | 77 | WRF150H | 8-9 |
| R-PIPE-S | 57 | SPKO-CAMO-BG | 53 | ULT2820 | 77 | WRF150M | 8-9 |
| RIG160H | 15 | SPKO-CART5 | 50 | ULT2823 | 77 | WRL150H | 10-11 |
| RRMAT19 | 16 | SPKO-CART8 | 50 | ULT9217 | 69 | WRL150M | 10-11 |
| RRMAT60 | 16 | SPKO-DUFF | 53 | ULT9218 | 69 | WRS150H | 4-5 |
| RRUG18H | 35 | SPKO-FLEET | 55 | ULT9320 | 69 | WRS300S | 4-5 |
| RRUG36H | 35 | SPKO-KAD2 | 51 | ULT9321 | 69 | WRSB150H | 6-7 |
| RRUGP100H | 35 | SPKO-TOTE | 54 | ULT9322 | 69 | WRSB150M | 6-7 |
| RSPKHZ-20 | 51 | SPKO-TRK | 55 | ULT9612 | 74 | WRSF150H | 8-9 |
| RSPKHZ-30 | 51 | SPKU-20 | 50 | ULT9613 | 74 | WRSL150H | 10-11 |
| RSPKHZ-50 | 49 | SPKU-30 | 51 | ULT9636 | 74 | WRSL150M | 10-11 |
| RSPKHZ-55 | 49 | SPKU-5 | 55 | ULT9637 | 74 | WRSMF100H-BX | 15 |
| RSPKHZ-65 | 49 | SPKU-50-WD | 49 | ULT9724-OS | 69 | WRSX150H | 14 |
| RSPKHZ-95 | 48 | SPKU-55 | 49 | ULT9725-OS | 69 | WRX150H | 14 |
| RSPKHZ-CART | 50 | SPKU-65 | 49 | ULT9729-OS | 69 | WS01210 | 17 |
| RSPKHZ-KAD | 51 | SPKU-95 | 48 | UNS1 | 45 | WS0410 | 17 |
| RSPKO-20 | 51 | SPKU-95-RC | 48 | UNS4 | 45 | WS0430 | 17 |
| RSPKO-30 | 51 | SPKU-95-WD | 48 | W | | WS0815 | 17 |
| RSPKO-50 | 49 | SPKU-BLK-BG | 53 | WB410SN | 12-13 | WSWL100F | 20 |
| RSPKO-55 | 49 | SPKU-CAMO-BG | 53 | WB510SN | 12-13 | WW10 | 39 |
| RSPKO-65 | 49 | SPKU-CART5 | 50 | WB520SN | 12-13 | WW15 | 39 |
| RSPKO-95 | 48 | SPKU-CART8 | 50 | WB810SN | 12-13 | WW20 | 39 |
| RSPKO-95-RC | 48 | SPKU-DUFF | 53 | WB820SN | 12-13 | WW35 | 39 |
| RSPKO-CART | 50 | SPKU-FLEET | 55 | WBB318 | 20 | | |
| RSPKO-KAD | 51 | SPKU-KAD2 | 51 | WBB818 | 20 | Y | |
| RSPKU-20 | 51 | SPKU-TOTE | 54 | WP-H | 12-13 | YPB100H | 40-41 |
| RSPKU-30 | 51 | SPKU-TRK | 55 | WP-M | 12-13 | YPB100M | 40-41 |
| RSPKU-50 | 49 | SPKU-WCAB | 56 | WP-S | 12-13 | YPB100S | 40-41 |
| RSPKU-55 | 49 | SS1 | 38, 62 | WP100H | 4-5 | YPB200S | 40-41 |
| RSPKU-65 | 49 | SS12 | 38 | WP100M | 4-5 | YPB50H | 40-41 |
| RSPKU-95 | 48 | SS5 | 38 | WP100S | 4-5 | YPB50M | 40-41 |
| RSPKU-95-RC | 48 | SVP100H | 32 | WP200S | 4-5 | YPF100H | 42-43 |
| RSPKU-CART | 50 | SVR150H | 32 | WPB100H | 6-7 | YPF1014H | 42-43, 63 |
| RSPKU-KAD | 51 | SVRS150H-1 | 32 | WPB100M | 6-7 | YPIL1818 | 44 |
| S | | SVRS150H-2 | 32 | WPB100S | 6-7 | YPIL818 | 44 |
| SPAL1 | 81 | T | | WPB200S | 6-7 | YRB150H | 40-41 |
| SPAL2 | 81 | TG3612 | 78 | WPB50H | 6-7 | YRB150M | 40-41 |
| SPAL4 | 81 | TG3625 | 78 | WPB50M | 6-7 | YRF150H | 42-43 |
| SPAL4-IN | 81 | TG3650 | 78 | WPF100H | 8-9 | YRSB150H | 40-43 |
| SPAL6 | 81 | TMAT19 | 16 | WPF100H-BX | 8-9 | YRSF150H | 42-43 |
| SPAL8 | 81 | TMAT57 | 16 | WPF100M | 8-9 | YS01210 | 44 |
| SPB10C | 65 | U | | WPF1014H | 8-9, 63 | YS0410 | 44 |
| SPKHZ-20 | 51 | ULT0651 | 71 | WPF200S | 8-9 | YS0430 | 44 |
| SPKHZ-30 | 49 | ULT0656 | 71 | WPIL10 | 20 | YS0815 | 44 |
| SPKHZ-5 | 55 | ULT0676 | 74 | WPIL1010 | 17 | | |
| SPKHZ-50-WD | 49 | ULT0678 | 73 | WPIL1224 | 17 | | |
| SPKHZ-55 | 49 | ULT1072 | 72 | WPIL1818 | 17 | | |
| SPKHZ-65 | 49 | ULT1073 | 72 | WPIL818 | 17 | | |
| SPKHZ-95 | 48 | ULT1086 | 72 | WPK50H | 4-5 | | |
| SPKHZ-95-WD | 48 | ULT1089 | 72 | WPKB50H | 6-7 | | |
| SPKHZ-BATT | 56 | ULT1112 | 73 | WPKF50H | 8-9 | | |
| SPKHZ-CART5 | 50 | ULT1113 | 73 | WPL100H | 10-11 | | |
| SPKHZ-CART8 | 50 | ULT1131 | 72 | WPL100M | 10-11 | | |
| SPKHZ-FLEET | 55 | ULT1140 | 73 | WPX100H | 14 | | |
| SPKHZ-KAD2 | 51 | ULT1144 | 73 | WPX25H | 14 | | |
| SPKHZ-TOTE | 54 | ULT1157 | 73 | WPX50H | 14 | | |
| SPKHZ-TRK | 55 | ULT1158 | 73 | WPX50S | 14 | | |
| SPKO-20 | 51 | ULT1160 | 73 | WR-H | 12-13 | | |
| SPKO-30 | 49 | ULT1161 | 74 | WR-M | 12-13 | | |
| SPKO-5 | 55 | ULT1162 | 74 | WR150H | 4-5 | | |
| SPKO-50-WD | 49 | ULT1320 | 73 | WR150M | 4-5 | | |
| SPKO-55 | 49 | ULT1321 | 72 | WR300S | 4-5 | | |
| SPKO-65 | 49 | | | WRB150H | 6-7 | | |

SpillTech Products Can Help You Comply

HYC

Look for this symbol throughout the catalog for Products that Help You Comply with federal regulations.

Below you'll find brief summaries of the regulations encountered most often by SpillTech customers, along with a list of relevant SpillTech Products that can help you

comply. For full information on specific compliance requirements, please refer to the Code of Federal Regulations at: www.gpoaccess.gov/cfr/index.html.

29 CFR – OSHA (Occupational Health & Safety Administration)

SpillTech Products that Help You Comply: Mats & Sorbents (see pages 4–43) • OverPacks & Spill Kits (see pages 45–59)

29 CFR 1910.22(a)(2)

SUMMARY: Floors in your workplace should be "maintained in a clean and, so far as possible, a dry condition."

29 CFR 1910.107(b)(3)

SUMMARY: Combustible floors in a spray booth or work area "shall be covered with noncombustible material to facilitate the safe cleaning and removal of residues."

29 CFR 1910.107(g)(2)

SUMMARY: OSHA requires spraying areas to be "kept as free from the accumulation of deposits of combustible residues as practical."

29 CFR 1910.120(j)(1)

SUMMARY: Commonly known as HAZWOPER, requires DOT containers and proper absorbents be kept available and used wherever spills, leaks or ruptures may occur.

29 CFR 1910.1450(e)

SUMMARY: OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

33 CFR – USCG (United States Coast Guard)

SpillTech Products that Help You Comply: Booms • PomPoms • Net Bags • Sweeps (see pages 16–18, 35, 42)

33 CFR 154.1047(c)(2)

SUMMARY: Concerning navigation and navigable waters, a facility which handles, stores or transports Group V

petroleum oils must identify response plan resources such as containment booms or other methods.

40 CFR – EPA (Environmental Protection Agency)

SpillTech Products that Help You Comply: Spill Kits (see pages 45–59) • Berms & DrainCovers (60–62) • SpillPallets (66–69)

40 CFR 112.7(c)(1)

SUMMARY: Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

40 CFR 122.26

SUMMARY: Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 263.30(a)

SUMMARY: Requires immediate action, such as diking the discharge area, by transporter if hazardous waste is accidentally discharged during transportation.

40 CFR 263.31

SUMMARY: A transporter must clean up any hazardous waste discharges that occur during transportation.

40 CFR 264.175

SUMMARY: A hazardous waste container must not sit in its own spill, and it must be able to hold 10% of total volume of liquid or 100% of largest container, whichever is greater.

49 CFR – DOT (Department of Transportation)

SpillTech Products that Help You Comply: OverPacks (see pages 46–48)

49 CFR 173.3(c)(2)

SUMMARY: If a container of hazardous waste is damaged or leaking, it can be placed in a compatible salvage drum that meets UN criteria for shipping by air, highway, rail or water.

49 CFR 173.12(b)

SUMMARY: A labpacking container must be "a UN 1A2 or UN 1B2 metal drum, a UN 1D plywood drum, a UN 1G fiber drum or a UN 1H2 plastic drum tested and marked for the Packing Group III performance level."

49 CFR 173.12(b)(2)(iv)

SUMMARY: When labpacking, "Inner packagings ... must be surrounded by a chemically compatible absorbent material in sufficient quantity to absorb the total liquid contents."

**Manufacturing/Warehousing****Mobile**

Brookley Aeroplex
1627 O'Donoghue Street
Mobile, AL 36615

Hastings

Hastings Area Industrial Park
233 Haida Avenue
Hastings, PA 16646

Houston

4730 Eastpark Drive
Houston, TX 77028

Indianapolis

450 Enterprise Drive
Westfield, IN 46074

Seattle

938 Valley Avenue NW
Bldg #5 Suite 101-B
Puyallup, WA 98371

Sales & Marketing Offices

5440 McGinnis Village Place
Suite 102
Alpharetta, GA 30005



Look for SpillTech® Products
that help you comply with
Federal Regulations! See page 99.



Look for this icon
throughout the book
to purchase SpillTech
products made from
recycled materials.

Distributed By: