Safety Data Sheet



SECTION 1: Product and company identification

: Germicidal Disinfectant Product name

Use of the substance/mixture : Aerosol

Disinfectant

Product code : 842101

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

: Chemtrec: (800) 424-9300 **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Aerosol 1 H222 Eye Irrit. 2A H319

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS07

Signal word (GHS-US) : Danger

Extremely flammable aerosol Hazard statements (GHS-US)

Causes serious eye irritation

Precautionary statements (GHS-US) Keep away from heat, sparks, open flames, hot surfaces. - No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Wash thoroughly after handling Wear eye protection, face protection

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
ethanol	(CAS No) 64-17-5	40 - 60	Flam. Liq. 2, H225 STOT SE 3, H336
butane	(CAS No) 106-97-8	10 - 20	Flam. Gas 1, H220 Compressed gas, H280
propane	(CAS No) 74-98-6	2.5 - 10	Flam. Gas 1, H220 Compressed gas, H280
2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxybiphenyl	(CAS No) 90-43-7	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400

Date of issue: 9/1/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 1 of 7





Name	Product identifier	%	Classification (GHS-US)
sodium nitrite	(CAS No) 7632-00-0	0.1 - 1	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Carc. 1B, H350

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect

themselves

First-aid measures after inhalation

Remove the victim into fresh air. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact First-aid measures after eye contact

Wash with water and soap. If skin irritation occurs: Get medical advice/attention.

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Ingestion unlikely. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes eye irritation. Irritation of the nasal mucous membranes.

Symptoms/injuries after eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Powder. Alcohol-resistant foam. Water. Carbon dioxide.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Pressurized container: may burst if heated.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Firefighting instructions : Move containers away from the fire area if this can be done without risk. Use water spray or fog for

cooling exposed containers. For massive fire in cargo area, use unmanned hose holder or monitor

nozzles, if possible. If not, withdraw and let fire burn out.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

Evacuate unnecessary personnel. Stay upwind/keep distance from source. Gas is denser than air.

May accumulate in low areas e.g. close to the ground.

6.1.1. For non-emergency personnel

Protective equipment Do not enter without an appropriate protective equipment. DO NOT touch spilled material. Ventilate

the area thoroughly, especially low lying areas (basements, work pits etc.). Advice local authorities if

considered necessary.

6.1.2. For emergency responders

No additional information available

Environmental precautions

Avoid release to the environment. Advice local authorities if considered necessary. Stop leak if safe to do so. Do not contaminate water with the product or its container. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment

Eliminate every possible source of ignition. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if safe to do so. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Collect spillage. Prevent the product from entering drains or confined areas. Following product recovery, flush area with water. For further information refer to section 8: Exposure-controls/personal protection"".

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use

Date of issue: 9/1/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 2 of 7



Precautions for safe handling : Do not use if spray button is missing or defective. Do not spray on a naked flame or any

incandescent material. Do not smoke while handling product. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. . Ground/bond container and receiving equipment. Do not re-use empty containers. Use only outdoors or in a well-ventilated area.

Hygiene measures : Avoid contact with eyes. Use good personal hygiene practices. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Pressurized container. Do not puncture, incinerate or crush. Take precautionary measures against

static discharge.

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Incompatible materials : Heat sources. Sources of ignition.

Storage area : Aerosol 2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
butane (106-97-8)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	
propane (74-98-6)			
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of

any potential exposure.

Personal protective equipment : Gloves. Safety glasses. Protective clothing.



Materials for protective clothing : Chemically resistant protective gloves.

Hand protection : Protective gloves

Eye protection : Wear eye/face protection. Chemical goggles or safety glasses.

Respiratory protection : If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-

supplied respirator.

Thermal hazard protection : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Consumer exposure controls : When using do not smoke. Use good personal hygiene practices. Wash hands immediately after

handling the product. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Take off contaminated clothing and wash before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Aerosol.

Odor : No data available on odour

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : -156 °F Propellant estimated

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available

 Date of issue: 9/1/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 3 of 7

Safety Data Sheet

Vapor pressure : 6.1 - 6.8 atm @70F estimated

Relative density : No data available Relative vapor density at 20 °C No data available Specific gravity / density : 0.79 g/ml estimated Solubility No data available Log Pow No data available Log Kow : No data available Auto-ignition temperature No data available Decomposition temperature : No data available : No data available Viscosity Viscosity, kinematic No data available Viscosity, dynamic : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)	
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)	
ATE CLP (oral)	CLP (oral) 10740.000 mg/kg body weight	
sodium nitrite (7632-00-0)		
ATE CLP (oral)	100.000 mg/kg body weight	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified.

2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxybiphenyl (90-43-7)

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified. Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified

Symptoms/injuries after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Aspiration hazard

ethanol (64-17-5)

 Date of issue: 9/1/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 4 of 7





ethanol (64-17-5)	
LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)

12.2. Persistence and degradability

ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O /g substance	
Chemical oxygen demand (COD)	1.70 g O /g substance	
ThOD	2.10 g O /g substance	
BOD (% of ThOD)	0.43 % ThOD	

12.3. Bioaccumulative potential

ethanol (64-17-5)	
BCF fish 1	1 (72 h; Cyprinus carpio)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site. . Contents

under pressure. Do not puncture, incinerate or crush. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not contaminate ponds, waterways or ditches with chemical or used container Dispose of contents/container to comply with

local/regional/national/international regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable. Handle unclean empty

containers as full ones.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1

UN-No.(DOT) : UN1950
Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity)

Transport hazard class(es) (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None
DOT Special Provisions (49 CFR 172.102) : N82
DOT Packaging Exceptions (49 CFR : 306

173.xxx)

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

: 75 kg

DOT Quantity Limitations Cargo aircraft

: 150 kg

only (49 CFR 175.75)

DOT Vessel Stowage Location : A

Date of issue: 9/1/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 5 of 7





DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Additional information

Other information : This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.306.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : UN1950
Proper Shipping Name (IMDG) : Aerosols

Class (IMDG) : 2.1 - Flammable gases

Air transport

UN-No.(IATA) : UN1950
Proper Shipping Name (IATA) : Aerosols

Class (IATA) : 2.1 - Gases : Flammable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxybiphenyl	CAS No 90-43-7	0.1 - 1
sodium nitrite	CAS No 7632-00-0	0.1 - 1

butane (106-97-8)	
Not listed on SARA Section 313 (Specific toxic ch	nemical listings)
propane (74-98-6)	
Not listed on SARA Section 313 (Specific toxic ch	nemical listings)
2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxyb	piphenyl (90-43-7)
Listed on SARA Section 313 (Specific toxic chem	nical listings)
sodium nitrite (7632-00-0)	
Listed on SARA Section 313 (Specific toxic chem	ical listings)
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. NOTE: This product contains a chemical(s) known to the state of California to cause cancer.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1

Date of issue: 9/1/2015 Revision date: 05/15/2015 Version: 1.0 P GHS SDS Page 6 of 7

Safety Data Sheet




Carc. 1B	Carcinogenicity Category 1B
Compressed gas	Gases under pressure Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 2	Flammable liquids Category 2
Ox. Sol. 3	Oxidizing solids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapor
H272	May intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H301	Toxic if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H350	May cause cancer
H400	Very toxic to aquatic life

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 9/1/2015
 Revision date: 05/15/2015
 Version: 1.0
 P GHS SDS
 Page 7 of 7