# Safety Data Sheet



# **SECTION 1: Product and company identification**

Product name : Trident TowerGuard S
Use of the substance/mixture : Water treatment

Product code : 193501

Company : Share Corporation P.O. Box 245013

Milwaukee. WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification (GHS-US)

Met. Corr. 1 H290 Acute Tox. 4 (Oral) H302 Skin Corr. 1B H314 Carc. 2 H351

Full text of H-phrases: see section 16

#### 2.2. Label elements

## **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS05



GHS07 (

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May be corrosive to metals

Harmful if swallowed

Causes severe skin burns and eye damage

Suspected of causing cancer

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep only in original container Do not breathe mist, spray Wash thoroughly after handling

Do not eat, drink or smoke when using this product Wear eye protection, protective clothing, protective gloves If swallowed: Call a doctor, a POISON CENTER if you feel unwell

If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention Immediately call a POISON CENTER, a doctor Specific treatment (see First aid measures on this label)

Rinse mouth

Wash contaminated clothing before reuse Absorb spillage to prevent material damage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

Date of issue: 12/4/2015 Revision date: 05/22/2015 Version: 1.0 P GHS SDS Page 1 of 6

# Safety Data Sheet



## **SECTION 3: Composition/information on ingredients**

# 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
potassium hydroxide	(CAS No) 1310-58-3	5-10	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314
Amino-Methylene Phosphonic Acid	(CAS No) Proprietary	7-13	Eye Dam. 1, H318
Sodium Molybdate	(CAS No) 7631-95-0	0.1-1	Carc. 2, H351

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with

water/shower. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for

several minutes. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Harmful if swallowed. May cause cancer.

Symptoms/injuries after inhalation : May cause respiratory irritation.
Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/injuries after ingestion : Harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Thermal decomposition may produce : Phosphorous oxide. nitrogen. carbon oxides.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

# 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective goggles. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

# 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

## 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

# 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

Date of issue: 12/4/2015 Revision date: 05/22/2015 Version: 1.0 P GHS SDS Page 2 of 6

# Safety Data Sheet

# SHARE

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using

this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Add ALLWAYS product to water for dilution/mixture. Never add

water to this product.

Storage conditions : Keep container closed when not in use. Store in original container. Keep away from ignition sources.

Incompatible products : strong acids. Oxidizing agents. reducing agents.

Incompatible materials : Heat sources. Sources of ignition.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### potassium hydroxide (1310-58-3)

ACGIH Ceiling (mg/m³) 2 mg/m³

#### 8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.







# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Yellow liquid.

Odor : Mild odor

Odor threshold : No data available

pH : 12.5 - 13

Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** No data available No data available Explosive properties Oxidizing properties : No data available Vapor pressure No data available Relative density No data available Relative vapor density at 20 °C No data available

Specific gravity / density : 1.1 g/ml

Solubility Soluble in water. Log Pow No data available No data available Log Kow · No data available Auto-ignition temperature Decomposition temperature No data available No data available Viscosity Viscosity, kinematic No data available : No data available Viscosity, dynamic

Date of issue: 12/4/2015 Revision date: 05/22/2015 Version: 1.0 P GHS SDS Page 3 of 6

# Safety Data Sheet

VOC content : ND



# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition may produce: Phosphorous oxide. nitrogen. carbon oxides.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

## 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Serious eye damage/irritation

May be corrosive to metals.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

potassium hydroxide (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat)
ATE CLP (oral)	273.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.

pH: 12.5 - 13

Not classified pH: 12.5 - 13

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.
Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/injuries after ingestion : Harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

potassium hydroxide (1310-58-3)		
LC50 fish 1	28.6 mg/l (24 h; Pisces; Pure substance)	
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)	
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)	
Threshold limit other aquatic organisms 1	100 - 1000,96 h	

## 12.2. Persistence and degradability

potassium hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

 Date of issue: 12/4/2015
 Revision date: 05/22/2015
 Version: 1.0
 P GHS SDS
 Page 4 of 6

# Safety Data Sheet



#### 12.3. Bioaccumulative potential

potassium hydroxide (1310-58-3)

Bioaccumulative potential Not bioaccumulative.

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

Transport document description : UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium Hydroxide), 8, II

UN-No.(DOT) : UN3266

Proper Shipping Name (DOT) : Corrosive liquid, basic, inorganic, n.o.s.

Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : B2,IB2,T11,TP2,TP27

DOT Packaging Exceptions (49 CFR : 154

173.xxx)

DOT Quantity Limitations Passenger : 1 L

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 30 L

only (49 CFR 175.75)

DOT Vessel Stowage Location : B

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids

**Additional information** 

Other information : No supplementary information available.

#### **ADR**

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

# **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

potassium hydroxide (1310-58-3)		
Not listed on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	

Date of issue: 12/4/2015 Revision date: 05/22/2015 Version: 1.0 P GHS SDS Page 5 of 6

# Safety Data Sheet



California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

# **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

#### Full text of H-phrases:


Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H351	Suspected of causing cancer

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



## Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 12/4/2015
 Revision date: 05/22/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 6