Safety Data Sheet



SECTION 1: Product and company identification

Product name : Commander
Use of the substance/mixture : Cleaner
Product code : 141001

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Met. Corr. 1 H290 Skin Corr. 1A H314 Carc. 2 H351 STOT RE 2 H373

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May be corrosive to metals

Causes severe skin burns and eve damage

Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep only in original container Do not breathe mist, spray Wash thoroughly after handling

Wear eye protection, protective clothing, protective gloves If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention Immediately call a doctor, a POISON CENTER Get medical advice/attention if you feel unwell

Specific treatment (see First aid measures on this label)

Wash contaminated clothing before reuse Absorb spillage to prevent material damage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Date of issue: 8/13/2015 Revision date: 05/29/2015 Version: 1.0 P GHS SDS Page 1 of 6

Safety Data Sheet

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
potassium hydroxide	(CAS No) 1310-58-3	1.0 - 5.0	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314
Glycol Ether EB	(CAS No) 111-76-2	1.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT RE 2, H373 Asp. Tox. 1, H304
disodium metasilicate	(CAS No) 6834-92-0	1.0 - 5.0	Skin Corr. 1B, H314 STOT SE 3, H335
Cocoamide	(CAS No) 8051-30-7	1.0 - 5.0	Skin Irrit. 2, H315 Eye Dam. 1, H318
2,2'-iminodiethanol, diethanolamine	(CAS No) 111-42-2	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351 STOT RE 2, H373

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Take victim to a doctor if irritation persists.

First-aid measures after eye contact Rinse immediately with plenty of water for 15 minutes. Take victim to an ophthalmologist.

First-aid measures after ingestion Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting. Drink

plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation May cause respiratory irritation. Symptoms/injuries after skin contact Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact Causes serious eye irritation. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

: Upon combustion: CO and CO2 are formed. Reactivity

Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or

contain it. Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective goggles. Face-shield.

Emergency procedures Keep upwind.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

Date of issue: 8/13/2015 Revision date: 05/29/2015 Version: 1.0 P GHS SDS Page 2 of 6

Safety Data Sheet



6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Do not

handle until all safety precautions have been read and understood. Use personal protective

equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in original container.

Incompatible products : strong acids.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³

8.2. Exposure controls

Personal protective equipment

: Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Yellow liquid. Appearance Odor detergent odor Odor threshold No data available 12.75 - 13.75 рΗ Melting point No data available Freezing point No data available No data available **Boiling point** > 200 °F Closed Cup Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available **Explosion limits** No data available

Explosive properties No data available Oxidizing properties No data available Vapor pressure No data available No data available Relative density Relative vapor density at 20 °C No data available Specific gravity / density 1.05 g/ml Solubility Soluble in water. Log Pow No data available

Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Viscosity : No data available

 Date of issue: 8/13/2015
 Revision date: 05/29/2015
 Version: 1.0
 P GHS SDS
 Page 3 of 6

Safety Data Sheet

SHARE

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : < 3 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

May be corrosive to metals. strong acids. Metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Glycol Ether EB (111-76-2)	
LD50 oral rat	1300 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	1300.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (dust, mist)	1.500 mg/l/4h

potassium hydroxide, 45%= <co< th=""><th>onc<50%, aqueous solutions (1310-58-3)</th><th></th></co<>	onc<50%, aqueous solutions (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat)	
ATF CLP (oral)	273,000 mg/kg body weight	

2,2'-iminodiethanol, diethanolamine (111-42-2)	
LD50 dermal rabbit	8180 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 12.75 - 13.75

Serious eye damage/irritation : Not classified

pH: 12.75 - 13.75

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Glycol Ether EB (111-76-2)	
IARC group	3 - Not Classifiable

2,2'-iminodiethanol, diethanolamine (111-42-2)

IARC group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : May cause damage to organs through prolonged or repeated exposure.

exposure)

Glycol Ether EB (111-76-2)	
LOAEL (oral,rat,90 days)	69 mg/kg bodyweight/day Target organ: liver
NOAEL (dermal,rat/rabbit,90 days)	150 mg/kg bodyweight/day

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Date of issue: 8/13/2015 Revision date: 05/29/2015 Version: 1.0 P GHS SDS Page 4 of 6

Safety Data Sheet

SHARE

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye irritation. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

Glycol Ether EB (111-76-2)		
LC50 fish 1	1474 mg/l Oncorhynchus mykiss	
EC50 Daphnia 1	100 mg/l Water flea	
ErC50 (algae)	1840 mg/l Pseudokirchneriella subcapitata	
NOEC chronic fish	> 100 mg/l	
NOEC chronic crustacea	100 mg/l daphnid	
potassium hydroxide, 45%= <conc<50%, aqueou<="" td=""><td colspan="2">potassium hydroxide, 45%=<conc<50%, (1310-58-3)<="" aqueous="" solutions="" td=""></conc<50%,></td></conc<50%,>	potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" td=""></conc<50%,>	
LC50 fish 1	28.6 mg/l (24 h; Pisces; Pure substance)	
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)	
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)	
Threshold limit other aquatic organisms 1	100 - 1000,96 h	

12.2. Persistence and degradability

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>	
Persistence and degradability	Biodegradability: not applicable. No (test) data on mobility of the components available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD) Not applicable	

12.3. Bioaccumulative potential

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>	
Bioaccumulative potential	Not bioaccumulative.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2,2'-iminodiethanol, diethanolamine	CAS No 111-42-2	0.5 - 1.5
2-butoxyethanol	CAS No 111-76-2	1.0 – 5.0

potassium hydroxide (1310-58-3)

Date of issue: 8/13/2015 Revision date: 05/29/2015 Version: 1.0 P GHS SDS Page 5 of 6

Safety Data Sheet



potassium hydroxide (1310-58-3)		
, , ,		
Not listed on SARA Section 313 (Specific toxic ch	nemical listings)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	
2,2'-iminodiethanol, diethanolamine (111-42-2)	2,2'-iminodiethanol, diethanolamine (111-42-2)	
Listed on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:


Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 8/13/2015
 Revision date: 05/29/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 6