

# **LEMON SCENTED DISINFECTANT**

**CLEANER - DISINFECTANT - DETERGENT - DEODORIZER** FUNGICIDE (against pathogenic fungi) - \*VIRUCIDE - MILDEWSTAT (on hard non-porous, inanimate surfaces) KILLS PANDEMIC 2009 HIN1 INFLUENZA A VIRUS (FORMERLY CALLED SWINE FLU)

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides . Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides ...... 2.25% INFRT INGREDIENTS .. <u>95.50</u>%

## **KEEP OUT OF REACH OF CHILDREN** DANGER

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. You may contact National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment informa

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layor

### PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on ig. Wear goggles or face shield, rubber gloves, and protective clothing. Harmful if swallowed. Remove contaminated clothing and wash before Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems withou previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Contains no

EPA REG. NO.1839-95-11547

EPA EST. NO.11547-WI-1

NET CONTENTS: 1 □ 5 □ 20 □ 35 □ 55 □ GALLON(S)

This product is a phosphate free formulation designed to provide effective cleaning, deodorization and disinfection specifically for hospitals, nursing homes, schools, food processing plants, food service establishments, transportation terminals, automotive garages, office buildings, manufacturing facilities, lodging establishments, retail s and athletic/recreational facilities where housekeeping is of prime importance in controlling the hazard of cross contamir

When used as directed, this product is formulated to disinfect hard, nonporous, inc environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, alazed porcelain, glazed ceramic tile, plastic surfaces, vinyl, chrome, bathrooms, shower stalls, shower doors, bathtubs, toilets, bathroom fixtures, kitchens, countertops, sinks, exteriors of microwaves, refrigerators, stoves, and other kitchen appliances, stovetops, automobile interiors, cabinets, tables, chairs, desks, dining room surfaces, doorknobs, garbage cans and telephones. For larger areas: operating rooms, patient care facilities and restrooms, this product is designed to provide both general cleaning and disinfecting. Large inflatable non-porous plastic, rubber, advertising structures: animals, promotional items, moonwalks, slides, obstacle course play equipment, exercise equipment, exercise mats, wrestling mats.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, behind and under sinks and other areas where bacterial growth can cause malodors.

This product is a non-abrasive (non-scratch) cleaner for showers, tubs, shower doors, vinyl and plastic shower curtains, fixtures and toilet bowls.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its

This product is not for use on critical and semi-critical medical device surfaces.

GENERAL CLEANING - Apply Lemon Scented Disinfectant to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. Lemon Scented Disinfectant can be diluted at 2 ounces per gallon or applied at full strength.

DEODORIZATION - To deodorize, apply this product as indicated under the heading

**DISINFECTION** - To disinfect inanimate, hard, non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use

To disinfect toilet howls: Flush toilet add 2 ounces of this product directly to the howl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

To disinfect food processing premises: Before using this product, food products and packaging materials must be removed from the grea or carefully protected. For floors, walls, and storage areas, add 2 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. After use, all surfaces in the area must be thoroughly rinsed with potable water.

To disinfect food service establishment food contact surfaces: Before using this product, food products and packaging materials must be removed from the area or carefully protected. For countertops, appliances, tables, add 2 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. This product cannot be used to clean the owing food contact surfaces: utensils, glassware and dishes.

BACTERICIDAL ACTIVITY - When diluted at the rate of 2 ounces per gallon of water, this product exhibits effective, one-step disinfectant activity against the organisms: Pseudomonas aeruginosa PRD 10, Escherichia coli, Klebsiella pneumoniae, Salmonella schottmuelleri, Salmonella enterica, Streptococcus salivarius, Brevibacterium ammoniagenes, Streptococcus faecalis, Shigella dysenteriae, Enterobacter aerogenes, Staphylococcus aureus, Methicillin resistant Staphylococcus aureus (MRSA), Vancomycin intermediate resistant Staphylococcus aureus (VISA), Streptococcus pyogenes (Clinical-Flesh Eating Strain Bird M3) and Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) nem Resistant and meets all requirements for hospital use

MILDEWSTAT - To control mold and mildew on pre-cleaned hard non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

To Control Mold and Mildew on Large, Inflatable, Non-Porous Plastic and Rubber Structures (animals, promotional items, moonwalk, slides, obstacle course play equipment, and wrestling mats): Thoroughly clean all surfaces with soap or deterg and rinse with water. Saturate surfaces with a use-solution of 8 ounces of this prod per 4 gallons of water for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not use equipment until treatment has been absorbed, set or dried.

FUNGICIDAL ACTIVITY - At the 2 ounces per gallon dilution, this product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (causative agent of Athlete's Foot Fungus), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. Follow the Disinfection directions

\*VIRUCIDAL ACTIVITY - This product when used on environmental ingnimate hard non porous surfaces at 2 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Virus Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), Vaccinia virus (representative of the Pox virus group), Human Coronavirus (ATCC VR-740, Strain 229E), Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV), Norovirus (Norwalk virus), vine Viral Diarrhea Virus (BVDV), Feline calicivirus (FCV), SARS Associated Coronavirus and Avian Influenza A. Follow the Disinfection directions.

At 8 ounces per gallon or equivalent dilution rate, this product is effective against the following viruses on hard non-porous environmental surface with 10 minute contact time Canine Parvovirus (CPV), Canine Adenovirus, Canine Coronavirus, Canine Parainfluenza Virus, Feline Panleukopenia (Feline Parvovirus), Feline Rhinotracheitis, Feline Coronavirus, Feline Picornavirus and Porcine Parvovirus.

Canine Parvovirus (CPV) Activity: at 8 ounces per gallon of water or equivalent dilution. this product inactivates Canine Parvovirus (CPV) on hard, non-porous, surfaces in the presence of 5% blood serum with a 10 minute contact time.

KILLS HIV-1. HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected

likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1)(associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned rom surfaces and objects before application of this product.

CONTACT TIME: Allow surface to remain wet for 10 minutes

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

#### STORAGE AND DISPOSAL

NATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this ontainer. Offer for recycling, if available. Triple rinse container promptly after

Triple rinse as follows: Fill container 1/4 full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a anitary landfill.

(Containers greater than 5 gallons)

Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improp disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions. contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

0173.070711

Sold By: Share Corporation • P.O. Box 245013 • Milwaukee, WI 53224 • (800) 776-7192 • www.sharecorp.com

|   | O BOX 240014<br>ILWAUKEE, WI 53224<br>800.743.6417 | CREATION<br>-REVISION<br>DATE |
|---|--|-------------------------------|
| <b>LABEL #:</b> G01735018511H1                                |  | 10.13.16BL                    |
| <b>DESCRIPTION:</b> 0173   Lemon Scented Disinfectant   GL/BK |  |                               |
| CUSTOMER: Share Corp.   |  |                               |
| <b>SIZE:</b> 16" (w) x 5.375" (h)                             |  |                               |
| APPLICATION: Paper Label                                      |  |                               |
| COLOR(S): CMYK  |  |                               |