# Safety Data Sheet



# SECTION 1: Product and company identification

Product name : Legend

Use of the substance/mixture : Cleansing product

Product code : 12650103 SDS Number: 1265

Company : Share Corporation
P.O. Box 245013
Milwaukee, WI 53224

Milwaukee, WI 5322 T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flam. Liq. 3 H226 Eye Irrit. 2B H320

# 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)



GHS02

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable liquid and vapour

Causes eye irritation

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention. In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

# 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/Information on ingredients

# 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
ethanol	(CAS-No.) 64-17-5	60-65	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319 STOT SE 3, H336

 Date of issue: 05/10/2019
 Revision date: 05/10/2019
 P GHS SDS
 Page 1 of 5

# Safety Data Sheet



A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes serious eye irritation. May be harmful if swallowed.

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause slight irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water. Evacuate area. No action shall be taken involving any personal risk or without suitable training. Move containers

away from the fire area if this can be done without risk.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, no sparks. Eliminate all sources of ignition. Use special care to avoid static electric

charges.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

**6.4.** Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharge.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

Date of issue: 05/10/2019 Revision date: 05/10/2019 P GHS SDS Page 2 of 5

# Safety Data Sheet



#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Ground/bond container and receiving equipment. Use only non-

sparking tools.

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong oxidizers.

Incompatible materials : Sources of ignition. Heat sources.

Storage area : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.

Special rules on packaging : meet the legal requirements.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

ethanol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

# 8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.







# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Odor : Alcohol odor
Odor threshold : No data available

pH : 5.25

No data available Melting point Freezing point : No data available Boiling point No data available Flash point No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available **Explosion limits** : No data available Explosive properties No data available Oxidizing properties : No data available No data available Vapor pressure Relative density No data available Relative vapor density at 20 °C No data available Solubility No data available Log Pow No data available No data available Log Kow Auto-ignition temperature No data available Decomposition temperature No data available No data available Viscosity Viscosity, kinematic No data available

# **SECTION 10: Stability and reactivity**

Viscosity, dynamic

Date of issue: 05/10/2019 Revision date: 05/10/2019 P GHS SDS Page 3 of 5

: No data available

# Safety Data Sheet

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

# 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

: Not classified Acute toxicity

ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)	
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)	
LC50 inhalation rat (mg/l)	117 - 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)	
ATE CLP (oral)	10740 mg/kg body weight	

Skin corrosion/irritation : Not classified

pH: 5.25

Serious eye damage/irritation Causes eye irritation.

pH: 5.25

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Specific target organ toxicity – single exposure : Not classified. Specific target organ toxicity - repeated : Not classified

exposure

Not classified

Aspiration hazard

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact Contact during a long period may cause slight irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. : Gastrointestinal complaints. Symptoms/effects after ingestion

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

ethanol (64-17-5)	
LC50 fish 1	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)

#### 12.2. Persistence and degradability

ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance	
Chemical oxygen demand (COD)	1.7 g O₂/g substance	
ThOD	2.1 g O₂/g substance	
BOD (% of ThOD)	0.43	

#### 12.3. Bioaccumulative potential

Date of issue: 05/10/2019 Revision date: 05/10/2019 P GHS SDS Page 4 of 5





ethanol (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal : Dispose in a safe manner in accordance with local/national regulations.

recommendations

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

**Additional information** 

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

#### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

# **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:


H2	225	Highly flammable liquid and vapour
H3	319	Causes serious eye irritation
H3	336	May cause drowsiness or dizziness

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all

ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 05/10/2019 Revision date: 05/10/2019 P GHS SDS Page 5 of 5