The product in this container is diluted as directed on the pesticide product label. Follow the directions for use on the pesticide label when applying this product.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IN THE EVENT OF A MEDICAL EMERGENCY CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.





DISINFECTANT TABLETS

 Active Ingredients:
 48.21%

 Sodium dichloro-s-triazinetrione
 51,79%

 Other Ingredients:
 51,79%

 Total
 100.00%

 Foulvalent to 31,00% active chlorine by tablet weight. Refer to dilution chart for



Available Chlorine concentrations

KEEP OUT OF REACH OF CHILDREN DANGER



Please Recycle.

EPA Reg. No. /184/-6 EPA EST. 10088-1

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DAKEER: Corrosive. Causes Irreversible eye damage. Harmful If swallowed, inhaled, or absorbed through. Satis. Do not get in eyes, on skin, or dothing. Avoid breathing out Wear chemical-resistant gloves and safety glasses or face shield when making up, solution. Wash throughly with soap and water after handling, and before early, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated drip time before reuse.

> Distributed by Share Corporation P.O. Box 245013, Milwaukee, WI 53224