

Limit to 1000 rows

```
5      book_id INT PRIMARY KEY,  
6      title VARCHAR(150) NOT NULL,  
7      author VARCHAR(100) NOT NULL,  
8      price DECIMAL(10,2) NOT NULL  
9  );  
10 • select * from books;  
11 • INSERT INTO books (book_id, title, author, price) VALUES  
12 (1, 'The Alchemist', 'Paulo Coelho', 399.00),  
13 (2, 'Atomic Habits', 'James Clear', 550.00),  
14 (3, 'Rich Dad Poor Dad', 'Robert Kiyosaki', 499.00),  
15 (4, 'The Psychology of Money', 'Morgan Housel', 650.00),  
16 (5, 'Ikigai', 'Hector Garcia', 450.00);  
17 • select title, price from books;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	book_id	title	author	price
▶	1	The Alchemist	Paulo Coelho	399.00
	2	Atomic Habits	James Clear	550.00
	3	Rich Dad Poor Dad	Robert Kiyosaki	499.00
	4	The Psychology of Money	Morgan Housel	650.00
	5	Ikigai	Hector Garcia	450.00
*	NULL	NULL	NULL	NULL

```

5      book_id INT PRIMARY KEY,
6      title VARCHAR(150) NOT NULL,
7      author VARCHAR(100) NOT NULL,
8      price DECIMAL(10,2) NOT NULL
9  );
10 • select * from books;
11 • INSERT INTO books (book_id, title, author, price) VALUES
12 (1, 'The Alchemist', 'Paulo Coelho', 399.00),
13 (2, 'Atomic Habits', 'James Clear', 550.00),
14 (3, 'Rich Dad Poor Dad', 'Robert Kiyosaki', 499.00),
15 (4, 'The Psychology of Money', 'Morgan Housel', 650.00),
16 (5, 'Ikigai', 'Hector Garcia', 450.00);
17 • select title, price from books;

```

Result Grid Filter Rows: Exports: Wrap Cell Content:

title	price
The Alchemist	399.00
Atomic Habits	550.00
Rich Dad Poor Dad	499.00
The Psychology of Money	650.00
Ikigai	450.00

books 4 x

Output
Action Output

```
5        book_id INT PRIMARY KEY,
6        title VARCHAR(150) NOT NULL,
7        author VARCHAR(100) NOT NULL,
8        price DECIMAL(10,2) NOT NULL
9    );
10 • select * from books;
11 • INSERT INTO books (book_id, title, author, price) VALUES
12    (1, 'The Alchemist', 'Paulo Coelho', 399.00),
13    (2, 'Atomic Habits', 'James Clear', 550.00),
14    (3, 'Rich Dad Poor Dad', 'Robert Kiyosaki', 499.00),
15    (4, 'The Psychology of Money', 'Morgan Housel', 650.00),
16    (5, 'Ikigai', 'Hector Garcia', 450.00);
17 • select title, price from books;
```

	book_id	title	author	price
▶	1	The Alchemist	A.P.J	399.00
	2	Atomic Habits	James Clear	550.00
	3	Rich Dad Poor Dad	Robert Kiyosaki	499.00
	4	The Psychology of Money	Morgan Housel	650.00
	5	Ikigai	Hector Garcia	450.00
•	NULL	NULL	NULL	NULL

my sql student*sql restaurant*company table sqlSQL File 0* x

Limit to 1000 rows

3 • use bookstore;

4 • create table books(

5 book_id INT PRIMARY KEY,

6 title VARCHAR(150) NOT NULL,

7 author VARCHAR(100) NOT NULL,

8 price DECIMAL(10,2) NOT NULL

9);

10 • select * from books;

11 • INSERT INTO books (book_id, title, author, price) VALUES

12 (1, 'The Alchemist', 'Paulo Coelho', 399.00),

13 (2, 'Atomic Habits', 'James Clear', 550.00),

14 (3, 'Rich Dad Poor Dad', 'Robert Kiyosaki', 499.00),

15 (4, 'The Psychology of Money', 'Morgan Housel', 650.00),

16 (5, 'Ikigai', 'Hector Garcia', 450.00);

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	book_id	title	author	price
▶	1	The Alchemist	A,P,J	399.00
	2	Atomic Habits	James Clear	600.00
	3	Rich Dad Poor Dad	Robert Kiyosaki	499.00
	4	The Psychology of Money	Morgan Housel	650.00
•	NULL	NULL	NULL	NULL

```
my sql student*      sql restaurant*      company table sql      SQL File 8* x
[Icons] Limit to 1000 rows [Star]

6      title VARCHAR(150) NOT NULL,
7      author VARCHAR(100) NOT NULL,
8      price DECIMAL(10,2) NOT NULL
9  );
10 •   select * from books;
11 •   INSERT INTO books (book_id, title, author, price) VALUES
12     (1, 'The Alchemist', 'Paulo Coelho', 399.00),
13     (2, 'Atomic Habits', 'James Clear', 550.00),
14     (3, 'Rich Dad Poor Dad', 'Robert Kiyosaki', 499.00),
15     (4, 'The Psychology of Money', 'Morgan Housel', 650.00),
16     (5, 'Ikigai', 'Hector Garcia', 450.00);
17 •   select title, price from books;
18 •   select * from books where price > 500;
```

book_id	title	author	price
2	Atomic Habits	James Clear	550.00
4	The Psychology of Money	Morgan Housel	650.00
NULL	NULL	NULL	NULL

```

6      title VARCHAR(150) NOT NULL,
7      author VARCHAR(100) NOT NULL,
8      price DECIMAL(10,2) NOT NULL
9  );
10 • select * from books;
11 • INSERT INTO books (book_id, title, author, price) VALUES
12 (1, 'The Alchemist', 'Paulo Coelho', 399.00),
13 (2, 'Atomic Habits', 'James Clear', 550.00),
14 (3, 'Rich Dad Poor Dad', 'Robert Kiyosaki', 499.00),
15 (4, 'The Psychology of Money', 'Morgan Housel', 650.00),
16 (5, 'Ikigai', 'Hector Garcia', 450.00);
17 • select title, price from books;
18 • select * from books where price > 500;
19 • UPDATE books

```

book_id	title	author	price
1	The Alchemist	A.P.J	399.00
2	Atomic Habits	James Clear	600.00
3	Rich Dad Poor Dad	Robert Kiyosaki	499.00
4	The Psychology of Money	Morgan Housel	650.00
5	Ikigai	Hector Garcia	450.00
title	title	title	title