HotelOS (e-hotel) — API v1.2 qo‘shimcha

Backend dasturchi uchun. Sana: 10.11.2026. Faqat v1.1 dan keyingi o‘zgarishlar. Sxemalar va yo‘llar to‘liq — `docs/openapi-v1.2-qoshimcha.yaml` (v1.0 `openapi.yaml` va v1.1 `openapi-v1.1-qoshimcha.yaml` bilan bir papkada).

1. Qisqacha nima o‘zgardi

#	O‘zgarish	Yo‘llar
1	Faqat 3 ta tizim roli qoladi: **owner** (egasi), **admin** (administrator), **accountant** (buxgalter). `reception` va `housekeeper` olib tashlanadi.	**O‘ZGARDI** RoleCode
2	Rollar CRUD: egasi yangi rol yaratadi va unga menyu bo‘limlarini belgilaydi.	**YANGI** `GET/POST /roles`, `PUT/DELETE /roles/{id}`
3	Bo‘limlar bo‘yicha kirish: server har bir so‘rovda foydalanuvchi rolining bo‘limlarini tekshiradi; `/auth/me` va login javobi `sections`, `roleName` qaytaradi.	**O‘ZGARDI** `CurrentUser`, barcha yo‘llar
4	Qo‘shimcha xizmat turlari endi ma’lumotnoma (CRUD); qo‘shimcha xizmatda `serviceType` (enum) o‘rniga `serviceTypeId` + `serviceTypeName`.	**YANGI** `/service-types`; **O‘ZGARDI** `/extra-services`
5	Xonani o‘chirish.	**YANGI** `DELETE /rooms/{number}`
6	`GET /roles/permissions` endi front tomonidan ishlatilmaydi (matritsa `/roles` dan quriladi). Qoldirsangiz ham bo‘ladi.	eskirgan

2. Menyu bo‘limlari (AppSection)

Kod	Menyu	Kod	Menyu
`dashboard`	Boshqaruv paneli	`payments`	To‘lovlar va xarajatlar (xarajatlar, qo‘shimcha xizmatlar, qarzlar)
`rooms`	Xonalar	`comments`	Izohlar
`book`	Kitob	`users`	Foydalanuvchilar
`guests`	Mehmonlar arxivi	`settings`	Sozlamalar (mehmonxona, kategoriyalar, rollar, xizmat turlari, jurnal)
`blacklist`	Qora ro‘yxat		

Tizim rollarining standart ruxsatlari (seed)

Bo‘lim	owner	admin	accountant
dashboard	✓	—	✓
rooms	✓	✓	—
book	✓	✓	—

guests	✓	✓	—
blacklist	✓	—	—
payments	✓	✓	✓
comments	✓	✓	—
users	✓	—	—
settings	✓	—	—

> owner — doim barcha bo‘limlar, uni o‘zgartirib bo‘lmaydi. admin va accountant bo‘limlarini egasi «Sozlamalar → Ma’lumotnomalar → Xodimlar rollari» da o‘zgartira oladi (nomini emas). Yangi rollar — istalgan bo‘limlar to‘plami (kamida bittasi).

3. Rollar

3.1 Ma’lumotlar bazasi

```
roles
  id          bigint PK
  code        varchar(40) UNIQUE NOT NULL   -- owner | admin | accountant | role_<id>
  name        varchar(80) NOT NULL          -- UNIQUE (lower(name))
  system      boolean NOT NULL DEFAULT false
  sections    jsonb / text[] NOT NULL       -- ['rooms','book',...]  (yoki role_sections
jadvali)

users.role  →  roles.code ga FK (yoki users.role_id → roles.id; API da baribir code qaytadi)
```

3.2 Migratsiya

- `roles` ga 3 ta tizim rolini yozing (system = true, sections — yuqoridagi jadval bo‘yicha, name: «Egasi», «Administrator», «Buxgalter»).
- `reception` va `housekeeper` roldagi barcha xodimlarni **admin** ga o‘tkazing.
- `RoleCode` enum ni olib tashlang: StaffUser, StaffUserDraft, CurrentUser, StaffShort (`/staff`) dagi `role` — oddiy string (rol code i).
- Xodim qo‘shish/o‘zgartirishda `role` mavjud rol code i bo‘lishi shart, aks holda `422 validation.failed`, `fields.role`.

3.3 API

So‘rov	Kirish	Izoh
`GET /roles`	har qanday kirgan foydalanuvchi	Avval tizim rollari (owner, admin, accountant), keyin yaratilganlari. owner.sections — doim hammasi.
`POST /roles`	settings	Tana: `{ name, sections }`. code ni server beradi (`role_<id>`), system = false. 201 + Role.
`PUT /roles/{id}`	settings	Oddiy rol: name + sections. admin/accountant: faqat sections (name e’tiborsiz). owner → 409 `roles.system`.
`DELETE /roles/{id}`	settings	Tizim roli → 409 `roles.system`; rolda xodim bor (bloklanganlar ham) → 409 `roles.inUse`. 204.

```
Role: { "id": 4, "code": "role_4", "name": "Qabulxona", "system": false, "sections":
["rooms","book","guests"] }
```

3.4 CurrentUser (login va /auth/me)

`POST /auth/login` javobidagi `user` va `GET /auth/me` ga ikki maydon qo‘shing:

```
{ "id": 1, "name": "Aziz Sharifboyev", "login": "owner", "role": "admin",
  "roleName": "Administrator",
  "sections": ["rooms","book","guests","payments","comments"],
  "hotelName": "...", "hotelCity": "...", "mustChangePassword": false }
```

Front menyuni va sahifalarga kirishni `sections` bo‘yicha ko‘rsatadi. Login dan keyin birinchi ruxsat etilgan bo‘limga o‘tadi (admin — «Xonalar», accountant — «Boshqaruv paneli»). `StaffUser` ga ham `roleName` qo‘shing.

4. Bo‘limlar bo‘yicha kirishni tekshirish

Hozirgi «level 0/1/2» o‘rniga: foydalanuvchi rolida kerakli bo‘limlardan **kamida bittasi** bo‘lsa — ruxsat, aks holda `403 auth.forbidden`. Ruxsat tokendan emas, bazadagi joriy rol bo‘yicha tekshirilsin (rol o‘zgarsa darhol ta’sir qiladi).

Yo‘l	Kerakli bo‘lim (istalgan biri)
`/auth/*`, `GET /staff`, `GET /roles`	kirgan har qanday foydalanuvchi
`GET /dashboard`	dashboard
`GET /rooms`, `GET /rooms/available`, `GET /categories`	rooms, book, settings
`POST/PUT/DELETE /rooms…`, `/rooms/{n}/ready|status|extend|checkout`	rooms (checkout — rooms, book)
`/book`, `/book/{id}`	book, rooms (xonalar sahifasidan ham joylashtiriladi)
`GET /guests/lookup`, `GET /blacklist/check`	rooms, book
`GET /guests/archive`	guests
`GET/DELETE /blacklist`	blacklist
`POST /blacklist`	blacklist, rooms, book (chiqarishda qora ro‘yxatga qo‘shish)
`POST /fiscal/receipts`	rooms, book, guests
`/expenses*`, `/extra-services*`, `/debts*`	payments (`GET /expenses/recent` — payments, dashboard)
`GET /service-types`	payments, settings

`POST/PUT/DELETE /service-types`, `/roles` (yozish), `/categories` (yozish), `/settings/hotel`, `/audit-log*`	settings
`/users*`, `/roles/permissions`	users
`GET/PATCH/DELETE /comments`, `/comments/read-all`	comments (`POST /comments` — ommaviy, o‘zgarmagan)
`GET /qr`, `GET /qr/{room}`	rooms, comments
`PUT /qr/{room}`	rooms

5. Qo‘shimcha xizmat turlari

5.1 Ma’lumotlar bazasi va migratsiya

```
service_types
  id    bigint PK
  name  varchar(80) NOT NULL   -- UNIQUE (lower(name))

extra_services
  + service_type_id    bigint NULL  → service_types.id  ON DELETE SET NULL
  + service_type_name  varchar(80) NOT NULL DEFAULT ''   -- yozish paytidagi nom (snapshot)
  - service_type (enum)  -- migratsiyadan keyin o‘chiriladi
```

- Seed: «Nonushta», «Basseyn va sauna», «Fotosessiya».
- Eski yozuvlar: `breakfast` → «Nonushta» id, `pool_sauna` → «Basseyn va sauna», `photo` → «Fotosessiya» (service_type_name ham to‘ldirilsin); `other` → `service_type_id = null`, `service_type_name = ''`, reason o‘zgarmaydi.

5.2 API

So‘rov	Kirish	Izoh
`GET /service-types`	payments, settings	Nom bo‘yicha alifbo tartibida. «Boshqa» ro‘yxatda YO‘Q — front o‘zi qo‘shadi.
`POST /service-types`	settings	`{ name }`; takror → 409 `serviceTypes.exists`. 201.
`PUT /service-types/{id}`	settings	Eski yozuvlardagi `service_type_name` o‘zgarmaydi.
`DELETE /service-types/{id}`	settings	Ishlatilgan bo‘lsa ham o‘chadi; yozuvlarda id = null, nom saqlanadi. 204.

5.3 /extra-services o‘zgarishi

```
ExtraServiceDraft: { "serviceTypeId": 2 | null, "reason": "", "sum": 500000, "date": "2026-11-10T14:05:09", "who": "..." }
ExtraService:      { "id": 7, "serviceTypeId": 2, "serviceTypeName": "Basseyn va sauna", "reason": "", "sum": 500000, ... }
```

- `serviceTypeId` — son: /service-types da bo‘lishi shart (aks holda 422, `fields.serviceTypeId`); server `serviceTypeName` ni shu turdan yozadi, `reason = ""`.
- `serviceTypeId = null` — «Boshqa»: `reason` majburiy; `serviceTypeName = ""`.

- Front jadvalda `serviceTypeName` ni, bo‘sh bo‘lsa `reason` ni ko‘rsatadi.

6. Xonani o‘chirish — DELETE /rooms/{number}

- Kirish: rooms. Javob: `204`.
- Xonada yashovchi mehmon bor (status = busy yoki guests bo‘sh emas) → `409 rooms.hasGuests`. Xona topilmadi → `404 rooms.notFound`.
- Xonaning QR holati ham o‘chiriladi. Arxiv, kitob tarixi, izohlar, cheklar o‘chirilmaydi (u yerda xona raqami matn).
- Kategoriyadagi xonalar soni (`CategoryResponse.rooms`) kamayadi. Harakatlar jurnaliga yozish — ixtiyoriy.

7. Yangi xato kodlari

Format o‘zgarmagan: `{ "error": { "code", "message", "fields"? } }`. Front matnni `errors.<code>` dan tarjima qiladi.

HTTP	code	Qachon
409	`roles.exists`	Shunday nomli rol bor
409	`roles.system`	Tizim rolini o‘chirish / owner ni o‘zgartirish
409	`roles.inUse`	Rolda xodimlar bor
404	`roles.notFound`	Rol topilmadi
409	`serviceTypes.exists`	Shunday xizmat turi bor
404	`serviceTypes.notFound`	Xizmat turi topilmadi
409	`rooms.hasGuests`	Band xonani o‘chirish (kod v1.0 da bor edi)
404	`rooms.notFound`	Xona topilmadi
403	`auth.forbidden`	Rolda kerakli bo‘lim yo‘q

8. Tekshirish ro‘yxati

- ☐ `roles` jadvali + seed (3 ta tizim roli), reception/housekeeper → admin migratsiyasi.
- ☐ `/roles` CRUD (409 kodlari bilan).
- ☐ `CurrentUser.roleName`, `CurrentUser.sections` (login + /auth/me), `StaffUser.roleName`.
- ☐ Barcha yo‘llarda 4-bo‘limdagi jadval bo‘yicha 403 tekshiruvi.
- ☐ `service_types` jadvali + seed + extra_services migratsiyasi.
- ☐ `/service-types` CRUD; `/extra-services` — serviceTypeId / serviceTypeName.
- ☐ `DELETE /rooms/{number}`.
- ☐ Swagger (`/v3/api-docs`) yangilangan.

> Front tayyor: yangi API chiqmaguncha front 3 ta tizim rolini standart ruxsatlar bilan o‘zi ko‘rsatadi, xizmat turlari ro‘yxati esa faqat «Boshqa» dan iborat bo‘ladi. Rol/tur CRUD, xonani o‘chirish va xizmat turini tanlash backend tayyor bo‘lgach ishlaydi.