
**Large-Scale Design & Analysis of Neural
Networks
System Test Plan
Version <1.8>
12/5/2024**

Document Control

Distribution List

The following list of people will receive a copy of this document every time a new version of this document becomes available:

Teaching assistants:

Clay Pate

Customer(s):

M. Ilhan Akbas

John M. Thompson

Project team members:

Daniel Machado

Simon Cole

Muhammed Sharif Adepetu

Leah Powell

Change Summary

The following table details changes made between versions of this document:

Version	Date	Modifier	Description
1.1	12/3/2024	Leah Powell	Document Creation, 1.1, 1.2, 1.3, 5.2, 3
1.2	12/4/2024	Muhammed-Sharif	1.4
1.3	12/5/2024	Daniel Machado	2.4, 2.5 + Added 7 UI Test Cases
1.4	12/5/2024	Leah Powell	4.2, 5.1, 2.4, 2.5, 2.6
1.5	12/5/2024	Muhammed-Sharif	Fleshed out test cases / Formatting
1.6	12/5/2024	Simon Cole	Added/edited test cases
1.61	1/7/2025	Muhammed-Sharif Adepetu	Responded to comments from last semester
1.7	4/10/2025	Muhammed-Sharif Adepetu	Removed / Edited certain test cases. Filled out completed tests
1.75	4/14/2025	Muhammed-Sharif Adepetu	Created more test cases according to system requirements
1.8	4/15/2025	Leah Powell	Added test cases 13-26, updated matrix

Table of Contents

Document Control	ii
Distribution List.....	ii
Change Summary	ii
1. Introduction	1
1.1. Purpose	1
1.2. Scope	1
1.3. System Overview.....	1
1.4. Testing Approach Overview	1
1.5. Testing Entrance Criteria	2
1.6. Document Overview	3
1.7. References	3
2. Testing Approach	4
2.1. Testing Types.....	4
2.1.1. Usability Testing	4
2.1.2. Functionality Testing	4
2.2. Testing Suspension Criteria and Resumption Requirements.....	4
2.2.1. Suspension Criteria.....	4
2.2.2. Resumption Requirements.....	4
2.3. Testing Environment	4
2.4. Testing Assumptions	4
2.5. Testing Risks and Contingencies	5
2.6. Test Plan.....	6
3. Test Schedule	8
4. Traceability Matrix and Defect Tracking.....	9
4.1. Traceability Matrix.....	9
4.2. Defect Severity Definitions.....	9
5. Test Cases	11
5.1. Test Case 1	11
5.2. Test Case 2	12
5.3. Test Case 3	13
5.4. Test Case 4	14
5.5. Test Case 5	15

5.6. Test Case 6	16
5.7. Test Case 7	17
5.9 Test Case 8	19
5.10 Test Case 9.....	20
5.14 Test Case 10.....	21
5.13 Test Case 12.....	22
5.13 Test Case 13.....	22
5.13 Test Case 14.....	23
5.13 Test Case 15.....	24
5.13 Test Case 16.....	25
5.13 Test Case 17.....	25
5.13 Test Case 18.....	26
5.13 Test Case 19.....	27
5.13 Test Case 20.....	28
5.13 Test Case 21.....	28
5.13 Test Case 22.....	29
5.13 Test Case 23.....	30
5.13 Test Case 24.....	31
5.13 Test Case 25.....	31
5.13 Test Case 26.....	32
5.13 Test Case 27.....	33
5.13 Test Case 28.....	33

1. Introduction

1.1. Purpose

The project's goal is to implement a pipeline for large-scale design, creation, and analysis of Bayesian Neural Networks. These networks are using a newer, more modern approach that uses Baye's Theorem for weight distributions. The purpose of this document is to outline a detailed test plan that describes our approach, schedule, and overall organization of testing. The document first covers testing approaches. This includes but is not limited to testing for risks, testing for functionality, and laying out the actual test plan. This document also outlines the test schedule, and actual test cases. Lastly, it covers traceability matrix and defect tracking.

1.2. Scope

The scope of the project includes the release of a github repo for download in order for the user to use the pipeline program.

1. Prototype Release (Version 0.1):

- a. Initial implementation of neural network architecture(s) under study.
- b. Basic data preprocessing pipeline.
- c. Preliminary experiments to validate setup.
- d. Disjointed classes with basic functionality

2. First Analysis Release (Version 0.5):

- a. Results from experiments focusing on the probability distribution of weights for baseline architectures.
- b. Visualizations of weight distributions and their evolution across training epochs.
- c. Comparative study of different activation functions and their impact on weight distributions.

3. Optimization Release (Version 1.0):

- a. Inclusion of optimizations such as alternative training strategies or network modifications (e.g., increasing the number of neurons, changing layer types).
- b. Refined tools for weight analysis.
- c. Comprehensive results and insights into unique patterns in weight distributions.

1.3. System Overview

The system is organized into modules that meet the high-end goals of the project. The modules cover Network Loading, Loss Analysis Tools, Weight Binning & Visualization, Success Criterion Evaluation, and Export/Reporting. The system does not implement any external interfaces as it is a software-based project, organized into individual files that handle all the modules.

1.4. Testing Approach Overview

The testing approach for the neural network analysis project follows a structured, multilevel methodology to ensure robust evaluation of both functionality and performance. This overview links directly to the conceptual diagram outlined in Section 1.3, which depicts the project's components and interactions.

1.4.1.1. Objective and Scope of Testing Levels

1. Unit Testing (Level 1):

- a. **Objective:** Validate the correctness of individual components, such as neural network layers, activation functions, and data preprocessing steps.
- b. **Scope:** Includes testing layer outputs for expected behavior, ensuring accurate implementation of custom functions, and verifying that data preprocessing maintains data integrity.

2. Integration Testing (Level 2):

- a. **Objective:** Ensure seamless interaction between components such as data pipelines, model training modules, and visualization tools.
- b. **Scope:** Covers end-to-end data flow, interaction between training and evaluation phases, and compatibility of third-party libraries.

1.5. Testing Entrance Criteria

To implement system testing, these requirements must be met for testing readiness:

Environment Setup:

- A fully configured testing environment, replicating the production setup as closely as possible, must be available.
- All necessary hardware, software, and network configurations should be in place and verified.
- Access to necessary tools for logging, debugging, and monitoring system performance should be ensured.

Stable Build Availability:

- The system built intended for testing must be stable and deployed to the testing environment.
- All components and modules required for end-to-end testing should be integrated and functional.

Test Data:

- Well-prepared test data sets must be available and validated for use.
- Test data should include edge cases, boundary values, and scenarios for positive and negative testing.

1.6. Document Overview

1.7. References

S. Adepetu, S. Cole, D. Machado, and L. Powell, *Project Proposal Document*. 2024.

S. Adepetu, S. Cole, D. Machado, and L. Powell, *Software Design Documentation*. 2024.

S. Adepetu, S. Cole, D. Machado, and L. Powell, *System Requirements Specification*. 2024

2. Testing Approach

2.1. Testing Types

2.1.1. Usability Testing

Ensure that the required files in the program package are tested for accuracy and general usability. The goal of this testing is to ensure that the files will run without error or unexpected behavior. The user should be able to navigate from file to file without any confusion or issue.

2.1.2. Functionality Testing

Functionality testing will ensure adherence to the project outlined in the Software Design Document and System Requirement Specifications. The functionality of each module in the system shall be carried out in the runnable program files.

2.2. Testing Suspension Criteria and Resumption Requirements

This section will specify the criteria that will be used to suspend all or a portion of the testing activities on the items associated with this test plan.

2.2.1. Suspension Criteria

Testing will be suspended if the incidents found will not allow further testing of the system/application under-test. If testing is halted, and changes are made to the hardware, software, or database, it is up to the Testing Manager to determine whether the test plan will be re-executed, or part of the plan will be re-executed.

2.2.2. Resumption Requirements

2.3. Testing Environment

The testing environment for this plan is configured to ensure reproducibility, consistency, and compatibility that includes:

- The following test cases will be executed in an environment that runs on Windows.
- The tests will be run in a Jupiter notebook, and/or

2.4. Testing Assumptions

- There is a pre-built Neural Network Architecture
- There is a pre-processed dataset, i.e. the data is free from missing values and contains normalized data types

- The processed data fits the Neural Network architecture we are using
- Testing environments are compatible
 - The environment software/hardware is sufficient enough to support the necessary components and libraries.
- All libraries and framework versions used are compatible and behave as expected in the environment

2.5. Testing Risks and Contingencies

The risks and contingencies possible for our project are:

1. Data Generation risks – *data is checked, validated, and formatted before it is used*
 - a. improper Data Generation
 - b. issues or Deviations in Input Features
2. Neural Network Generation Risks – *perform preliminary testing with smaller datasets for tuning hyperparameters*
 - a. failure to converge
 - b. dataset noise
3. Excessive Model Failure – *set a reasonable maximum number of attempts*
4. Pipeline Failure / Unexpected Inputs – *include input validation at the appropriate stages of the pipeline and generation, use edge case datasets for testing.*

2.6. Test Plan

Table 1: Test Plan

ID	Test	Status ¹	Date	Notes
1	Verify .csv file for training	Closed	10-04-2025	N/A
2	<i>Network Initialization</i>	Closed	10-04-2025	N/A
3	Convergence input validation	Closed	10-04-2025	N/A
4	<i>Success loss customization</i>	Closed	10-04-2025	N/A
5	<i>Data loader input</i>	Closed	10-04-2025	N/A
6	<i>initializing Wight binning</i>	Closed	10-04-202	N/A
7		Open		
8		Open		
9		Open		
10		Open		
		Open		

¹ Unwritten, Incomplete, Pass, Fail

3. Test Schedule

Testing Schedules: test plans are carried out at every other sprint, and this document is to be managed and written to at least once every sprint keep test plans and test plan results up to date.

4. Traceability Matrix and Defect Tracking

4.1. Traceability Matrix

Table 2: Traceability Matrix

Req. ID	Test Case(s)
STIM1	17, 18, 7
STIM1.2	17, 18, 7
STIM1.4	27
STIM2	20, 23, 24
STIM2.2	19, 24, 8
STIM2.3	23, 25
STIM2.4	28
STIM3.3	16, 22
STIM3.4	20,
SI1	15
SI3	27
RF1	9
DR1	15
DR2	15
DR3	19
F4	21, 26
F5	16, 20, 24,
F7	10
O1	17, 7
O2	19
UI1	27,2
UI2	3
UI3	4
UI4	5
UI5	21
UI8	1
PR2	28
PR3	20
QR1	12

4.2. Defect Severity Definitions

Critical	The defect causes a catastrophic or severe error that results in major problems and the functionality is rendered unavailable to the user. A manual
----------	---

	procedure is impossible to be implemented, or high effort is required to remedy the defect. Examples of critical defects are as follows: • System abnormally terminates • Data cannot flow through a business function/lifecycle • Data is corrupted or cannot post to the database
Medium	The defect that does not seriously impair system function can be categorized as a medium defect. A manual procedure requiring medium effort can be implemented to remedy the defect. Examples of medium defects are as follows: • Form navigation is incorrect • Field labels are not consistent with global terminology
Low	The defect is cosmetic or has little to no impact on system functionality. A manual procedure requiring low effort can be implemented to remedy the defect. Examples of low defects are as follows: • Repositioning of fields on screens • Text font on reports is incorrect

5. Test Cases

5.1. Test Case 1

Objective: properly create .csv file for training

Notes: This test is conducted by running the generate Data script, at which the system shall create a to be saved into a .csv file for training of the neural network, which is essential for all subsequent tests.

Test No.: 1		Current Status: Passed		
Test title: Verify that .csv file is created correctly for training				
Testing approach: Black box testing will be used on this test. UI8				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Verify that the environment contains NumPy and pandas installed.	Code will not function without these.	The system shall create a fully usable .csv file for training data.	
2	Run the script for GenerateData.py.	This is the file that creates the .csv file.	The code shall run successfully.	
3	Check the correct directory for the "SimpleReg.csv" file.	The file needs to be in the right folder.	The file shall exist in the directory with the name "SimpleReg.csv"	
4	Verify the file contains three columns of (a, b, y).	These are columns used for tensors.	The file shall contain those three columns.	
5	Verify (a, b) contain floating point values and y contains a computed value using the target function.	This is a standard for tensors and matrices in NN training data.	The left columns a and b shall contain floating point values, and the corresponding y column shall be correct according to the target function.	

<i>Concluding Remarks: Csv file successfully created and saved to correct location</i>	
<i>Testing Team:</i> <i>Muhammed-Sharif Adepetu</i>	<i>Date Completed:</i> <i>Apr 10 2025</i>

5.2. Test Case 2

Objective: Initialize 'NetworkAnalyzer' Class

Notes: Ensure that the package is correctly installed by attempting to initialize the NetworkAnalyzer Module with all required attributes. Test for proper assignment of values and verify no initialization errors occur

Test No.: 2		Current Status: Pending		
Test title: initializing network				
Testing approach: Instantiate the class, check attribute values, confirm no errors during initialization. Validate that default or input values are correctly assigned. UI1.				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Class should accept all the initialization parameters	Instantiate the class that will be used to perform analysis	Class shall be instantiated	
2	Verify attribute values	Check if the attributes match expected values	Attributes are set to the correct values (either default or input).	All attributes

3	Check for errors during initialization	Ensure no initialization errors occur	No exceptions or errors are raised during class instantiation.	No errors thrown
Concluding Remarks: Class initialized without any issue. It is important for all requirements to be installed before attempting.				
Testing Team: Muhammed-Sharif Adepetu			Date Completed: 10 April 2025	

5.3. Test Case 3

Objective: Validate Convergence threshold.

Notes: Ensure that the network converges within the expected number of epochs and does not oscillate. Verify that the training process leads to an acceptable error rate.

Test No.: 3	Current Status: Passed
Test title: Convergence Threshold Input Validation	
Testing approach: Input a variety of thresholds to observe system behavior. UI2.	

<i>STEP</i>	<i>OPERATOR ACTION</i>	<i>PURPOSE</i>	<i>EXEPECTED RESULTS</i>	<i>COMMENTS</i>
1	<i>Input valid convergence threshold</i>	<i>Confirm acceptance and usage</i>	<i>System uses input during training and stops training particular network once convergence</i>	
2	<i>Input Negative or Zero value</i>	<i>Test for invalid threshold values</i>	<i>System returns warning</i>	
3	<i>Omit threshold input</i>	<i>Test default behavior</i>	<i>System applies default convergence value.</i>	<i>System will set convergence threshold to 1000000 so it always works</i>
<i>Tests passed</i>				
<i>Testing Team:</i> <i>Muhammed-Sharif Adepetu</i>		<i>Date Completed:</i> <i>10 April 2025</i>		

5.4. Test Case 4

Objective: Ensure user can customize the success loss.

Notes: Ensure the network generation process correctly initializes all parameters, including weights, biases, and activation functions. Validate that the network is ready for training without errors.

Test No.: 4			Current Status: Passed	
Test title: Success loss customization				
Testing approach: Input various loss thresholds and monitor behavior. UI3.				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Input a valid success loss value	Validate system stores & uses value	System uses value for evaluating success	
2	Input an invalid (non-numeric) value	Test error handling	System returns error or prompts correction	
3	Run training with different success losses	Confirm impact on training result	The loss displayed matches the expected result based on network output.	
Sometimes the system will end warly				
Testing Team: Muhammed-Sharif Adepetu			Date Completed: 10 April 2025	

5.5. Test Case 5

Objective: Ensure the system accepts data loader input.

Notes: NA

Test No.: 5	Current Status: Passed
-------------	------------------------

<i>Test title: data loader input</i>				
<i>Testing approach: Supply different format for data loaders. UI4.</i>				
<i>STEP</i>	<i>OPERATOR ACTION</i>	<i>PURPOSE</i>	<i>EXEPTED RESULTS</i>	<i>COMMENTS</i>
<i>1</i>	<i>Provide valid training loader</i>	<i>Ensure loader is processed</i>	<i>System loads training data</i>	
<i>2</i>	<i>Input invalid data loader format</i>	<i>Test for input validation</i>	<i>System displays appropriate error</i>	
<i>3</i>	<i>Input empty loader</i>	<i>Test for input validation</i>	<i>System displays error</i>	
<i>Concluding Remarks: Ensuring data loaders are working correctly is essential for system to properly work</i>				
<i>Testing Team:</i> <i>Muhammed-Sharif Adepetu</i>		<i>Date Completed:</i> <i>10 Apr 2025</i>		

5.6. Test Case 6

Objective: Ensure system correctly uses loss function.

Notes: Ensure that the Network analyzer module accepts and accurately calculates the loss of the network after each epoch

<i>Test No.: 6</i>	<i>Current Status: Passed</i>
<i>Test title: Loss Function input</i>	

<i>Testing approach: Provide valid/invalid loss functions. UI5.</i>				
<i>STEP</i>	<i>OPERATOR ACTION</i>	<i>PURPOSE</i>	<i>EXEPECTED RESULTS</i>	<i>COMMENTS</i>
1	Select valid / relevant PyTorch loss function	Verify loss function is accepted and displays function to user	System uses selected loss function	
2	Leave input black	Test error handling	Class is unable to initialize. System returns an error	
<i>Concluding Remarks: << Filled in by the person who completed the test >></i>				
<i>Testing Team:</i> Muhammed-Shaif Adepetu			<i>Date Completed:</i> 10 April 2025	

5.7. Test Case 7

Objective: Verify automatic generation of k neural networks.

Notes:

Test No.: 8			Current Status: Pending	
Test title: Automatic Generation of k Networks				
Testing approach: Generation and savin of k neural networks				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS

1	Set number of networks to produce to be valid positive integer (10)	Testing standard generation	The system creates 5 distinct neural networks	
2	Input 0 for number of networks	Validate edge-case handling	No networks generated	
3	Input non-integer value for k	Test input type enforcement	System throws error. No networks are generated	
Networks generated				
Testing Team: Muhammed-Sharif Adepetu			Date Completed: 10 April 2025	

5.9 Test Case 8

Objective: *The system only saves NNs which meet a user defined loss-threshold.*

Notes: Ensure the system saves neural networks only if they meet the user-defined loss threshold. Validate threshold configuration and saving functionality

Test No.: 8			Current Status: Pending	
Test title: Saving Neural Network's Based on Loss Threshold				
Testing approach: Test Saving functionality by training NNs, comparing their loss to the threshold, and verifying only eligible networks are saved				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Train the neural network	Perform training to calculate network loss	The network is trained, and the loss value is computed.	
2	Compare network loss with the threshold	Check if the loss meets the user-defined threshold	Networks with a loss below or equal to the threshold are eligible for saving.	
3	Save networks that meet the threshold	Store the network if it passes the threshold test	System saves .pt file of networks that meet or exceed the loss threshold.	
Concluding Remarks: NA				
Testing Team: Muhammed-Sharif Adepetu			Date Completed: 10 April 2025	

5.10 Test Case 9

Objective: Initialize 'Weight Binnig' Class

Notes: Ensure that the package is correctly installed by attempting to initialize the Weight Binning Module with all required attributes. Test for proper assignment of values and verify no initialization errors occur

Test No.: 9			Current Status: Passed	
Test title: <i>initializing Wight binning</i>				
Testing approach: <i>Instantiate the class, check attribute values, confirm no errors during initialization. Validate that default or input values are correctly assigned</i>				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	<i>Class should accept user-defined</i>	<i>Instantiate the class that will be used to perform analysis</i>	<i>Class shall be instantiated</i>	
2	<i>Class loads the path of saved networks</i>		<i>Class shall be instantiated</i>	<i>Module should be initialized using the same architecture that networks were trained on</i>
3	<i>Verify attribute values</i>	<i>Check if the attributes match expected values</i>	<i>Attributes are set to the correct values (either default or input).</i>	
4	<i>Check for errors during initialization</i>	<i>Ensure no initialization errors occur</i>	<i>No exceptions or errors are raised during class instantiation.</i>	<i>No errors thrown</i>
<i>Concluding Remarks: Class initialized without any issue. It is important for all requirements to be installed before attempting.</i>				
Testing Team: <i>Muhammed-Sharif Adepetu</i>			Date Completed: <i>10 April 2025</i>	

5.14 Test Case 10

Objective: Verify Single-Peak Gaussian

Notes: Ensure that the model can create a set of histograms with single-peak gaussian distributions

Test No.: 10		Current Status: Passed		
Test title: Single-Peak Gaussian verification				
Testing approach: Test the model with increasing dataset sizes and monitor performance metrics such as training time and accuracy				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Initailize Weight binnig module using a set of	Start with small dataset to establish a baseline	The model should train quickly and with expected accuracy	
2	Increase dataset incrementally	Gradually feed larger datasets to model	Training time should increase proportionally without significant slowdowns	
3	Monitor performance	Track training time, accuracy and resource usage	The model should maintain performance even with larger datasets	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 12

Objective: Validate Model's Ability to Handle Sparse Data

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 12		Current Status: Pending		
Test title: Sparce Data Handling				
Testing approach: Provide sparce datasets to the model and evaluate its ability to learn and make accurate predictions.				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Prepare sparse dataset	Create datasets with high percentage of zero values	Sparse datasets should not cause errors during training or evaluation	
2	Train the model on sparce data	Feed sparse data to model during training	The model should be able to process sparse data efficiently without degradation in performance	
3	Evaluate prediction accuracy	Test the model's accuracy on sparse validation data	Accuracy should remain consistent despite sparsity in input data	
Concluding Remarks: histograms				
Testing Team:		Date Completed: TBD		

5.13 Test Case 13

Objective:

Notes:

Test No.:		Current Status: Pending		
Test title:				
Testing approach: black box testing				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1				
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 14

Objective:

Notes:

Test No.:		Current Status: Pending		
Test title:				
Testing approach: black box testing				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1				

<i>Concluding Remarks: TBD</i>	
<i>Testing Team:</i>	<i>Date Completed: TBD</i>

5.13 Test Case 15

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

<i>Test No.: 14</i>		<i>Current Status: Pending</i>		
<i>Test title: test set up</i>				
<i>Testing approach: black box testing REQ-SI1, DR1, DR2,</i>				
<i>STEP</i>	<i>OPERATOR ACTION</i>	<i>PURPOSE</i>	<i>EXEPECTED RESULTS</i>	<i>COMMENTS</i>
<i>1</i>				
<i>Concluding Remarks: TBD</i>				
<i>Testing Team:</i>		<i>Date Completed: TBD</i>		

5.13 Test Case 16

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.:		Current Status: Pending		
Test title: test check loss				
Testing approach: black box testing, REQ-STIM3.3, F5				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
2	Run tests.test_check_loss() within the testing.ipynb file	Running file to validate loss checking occurs successfully	Loss is calculated.	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 17

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 16	Current Status: Pending
Test title: test generate networks	
Testing approach: black box testing, REQ-STIM1, STIM1.2, O1	

<i>STEP</i>	<i>OPERATOR ACTION</i>	<i>PURPOSE</i>	<i>EXEPECTED RESULTS</i>	<i>COMMENTS</i>
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
2				
<i>Concluding Remarks: TBD</i>				
<i>Testing Team:</i>			<i>Date Completed: TBD</i>	

5.13 Test Case 18

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 18		Current Status: Pending		
Test title: test generate networks multiple				
Testing approach: black box testing, REQ-STIM1, STIM1.2				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	

<i>Concluding Remarks: TBD</i>				
<i>Testing Team:</i>			<i>Date Completed: TBD</i>	

5.13 Test Case 19

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 19			Current Status: Pending	
Test title: save and count network testing/generation				
Testing approach: black box testing, REQ-STIM2.2, DR3, O2, S1				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
2				

<i>Concluding Remarks: TBD</i>	
<i>Testing Team:</i>	<i>Date Completed: TBD</i>

5.13 Test Case 20

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 16		Current Status: Pending		
Test title: default success criteria				
Testing approach: white box testing, REQ-STIM2, STIM3.4, F5, PR3				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
2				
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 21

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 21			Current Status: Pending	
Test title: default max attempts1				
Testing approach: white box testing, REQ-UI5, F4				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:			Date Completed: TBD	

5.13 Test Case 22

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 22	Current Status: Pending
Test title: computing loss	
Testing approach: white box testing, REQ-STIM3.3, F6	

STEP	OPERATOR ACTION	PURPOSE	EXEPTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 23

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 23		Current Status: Pending		
Test title: false successful network				
Testing approach: white box testing, REQ-STIM2.3, STIM2				
STEP	OPERATOR ACTION	PURPOSE	EXEPTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 24

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 24		Current Status: Pending		
Test title: true successful network				
Testing approach: white box testing, REQ-STIM2, STIM2.2, F5				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 25

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 25	Current Status: Pending
Test title: resetting the loss	
Testing approach: white box testing REQ-STIM2.3, STIM2,	

STEP	OPERATOR ACTION	PURPOSE	EXEPTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:			Date Completed: TBD	

5.13 Test Case 26

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 26		Current Status: Pending		
Test title: maximum attempts reached				
Testing approach: white box testing, REQ-F2, F4				
STEP	OPERATOR ACTION	PURPOSE	EXEPTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 27

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 27		Current Status: Pending		
Test title: Initializing network				
Testing approach: white box testing, REQ-UI1, STIM1.4, SI3,				
STEP	OPERATOR ACTION	PURPOSE	EXEPECTED RESULTS	COMMENTS
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
Concluding Remarks: TBD				
Testing Team:		Date Completed: TBD		

5.13 Test Case 28

Objective:

Notes: Ensure that the model performs well when the input data contains significant sparsity

Test No.: 28	Current Status: Pending
Test title: displaying the training summary for success and unsuccess	
Testing approach: white box testing, REQ-STIM2.4, PR2,	

<i>STEP</i>	<i>OPERATOR ACTION</i>	<i>PURPOSE</i>	<i>EXEPECTED RESULTS</i>	<i>COMMENTS</i>
1	Run setup() automatically or manually within the testing.ipynb file	Prepare testing data	Data is loaded, no errors occur	
<i>Concluding Remarks: TBD</i>				
<i>Testing Team:</i>		<i>Date Completed: TBD</i>		