

title	"Step 2 spec-diff review — modular ingest pipeline"
date	2026-07-21
baseline	d03cf4f
review_head	21cf9f9
evidence_commit	21cf9f9
behavior_commit	8006568
verdict	reject-g-03

Step 2 spec-diff review — G-03

Verdict

REJECT G-03. The modular implementation preserves the tested happy-path output, but it does not yet meet every frozen Step 2 acceptance clause. The child-CLI G-03 oracle launches LibreOffice for a version probe, despite the explicit rule that no G-03 test may invoke LibreOffice. The declared `buildRecords(admitted, adapter, config)` module boundary also differs from the exported two-parameter function.

This is a review of Step 2 only. It does not declare Phase 2 complete, alter plan status, or pull Step 3 hardening into this change.

What this means to the Product Owner

The original promise is that an operator can run the normal ingest command against approved product/trial source documents and receive a reproducible, citeable JSONL store. Each record must say where its text came from, rejected/invalid inputs must be explicit, and no OCR is performed. Step 2 was meant to make that same operating promise testable after breaking a 639-line script into maintainable parts.

Original operating promise	Observed Step 2 behaviour	Evidence and interpretation
An operator runs the same default command: <code>npm run ingest</code> .	The script still targets <code>cowork-p2-kit/ingest/cli.mjs</code> ; no-	G-01 regression test passed in the fresh 14-test run; <code>package.json</code> target is asserted by <code>repository-boundary.test.mjs</code> .

Original operating promise	Observed Step 2 behaviour	Evidence and interpretation
	argument CLI creates the canonical configuration and runs the pipeline.	
Only approved public .docx/.pdf sources with a valid manifest enter the store.	Admission enumerates trial/reference inputs, rejects unsupported/symlink/escaping paths, and requires a public, citable manifest entry with an allowed language.	admission.mjs; typed admission/config tests passed. The full negative admission suite remains a Step 4 gate (G-07), so this is not a claim that every failure path is closed.
The same inputs produce stable, useful records: stable ID, relative source path, page/character offsets, quote and classification.	The 17-record fixture output is byte-identical to the reviewed expected JSONL; three frozen representative records also compare equal.	Fresh child-CLI test passed; SHA-256 is 6a16599838b8335e58f4e4f985c78d089cdd55e1a9b11696d240414b2fc28c56; G-02 contract tests also passed.
Parsing uses the approved local parser and does not run OCR.	The child process uses the absolute repo-local LiteParse binary and literal argument arrays. Missing is-complex is reported as unsupported	Fresh tests passed for argument arrays and available/unsupported/invalid capability states.

Original operating promise	Observed Step 2 behaviour	Evidence and interpretation
	rather than invented as an OCR result. No OCR command exists in the pipeline.	
The checked fixture should be self-contained: four non-sensitive DOCX files, copied to temporary roots, without building inputs or invoking LibreOffice.	It copies four DOCX fixture inputs and runs a child CLI with an absolute JSON config. However that child configuration includes <code>/usr/bin/soffice</code> , and the pipeline executes <code>soffice --version</code> .	<code>pipeline.test.mjs:60-75</code> → <code>pipeline.mjs:51-53</code> → <code>probeBinary(...):29</code> . This violates the literal G-03 isolation promise even though it does not use LibreOffice to transform a document.
When expected ingest errors occur, the operator sees one clear coded error and a non-zero result.	CLI owns <code>IngestError</code> formatting and sets exit code 1; libraries have no <code>process.exit()</code> .	Fresh tests passed for config errors and the no-library-exit scan. A malformed schema is not yet proved to normalize to <code>E_RECORD_SCHEMA</code> ; carry it into the Step 3 failure-path work.

Review scope and evidence method

Item	Review basis
Frozen baseline	<code>d03cf4f</code> — repository boundary and record-contract freeze.
Behaviour implementation	<code>8006568</code> — introduces the modules, fixture, tests and G-03 attestation.

Item	Review basis
Evidence refresh	21cf9f9 changes only test-verdict artifacts; it does not change ingest behaviour.
Excluded handoff commit	ad81589 is excluded from behaviour review.
Fresh command	npm run verify:ingest, run on 2026-07-21: exit 0; 14 passed, 0 failed, 0 skipped.
Retained machine evidence	artifacts/qbd-p2-ingest-completion/gates/G-03.json: status pass, 14/14, timestamp 2026-07-21T13:14:22+07:00. The fresh run corroborates it but does not override this spec review.
Manual checks	Inspected source and tests, git diff --check d03cf4f..21cf9f9 (clean), production line counts, fixture SHA-256, and baseline-to-head diff. GitNexus returned zero indexed execution flows; runtime gates are the usable flow evidence.

The pre-existing untracked directory cowork-p2-kit/ingest/tests/tmp-happy-path-1784605897345/ was observed before verification. It contains a copied fixture/configuration and was left untouched; it is not review evidence and must not be committed.

Frozen spec → implementation and test-evidence matrix

Frozen Step 2 requirement	Observed implementation	Direct evidence	Result
Nine production module boundaries and named exports exist.	errors, config, admission, liteparse-adapter, table-reconstruction, records, publication, pipeline, and cli exist under tracked ingest/.	git ls-tree -r 21cf9f9; G-01 runtime inventory passed.	PASS, except buildRecords signature below
IngestError carries code/message/cause/details; libraries use it for expected failures.	errors.mjs exposes the specified fields and taxonomy; config/admission/adapter/pipeline use it.	Source inspection; typed error tests pass.	PASS for covered cases
createConfig(overrides) exposes absolute roots, binaries and injectable collaborators.	Roots and binaries pass isAbsolute; derived trial/reference/manifest/schema paths are joined from absolute roots. clock, runProcess, fileOps, pidIsAlive, makeRunId are	config.mjs:89-118; programmatic absolute-binary tests pass.	PASS

Frozen Step 2 requirement	Observed implementation	Direct evidence	Result
	programmatic overrides.		
User JSON config contains only absolute path values; collaborators cannot be supplied by JSON.	CLI accepts only the documented path-key allowlist, rejects unknown/relative/non-object values.	<code>cli.mjs:21-90</code> ; fresh config-negative tests pass.	PASS
<code>admitInputs(config)</code> returns deterministically sorted admitted files or a typed error.	Files are sorted by POSIX relative path after manifest and path checks.	<code>admission.mjs</code> ; happy-path and malformed-manifest test pass.	PASS
Adapter uses an absolute configured binary with literal argument arrays, not shell commands.	<code>runProcess(litBinary, ["parse", ...])</code> and <code>runProcess(litBinary, ["is-complex", ...])</code> .	<code>liteparse-adapter.mjs</code> ; fresh argument-array test passes.	PASS
<code>reconstructTable</code> , <code>verifyRoundTrips</code> , <code>publishRecords</code> , and <code>runIngest</code> have their required seams.	All named exports exist; pipeline composes admission → parse/build → round-trip → publication.	Source inspection and child-CLI oracle.	PASS
<code>buildRecords(admitted, adapter, config)</code> is the fixed public module interface.	Pipeline calls it with three arguments, but the export is declared <code>buildRecords(admitted, adapter)</code> and has no documented/config parameter. JavaScript silently ignores the third argument.	<code>pipeline.mjs:72</code> ; <code>records.mjs:67-107</code> . No assertion guards this interface.	BLOCK
Only CLI maps typed errors to an exit; no library calls <code>process.exit()</code> .	<code>main</code> formats <code>IngestError</code> as <code>[code]</code> message and sets exit 1; library scan is clean.	<code>cli.mjs:97-116</code> ; fresh no-library-exit test passes.	PASS
Default roots/behaviour and JSONL compatibility stay frozen.	17 fixture records, final newline, expected checksum/version, deterministic	Fresh child-CLI + G-02 tests; <code>expected.json</code> ; fixture SHA-256 above.	PASS

Frozen Step 2 requirement	Observed implementation	Direct evidence	Result
	sorting/IDs/offsets, and three representative records match.		
Remove the 639-line compatibility monolith; every production module is at most 200 lines.	legacy-ingest.mjs is absent. Counts are 54–186 lines across nine modules.	Tree inspection; fresh limit test; retained G-03 line-count evidence.	PASS
Re-run G-01 and G-02 as regressions before G-03.	verify:ingest includes repository-boundary, record-contract and pipeline tests.	Fresh run: all 14 tests pass; G-01/G-02 are pass in gates.yaml.	PASS
G-03 copies four DOCX files to fresh roots; uses child CLI + absolute config + repo-local LiteParse; output is byte-identical.	All of these occur; fixture cleanup is in finally.	pipeline.test.mjs:45-105; fresh test pass.	PASS, subject to LibreOffice blocker
G-03 must not call inputs:build or LibreOffice.	No inputs:build call was found. LibreOffice is nevertheless launched for a version probe through the child pipeline.	pipeline.test.mjs:65,71 and pipeline.mjs:22-30,52.	BLOCK
OCR is never executed; absent optional capability is explicit.	is-complex non-zero result becomes { status: "unsupported", code: "E_CAPABILITY_UNSUPPORTED"}; parsing remains required.	Adapter/records source; fresh capability tests.	PASS
Step 3 work stays excluded: lock, unique temp, complete-schema and failure-path hardening.	Publication deliberately still uses a fixed temp path and partial schema check, and has no lock/failure/concurrency suite.	publication.mjs header; Step 3 plan and G-04/G-05/G-06 remain unverified.	PASS — correctly deferred, not an acceptance claim

Extra or unproven behaviour

Item	Assessment	Required disposition
runIngest returns recordCount and storePath in addition to the frozen {	Extra, benign for the current CLI, but not explicitly justified	Either document the additive return shape or remove the

Item	Assessment	Required disposition
<code>records, storeHash, capabilities }</code> .	by the fixed return contract.	extras when correcting the G-03 blockers.
Publication has a fixed <code>records.jsonl.tmp</code> and only partial schema validation.	Deliberately incomplete, not a Step 2 regression: these are named Step 3 responsibilities.	Keep out of this correction except where a test seam is needed; close under G-04/G-05/G-06.
A malformed schema is not covered as a typed <code>E_RECORD_SCHEMA</code> failure.	Evidence gap against the broad typed-error promise; not needed to decide the two present blockers.	Add to Step 3 failure-path tests/implementation; ensure no raw <code>SyntaxError</code> reaches CLI.

Required correction before accepting G-03

1. Make the child happy-path route independent of LibreOffice: it must not spawn or probe soffice. Preserve real LiteParse parsing, the absolute JSON config and byte-for-byte oracle.
2. Declare the fixed boundary exactly as `buildRecords(admitted, adapter, config)` and add a focused contract assertion so later refactoring cannot silently drop it again.
3. Re-run `npm run verify:ingest`, refresh the machine-readable G-03 evidence, then repeat this spec-diff review. Do not begin Step 3 until the verdict is **ACCEPT G-03**.

Non-blocking follow-ups carried forward

- Step 3 must prove store bytes survive all failed publication paths, use unique temp files and a single-writer lock, complete schema validation, cleanup and artifact logs (G-04/G-05/G-06).
- Step 4 must exercise the full negative/capability/determinism gate suite (G-07–G-10).
- The final Phase 2 closure still requires change-impact review and code-review closure (G-11/G-12).