FACULTY OF COMPUTING
UTM Johor Bahru

SEMESTER 1, SESSION 2023/2024

LAB EXERCISE 2: DML 1

SECD2523: DATABASE
SECTION 09

NAME :

1. AHMAD NABIL BIN AHMAD NAZRIL   B23CS0020
2. AQMAR ILHAN BIN MOHAMAD FADZILAH   B23CS0027

COURSE   :   2 SECRH – BACHELOR OF COMPUTER SCIENCE
                                        (COMPUTER NETWORKS & SECURITY)
                                        WITH HONOURS

SUBMITION DATE   :   09 - DECEMBER - 2023

LECTURER'S NAME   :   DR. SHARIN HAZLIN BINTI HUSPI

Database Design Project

Oracle Baseball League Store Database

Project Scenario:

You are a small consulting company specializing in database development. You have just been awarded the contract to develop a data model for a database application system for a small retail store called Oracle Baseball League (OBL).

The Oracle Baseball League store serves the entire surrounding community selling baseball kit. The OBL has two types of customer, there are individuals who purchase items like balls, cleats, gloves, shirts, screen printed t-shirts, and shorts. Additionally customers can represent a team when they purchase uniforms and equipment on behalf of the team.

Teams and individual customers are free to purchase any item from the inventory list, but teams get a discount on the list price depending on the number of players. When a customer places an order we record the order items for that order in our database.

OBL has a team of three sales representatives that officially only call on teams but have been known to handle individual customer complaints.

Section 6 Lesson 4 Exercise 1: Data Manipulation Language

Use DML operations to manage database tables (S6L4 Objective 2)

In this exercise you will populate and work with the data that is stored in the database system tables.

Part 1 : Running a script to populate the tables.

You have to consider the order of the tables when populating them. A table that has a foreign key field cannot be populated before the related table with the primary key.

1. Use the table mapping document and list the order that you would use to populate the tables.
2. Open the "sports data.sql" and look at the order the data is being added there, does your list match?   This file can be found in the Section 6 Lesson 4 interaction (sports data.zip) and must first be extracted.
3. Run the "sports data.sql" script in APEX to populate your tables
4. Check that no errors occurred when you ran the script.

Part 2- Inserting rows to the system

1. Add a new team to the system

id	name	Number_of_players	discount
t004	Jets	10	5

```
INSERT INTO teams VALUES('t004', 'Jets', 10, 5)
```

```
1 row(s) inserted.
```

```
SELECT * FROM teams
```

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT
t001	Rockets	25	10
t002	Celtics	42	20
t003	Rovers	8	-
t004	Jets	10	5

2

2. Add a new Customer with the following details to the system

ctr number	email	First name	Last name	Phone number	Current balance	Loyalty card number	tem id	sre id
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	-5	lc4587		

```
INSERT INTO customers(ctr_number, email, first_name, last_name, phone_number, current_balance, loyalty_card_number)
VALUES('c02001', 'brianrog@hootech.com', 'Brian', 'Rogers', '01654564898', -5.00, 'lc4587')
```

1 row(s) inserted.

```
SELECT * FROM customers
```

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-
c01986	marga187@delphiview.com	Maria	Galant	01442736589	125.65	sr03
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	-5	-

3. This information violates the check constraint that the current balance must not be less than zero. Change the current balance to 50 and rerun the query.

```
UPDATE customers
SET current_balance = 50.00
WHERE ctr_number = 'c02001'
```

1 row(s) updated.

```
SELECT * FROM customers
```

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-
c01986	marga187@delphiview.com	Maria	Galant	01442736589	125.65	sr03
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	50	-

Section 6 Lesson 4 Exercise 2: Data Manipulation Language

Use DML operations to manage database tables (S6L4 Objective 2)

In this exercise you will populate and work with the data that is stored in the database system.

Part 1- Updating rows to the system

1. Run the following query to view the content of the price_history table:

    ```
    SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR
    (end_time, 'HH24:MI')
    FROM price_history;
    ```

2. Obl is going to update the price of the premium bat so you will need to write a query that will close off the current price by adding the system date values to the end_date and end_time fields. To run this query you will need to both match the item number and identify that the end date is null. This ensures that you are updating the latest price.

3. Rerun the select statement on the price_history table to ensure that the statement has been executed.

4. Insert a new row that will use the current date and time to set the new price of the premium bat to be 99.99.

5. Rerun the select statement on the price_history table to ensure that the statement has been executed.

Answer (1 & 2):

```sql
SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR
(end_time, 'HH24:MI')
FROM price_history
```

START_DATE	TO_CHAR(START_TIME,'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME,'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	-	-

```sql
UPDATE price_history
SET end_date = SYSDATE, end_time = SYSDATE
WHERE itm_number = 'im01101048' AND end_date IS NULL
```

1 row(s) updated.

Answer (3 & 4):

```sql
SELECT start_date, TO_CHAR(start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR(end_time, 'HH24:MI')
FROM price_history
```

START_DATE	TO_CHAR(START_TIME,'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME,'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	09-DEC-23	03:13

```sql
INSERT INTO price_history (start_date, start_time, price, itm_number)
VALUES (SYSDATE, SYSDATE, 99.99, 'im01101048')
```

1 row(s) inserted.

Answer (5):

```sql
SELECT start_date, TO_CHAR(start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR(end_time, 'HH24:MI')
FROM price_history
```

START_DATE	TO_CHAR(START_TIME,'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME,'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	09-DEC-23	03:13
09-DEC-23	03:15:22	99.99	-	-

Part 2: Deleting rows from the system

1. Bob Thornberry has contacted Obl to ask that the 83 Barrhill Drive address be removed from the system as he can longer receive parcels at this address. Write a SQL statement that will remove this address from the system.

2. Run a select statement on the customers_addresses table to ensure that the statement has been executed.

```
DELETE FROM customers_addresses
WHERE address_line_1 = '83 Barrhill Drive'
```

```
1 row(s) deleted.
```

```
SELECT * FROM customers_addresses
```

ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE	CTR_NUMBER
ca0102	17 Gartsquare Road	Starford	Liverpool	LP89JHK	c00001
ca0103	54 Ropehill Crescent	Georgetown	Star	ST45AGV	c00101
ca0104	36 Watercress Lane	-	Jump	JP23YTH	c01986
ca0105	63 Acacia Drive	Skins	Liverpool	LP83JHR	c00001

Part 2: Deleting rows from the system