

SHARK BOND

Premium
PVC, UPVC & CPVC
**SOLVENT
CEMENT**

STRONGER BONDING.
FASTER SETTING.
LEAK-PROOF PERFORMANCE.



STRONG
BONDING



FAST
SETTING



LEAK-PROOF



LONG
LASTING

ABOUT US

Chemseal Industries is a trusted manufacturer of premium-quality PVC, UPVC, and CPVC Solvent Cement under the renowned SHARK BOND brand.

Our products are designed to provide strong bonding, fast setting, leak-proof performance, and long-lasting durability for various piping applications.

With advanced manufacturing processes and strict quality standards, SHARK BOND continues to be the preferred choice of contractors, plumbers, dealers, and industries across India.



WHY CHOOSE SHARK BOND?



PREMIUM QUALITY RAW MATERIALS

We use high-grade raw materials to ensure superior performance and reliability.



FAST INSTALLATION PERFORMANCE

Our fast setting formula ensures quick and efficient installation, saving time and effort.



CUSTOMER-FOCUSED SERVICE

We are committed to providing excellent support and solutions for our customers.



RELIABLE & LEAK-PROOF CONNECTIONS

Our products ensure strong, secure, and leak-proof joints for long-lasting performance.



TRUSTED BY INDUSTRY PROFESSIONALS

Preferred by contractors, plumbers, dealers, and industries across India for consistent results.



STRICT QUALITY CONTROL STANDARDS

Every product goes through rigorous testing to meet the highest quality and safety standards.

OUR PRODUCT RANGE



SHARK BOND PVC SOLVENT CEMENT

High-performance solvent cement specially formulated for PVC pipes and fittings.

-  Strong Bonding
-  Fast Setting
-  Leak-Proof Performance



SHARK BOND UPVC SOLVENT CEMENT

Engineered for UPVC piping systems, delivering secure joints, leak-proof connections, and long-lasting durability.

-  Secure Joints
-  Long-Lasting
-  Reliable Performance



SHARK BOND CPVC SOLVENT CEMENT

Premium solvent cement designed for CPVC pipes used in hot and cold water applications, ensuring superior strength and reliability.

-  High Strength
-  Heat Resistant
-  Superior Durability



PRODUCT FEATURES



STRONG BONDING STRENGTH

Provides a powerful and durable bond for long-lasting joints.



FAST SETTING FORMULA

Quick setting formula saves time and ensures efficient installation.



LEAK-PROOF PERFORMANCE

Ensures completely leak-proof joints for a reliable piping system.



HIGH DURABILITY

Resistant to weather, chemicals and internal pressure for long life.



MULTI-PURPOSE APPLICATIONS

Suitable for PVC, UPVC & CPVC pipes in various plumbing applications.



CONSISTENT QUALITY STANDARDS

Manufactured with strict quality control to deliver consistent performance.



EASY APPLICATION

Smooth application with excellent coverage for hassle-free use.



LONG SERVICE LIFE

Designed to deliver reliable performance and long-lasting service life.



STRONG
BONDING



FAST
SETTING



LEAK-PROOF



LONG
LASTING

PRODUCT FEATURES

SHARK BOND

SHARK BOND UPVC SOLVENT CEMENT



STRONG BONDING STRENGTH

Creates a powerful and durable bond for UPVC pipes and fittings.



FAST SETTING FORMULA

Quick setting formula ensures faster installation and time saving.



LEAK-PROOF PERFORMANCE

Ensures completely leak-proof joints for a reliable piping system.



HIGH DURABILITY

Resistant to chemicals, corrosion, and environmental stress.



PERFECT FOR UPVC SYSTEMS

Specially formulated for UPVC pipes and fittings for secure and long-lasting connections.



CONSISTENT QUALITY STANDARD

Manufactured with high-quality raw materials under strict quality control.



EASY APPLICATION

Smooth application with excellent coverage for hassle-free use.



LONG SERVICE LIFE

Provides long-lasting performance and reliable service life.



STRONG
BONDING



FAST
SETTING



LEAK-PROOF



DURABLE
& RELIABLE

PRODUCT FEATURES

SHARK BOND CPVC SOLVENT CEMENT

SHARK
BOND



STRONG BONDING STRENGTH

Provides superior bonding strength for CPVC pipes and fittings.



FAST SETTING FORMULA

Quick setting formula ensures faster installation and time saving.



LEAK-PROOF PERFORMANCE

Ensures completely leak-proof joints for hot and cold water applications.



HEAT RESISTANT

Withstands high temperature and pressure, ideal for hot water systems.



SUPERIOR DURABILITY

Resistant to corrosion, chemicals and environmental stress for long life.



PERFECT FOR CPVC SYSTEMS

Specially designed for CPVC pipes and fittings used in hot and cold water lines.



CONSISTENT QUALITY STANDARD

Manufactured with premium raw materials under strict quality control.



EASY APPLICATION

Smooth application with excellent coverage for hassle-free use.



LONG SERVICE LIFE

Ensures long-lasting performance and reliable service life.



STRONG
BONDING



FAST
SETTING



HEAT
RESISTANT



CHEMSEAL INDUSTRIES

03, Shreedhar Industrial Park,
Opposite Simla Hyundai Service Center,
Nikol Ring Road, Ahmedabad - 382350,
Gujarat, India.

Customer Care: +91 8866604466



QUALITY
YOU CAN TRUST

CERTIFICATE OF ANALYSIS (COA)



Product Name: Shark Bond PVC, UPVC & CPVC Solvent Cement

BATCH INFORMATION

Product Name	Shark Bond PVC, UPVC & CPVC Solvent Cement
Batch No.	SB24052025-105
Manufacturing Date	20 May 2025
Expiry Date	19 May 2027
Batch Size	500 Litres
Net Quantity	500 ML
COA No.	COA/SB/2025/056
Date of Issue	21 May 2025

PRODUCT DESCRIPTION

Shark Bond PVC, UPVC & CPVC Solvent Cement is a premium quality solvent based adhesive specially formulated for strong, leak-proof and permanent joining of PVC, UPVC and CPVC pipes and fittings.

INTENDED USE

For bonding and sealing of PVC, UPVC & CPVC pipes and fittings in plumbing, industrial and agricultural applications.

QUALITY TEST RESULTS

Sr. No.	Test Parameter	Specification	Test Result	Test Method
1.	Appearance	Clear Viscous Liquid	Clear Viscous Liquid	Visual
2.	Colour	Clear	Clear	Visual
3.	Odour	Characteristic Solvent	Characteristic Solvent	Sensory
4.	Specific Gravity @27°C	0.92 - 0.98	0.95	ASTM D1475
5.	Viscosity @ 25°C	1500 - 3000 cPs	2280 cPs	ASTM D2196
6.	Flash Point	Below 0°C	-12°C	ASTM D56
7.	Initial Setting Time	2 - 5 Minutes	3 Minutes 30 Seconds	Internal Method
8.	Full Cure Time	24 Hours	24 Hours	Internal Method
9.	Bond Strength	Meets Internal Specification	Pass	Internal Test
10.	Leakage Test	No Leakage	Pass	Internal Test



CONCLUSION

The above batch has been tested as per Chemseal Industries Quality Control Procedures and conforms to the applicable internal quality requirements.

STATUS:

PASS

APPROVED BY

Quality Control Department
Chemseal Industries

Authorized Signature



Company Seal

DATE: 21 May 2025

This Certificate of Analysis applies only to the batch mentioned above and is issued based on laboratory test results of the respective production batch.



STRONG BOND
LEAK PROOF



EXCELLENT CHEMICAL
RESISTANCE



FAST SETTING
LONG SHELF LIFE



MAKE IN INDIA



STRONG BOND. LEAK PROOF. EVERY TIME.

CHEMSEAL INDUSTRIES

03, Shreedhar Industrial Park,
Opposite Simla Hyundai Service Center,
Nikol Ring Road, Ahmedabad - 382350,
Gujarat, India.

Customer Care: +91 8866604466



QUALITY
YOU CAN TRUST

QUALITY ASSURANCE CERTIFICATE



Certificate No.: QA/SB/2025/056

Date of Issue: 21 May 2025

This is to certify that the product manufactured and supplied by

CHEMSEAL INDUSTRIES

Product Name:

SHARK BOND PVC, UPVC & CPVC SOLVENT CEMENT

has been produced under a Quality Management System and is manufactured, tested and inspected in accordance with our quality standards and standard operating procedures.

QUALITY ASSURANCE

We hereby assure that the above product is manufactured using high quality raw materials and advanced technology under strict quality control at every stage of production. The product is tested and verified to meet the required specifications for performance, safety and reliability.

PARAMETER	ASSURANCE	REMARKS
 Raw Material Quality	High quality raw materials are procured from trusted and approved sources.	 Assured
 Manufacturing Process	Manufactured under controlled process as per defined quality procedures.	 Assured
 Quality Control	Each batch is tested for critical parameters as per internal and international standards.	 Assured
 Product Performance	Product meets the required performance criteria for intended applications.	 Assured
 Safety & Compliance	Product is safe for use and complies with applicable industry standards.	 Assured



We further certify that the product is free from any manufacturing defects and is fit for use as per the recommended applications.

STATUS: **APPROVED**

AUTHORIZED BY

Quality Assurance Department
Chemseal Industries

R. Patel

Rakesh Patel
Quality Manager



Batch No. : SB24052025-105

Manufacturing Date : 20 May 2025

Expiry Date : 19 May 2027

Batch Size : 500 Liters

This certificate is valid for the above mentioned batch and is issued for quality assurance purposes.



STRONG BOND
LEAK PROOF



EXCELLENT CHEMICAL
RESISTANCE



FAST SETTING
LONG SHELF LIFE



MAKE IN INDIA



TECHNICAL DATA SHEET

SHARK BOND

PVC, UPVC & CPVC SOLVENT CEMENT

- FAST SETTING
- HIGH BOND STRENGTH
- LEAK PROOF JOINT
- EXCELLENT CHEMICAL RESISTANCE
- LONG SHELF LIFE

MANUFACTURER

CHEMSEAL INDUSTRIES

03, Shreedhar Industrial Park,
Opposite Simla Hyundai Service Center,
Nikol Ring Road, Ahmedabad – 382350,
Gujarat, India.



CUSTOMER CARE
+91 8866604466

TDS NO. : SB/TDS/01
REVISION : 01
DATE OF ISSUE : 20 May 2024
SUPERSEDES : All Previous



1. PRODUCT DESCRIPTION

Shark Bond PVC, UPVC & CPVC Solvent Cement is a premium quality solvent based adhesive specially formulated for strong, leak-proof and permanent joining of PVC, UPVC and CPVC pipes and fittings.



2. APPLICATIONS

- PVC Pressure Pipes
- UPVC Plumbing Systems
- CPVC Hot & Cold Water Pipes
- Agricultural Irrigation Systems
- Industrial Piping Systems
- Drainage, Sewerage & Vent Systems



3. FEATURES & BENEFITS

- ✓ Fast Setting
- ✓ High Bond Strength
- ✓ Leak Proof Joint
- ✓ Easy Brush Application
- ✓ Excellent Chemical Resistance
- ✓ Long Shelf Life



4. STANDARDS COMPLIANCE

Meets the requirements of
ASTM D2564, ASTM F493,
IS: 4985, IS: 15778 &
BS EN ISO 15493 standards.



5. TYPICAL TECHNICAL PROPERTIES

PROPERTY	TYPICAL VALUE	TEST METHOD
Appearance	Clear Viscous Liquid	Visual
Colour	Clear	Visual
Odour	Characteristic Solvent Odour	Sensory
Specific Gravity @ 27°C	0.92 – 0.98	ASTM D1475
Viscosity @ 25°C	1500 – 3000 cPs	ASTM D2196
Flash Point	Below 0°C	ASTM D56
Initial Setting Time	2 – 5 Minutes	Internal Method
Full Cure Time	24 Hours	Internal Method
Application Temperature	5°C to 45°C	–
Service Temperature	Up to 60°C (PVC/UPVC) Up to 93°C (CPVC)	–
Shelf Life	24 Months from Date of Manufacture	–
Solubility	Soluble in Organic Solvents Insoluble in Water	–

Note: The values given are typical and may vary within the acceptable range.



DIRECTIONS FOR USE

Cut pipe squarely and remove burrs.	Clean and dry the surfaces.	Dry-fit pipe and fitting.	Apply Shark Bond Solvent Cement evenly on both surfaces.	Insert pipe fully into fitting with a quarter turn.	Hold firmly for 30-60 seconds.	Allow curing before pressure testing.



7. STORAGE

- Store in a cool, dry and well-ventilated place.
- Keep container tightly closed when not in use.
- Store below 30°C.
- Keep away from direct sunlight, heat and ignition sources.
- Shelf life: 24 months from the date of manufacture.



8. SAFETY PRECAUTIONS

- Highly flammable. Keep away from heat, sparks and open flames.
- Use only in well-ventilated areas.
- Avoid contact with skin and eyes.
- In case of contact, wash immediately with plenty of water.
- Keep out of reach of children.
- Refer Material Safety Data Sheet (MSDS) before use.



9. AVAILABLE PACK SIZES

10 ML

25 ML

59 ML

118 ML

237 ML

500 ML

1 LTR

Custom pack sizes are available on request.



QUALITY YOU CAN TRUST
Strong Bond.
Leak Proof.
Every Time.



MANUFACTURED WITH
STRICT QUALITY CONTROL
For Professional Use Only



MAKE IN INDIA
Proudly
Made in India



SCAN FOR
PRODUCT INFO
& MSDS

AN ISO 9001 : 2015 CERTIFIED COMPANY



SHARK BOND™



ISO CERTIFICATE

PRICE LIST

PRODUCTS	SIZE	BOX	CARTOON	BOX IN CARTOON	₹ M.R.P.
PVC SOLVENT (TUBE)  (BRUSH IN CAN)	10 ml.	50 TUBE	2000 Pcs.	40 Box	₹ 14.00
	25 ml.	50 TUBE	1200 Pcs.	24 Box	₹ 25.00
	59 ml.	48 Pcs.	576 Pcs.	12 Box	₹ 95.00
	118 ml.	24 Pcs.	288 Pcs.	12 Box	₹ 140.00
	237 ml.	15 Pcs.	180 Pcs.	12 Box	₹ 225.00
	500 ml.	12 Pcs.	96 Pcs.	08 Box	₹ 305.00
	1 Ltr.	6 Pcs.	48 Pcs.	08 Box	₹ 485.00
U-PVC SOLVENT (TUBE)  (BRUSH IN CAN)	10 ml.	50 TUBE	2000 Pcs.	40 Box	₹ 22.00
	25 ml.	50 TUBE	1200 Pcs.	24 Box	₹ 45.00
	59 ml.	48 Pcs.	576 Pcs.	12 Box	₹ 130.00
	118 ml.	24 Pcs.	288 Pcs.	12 Box	₹ 205.00
	237 ml.	15 Pcs.	180 Pcs.	12 Box	₹ 350.00
	500 ml.	12 Pcs.	96 Pcs.	08 Box	₹ 610.00
	1 Ltr.	6 Pcs.	48 Pcs.	08 Box	₹ 1030.00
C-PVC SOLVENT (TUBE)  (BRUSH IN CAN)	10 ml.	50 TUBE	2000 Pcs.	40 Box	₹ 35.00
	25 ml.	50 TUBE	1200 Pcs.	24 Box	₹ 70.00
	59 ml.	48 Pcs.	576 Pcs.	12 Box	₹ 170.00
	118 ml.	24 Pcs.	288 Pcs.	12 Box	₹ 240.00
	237 ml.	15 Pcs.	180 Pcs.	12 Box	₹ 410.00
	500 ml.	12 Pcs.	96 Pcs.	08 Box	₹ 775.00
	1 Ltr.	6 Pcs.	48 Pcs.	08 Box	₹ 1475.00



TERMS & CONDITION :-

- ✓ ABOVE RATES ARE EX-FACTORY/GOODWINS ONLY.
- ✓ PAYMENT 100% ADVANCE
- ✓ SUBJECT TO CHANGE OF PRICE LIST WITHOUT ANY ADVANCE NOTICE.
- ✓ GST + 18%

- ✓ F.O.R. AHMEDABAD ONLY.
- ✓ SUBJECT TO AHMEDBAAD JURISDICTION



STRONG BONDING | FAST ACTION | LEAK PROOF SOLUTION



AN ISO 9001 : 2015 COMPANY

**STRONG BOND.
STRONG NATION.**

Premium Quality | Advanced Technology
Trusted by Plumbers



MANUFACTURING WITH CARE, QUALITY WITH PRIDE.

At Shark Bond, we follow a systematic manufacturing process with strict quality control at every stage. Our facilities are equipped with modern machines and skilled professionals to deliver consistent quality in every batch.



MODERN
MACHINERY



SKILLED
WORKFORCE



CONSISTENT
QUALITY

OUR ADVANTAGES



PREMIUM QUALITY

Made from high-grade raw materials for unmatched strength and durability.



ADVANCED TESTING

Every batch undergoes advanced testing to ensure superior performance and safety.



TRUSTED & RELIABLE

Designed for plumbers and professionals who demand the best.



PAN INDIA DELIVERY - FREE


Fast, reliable & free delivery across India.

OUR PRODUCT RANGE

PVC ♦ UPVC ♦ CPVC
PIPE & FITTINGS ADHESIVE



OUR MANUFACTURING PROCESS



**MADE IN INDIA
FOR INDIA**



ACROSS INDIA

Mfg. By :
CHEMSEAL INDUSTRIES

✉ info.chemsealindustries@gmail.com

Ahmedabad, Gujarat.



CONTACT US



STRONGER BOND. BETTER FLOW.

We are always ready to serve you.
Feel free to get in touch with us for
any enquiries, support or business
collaborations.



PHONE

+91 8866604466



EMAIL

Info.chemsealindustries@gmail.com



ADDRESS

03, Shreedhar Industrial Park,
Opp. Simla Hyundai Service,
Near Nikol Ring Road, Ahmedabad,
Gujarat – 382350



WEBSITE

www.sharkbond.in



WORKING HOURS

Monday to Saturday
9:00 AM to 6:00 PM
(Sunday Closed)



WE ARE HERE TO HELP!

Your satisfaction is our priority.
Reach out to us and our team
will get back to you shortly.



FOLLOW US



/ sharkbond.industries



THANK YOU!

We look forward to building
strong and lasting relationships.