```
{==================================================================================}
{=============================== 参数 ===========================================}
{==================================================================================}
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N  := 27;

{SHOWBKG  := 1;}
{==================================================================================}
{==================================================================================}
{=============================== 定义 ===========================================}
{==================================================================================}
{==================================================================================}
MA1 := EMA(CLOSE,P1),DRAWNULL;
MA2 := EMA(CLOSE,P2),DRAWNULL;
MA3 := EMA(CLOSE,P3),DRAWNULL;
MA4 := EMA(CLOSE,P4),DRAWNULL;
CUPMA1 := MA1>=REF(MA1,1);
CUPMA2 := MA2>=REF(MA2,1);
CUPMA3 := MA3>=REF(MA3,1);
CUPMA4 := MA4>=REF(MA4,1);

SD     := EMA(STD(CLOSE,N), 2);
CUPStd := SD >= REF(SD,1);
CDNStd := SD <= REF(SD,1) ;

MID := MA(CLOSE,N);
CUPMID := MID>=REF(MID,1);
EMID := EMA(CLOSE,N);
CUPEMID := EMID>=REF(EMID,1);
DDMID := EMID - MID, DRAWNULL;
CUPDDMID := DDMID>=REF(DDMID,1);

BUUU := MID + 3*SD;
BUU  := MID + 2*SD;
BU   := MID + 1*SD;
BL   := MID - 1*SD;
BLL  := MID - 2*SD;
BLLL := MID - 3*SD;
CUPBUUU := BUUU >= REF(BUUU,1);
CDNBLLL := BLLL <= REF(BLLL,1);

DIF := 100* (EMA(C,12)/EMA(C,26)-1);
DEA := EMA(DIF,9);
MACD := DIF-DEA;
MMACD := EMA(MACD,2);
CUPDIF := DIF>=REF(DIF,1);
CUPDEA := DEA>=REF(DEA,1);
CUPMACD := MACD>=REF(MACD,1);
CUPMMACD := MMACD>=REF(MMACD,1);

RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;
```

```
K := SMA(RSV,3,1);
D := SMA(K,3,1);
J := 3*K-2*D;
CUPK := K>=REF(K,1);
CUPD := D>=REF(D,1);
CUPJ := J>=REF(J,1);

A := (3*C+L+O+H)/6;
DKXB := (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;
DKSD := MA(DKXB,9);
DKLD := MA(DKXB,9);
CUPDKXB :=DKXB>=REF(DKXB,1);
CUPDKSD :=DKSD>=REF(DKSD,1);
CUPDKLD :=DKLD>=REF(DKLD,1);

{BBI}
BBI:= EMA((EMA(CLOSE,3)+EMA(CLOSE,6)+EMA(CLOSE,12)+EMA(CLOSE,24))/4,2);
CUPBBI := BBI>=REF(BBI,1);

{CPX}
CPBX := EMA(C,2);

CPSX := EMA(SLOPE(C,21)*20+C,42);

CUPCPSX := CPSX>=REF(CPSX,1);

{FFF}
{
F   := SLOPE(C,21)*20+C;
FF  := DMA(F,0.75);
FFF := DMA(F,0.6);
CUPFFF := FFF>REF(FFF,1);

}

{UU}
UU := (C>MA1 AND C>MA2) AND C>MID AND C>MA3, DRAWNULL, COLORGRAY;

{-------------------------------- Volume ----------------------------------------}
{VOLUME}
VMA1:=EMA(VOL,P1);
VMA2:=EMA(VOL,P2);
VMA3:=EMA(VOL,N);
CUPVMA1:=VMA1>REF(VMA1,1);
CUPVMA2:=VMA2>REF(VMA2,1);
CUPVMA3:=VMA3>REF(VMA3,1);

{-------------------------------- K self ----------------------------------------}
IH := MAX(OPEN, CLOSE);
IL := MIN(OPEN, CLOSE);
IDD := IH - IL;
```

```
ITT := H - L;
IM  := (H+L+O+C)/4;

IPMove := 100 * (c/ref(c,1)-1);
IPAbs := 100 * IDD/ref(c,1);
IPOsc := 100 * ITT/ref(c,1);

{--------------------------------  C层  --------------------------------------------}
LCreal := (C-MID)/(1.98*SD);
LC := MAX(0, LCreal);

{--------------------------------  MA层  ------------------------------------------}
MA  := EMA(C,5);
LMAreal := (MA1 - MID)/(1.9*SD);
LMA := MIN(1, MAX(0, LMAreal));
CUPLMA := LMA>=REF(LMA,1);
CDNLMA := LMA<REF(LMA,1);



{==========================================================================}
{================================  特殊信号  ====================================}
{==========================================================================}
{--------------------------------  入轨  ------------------------------------------}
{实体大于BUU部分/实体}
TPC2DD := IF(
  IH > IL,
  ( MAX(IH, BUU) - MAX(IL, BUU) ) / IDD,
  IF(IH>=BUU AND o>ref(c,1),  1,  0)
);

{实体大于BUU部分/通道}
TPC2SD := ( MAX(IH, BUU) - BUU ) / SD;
{最高大于BUU部分/通道}
TPH2SD := ( MAX(H, BUU) - BUU ) / SD;

TTNC :=  COUNT(TPC2SD>0, 5);
TTNH :=  COUNT(TPH2SD>0, 5);

TTIS :=
TPC2DD>0
OR (C>MA1 AND TTNH>2)
OR (C>MA1 AND TTNC>1);




{==========================================================================}
{==========================================================================}
{================================  信号系统  ====================================}
{==========================================================================}
{==========================================================================}
{--------------------------------  操盘线系统  ------------------------------------}
```

```
VCPX := CPX>0 and C>MID;
{-------------------------------- 指导线系统 -------------------------------------}
VBBI := MA1>BBI;



{================================================================================}
{================================================================================}
{=============================== Make Up ======================================}
{================================================================================}
{================================================================================}
{-------------------------------- 区域 -------------------------------------------}
{
全部提示区域：RGNx
操作区域：RGNo
方差区域：RGNstd
MABU区域：RGNm
特信区域：RGNs
验证区域：RGNt}

RGNxU := MIN(MID,EMID);
RGNxL := BL;
II := RGNxU - RGNxL;

RGNoU := RGNxU - 0*II/10;
RGNoL := RGNxU - 2*II/10;
RGNmU := RGNxU - 3*II/10;
RGNmL := RGNxU - 7*II/10;

RGNSchgU := RGNxU - 7*II/10;
RGNSchgL := RGNxU - 8*II/10;

RGNstdU := RGNxU - 8*II/10;
RGNstdL := RGNxL;

{================================================================================}
{=============================== 背景 =========================================}
{================================================================================}
{-------------------------------- 全背景 -----------------------------------------}
DRAWGBK(1, RGB(0, 0, 0));

{-------------------------------- 仪轨 ------------------------------------------
DRAWGBK(SHOWBKG=1 AND 安, RGB(0, 15, 30));
DRAWGBK(SHOWBKG=1 AND 观, RGB(0, 30, 50));
DRAWGBK(SHOWBKG=1 AND 持, RGB(0, 50, 80));
}

{================================================================================}

{
x:= (CUPBBI AND MA1>BBI AND BBI>MID)
and CUPCPSX and CPBX>CPSX;
DRAWGBK(0 AND x, RGB(0, 50, 80));
}
```

```
{
X:ZDX>=MID AND CUPCPSX AND CPBX>=CPSX,drawnull;
GONG:'ZDX>=MID AND CUPCPSX AND CPBX>=CPSX';
DRAWGBK(X, RGB(0,10,20));
}

{
潜在突破 :
REF(CUPFFF,1) AND FFF>=BLLL
AND BETWEEN(MA1, bl,bu)
AND BETWEEN(CPSX, BL, BUU)
,DRAWNULL,COLORYELLOW
;

DRAWGBK(潜在突破, RGB(0,30,50));


CCC: F/CPBX-1,DRAWNULL,COLORYELLOW;

YY: BETWEEN(CCC,-0.06,0.05) AND REF(CUPFFF,1) AND FFF>=BLLL
,DRAWNULL,COLORYELLOW;
DRAWGBK(YY, RGB(0,30,50));}

{==================================================================================}
{--------------------------------  CPSX  -----------------------------------------
P20 := SLOPE(C,21)*20+C;



PARTLINE(EMA(P20,5), 1, RGB(200, 20, 20));
PARTLINE(EMA(P20,10), 1, RGB(200, 20, 20));
PARTLINE(EMA(P20,21), 1, RGB(200, 20, 20));
PARTLINE(EMA(P20,63), 1, RGB(200, 20, 20));


{==================================================================================}
{================================  周期  ===========================================}
{==================================================================================}



{==================================================================================}
{================================  地上  ===========================================}
{==================================================================================}
{--------------------------------  MID  -------------------------------------------}
FILLRGN(MID, EMID,
DDMID>0 AND CUPDDMID, RGB(200, 150, 0),
DDMID>0, RGB(190, 145, 0),
CUPDDMID, RGB(33, 33, 33),
1, RGB(22, 22, 22)
);

{--------------------------------  指导线  -----------------------------------------}
```

```
{FILLRGN(MA1, BBI, VBBI, RGB(233, 222, 200));}
{FILLRGN(CPSX-SD/10, CPSX, 1, RGB(180, 30, 0));}

{-------------------------------- 入轨信号 ---------------------------------------}
FILLRGN(BUU, BUUU, TTIS, RGB(50, 0, 0));
FILLRGN(BUUU-SD/6, BUUU, TTIS, RGB(122, 0, 0));
DRAWTEXT(TPC2DD=1 and TPC2SD<1, MID, '*'),ALIGN1,VALIGN2,Colorblack;


{信 地产以及各种启动模式，确定是否进入轨道}
{VERTLINE(C>=BUU AND BETWEEN(COUNT(C>=BUU,12),3,3),0),colorred; }


{===============================================================================}
{============================== 地下 =========================================}
{===============================================================================}
{
FILLRGN(RGNoL, RGNoU,
 CPX>0, RGB(150, 60, 50)
);}

{-------------------------------- Std -------------------------------------------
FILLRGN(RGNstdL, RGNstdU,
CUPStd AND C>MID, RGB(0, 70, 50),
1, RGB(0, 50, 50));
}
{===============================================================================}
{============================== 布线 =========================================}
{===============================================================================}
P20 := SLOPE(C,21)*20+C;
PMA1 := EMA(P20,5);


PARTLINE(PMA1 , 1, RGB(200, 20, 20));
PARTLINE(EMA(P20,10), 1, RGB(200, 20, 20));
PARTLINE(EMA(P20,21), 1, RGB(200, 20, 20));
PARTLINE(CPSX, 1, RGB(255, 20, 20))LINETHICK2;

PARTLINE(EMA(P20,63), 1, RGB(200, 20, 20));



PARTLINE(BUUU, 1,RGB(0, 50, 122));
PARTLINE(BUU, 1,RGB(0, 50, 122));
PARTLINE(BLLL, 1,RGB(0, 20, 0));
PARTLINE(BLL, 1,RGB(0, 20, 0));



PARTLINE(MID, 1, RGB(55, 55, 55))LINETHICK2;

{
PARTLINE(MA1, CPBX>=MA1, RGB(255, 255, 0));
PARTLINE(BBI, BBI>=MID, RGB(0, 225, 0));
```

```
}


Q  := SLOPE(C,4)*3+C;
QQ  := DMA(Q,0.8);
QQQ := DMA(QQ,0.8);
CUPQQQ := QQQ>REF(QQQ,1);


{
FILLRGN(QQ,Q,
QQQ>=CPSX,  RGB(0, 150, 150),
1, RGB(100, 0, 80)
)linethick1;

FILLRGN(QQQ,QQ,
CUPQQQ, RGB(0, 200, 200),
1, RGB(150, 0, 100)
)linethick1;

}
{------------------------------------------------------------------------}

F   := SLOPE(C,21)*20+C;
FF  := DMA(F,0.8);
FFF := DMA(fF,0.8);
CUPFFF := FFF>REF(FFF,1);

FILLRGN(FF,F,
FFF>=CPSX,  RGB(0, 200, 100),
1, RGB(100, 0, 80)
)linethick1;

FILLRGN(FFF,FF,
CUPFFF, RGB(0, 255, 100),
1, RGB(150, 0, 100)
)linethick1;

{==================================  提示  ===========================================}
DRAWTEXT(SHOWBS=1 AND cross(CPBX,CPSX),LOW,'B'),ALIGN1,VALIGN0,colorred;
DRAWTEXT(SHOWBS=1 AND cross(CPSX,CPBX),HIGH,'S'),ALIGN1,VALIGN2,colorgreen;
{=============================================================================================}
{=================================  K线  ============================================}
{=============================================================================================}
{介于BUU与BUUU之间}
stickline(IH>BUU,  MAX(BUU,IL),MIN(BUUU,IH),  9,0)colorred;
stickline(BETWEEN(C,BUU,BUUU) and BETWEEN(O,BUU,BUUU),  IL,IH,  9,0)COLORMAGENTA;

{超越BUUU}
stickline(IH>BUUU,  MAX(IL,BUUU),IH,  10,0)colorRED;

{无视}
stickline(CPBX<CPSX,  IL,MIN(IH,MID),  10,0),colorgray;
```

```
{================================ BS ============================================}
{
stickline(CPBX>=CPSX,low,high,0.1,1),colorred;
stickline(CPBX>=CPSX,close,open,8,1),colorred;
stickline(CPBX<CPSX,close,open,8,0),color00ff00;
stickline(CPBX<CPSX,low,high,0.1,1),color00ff00;
stickline(cross(CPBX,CPSX) or cross(CPSX,CPBX),open,close,6,0),colorffff00; }



{=====================================================================================}
{================================ 赋值 ============================================}
{=====================================================================================}

C,DRAWNULL, COLORCYAN;
快 : QQQ, DRAWNULL, COLORyellow;

福 : FFF, DRAWNULL, COLORyellow;

突破 : TTIS, DRAWNULL, COLORyellow;
突数 : TTNC, DRAWNULL, COLORyellow;
突自 : 100*TPC2DD, DRAWNULL, COLORyellow;
突天 : 100*TPC2SD, DRAWNULL, COLORyellow;

中差 : DDMID, DRAWNULL, COLORWHITE;
U : UU and C>MA3, DRAWNULL, COLORWHITE;

均层 : INTPART(100*LMA), DRAWNULL, COLORwhite;
价层 : INTPART(100*LC), DRAWNULL, COLORwhite;

BBI, DRAWNULL, COLORgray;

五线 : if(CPBX>=MA1, MA1, 0), DRAWNULL, COLORWHITE;

振幅 : 100*IPOsc, DRAWNULL,  DRAWNULL, COLORwhite;

IFS(CUPStd>0, '扩张','收缩'), DRAWNULL, COLORblue;
IFS(CUPBUUU>0, '轨升','轨降'), DRAWNULL, COLORblue;
IFS(C>MA3, '60日均线之上','小于60日均线'), DRAWNULL, COLORwhite;
IFS(C>MA4, '120日均线之上','小于120日均线'), DRAWNULL, COLORwhite;

{=====================================================================================}
{=====================================================================================}
{=====================================================================================}
```