




DRAWGBK(1, RGB(0, 0, 0))layer7;

额日 := 20000;

额周 := 30000;

```
{=====}
{=====}
{===== 基础 =====}
{=====}
{=====}
{----- QJ -----}
QK := SMA(C,3,1);
QD := SMA(QK,3,1);
QJ := 3*QK-2*QD;
{----- ZJ -----}
ZK := SMA(C,7,1);
ZD := SMA(ZK,3,1);
ZJ := 3*ZK-2*ZD;
ZH := 5*ZK-4*ZD;
{----- MID -----}

{=====}
{*****}
```

```
{=====}
{===== 乾坤阴阳 =====}
{=====}
IFS(QJ>ZH AND QK<=ZK, '青龙, '), DRAWNULL, COLORCYAN;
IFS(QJ>ZH AND QK>ZK, '朱雀拿牢, '), DRAWNULL, COLORRED;
IFS(QJ<ZH AND QK>ZK, '白虎, '), DRAWNULL, COLORYELLOW;
IFS(QJ<ZH AND QK<ZK, '玄武, '), DRAWNULL, COLORGRAY;
```

```

=====
C,DRAWNULL, COLORWHITE;
MID : MA(CLOSE,26),DRAWNULL,COLORWHITE;
HS : V/CAPITAL,DRAWNULL,COLORWHITE;

{----- QJ-ZH -----}
MX : 100*(QJ - ZH)/MAX(C,1)
,DRAWNULL,COLORYELLOW;

QX : 100*(QJ - QK)/MAX(C,1)
,DRAWNULL,COLOR00009A;

KX : 100*(QK - ZK)/MAX(C,1)
,DRAWNULL,COLORYELLOW;

bC: 100*(C-QK)/QK,DRAWNULL,COLORWHITE;
bL: 100*(L-QK)/QK,DRAWNULL,COLORWHITE;
=====
{*****}

=====
===== 划线 =====
=====
partline(MID, 1, RGB(0, 66, 66)),LAYER6,LINETHICK1;
{partline(MID, C>=MID, RGB(0, 155, 155)),LAYER5,LINETHICK1;}
=====
partline(QK,1, RGB(0, 66, 66)),LAYER2;
{
partline(ZK,1, RGB(200, 170, 0)),LAYER5;
partline(ZD,1, RGB(200, 200, 200)),LAYER5;
}
partline(ZK,1, RGB(20, 20, 20)),LAYER5;
partline(ZD,1, RGB(20, 20, 20)),LAYER5;
FILLRGN(ZK, ZD, ZK<ZD,RGB(150, 30, 30), 1,RGB(0, 80, 180) ),LAYER6;

=====
partline(QJ, 1, RGB(100, 0, 0)),LAYER5;
partline(ZH, 1, RGB(0, 60, 90)),LAYER5;

FILLRGN(ZH, QJ, QJ>ZH,RGB(200, 150, 20), 1,RGB(0, 50, 0) ),LAYER6;
===== 箭头 =====
DRAWICON(cross(QK,ZK), MIN(L,ZK),12), ALIGN1,VALIGN0,COLORRED,LAYER3;
DRAWICON(cross(ZK,QK), MAX(H,ZK),13), ALIGN1,VALIGN2,COLORGREEN,LAYER3;

=====
{*****}

=====
===== 选青龙 =====
=====

```

```

=====
{----- ZXX:地机 -----}
选地机：
(QJ>ZH AND QJ>REF(QJ,1))
AND QK<=ZK
AND QJ>=QK
, COLORAAAA00,DRAWNULL;

STICKLINE(选地机, OPEN,CLOSE, 6,0),COLORA0AF00,LAYER6;

{----- ZXX:天机 -----}
选天机：
(QJ>ZH AND QJ>REF(QJ,1))
AND QK<=ZK
AND QJ>ZK
AND C>ZK
, COLORCYAN,DRAWNULL;

STICKLINE(选天机, OPEN,CLOSE, 6,0),COLORCYAN,LAYER6;

=====
选阳初：COUNT(CROSS(QK,ZK),2)=1
,DRAWNULL,COLORRED;

=====
仓：IF(选天机 or 选阳初, 100*INTPART(额日/C/100), 0),drawnull, coloryellow;
{*****}
{----- ZXX:天煞 -----}
选天煞：
(QJ<ZH AND QJ<REF(QJ,1))
AND QK>=ZK
AND QJ<=QK
, COLORCYAN,DRAWNULL;

{STICKLINE(选天煞, OPEN,CLOSE, 6,0),COLOR1A1A2A,LAYER6;}

=====
===== 赋值 =====
=====
' ',COLORBLACK;
M：QK,DRAWNULL,COLORGRAY;
MK：ZK,DRAWNULL,COLORGRAY;

===== ZXX =====
MJ：QJ,DRAWNULL,COLORGRAY;
{MH:ZH,DRAWNULL,COLORGRAY;}
=====
LAND：DATATYPE=8 AND QK>ZK AND C>QK AND L<QK*1.002
,DRAWNULL,COLORWHITE;
stickline(LAND, O, C,0,0),LAYER7, COLOR7f7f40;

```

```

===== 普适 =====}

涨幅: 100*(c/ref(c,1)-1),DRAWNULL,COLORWHITE;
市值: FINANCE(3)*CLOSE/10000,DRAWNULL,COLORWHITE;
{----- ZMD -----}
IMD :=(2*C+H+L)/4;
MDK := EMA(IMD,13),drawnull,colorwhite;
MDD := EMA(0.667*REF(MDK,1)+0.333*MDK, 2);
ZMD : LAST(MDK>MDD),DRAWNULL,COLORRED;
=====}
青龙: QJ>ZH AND QK<=ZK, DRAWNULL, COLORCYAN;
朱雀: QJ>ZH AND QK>ZK, DRAWNULL, COLORRED;
白虎: QJ<ZH AND QK>ZK, DRAWNULL, COLORYELLOW;
玄武: QJ<ZH AND QK<ZK, DRAWNULL, COLORGRAY;
=====}
{*****}
{*****}

```