

DRAWGBK(1,RGB(0,0,0))LAYER7;

DK: "UBASIC.K#DAY",COLOR00FF00,LAYER2;

DD: "UBASIC.D#DAY",COLOR00FFFF,LAYER2;

DJ: "UBASIC.J#DAY",COLOR8B008B,LAYER2;

WK:= "UBASIC.K#WEEK";

WD:= "UBASIC.D#WEEK";

WJ:= "UBASIC.J#WEEK";

MK:= "UBASIC.K#MONTH";

MD:= "UBASIC.D#MONTH";

MJ:= "UBASIC.J#MONTH";

{=====}

{PARTLINE(MK, DATATYPE>=9, RGB(20, 20, 20) ),linethick5,LAYER5;

PARTLINE(MJ, DATATYPE>=9, RGB(20, 0, 20) ),linethick5,LAYER5;}

DRAWICON(CROSS(MJ,MK),0,12),ALIGN1,VALIGN1,COLORred,LAYER1;

DRAWICON(CROSS(MK,MJ),0,13),ALIGN1,VALIGN1,COLORgreen,LAYER1;

{DRAWGBK(MJ>MK,RGB(0,15,0))LAYER5;}

{=====}

{DRAWGBK(MJ>MK AND WJ>WK,RGB(0,25,0))LAYER5;}

PARTLINE(WK, DATATYPE>=9, RGB(40, 40, 40) ),linethick3,LAYER4;

PARTLINE(WD, DATATYPE>=9, RGB(40, 40, 0) ),linethick3,LAYER4;

PARTLINE(WJ, DATATYPE>=9, RGB(40, 0, 40) ),linethick3,LAYER4;

{=====}

周K: WK,COLORWHITE,DRAWNULL;

周J: WJ,COLORMAGENTA,DRAWNULL;

周P: LAST(WJ>WK),COLORred,DRAWNULL;

月K: MK,COLORWHITE,DRAWNULL;

月J: MJ,COLORMAGENTA,DRAWNULL;

月P: LAST(MJ>MK),COLORred,DRAWNULL;

{=====}

{===== 太极 =====}

{=====}

IH := MAX(OPEN, CLOSE);

IL := MIN(OPEN, CLOSE);

IDD := IF(IH<>IL,IH - IL,ABS(C-REF(C,1)));

{

RC:=REF(C,1);

柱堆: DMA(IDD/RC,0.4),DRAWNULL,COLORBB7700;

PARTLINE(柱堆, 1,RGB(0, 50, 90));

PARTLINE(-柱堆, 1,RGB(0, 50, 90));

}

{=====}

雄线:= EMA(C,13);

```

雄阳体 := IF(IL>雄线,IDD, IF(IH<雄线,0, IH-雄线));
雄阴体 := -IF(IL>雄线,0, IF(IH<雄线,IDD, 雄线-IL));

雄命 : LAST(雄阳体=IDD)
,DRAWNULL,COLOR00FF00;
雄阳 : 100 * 雄阳体/IDD
,DRAWNULL,COLOR008B00;

{
雄阳堆 : DMA(雄阳体/RC,0.4),DRAWNULL,COLOR00AA00;
雄阴堆 : DMA(雄阴体/RC,0.4),DRAWNULL,COLOR00AA00;
PARTLINE(雄阳堆, 1,RGB(0, 200, 0))layer5,linethick2;
PARTLINE(雄阴堆, 1,RGB(0, 200, 0))layer5,linethick2;
}

雄:
IF(雄阳=100,1,
  IF(雄阳>=50,0.9,
    IF(雄阳>0,0.1,
      0)) ) *100
,DRAWNULL,COLOR00BB00,LAYER5;
partline(雄,1,RGB(0,80,120)),LINETHICK1,LAYER3;
{=====}
雌线:= EMA(C,5);
雌阳体 := IF(IL>雌线,IDD, IF(IH<雌线,0, IH-雌线));
雌阴体 := -IF(IL>雌线,0, IF(IH<雌线,IDD, 雌线-IL));

雌命 : LAST(雌阳体=IDD)
,DRAWNULL,COLOR0000AA;
雌阳 : 100 * 雌阳体/IDD
,DRAWNULL,COLOR00008B;

{
雌阳堆 : DMA(雌阳体/RC,0.4),DRAWNULL,COLOR00006B;
雌阴堆 : DMA(雌阴体/RC,0.4),DRAWNULL,COLOR00006B;
PARTLINE(雌阳堆, 1,RGB(120, 0, 0));
PARTLINE(雌阴堆, 1,RGB(120, 0, 0));
}

雌:
IF(雌阳=100,1,
  IF(雌阳>=50,0.8,
    IF(雌阳>0,0.2,
      0)) ) *100
,DRAWNULL,COLOR00008B,LAYER5;
partline(雌,1,RGB(70,0,0)),LINETHICK1,LAYER5;
{=====}

可干: (雌阳>50) and (雄阳<50),drawnull,coloryellow;
DRAWICON(可干, -20, 5),ALIGN1,VALIGN0,COLORAA5500,LAYER4;

准备干 : (雌阳>50) and (雄阳>0 AND 雄阳<100),drawnull,coloryellow;
DRAWICON(准备干, 120, 5),ALIGN1,VALIGN0,COLORcyan,LAYER4;

```

开始干 : CROSS(雄阳,50) and COUNT(雄阳<50,5)>2,drawnull,coloryellow;  
DRAWICON(开始干, 120, 5),ALIGN1,VALIGN0,COLORred,LAYER4;

正在干 : (雌阳>0) AND (雄阳=100), drawnull,coloryellow;

干: 开始干 OR 正在干, drawnull,coloryellow;

{=====}

FILLRGN(100 ,120 , 雄>50, RGB(0,50,70)),layer6;

FILLRGN(-20 ,0 , 雄<50, RGB(0,50,70)),layer6;