

```

HT:=HIGH*(10+0.01*4);
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N   :=26;
Ndkxd :=8;
Ndkdea :=8;
Nmacd :=9;

{*****Define=====}

C,drawnull;
MA1 : MA(CLOSE,P1);
MA2 : MA(CLOSE,P2);
MID : MA(CLOSE,N),linethick2,colorgray;
MA3 : MA(CLOSE,P3);
MA4 : MA(CLOSE,P4);
CUPMA1:=MA1>=REF(MA1,1);
CUPMA2:=MA2>=REF(MA2,1);
CUPMA3:=MA3>=REF(MA3,1);
CUPMA4:=MA4>=REF(MA4,1);
CUPMID:=MID>=REF(MID,1);
CDNMA1:=MA1<=REF(MA1,1);
CDNMA2:=MA2<=REF(MA2,1);
CDNMA3:=MA3<=REF(MA3,1);
CDNMA4:=MA4<=REF(MA4,1);

A := (3*C+L+O+H)/6;
DKXB : (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;
DKXD := MA(DKXB,Ndkxd);
CUPDKXB:=DKXB>=REF(DKXB,1);
CUPDKXD:=DKXD>=REF(DKXD,1);

DKdif := MIN(100,100* (DKXB - DKXD)/DKXD),COLORWHITE;
DKdea := EMA(DKdif,Ndkdea),COLORGRAY;
DKmacd := (DKdif-DKdea),drawnull;
DKmmacd:= SMA(DKmacd,4,2);
CUPDKdif := DKdif >= REF(DKdif,1);
CUPDKdea := DKdea >= REF(DKdea,1);
CUPDKmacd := DKmacd >= REF(DKmacd,1);
CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);

BUU : MID + 2*STD(CLOSE,N);
BU : MID + 1*STD(CLOSE,N);
BL : MID - 1*STD(CLOSE,N);
BLL : MID - 2*STD(CLOSE,N);
CUPBUU:=BUU>=REF(BUU,1);
CUPBU:=BU>=REF(BU,1);

DIF := 100* (EMA(C,12)/EMA(C,26)-1);

```

```

DEA := EMA(DIF,Nmacd);
MACD := (DIF-DEA);
MMACD := SMA(MACD,4,2);
CUPDIF := DIF>=REF(DIF,1);
CUPDEA := DEA>=REF(DEA,1);
CUPMACD := MACD>=REF(MACD,1);
CUPMMACD := MMACD>=REF(MMACD,1);

```

```

RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;
K := SMA(RSV,3,1);
D := SMA(K,3,1);
J := 3*K-2*D;
CUPK := K>=REF(K,1);
CUPD := D>=REF(D,1);
CUPJ := J>=REF(J,1);

```

```

VMA1:=MA(VOL,5);
VMA2:=MA(VOL,10);
VMA3:=MA(VOL,20);
CUPVMA1:=VMA1>REF(VMA1,1);
CUPVMA2:=VMA2>REF(VMA2,1);
CUPVMA3:=VMA3>REF(VMA3,1);

```

```

TYP := (HIGH + LOW + CLOSE)/3;
CCI := (TYP-MA(TYP,26))/(0.015*AVEDEV(TYP,26));

```

```

JJJ:=IF(DYNAINFO(8)>0.01,0.01*DYNAINFO(10)/DYNAINFO(8),DYNAINFO(3));
DDD:=(DYNAINFO(5)<0.01 || DYNAINFO(6)<0.01);
JJT:=IF(DDD,1,(JJJ<(DYNAINFO(5)+0.01) && JJJ>(DYNAINFO(6)-0.01)));
CYC1:=IF(JJT,0.01*EMA(AMOUNT,P1)/EMA(VOL,P1),EMA((HIGH+LOW+CLOSE)/3,P1));
CYC∞:=IF(JJT,DMA(AMOUNT/(100*VOL),100*VOL/FINANCE(7)),EMA((HIGH+LOW+CLOSE)/3,120));

```

```

{*****Keep=====}

```

```

{*****买入持有基本条件 -----}

```

Obasic:

C>MA2

AND DKmacd>-5

AND DKdif>-2

,DRAWNULL;

Ozbdk:

C>MID

AND MA1>MA2

AND CUPMA1

AND DKmacd>=DKmmacd

AND CUPDKdif

AND BETWEEN(DKmacd,-3,3)

AND BETWEEN(DKdif,-3,8)

AND BETWEEN(DKdea , -3,8)

,DRAWNULL;

wDKJinchaqian: C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1) ,drawnull;

wDKJincha: C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;

{*****SIGNAL=====}

PARTLINE(MID,CUPMID,RGB(0,255,0))LINETHICK3;

stickline(C>BUU,open,close,5,501),COLORYELLOW;

{+++++SIGNAL-TIME-----}

VERTLINE(G=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0),LINETHICK1;

VERTLINE(G=1 and (STRLEFT(STKLABEL,1)='I') and datatype<8 and TIME>151400,0),LINETHICK1;

VERTLINE(G=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0),LINETHICK1;

VERTLINE(0 and type=1 and datatype=8 and weekday=5,0),LINETHICK2;

{+++++SIGNAL-STD & UU-----}

StdMA := MA(STD(CLOSE,N),2);

CUPStdMA := StdMA >= REF(StdMA,1)*0.98;

CDNStdMA := StdMA <= REF(StdMA,1) ;

UUwithoutMA3 := Obasic AND C>MA1 AND C>MA2 AND C>DKXB AND C>DKXD,DRAWNULL;

UU := UUwithoutMA3 AND C>MA3,DRAWNULL;

SigUUJiancang := (UU AND Obasic) AND CUPDKmmacd and CDNStdMa,DRAWNULL;

SigUUShangzhang := (UU AND Obasic) AND CUPDKmmacd,DRAWNULL;

SigStdCUP := C>MA2 AND C>DKXB AND C>MID AND CUPStdMA,DRAWNULL;

STICKLINE(SigUUJiancang ,BLL,BL,9,0)COLORMAGENTA;

STICKLINE(SigStdCUP ,BLL,BL,9,0),COLORBLUE;

STICKLINE(SigStdCUP AND REF(CUPStdMA,1)=0,BLL,BL,9,0)colorYELLOW;

PARTLINE(BLL,

SigUUJiancang, RGB(255,255,0),

SigUUShangzhang, RGB(0,255,0),

UU AND CUPDKmmacd=0, RGB(255,255,255),

REF(UU,1) AND UU=0,RGB(255,0,0),

1,RGB(0,0,0)

)LINETHICK2;

{*****SIGNAL- MA1>BUU -----}

PARTLINE(BL,MA1>=BU,RGB(0,255,0),1,RGB(0,0,0)),LINETHICK2;

{*****SIGNAL-XUSHI--是否删除-----}

SigXushidaifa: DKXB<MA1 and MA1<MID and Between(DKmacd,-3,3) and CUPDKDif,DRAWNULL;

STICKLINE(SigXushidaifa AND datatype>5,BU,BUU,9,0)COLORBLUE;

SigMA1GTMID: CROSS(MA1,MID),DRAWNULL;

STICKLINE(SigMA1GTMID and datatype>5,BUU,BUU+BUU-BU,9,0)colorGREEN;

{=====}

CTM := ((type=1 AND TIME>144500) AND BETWEEN(DATATYPE,5,7))

```
OR (STRLEFT(STKLABEL,2)='HK' AND BETWEEN(DATATYPE,5,7) and TIME>155900);
BUP := O<MA1 AND C>MA1 AND CUPMA2 ;
```

BSimple :

Obasic

AND CUPMA1

AND CUPMA2

AND C>MA2

AND C>MID

AND (CUPDKMMACD or CUPDKdif OR (DKmacd>-1 AND DKdea>10))

,DRAWNULL;

```
{*****MONTH=====}
```

BM : datatype=10

AND BSimple

,DRAWNULL;

VERTLINE(BM,0)COLORGRAY;

BW : datatype=9

AND BSimple

AND MA1>MA2

,DRAWNULL;

VERTLINE(BW,0)COLORGRAY;

```
{*****WEEK=====}
```

BW2 : datatype=9

AND C>MA4

AND C>MA1 AND MA1>MA2 AND C>MA3 AND C>DKXB

AND CUPMA1

AND ((CUPMMACD AND BETWEEN(MMACD,-2,0)) OR MMACD>-0.01 OR DIF>DEA)

AND (TYP-MA(TYP,18))/(0.015*AVEDEV(TYP,18))>98

,DRAWNULL;

VERTLINE(0 and BW2,0),COLORGRAY;

BWW:datatype=9

AND C>MA1 AND C>MA2 AND C>MA3 AND C>DKXB

AND (CUPMMACD AND BETWEEN(MMACD,-0.4,0.4))

AND C>BU

,DRAWNULL;

STICKLINE(BWW AND COUNT(C>BU,5)<4 ,H*1.03,H*1.05,1,0)linethick4,coloryellow;

XW:CROSS(MA1,DKXB) AND MA1<MID AND MA1>MA2 AND CUPSTDMA

,DRAWNULL;

VERTLINE(XW,0),COLORGREEN;

```
{****search=====}
```

Watch:wDKJinchaqian or wDKJincha or SigUUJianchang,drawnull;

Buy:SigUUShangzhang ,drawnull;

Own:Ozbdk,DRAWNULL;