

```

C,drawnull;
{=====}
{===== 参数 =====}
{=====}
{-----| 颜色 -----}
MA1 Yellow2      RGB(238, 238, 0)  ColorEEEE00
MA1< LightYellow4 RGB(139, 139, 122) Color8B8B7A
MA2 OrangeRed    RGB(255, 69, 0)   ColorFF4500
MA2< Brown4      RGB(139, 35, 35)  Color8B2323
MID White        RGB(255,255,255)  ColorFFFFFF
DKXB LightGreen  RGB(144, 238, 144) Color90EE90
MA3 Purple       RGB(160, 32, 240)  ColorA020F0
MA4 Cyan         RGB(0, 255, 255)   Color00FFFF
BU DeepPink     RGB(255, 20, 147)   ColorFF1493
BUU DarkGoldenrod1 RGB(255, 185, 15) ColorFFB90F
-----}

P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N := 26;

NDKSD := 10;
NDKLD := 20;
Ndkdea:= 6;

{=====}
{===== 定义 =====}
{=====}
{MA}
MA1 : MA(CLOSE,P1),DRAWNULL;
MA2 : MA(CLOSE,P2),colorred;
MID : MA(CLOSE,N),DRAWNULL;
MA3 : MA(CLOSE,P3),color68228B;
MA4 : MA(CLOSE,P4),colorcyan;
CUPMA1:=MA1>=REF(MA1,1);
CUPMA2:=MA2>=REF(MA2,1);
CUPMA3:=MA3>=REF(MA3,1);
CUPMA4:=MA4>=REF(MA4,1);
CUPMID:=MID>=REF(MID,1);
CDNMA1:=MA1<=REF(MA1,1);
CDNMA2:=MA2<=REF(MA2,1);
CDNMA3:=MA3<=REF(MA3,1);
CDNMA4:=MA4<=REF(MA4,1);
CDNMID:=MID<=REF(MID,1);

{DK}
A := (3*C+L+O+H)/6;
DKXB : (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;
DKSD := MA(DKXB,NDKSD);
DKLD := MA(DKXB,NDKLD);

```

```

CUPDKXB :=DKXB>=REF(DKXB,1);
CUPDKSD :=DKSD>=REF(DKSD,1);
CUPDKLD :=DKLD>=REF(DKLD,1);

```

```

{SHORT DKX-MACD}
DKdif := MIN(100,100* (DKXB/DKSD-1)),COLORWHITE;
DKdea := EMA(DKdif,Ndkdea);
DKmacd := (DKdif-DKdea),drawnull;
DKmmacd := SMA(DKmacd,4,2);
CUPDKdif := DKdif >= REF(DKdif,1);
CUPDKdea := DKdea >= REF(DKdea,1);
CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);

```

```

{LONG DKX-MACD}
DKLdif := MIN(200,100* (DKXB/DKLD-1));
DKLdea := EMA(DKLdif,NDKdea);
DKLmacd := (DKLdif-DKLdea),drawnull;
DKLmmacd := SMA(DKLmacd,4,2);
CUPDKLdif := DKLdif >= REF(DKLdif,1);
CUPDKLdea := DKLdea >= REF(DKLdea,1);
CUPDKLmmacd := DKLmmacd >= REF(DKLmmacd,1);

```

```

{STD}
StdC := STD(CLOSE,N);
StdMA := MA(StdC,2);
CUPStdMA := StdMA >= REF(StdMA,1)*0.98;
CDNStdMA := StdMA <= REF(StdMA,1) ;

```

```

{BOLL}
BUU : MID + 2*StdC;
BU : MID + 1*StdC;
BL := MID - 1*StdC;
BLL := MID - 2*StdC;
CUPBUU :=BUU>=REF(BUU,1);
CUPBU :=BU>=REF(BU,1);

```

```

{MACD}
DIF := 100* (EMA(C,12)/EMA(C,26)-1);
DEA := EMA(DIF,9);
MACD := (DIF-DEA);
MMACD := SMA(MACD,4,2);
CUPDIF := DIF>=REF(DIF,1);
CUPDEA := DEA>=REF(DEA,1);
CUPMACD := MACD>=REF(MACD,1);
CUPMMACD := MMACD>=REF(MMACD,1);

```

```

{KDJ}
RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;
K := SMA(RSV,3,1);
D := SMA(K,3,1);
J := 3*K-2*D;
CUPK := K>=REF(K,1);
CUPD := D>=REF(D,1);
CUPJ := J>=REF(J,1);

```

```

{VOLUME}
VMA1:=MA(VOL,5);
VMA2:=MA(VOL,10);
VMA3:=MA(VOL,20);
CUPVMA1:=VMA1>REF(VMA1,1);
CUPVMA2:=VMA2>REF(VMA2,1);
CUPVMA3:=VMA3>REF(VMA3,1);

{CCI}
TYP := (HIGH + LOW + CLOSE)/3;
CCI := (TYP-MA(TYP,26))/(0.015*AVEDEV(TYP,26));

{SYS}
JJJ:=IF(DYNAINFO(8)>0.01,0.01*DYNAINFO(10)/DYNAINFO(8),DYNAINFO(3));
DDD:=(DYNAINFO(5)<0.01 || DYNAINFO(6)<0.01);
JJJT:=IF(DDD,1,(JJJ<(DYNAINFO(5)+0.01) && JJJ>(DYNAINFO(6)-0.01)));
CYC1:=IF(JJT,0.01*EMA(AMOUNT,P1)/EMA(VOL,P1),EMA((HIGH+LOW+CLOSE)/3,P1));
CYC∞:=IF(JJT,DMA(AMOUNT/(100*VOL),100*VOL/FINANCE(7)),EMA((HIGH+LOW+CLOSE)/3,120));

```

```

{=====}
{===== 周期分割 =====}
{=====}
VERTLINE(G=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0),LINETHICK1;
VERTLINE(G=1 and (STRLEFT(STKLABEL,1)='I' ) and datatype<8 and TIME>151400,0),LINETHICK1;
VERTLINE(G=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0),LINETHICK1;

```

```

VERTLINE(0 and type=1 and datatype=8 and weekday=5,0),LINETHICK2;

```

```

CTM := ((type=1 AND TIME>144500) AND BETWEEN(DATATYPE,5,7) )
OR (STRLEFT(STKLABEL,2)='HK' AND BETWEEN(DATATYPE,5,7) and TIME>155900);

```

```

{=====}
{===== TT =====}
{=====}
{-----| 阶段0+|层-2<BLL,BL>: 突破所有均线TT -----}
{-----| MA1|MA2 DKXB|MA3 MA4 : XXBXX -----}

```

```

{-----| TT:大于DKXB -----}
TTXXBXX := C>DKXB AND C>DKSD AND C>MID,DRAWNULL;
FILLRGN(BLL,BL-5*(BL-BLL)/6,TTXXBXX ,RGB(0, 104, 139));

```

```

{-----| TT:大于MA3 -----}
TTXB1X:= TTXBXX AND C>MA3,DRAWNULL;
TT0XB1X:= TTXB1X AND C<MA1,DRAWNULL;
TT0B1X:= TTXB1X AND C<MA2,DRAWNULL;
FILLRGN(BL-5*(BL-BLL)/6,BL-1*(BL-BLL)/2,TTXB1X,RGB(0, 154, 205));
FILLRGN(BL-5*(BL-BLL)/6,BL-1*(BL-BLL)/2,TT0XB1X,RGB(139, 139, 122));
FILLRGN(BL-5*(BL-BLL)/6,BL-1*(BL-BLL)/2,TT0B1X,RGB(139, 35, 35));

```

```

{-----| TT:大于MA4 -----}
TTXB11 := TTXB1X AND C>MA4,DRAWNULL;
TT0XB11 := TTXB11 AND C<MA1,DRAWNULL;
TT0B11 := TTXB11 AND C<MA2,DRAWNULL;

```

FILLRGN(BL-1*(BL-BLL)/2,BL,TTXXB11,RGB(0, 191, 255));
FILLRGN(BL-1*(BL-BLL)/2,BL,TT0XB11,RGB(139, 139, 122));
FILLRGN(BL-1*(BL-BLL)/2,BL,TTX0B11,RGB(139, 35, 35));

TT: TTXXBXX AND (C>MA1 AND C>MA2) AND C>MA3,DRAWNULL;

{=====}
{===== 阶段 整理 =====}
{=====}
SigShoulian:= CDNStdMa AND BETWEEN(C,BL,BUU) AND CUPDKmmacd,drawnull;

{-----| 阶段-1|层-3<BLL以下>: 收敛阶段 -----}
FILLRGN(BLL-(BL-BLL)/5,BLL, SigShoulian,RGB(85,26,139));

{-----| 阶段1|层-3<BLL以下>: 收敛阶段反攻的层次 -----}
FILLRGN(BLL-2*(BL-BLL)/15,BLL-(BL-BLL)/15,
SigShoulian and C>BU,RGB(255, 20, 147),
SigShoulian and C>MID,RGB(255, 255, 255),
SigShoulian and C>DKXB,RGB(144, 238, 144),
SigShoulian and C>MA2,RGB(255, 69, 0),
SigShoulian and C>MA1,RGB(238, 238, 0)
);

{=====}
{===== 阶段 上升 =====}
{=====}
{-----| 阶段2+3|层-3<BLL以下>: C突破BOLL上轨 -----}
SAA2:= CUPStdMa AND C>BU AND COUNT(C>BUU,5)=0,DRAWNULL; {阶段2}
SAA3:= CUPStdMa AND C>BUU,DRAWNULL; {阶段3}
FILLRGN(BLL-(BL-BLL)/4,BLL-(BL-BLL)/5,
SAA2,RGB(255, 105, 180),
SAA3, RGB(255, 185, 15)
);

{-----| 阶段4|层1<MID,DKXB>: 主升浪, MA1>=BU -----}
SAA4:= MA1>=BU ,DRAWNULL; {阶段4}
FILLRGN(MID,DKXB,
SAA4 AND COUNT(C<MA2,2)>1,RGB(139, 129, 76),
SAA4,RGB(255, 236, 139)
);
FILLRGN(MID,MID+2*(DKXB-MID)/3,MA1>=BU AND C<MA1,RGB(139, 139, 122));
FILLRGN(MID,MID+2*(DKXB-MID)/3,MA1>=BU AND C<MA2,RGB(139, 35, 35));

{=====}
{===== 特殊信号 =====}
{=====}
wDKJinchaqian:= C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1) ,drawnull;
wDKJincha:= C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;

{=====}
{=====}
{===== 信号系统 =====}

```

=====
=====
{-----| 均线系统 -----}
BMA:
DKXB>DKSD
AND MA2>MID
AND MA2>MA3
,DRAWNULL,COLORGRAY;
FILLRGN(BL,BL+1*(MID-BL)/9,BMA,RGB(110, 139, 61));

{-----| ZBDK系统 -----}
BZBDK:
CUPDKXB
AND (CUPDKDIF OR (DKDIF>0 AND BETWEEN(DKMACD,-0.3,0.5)))
,DRAWNULL,COLORGRAY;
FILLRGN(BL+1*(MID-BL)/9,BL+3*(MID-BL)/9,BZBDK,RGB(162, 205, 90));

{-----| 操盘线系统 -----}
BCPX:CPX>0,,DRAWNULL,COLORGRAY;
FILLRGN(BL+3*(MID-BL)/9,BL+6*(MID-BL)/9,BCPX,RGB(171, 130, 255));

{-----| BS系统 -----}
{-----| 交易量系统 -----}


{-----| Shark系统 -----}
BMY :
MA1>MID AND
C>MA2 AND C>MID AND CUPMA1 AND CUPMA2
AND DKdif>-5
AND DKmacd>-1
AND (
CUPDKMMACD
OR CUPDKdif
OR (DKdea>3 AND CUPMMACD)
),DRAWNULL,COLORGRAY;
FILLRGN(MID-1*(MID-BL)/3,MID,BMY,RGB(202, 255, 112));

STICKLINE(BMY AND BETWEEN(COUNT(C>BU,5),1,4) AND C<BUU,H,H+(H-L)/8,7,0)colorYELLOW;

=====
===== 选股 =====
=====
买:
(BMY OR BCPX)
AND BZBDK
,DRAWNULL,COLORWHITE;

抢:
BMY AND BCPX
AND SAA4
,DRAWNULL,COLORWHITE;

看:
BZBDK AND BMA

```

OR SAA2
OR 买 OR 抢
,DRAWNULL,COLORWHITE;

丢:COUNT(C<MA1,2)=2,DRAWNULL,COLORWHITE;

```
{=====}
{===== 布线 =====}
{=====}
{-----| 鸟瞰 -----}
STICKLINE(BIRDVIEW AND TT,C*BIRDVIEW ,C*BIRDVIEW ,9,0)colorYELLOW;

{-----| BLL -----}
PARTLINE(BLL,
TT AND CUPDKmmacd, RGB(50, 205, 50),
TT AND CUPDKMMACD=0, RGB(255,215,0),
REF(TT,1) AND TT=0,RGB(255,0,0),
1,RGB(0,0,0)
);

{-----| 均线 -----}
PARTLINE(MID,
CUPMID,RGB(0, 255, 0),
1,RGB(139, 139, 122)
)LINETHICK3;

PARTLINE(MA1,
CUPMA1,RGB(238, 238, 0),
1,RGB(139, 139, 122)
);
PARTLINE(MA2,
CUPMA2,RGB(255, 69, 0),
1,RGB(139, 35, 35)
);
{=====}
{=====}
{=====}
```